

### References:

- Aharony A. & Bruce A. D., "Lifshitz-point critical and tricritical behaviour in anisotropically stressed perovskites," *Phys. Rev. Lett.*, **42**(1979)462-465.
- Aken B. B. V., Palstra T. T. M., Filippetti A. and Spaldin N. A., "The origin of ferroelectricity in magnetoelectric YMnO<sub>3</sub>," *Nat. Mater.*, **3**(2004)164-170.
- Akhtar M. J. and Khan R. T. A., "Structural studies of SrFeO<sub>3</sub> and SrFe<sub>0.5</sub>Nb<sub>0.5</sub>O<sub>3</sub> by employing XRD and XANES spectroscopic techniques," *Material characterization*, **62**(2011)1016-1020.
- Amorin H., Correas C., Ramos P., Hungría T., Castro A. and Algueró M., "Very high remnant polarization and phase-change electromechanical response of BiFeO<sub>3</sub>-PbTiO<sub>3</sub> at the multiferroic morphotropic phase boundary," *Appl. Phys. Lett.*, **101**(2012)172908
- Anderson P. W., "Antiferromagnetism, Theory of superexchange interaction," *Phys. Rev.*, **79**(1950)350-356.
- Anderson M. T., Goodenough, J. B., Taylor G. A. and Poeppelmeier K. R., "B-cation arrangements in double perovskites," *Prog. Solid State Chem.*, **22**(1993)197.
- Atanasov M. and Reinen D., "Density functional studies on the lone pair effect of the trivalent group V elements: I. electronic structure, vibronic coupling, and chemical criteria for the occurrence of lone pair distortions in AX<sub>3</sub> molecules (A = N to Bi; X = H, and F to I)," *J. Phys. Chem. A*, **105**(2001)5450-5467.
- Aoyama T., Yamauchi K., Iyama A., Picozzi S., Shimizu K. and Kimura T., "Giant spin-driven ferroelectric polarization in TbMnO<sub>3</sub> under high pressure," *Nature Communications*, **5**(2014)4927.
- Bao S., Ma C. R., Chen G., Xu X., Enriquez E., Chen C. L., Zhang Y., J. L. B. Jr., Whangbo M. H, Dong C. and Zhang Q., "Ultrafast atomic layer-by-layer oxygen vacancy-exchange diffusion in double-perovskite LnBaCo<sub>2</sub>O<sub>5.5+δ</sub> thin films," *Sci. Rep.*, **4**(2014)4726.
- Bhatt V. V., Ramanujacharya K. V., Lofland S. E. and Umarji A. M., "Tuning the multiferroic properties of Pb(Fe<sub>1/2</sub>Nb<sub>1/2</sub>)O<sub>3</sub> by cationic substitution," *J. Magn. Magn. Mater.*, **280**(2004)221-226.
- Bhattacharjee S., Tripathi S., and Pandey D., "Morphotropic phase boundary in (1-x)BiFeO<sub>3</sub>-xPbTiO<sub>3</sub>(1-x)BiFeO<sub>3</sub>-xPbTiO<sub>3</sub>: phase coexistence region and unusually large tetragonality," *Appl. Phys. Lett.*, **91**(2007)042903.
- Bhattacharjee S. and Pandey D., "Stability of the various crystallographic phases of the multiferroic (1-x)BiFeO<sub>3</sub>-xPbTiO<sub>3</sub> system as a function of composition and temperature," *J. Appl. Phys.*, **107**(2010)124112(A).

Bhattacharjee S., Senyshyn A., Krishna P. S. R., Fuess H. and Pandey D., “Simultaneous changes of nuclear and magnetic structures across the morphotropic phase boundary in  $(1-x)\text{BiFeO}_3-x\text{PbTiO}_3$ ,” *Appl. Phys. Lett.*, **97**(2010)262506(B).

Bhattacharjee S. and Pandey D., “Effect of stress induced monoclinic to tetragonal phase transformation in the multiferroic  $(1-x)\text{BiFeO}_3-x\text{PbTiO}_3$  system on the width of the morphotropic phase boundary and the tetragonality,” *J. Appl. Phys.*, **110**(2011)084105.

Bhattacharjee S., Senyshyn A., Fuess H. and Pandey D., “Morin-type spin-reorientation transition below the Néel transition in the monoclinic compositions of  $(1-x)\text{BiFeO}_3-x\text{PbTiO}_3$  ( $x = 0.25$  and  $0.27$ ): A combined dc magnetization and x-ray and neutron powder diffraction study,” *Phys. Rev. B*, **87**(2013)054417.

Bibes M. and Barthelemy A., “Towards a magnetoelectric memory,” *Nat. Mater.*, **7**(2008)425-426.

Bochenek D., Niemiec P., Guzdek P. and Wzorek M., “Magnetoelectric and electric measurements of the  $(1-x)\text{BiFeO}_3-(x)\text{Pb}(\text{Fe}_{1/2}\text{Nb}_{1/2})\text{O}_3$  solid solutions,” *Mater. Chem. Phys.*, **195**(2017)199-206.

Bokov V. A., Mylnokova I. E. and Smolenskii G. A., “Ferroelectric antiferromagnetics,” *Sov. Phys. JETP*, **15**(1962)447-449.

Bokov A. A. and Ye Z.-G., “Recent progress in relaxor ferroelectrics with perovskite structure,” *J. Mater. Sci.*, **41**(2006)31-52.

Bordács S., Farkas D. G., White J. S., Cubitt R., DeBeer-Schmitt L., Ito T. and ezsmárki I. K., “Magnetic field control of cycloidal domains and electric polarization in multiferroic  $\text{BiFeO}_3$ ,” *Phys. Rev. Lett.*, **120**(2018)147203.

Brink J. V. D. and Khomskii D., “Multiferroicity due to charge ordering,” *J. Phys.: Condens. Matter*, **20**(2008)434217.

Carpenter M. A. and Salje E. K. H., “Elastic anomalies in minerals due to structural phase transitions,” *Eur. J. Miner.*, **10**(1998)693

Carvajal J. R., “Recent developments of the program FULLPROF,” Commission on powder diffraction (IUCr) News letter, **26**(2001)12-19.

Carvajal J. R., Laboratoire Leon Brillouin, Saclay, Fullprof version 1.8a, December (2008).

Carvajal J. R., “A Rietveld and pattern matching and analysis program, Laboratoire Leon Brillouin, CEA-CNRS, France,” (2010).

Catalan G. and Scott J. F., “Physics and applications of bismuth ferrite,” *Adv. Mater.* **21**(2009)2463.

Cazayous M., Gallais Y., Sacuto A., de Sousa R., Lebeugle D. and Colson D., "Possible observation of cycloidal electromagnons in BiFeO<sub>3</sub>," Phys. Rev. Lett., **101**(2008)037601.

Chandarak S., Unruan M., Sareein T., Ngamjarurojana A., Maensiri S., Laoratanakul P., Ananta S. and Yimnirun R., "Fabrication and characterization of (1-x)BiFeO<sub>3</sub>-xBaTiO<sub>3</sub> ceramics prepared by a solid state reaction method," Journal of Magnetics, **14(3)**(2009)120-123.

Cheong S. W. and Mostovoy M., "Multiferroics: a magnetic twist for ferroelectricity, Nature Materials," **6**(2007)13-20.

Choudhary R. N. P., Barik S. K., Katiyar R. S., "Impedance spectroscopic studies of BiFeO<sub>3</sub>-Pb(Zr<sub>x</sub>Ti<sub>1-x</sub>)O<sub>3</sub> nanocomposites," Modern Phys. Lett. B, **23**(2009)2655-2664.

Chu Y. H., Martin L. W., Holcomb M. B., Gajek M., Han S. J., He Q., Balke N., Yang C. H., Lee D., Hu W., Zhan Q., Yang P. L., Rodriguez A. F., Scholl A., Wang S. X. and Ramesh R., "Electric-field control of local ferromagnetism using a magnetoelectric multiferroic," Nat. Mater., **7**(2008)478.

Chung C. Y., Chang Y. H., Chen G. J., "Effects of lanthanum doping on the dielectric properties of Ba(Fe<sub>0.5</sub>Nb<sub>0.5</sub>)O<sub>3</sub> ceramic," J. Appl. Phys. **96**(2004)6624-6628 (A).

Chung S.Y., Kim I.D., Kang S.J., "Strong nonlinear current-voltage behaviour in perovskite-derivative calcium copper titanate" Nat. Mater., **3**(2004)774-778 (B).

Cohen R. E., "Origin of ferroelectricity in perovskite oxides," Nature, **358**(1992)136-138(A).

Cohen R. E., and Krakauer H., "Electronic structure studies of the differences in ferroelectric behavior of BaTiO<sub>3</sub> and PbTiO<sub>3</sub>," Ferroelectrics, **136**(1992)65-83(B).

Cohen M. H., Neaton J. B., He L. X., and Vanderbilt D., "Extrinsic models for the dielectric response of CaCu<sub>3</sub>Ti<sub>4</sub>O<sub>12</sub>," J. Appl. Phys., **94**(2003)3299.

Cross L.E. and Nicholson B. J., "Theoretical and electrical properties of single crystals of sodium niobate," Phil. Mag., **46**(1955)453-466.

Cruz C. R. D., Yen F., Lorenz B., Gospodinov M. M., Chu C. W., Ratcliff W., Lynn J. W., Park S., and Cheong S-W., "Structural anomalies at the magnetic and ferroelectric transitions in RMn<sub>2</sub>O<sub>5</sub> (R = Tb, Dy, Ho)," Phys. Rev. B, **73**(2006)100406(R).

Cullity B. D., "Introduction to magnetic materials," Addison-Wesley Publishing Company, Inc. Philippines, (1972).

Damay F., Martin C., Hervieu M., Maignan A., Raveau B., Andre G. and Bouree F., "Structural transitions in the manganite Pr<sub>0.5</sub>Sr<sub>0.5</sub>MnO<sub>3</sub>," Journal of Magnetism and Magnetic Materials **184**, 71-82 (1998).

Darlington C. N. W., "Phenomenology of ferroelectrics with rotated octahedra" Philosophical Magazine, **31**(1975)1159-1175.

David W. I. F., "Powder diffraction: Least-squares and beyond," J. Res. Natl. Inst. Stand. Tech., **109**(2004)107-123.

Dieguez O. and Iniguez J., "First-principles investigation of morphotropic transitions and phase-change functional responses in BiFeO<sub>3</sub>-BiCoO<sub>3</sub> multiferroic solid solutions," Phys. Rev. Lett., **107**(2011)057601.

Dohcevic-Mitrovic Z. D., Paunovic N., Matovic B., Osiceanu P., Scurtu R., Askrabic S. and Radovic M., "Structural dependent room-temperature ferromagnetism in yttrium doped HfO<sub>2</sub> nanoparticles," Ceram. Int., **41**(2015)6970-6977.

Dutta A. and Sinha T. P., "Dielectric relaxation and electronic structure of Ca(Fe<sub>1/2</sub>Sb<sub>1/2</sub>)O<sub>3</sub>," Phys. Rev. B, **76**(2007)155113.

Dzyaloshinskii I., "A thermodynamic theory of "weak" ferromagnetism of antiferromagnets," J. Phys. Chem. Solids, **4**(1958)241-55.

Ederer, C., and Spaldin, N. A., "A new route to magnetic ferroelectrics," Nature Mater, **3**(2004)849-851.

Ederer C. and Spaldin N. A., "Weak ferromagnetism and magnetoelectric coupling in bismuth ferrite," Phys. Rev. B, **71**(2005)060401.

Eerenstein W., Morrison F. D., Dho J., Blamire M. G., Scott J. F. and Mathur N. D., "Comment on "Eitaxial BiFeO<sub>3</sub> multiferroic thin film heterostructures," Science, **307**(2005)1203.

Eerenstein W., Mathur N. D. and Scott J. F., "Multiferroic and magnetoelectric materials," Nature **442**(2006)759-765.

Efremov D. V., van den Brink J. and Khomskii D. I., "Bond-versus site centred ordering and possible ferroelectricity in manganites," Nature Mater., **3**(2004)853–856.

Enriquez E., Chen A. P., Harrell Z., Lu X. J., Dowden P., Koskelo N., Janoschek M., Chen C. L. and Jia Q. X., "Oxygen vacancy-driven evolution of structural and electrical properties in SrFeO<sub>3-δ</sub> thin films and a method of stabilization," Appl. Phys. Lett., **109**(2016)141906.

Enriquez E., Xu X., Bao S., Harrell Z. and Chen C. L., "Catalytic dynamics and oxygen diffusion in doped PrBaCo<sub>2</sub>O<sub>5.5+δ</sub> thin films," ACS Appl. Mater. Interfaces, **7**(2015)24353.

Fedulov S. A., Ladyzhinskii P. B., Pyatigorskaya I. L. and Venevtsev Yu. N., "Complete phase diagram of the PbTiO<sub>3</sub>-BiFeO<sub>3</sub> system," Soviet Physics-Solid State, **6**(1964)375-378.

Fiebig M., “Revival of the magnetoelectric effect,” *J. Phys. D: Appl. Phys.*, **38**(2005)R123-R152.

Fischer P., Polomska M., Sosnowska I. and Szymanski M., “Temperature dependence of the crystal and magnetic structures of BiFeO<sub>3</sub>,” *J. Phys. C: Solid State Phys.*, **13**(1980)1931-1940.

Gajek M., Bibes M., Fusil S. and Bouzehouane K., Fontcuberta J., Barthelemy A., and Fert A., “Tunnel junctions with multiferroic barriers,” *Nature Materials*, **6**(2007)296-302.

Gibb T. C. and Whitehead R. J. , “Order-disorder and magnetic clusters in some mixed-metal perovskites,” *J. Mater. Chem.*, **3**(1993)441.

Glazer A. M., “The classification of tilted octahedra in perovskites,” *Acta cryst. B*, **28**(1972)3384.

Glazer A. M., “Simple ways of determining perovskite structures,” *Acta Cryst. A*, **31**(1975)756-762.

Goldschmidt V. M., “Die Gesetze der Krystallochemie,” *Naturwissenschaften*, **14**(1926)477-485.

Golosovsky I. V., Vakhrushev S. B., Garc'ia-Munoz J. L., Brunelli M., Zhu W-M, Ye Z-G and Skumryev V., “Neutron diffraction study of the (BiFeO<sub>3</sub>)<sub>1-x</sub>(PbTiO<sub>3</sub>)<sub>x</sub> solid solution: nanostructured multiferroic system,” *J. Phys.: Condens. Matter.*, **27**(2015)046004.

Goto T., Kimura T., Lawes G., Ramirez A. P. and Tokura Y., “Ferroelectricity and giant magnetocapacitance in perovskite rare-earth manganites,” *Phys. Rev. Lett.*, **92**(2004)257201.

Hank W. E., Paris W. B., Benjamin M. A. and Patrick M. W., “Investigations of the electronic structure of d<sup>0</sup> transition metal oxides belonging to the perovskite family,” *J. Solid State Chem.*, **175**(2003)94.

Harrell Z., Enriquez E., Chen A., Dowden P., Mace B., Lu X., Jia Q. and Chen C., “Oxygen content tailored magnetic and electronic properties in cobaltite double perovskite thin films,” *Appl. Phys. Lett.*, **110**(2017)093102.

Herrero-Albillos J., Catalan G., Rodriguez-Velamazan J. A., Viret M., Colson D. and Scott J. F., “Neutron diffraction study of the BiFeO<sub>3</sub> spin cycloid at low temperature,” *J. Phys.: Condens. Matter* **22**(2010)256001.

Hill N. A., “Why are there so few magnetic ferroelectrics?,” *J. Phys. Chem. B*, **104**(2000)6694-6706.

Hoffmann M., Borisov V. S., Ostanin S., Mertig I., Hergert W. and Ernst A., "Magnetic properties of defect-free and oxygen-deficient cubic  $\text{SrCoO}_{3-\delta}$ ," Phys. Rev. B, **92**(2015)094427.

Hoffmann M., Antonov V. N., Bekenov L. V., Kokko K., Hergert W. and Ernst A., "Variation of magnetic properties of  $\text{Sr}_2\text{FeMoO}_6$  due to oxygen vacancies," J. Phys.: Condens. Matter, **30**(2018)305801.

Homes C. C., Vogt T., Shapiro S. M., Wakimoto S. and Ramirez A. P., "Optical response of high-dielectric-constant perovskite-related oxide," Science, **293**(2001)673-676.

Howard C. J. and Stokes H. T., "Group-theoretical analysis of octahedral tilting in perovskites," Acta Crystallogr., Sect. B: Struct. Sci., **54**(1998)782.

Hur N., Park S., Sharma P. A., Ahn J. S., Guha S. and Cheong S-W., "Electric polarization reversal and memory in a multiferroic material induced by magnetic fields," Nature, **429**(2004)392-395.

Ikeda N., Ohsumi H., Ohwada K., Ishii K., Inami T., Kakurai K., Murakami Y., Yoshii K., Mori S., Horibe Y. and Kito H., "Ferroelectricity from iron valence ordering in the charge-frustrated system  $\text{LuFe}_2\text{O}_4$ ," Nature, **436**(2005)1136.

Ismailzade I. H., Ismailov R. M., Alekberov A. I. and SALAEV F. M., "Investigation of the magnetoelectric (ME)<sub>H</sub> effect in solid solutions of the systems  $\text{BiFeO}_3$ - $\text{BaTiO}_3$  and  $\text{BiFeO}_3$ - $\text{PbTiO}_3$ ," phys. stat. sol. (a), **68**(1981)K81-K85.

Itoh M., Ohta I. and Inaguma Y., "Valency pair and properties of 1:1 ordered perovskite-type compounds  $\text{Sr}_2\text{MMoO}_6$  (M= Mn, Fe, Co)," Mater. Sci. Eng. B, **41**(1996)55.

Itoh N., Shimura T., Sakamoto W., and Yogo T., "Effects of  $\text{SrTiO}_3$  content and Mn doping on dielectric and magnetic properties of  $\text{BiFeO}_3$ - $\text{SrTiO}_3$  ceramics," J. Ceram. Soc. Jpn., **117**(2009)939.

Ivanov S. A., Nordblad P. and Tellgren R., "Influence of  $\text{PbZrO}_3$  doping on the structural and magnetic properties of  $\text{BiFeO}_3$ ," Solid State Sci., **10**(2008)1875-1885.

Jacobson A. J. and Fender B. E. F., "A neutron diffraction study of the nuclear and magnetic structure of  $\text{BiFeO}_3$ ," J. Phys. C: Solid State Phys., **8**(1975)844-850.

Jaffe B., Cook W. R. and. Jaffe H., "Piezoelectric ceramics," Academic Press, New York, London, (1971).

Jarrier R., Marti X., Herrero-Albillos J., Ferrer P., Haumont R., Gemeiner P., Geneste G., Berthet P., Schülli T., Cevc P., Blinc R., Wong S. S., Park T. J., Alexe M., Carpenter M. A., Scott J. F., Catalan G. and Dkhil B., "Surface phase transitions in  $\text{BiFeO}_3$  below room temperature," Phys. Rev. B, **85**(2012)184104.

Johnson R. D., Chapon L. C., Khalyavin D. D., Manuel P., Radaelli P. G. and Martin C., “Giant improper ferroelectricity in the ferroaxial magnet  $\text{CaMn}_7\text{O}_{12}$ ”, Phys. Rev. Lett., **108**(2012)067201.

Jona F., Shirane G., Mazzi F. and Pepinsky R., “X-ray and neutron diffraction study of antiferroelectric lead zirconate,  $(\text{PbZrO}_3)$ ,” Phys. Rev., **105**(1957)849-56.

Kaczmarek W. and Pajak Z., “Differential thermal analysis of phase transitions in  $(\text{Bi}_{1-x}\text{La}_x)\text{FeO}_3$  solid solution,” Solid State Commun., **17**(1975)807.

Kadomtseva A. M., Zvezdin A. K., Popov Yu. F., Pyatyakov A. P. and Vorobiev G. P., “Space-time parity violation and magnetoelectric interactions in antiferromagnets,” JETP Lett., **79**(2004)571-581.

Kamba S., Nuzhnny D., Savinov M., Sebek J. and Petzelt J., “Infrared and terahertz studies of polar phonons and magnetodielectric effect in multiferroic  $\text{BiFeO}_3$  ceramics,” Phys. Rev. B, **75**(2007)024403.

Kanai T., Ohkoshi S.-I., Nakajima A., Watanabe T. and Hashimoto K., “A ferroelectric ferromagnet composed of  $(\text{PLZT})_x(\text{BiFeO}_3)_{1-x}$  solid solution,” Adv. Mater. (7)**13**(2001)487-490.

Kao K. C., Dielectric phenomena in solids: with emphasis on physical concepts of electronic processes, Elsevier Academic Press, ISBN 0-12-396561-6 (2004).

Katsura H., Nagaosa N. and Balatsky V., “Spin current and magnetoelectric effect in noncollinear magnets,” Phys. Rev. Lett., **95**(2005)057205.

Kennedy B. J. and Howard C. J., “High-temperature phase transitions in  $\text{SrZrO}_3$ ,” Phys. Rev. B., **59**(1999)4023-4027 (A).

Kennedy B. J., Howard C. J. and Chakoumakos B. C., “Phase transitions in perovskite at elevated temperatures-a powder neutron diffraction study,” J. Phys.: Condens. Matter, **11**(1999)1479-1488 (B).

Kenzelmann M., Harris A. B., Jonas S., Broholm C., Schefer J., Kim S. B., Zhang C. L., Cheong S.-W., Vajk O. P. and Lynn J. W., “Magnetic inversion symmetry breaking and ferroelectricity in  $\text{TbMnO}_3$ ,” Phys. Rev. Lett., **95**(2005)087206.

Khattak C. P. and Cox D. E., “Profile analysis of X-ray powder diffractometer data: structural refinement of  $\text{La}_{0.75}\text{Sr}_{0.25}\text{CrO}_3$ ,” J. Appl. Cryst., **10**(1977)405.

Khomchenko V. A., Kiselev D. A., Vieira J. M., Jian Li, Kholkin A. L., Lopes A. M. L., Pogorelov Y. G., Araujo J. P. and Maglione M., “Effect of diamagnetic Ca, Sr, Pb, and Ba substitution on the crystal structure and multiferroic properties of the  $\text{BiFeO}_3$  perovskite,” J. Appl. Phys., **103**(2008)024105.

Khomskii D. I., “Multiferroics: different ways to combine magnetism and ferroelectricity,” J. Magn. Magn. Mater., **306**(2006)1-8

Kim J. S., Cheon C., Lee C. H. and Jang P. W., "Weak ferromagnetism in the ferroelectric BiFeO<sub>3</sub>-ReFeO<sub>3</sub>-BaTiO<sub>3</sub> solid solutions (Re = Dy, La)," *J. Appl. Phys.*, **96**(2004)468-474.

Kimura T., Goto T., Shintani H., Ishizaka K., Arima T. and Tokura Y., "Magnetic control of ferroelectric polarization," *Nature*, **426**(2003)55-58 (A).

Kimura T., Kawamoto S., Yamada I., Azuma M., Takano M. and Tokura Y., "Magnetocapacitance effect in multiferroic BiMnO<sub>3</sub>," *Phys. Rev. B*, **67**(2003)180401(R) (B).

Kiselev S.V., Ozerov R.P., Ozhevskii O. P. A., Yamzin I. I. and Kocharov A. G., "Nature of the spontaneous magnetic moment of the solid solution 0.92BiFeO<sub>3</sub>-0.08Pb(Fe<sub>1/2</sub>Nb<sub>1/2</sub>)O<sub>3</sub>," *Sov. Phys. Sol. State*, **11**(1969)446-47.

Kobayashi K. I., Kimura T., Sawada H., Terakura K. and Tokura Y., "Room-temperature magneto-resistance in an oxide material with an ordered double-perovskite structure," *Nature*, **67**(1998)395.

Korchagina S. K., Ivanov S. A., Proidakova V. Y., Rush S. N., Rybakova L. F. and Sadovskaya N. V., "Synthesis, structure, and properties of solid solutions based on bismuth ferrite inorganic materials," *45*(2009)568-573.

Kozheev D. F., Zalessky A. V., Gippius A. A., Morozova E. N. and Bush A. A., "Spin modulation of <sup>57</sup>Fe NMR frequency and relaxation in BiFeO<sub>3</sub>," *Physica B*, **329**(2003)848-849.

Kruea-In C., Udsah W., Eitssayeam S., Pengpat K. and Rrujianagul G., "Influence of processing temperature on properties of Sr(Fe<sub>0.5</sub>Nb<sub>0.5</sub>)O<sub>3</sub> high dielectric ceramics," *Ferroelectrics*, **456**(2013)128-133.

Kubel F. and Schmid H., "Structure of a ferroelectric and ferroelastic monodomain crystal of the perovskite BiFeO<sub>3</sub>," *ActaCryst. B*, **46**(1990)698-702.

Kumar M. M., Srinath S., Kumar G. S. and Suryanarayana S.V., "Spontaneous magnetic moment in BiFeO<sub>3</sub>-BaTiO<sub>3</sub> solid solutions at low temperatures," *J. Magn. Magn. Mater.*, **188**(1998)203-212.

Kumar M. M., Palkar V. R., Srinivas K. and Suryanarayana S. V., "Ferroelectricity in a pure BiFeO<sub>3</sub> ceramic," *Appl. Phys. Lett.*, **76**(2000)2764.

Kumar A., Kaushik S. D., Siruguri V. and Pandey D., "Evidence for two spin-glass transitions with magnetoelastic and magnetoelectric couplings in the multiferroic (Bi<sub>1-x</sub>Ba<sub>x</sub>)(Fe<sub>1-x</sub>Ti<sub>x</sub>)O<sub>3</sub> system," *Phys. Rev. B*, **97**(2018)104402.

Kumar S. and Singh A. K., "Room temperature crystal structure and high temperature structural and magnetic phase transitions in Sr(Fe<sub>0.5</sub>Nb<sub>0.5</sub>)O<sub>3</sub> ceramic," *J. Appl. Phys.*, **125**(2019)174102.

Kupriyanov M. F. and Fesenko E. G., “X-ray structural study of phase transitions in some perovskite-type compounds,” Sov. Phys. Crystallogr., **6**(1962)639.

Kurz P., Forster F., Nordstrom L., Bihlmayer G. and Blugel S., “*Ab initio* treatment of noncollinear magnets with the full-potential linearized augmented plane wave method,” Phys. Rev. B, **69**(2004)024415.

Kwok R. W. M., see <http://www.phy.cuhk.edu.hk/~surface/XPSPEAK> for XPS Peak Fitting Program Version **4.1** (2000).

Lebeugle D., Colson D., Forget A. and Viret M., “Very large spontaneous electric polarization in BiFeO<sub>3</sub> single crystals at room temperature and its evolution under cycling fields,” Appl. Phys. Lett., **91**(2007)022907 (A).

Lebeugle D., Colson D., Forget A., Viret M., Bonville P., Marucco J. F., Fusil S., “Room-temperature coexistence of large electric polarization and magnetic order in BiFeO<sub>3</sub> single crystals,” Phys. Rev. B, **76**(2007)024116 (B).

Lebeugle D., Mougin A., Viret M., Colson D., and Ranno L., “Electric field switching of the magnetic anisotropy of a ferromagnetic layer exchange coupled to the multiferroic compound BiFeO<sub>3</sub>,” Phys. Rev. Lett., **103**(2009)257601.

Lee S., Pirogov A., Kang M., Jang K. H., Yonemura M., Kamiyama T., Cheong S. W., Gozzo F., Shin N., Kimura H., Noda Y. and Park J. G., “Giant magneto-elastic coupling in multiferroic hexagonal manganites,” Nature, **451**(2008)805-808(A).

Lee S., Ratcliff W., Cheong S. W. and Kiryukhin V., “Electric field control of the magnetic state in BiFeO<sub>3</sub> single crystals,” Appl. Phys. Lett., **92**(2008)192906(B).

Lee J. H., Choi H. J., Lee D., Kim M. G., Bark C. W., Ryu S., Oak M-A and Jang H. M., “Variations of ferroelectric off-centering distortion and 3d-4p orbital mixing in La-doped BiFeO<sub>3</sub> multiferroics,” Phys. Rev. B, **82**(2010)045113-045121.

Lee J. H. and Fishman R. S., “Giant spin-driven ferroelectric polarization in BiFeO<sub>3</sub> at room temperature,” Phys. Rev. Lett., **115**(2015)207203.

Lee S. A., Jeong H., Woo S., Hwang J. Y., Choi S. Y., Kim S. D., Choi M., Roh S., Yu H., Hwang J., Kim S. W. and Choi W. S., “Phase transitions via selective elemental vacancy engineering in complex oxide thin films,” Sci. Rep., **6**(2016)23649.

Leontsev S. O. and Eitel R. E., “Dielectric and piezoelectric properties in Mn-modified (1-x)BiFeO<sub>3</sub>-xBaTiO<sub>3</sub> ceramics,” J. Am. Ceram. Soc., **92**(2009)2957-2961.

Levanyuk A. P. and Sannikov D. G., “Improper ferroelectrics,” Sov. Phys. Usp., **17**(1974)199-214.

Li W., Schwartz R.W., Chen A. and Zhu J., “Dielectric response of Sr doped CaCu<sub>3</sub>Ti<sub>4</sub>O<sub>12</sub> ceramics,” Appl. Phys. Lett., **90**(2007)112901.

Lines M. E. and Glass A. M., "Principles and applications of ferroelectrics and related materials," Clarendon Press, Oxford, (1977).

Lisenkov S., Rahmedov D. and Bellaiche L., "Electric-field-induced paths in multiferroic BiFeO<sub>3</sub> from atomistic simulations," Phys. Rev. Lett., **103**(2009)047204.

Liu Y. Y., Chen X. M., Liu X. Q. and Li L., "Giant dielectric response and relaxor behaviours induced by charge and defect ordering in Sr(Fe<sub>1/2</sub>Nb<sub>1/2</sub>)O<sub>3</sub> ceramics," Appl. Phys. Lett., **90**(2007)192905.

Liu J., Liu Q. X. and Chen X. M., "Significantly enhanced ferroelectricity and magnetic properties in (Sr<sub>0.5</sub>Ca<sub>0.5</sub>)TiO<sub>3</sub> modified BiFeO<sub>3</sub> ceramics," J. Appl. Phys., **117**(2015)174101.

Lottermoser T., Lonkai T., Amann U., Hohlwein D., Ihringer J. and Fiebig M., "Magnetic phase control by an electric field," Nature, **430**(2004)541-544.

Lu J., Gunther A., Schrettle F., Mayr F., Krohns S., Lunkenheimer P., Pimenov A., Travkin V. D., Mukhin A. A. and Loidl A., "On the room temperature multiferroic BiFeO<sub>3</sub>: magnetic, dielectric and thermal properties," Eur. Phys. J. B, (4), **75**(2010)451-460.

Lubk A., Gemming S. and Spaldin N. A., "First-principles study of ferroelectric domain walls in multiferroic bismuth ferrite," Phys. Rev. B, **80**(2009)101411.

Lufaso M. W., Woodward P. M., Goldberger J., "Crystal structures of disordered A<sub>2</sub>Mn<sup>3+</sup>M<sup>5+</sup>O<sub>6</sub> (A = Sr, Ca; M = Sb, Nb, Ru) perovskites," J. Solid State Chem. **177**(2004)1651.

Lufaso M. W., Macquart R. B., Lee Y., Vogt T. and zur Loye H. C., "Structural studies of Sr<sub>2</sub>GaSbO<sub>6</sub>, Sr<sub>2</sub>NiMoO<sub>6</sub>, and Sr<sub>2</sub>FeNbO<sub>6</sub> using pressure and temperature," J. Phys.: Condens. Matter **18**(2006)8761-8780.

Ma Z. Z., Tian Z. M., Li J. Q., Wang C. H., Huo S. X., Duan H. N., Yuan S. L., "Enhanced polarization and magnetization in multiferroic (1-x)BiFeO<sub>3</sub>-xSrTiO<sub>3</sub> solid solution," Solid State Sciences, **13**(2011)2196-2200.

Malmros G. and Thomas J. O., "Least-squares structure refinement based on profile analysis of powder film intensity data measured on an automatic microdensitometer," J. Appl. Cryst. **10**(1977)7.

Mao X., Sun H., Wang W., Chen X. and Lu Y., "Ferromagnetic, ferroelectric properties, and magneto-dielectric effect of Bi<sub>4.25</sub>La<sub>0.75</sub>Fe<sub>0.5</sub>Co<sub>0.5</sub>Ti<sub>3</sub>O<sub>15</sub> ceramics," Appl. Phys. Lett., **102**(2013)72904.

Martienssen W. and Warlimont H., "Springer handbook of condensed matter and materials data XVIII," (2005)904.

Mazumder R., Devi P. S., Bhattacharya D., Choudhury P., Sen A. and Raja M., “Ferromagnetism in nanoscale BiFeO<sub>3</sub>,” Appl. Phys. Lett., **91**(2007)062510.

Mc-Cusker L. B., Dreele V. R. B., Cox D. E., Louër D. and Scardi P., “Rietveld refinement guidelines,” J. Appl. Cryst., **32**(1999)36-50.

Megaw, H. D. and Darlington, C. N. W., “Geometrical and structural relations in the rhombohedral perovskites,” Acta Cryst. A, **31**(1975)161-173.

Mishra D., Mandal B. P., Mukherjee R., Naik R., Lawes G. and Nadgorny B., “Oxygen vacancy enhanced room temperature magnetism in Al-doped MgO nanoparticles,” Appl. Phys. Lett. **102** (2013)182404.

Moriya T., “Anisotropic superexchange interaction and weak ferromagnetism,” Phys. Rev., **120**(1960)91-98.

Morozovska A. N., Khist V. V., Glinchuk M. D., Gopalan V. and Eliseev E. A., “Linear antiferrodistortive-antiferromagnetic effect in multiferroics: Physical manifestations,” Phys. Rev. B, **92**(2015)054421.

Neaton J. B., Ederer C., Waghmare U. V., Spaldin N. A. and Rabe K. M., “First-principles study of spontaneous polarization in multiferroic BiFeO<sub>3</sub>,” Phys. Rev. B, **71**(2005)014113.

Noheda B., Gonzalo J. A., Cross L. E., Guo R., Park S.-E., Cox D. E. and Shirane G., “Tetragonal to monoclinic phase transition in a ferroelectric perovskite: The structure of PbZr<sub>0.52</sub>Ti<sub>0.48</sub>O<sub>3</sub>,” Phys. Rev. B, **61**(2000)8687-8695.

Ok K. M., Bhuvanesh N. S. P. and Halasyamani P. S., “Bi<sub>2</sub>TeO<sub>5</sub>: Synthesis, structure, and powder second harmonic generation properties,” Inorg. Chem., **40**(2001)1978-1980.

Ozaki T., Kitagawa S., Nishihara S., Hosokoshi Y., Suzuki M., Noguchi Y., Miyayama M. and Mori S., “Ferroelectric properties and nano-scaled domain structures in (1-x)BiFeO<sub>3</sub>-xBaTiO<sub>3</sub> (0.33 < x < 0.50),” Ferroelectrics, **385**(2009)155-161.

Palewicz A., Przenioslo R., Sosnowska I. and Hewat A. W., “Atomic displacements in BiFeO<sub>3</sub> as a function of temperature: neutron diffraction study,” Acta Cryst. B, **63**(2007)537-544.

Palewicz A., Sosnowska I., Przenioslo R. and Hewat A. W., “BiFeO<sub>3</sub> crystal structure at low temperatures,” Acta Phys. Pol. A, **117**(2010)296.

Pálová L., Chandra P. and Rabe K. M., “Multiferroic BiFeO<sub>3</sub>-BiMnO<sub>3</sub> nano scale checkerboard from first principles,” Phys. Rev. B, **82**(2010)075432.

Pandey D. and Singh A. “Structure, synthesis and multiferroic nature of BiFeO<sub>3</sub> and 0.9BiFeO<sub>3</sub>-0.1BaTiO<sub>3</sub>: An overview,” Bull. Mater. Sci., (3),**32**(2009)361-367.

Pandey R., Tiwari A., Upadhyay A. and Singh A. K., "Phase coexistence and the structure of the morphotropic phase boundary region in (1-x)Bi(Mg<sub>1/2</sub>Zr<sub>1/2</sub>)O<sub>3</sub>-xPbTiO<sub>3</sub> piezoceramics," *Acta Materialia*, **76**(2014)198-206.

Park T. J., Papaefthymiou G. C., Viescas A. J., Moodenbaugh A. R. and Wong S. S., "Size-dependent magnetic properties of single-crystalline multiferroic BiFeO<sub>3</sub> nanoparticles," *Nano Lett.*, (3),**7**(2007)766-772.

Park J., Lee S. H., Lee S., Gozzo F., Kimura H., Noda Y., Choi Y. J., Kiryukhin V. K., Cheong S. W., Jo Y. Chio E. S., Balicas L., Jeon G. S. and Park J. G., "Magnetolectric feedback among magnetic order, polarization, and lattice in multiferroic BiFeO<sub>3</sub>," *Jap. J. Appl. Phys.*, **80**(2011)117414.

Patel J. P., Singh A. and Pandey D., "Nature of ferroelectric to paraelectric phase transition in multiferroic 0.8BiFeO<sub>3</sub>-0.2Pb(Fe<sub>1/2</sub>Nb<sub>1/2</sub>)O<sub>3</sub> ceramics," *J. Appl. Phys.*, **107**(2010)104115.

Patel J. P., Senyshyn A., Fuess H. and Pandey D., "Evidence for weak ferromagnetism, isostructural phase transition, and linear magnetoelectric coupling in the multiferroic Bi<sub>0.8</sub>Pb<sub>0.2</sub>Fe<sub>0.9</sub>Nb<sub>0.1</sub>O<sub>3</sub> solid solution," *Phys. Rev. B*. **88**(2013)104108.

Patel J. P., "Ferroic phase transitions in the multiferroic (1-x)BiFeO<sub>3</sub>-x(Fe<sub>0.5</sub>Nb<sub>0.5</sub>)O<sub>3</sub> solid solution system," Ph.D. Thesis, IIT(BHU), Varanasi, (2014).

Plantov G. L., Drobyshev L. A., Tomashpolskii Y. Y. and Venevtsev Y. N., "Electron diffraction and X-ray-diffraction investigation of atomic displacements in ferromagnet Pb(Fe<sub>0.5</sub>Nb<sub>0.5</sub>)O<sub>3</sub>," *Sov. Phys.-Crystallogr.*, **14**(1970)692.

Popov Yu. F., Zvezdin A. K., Vorob'ev G. P., Kadomtseva A. M., Murashev A. and Rakov D. N., "Linear magnetoelectric effect and phase transitions in BiFeO<sub>3</sub>," *JETP. Lett.*, **57**(1993)69-73.

Popov Yu. F., Kadomtseva A. M., Krotov S. S., Belov D. V., Vorob'ev G. P., Makhov P. N. and Zvezdin A. K., "Features of the magnetoelectric properties of BiFeO<sub>3</sub> in high magnetic fields," *Low Temp. Phys.*, **27**(2001)478.

Popkov A. F., Kulagin N. E., Soloviov S. V., Sukmanova K. S., Gareeva Z. V. and Zvezdin A. K., "Cycloid manipulation by electric field in BiFeO<sub>3</sub> films: Coupling between polarization, octahedral rotation, and antiferromagnetic order," *Phys. Rev. B*, **92**(2015)140414(R).

Prince E., "Mathematical techniques in crystallography and materials science", 3rd ed., Springer, New York, (2004).

Raevski I. P., Kubrin S. P., Dellis J. L., Raevskaya S. I., Sarychev D. A., Smotrakov V. G., Eremkin V. V. and Seredkina M. A., "A studies of magnetic and ferroelectric phase transitions in BiFeO<sub>3</sub>-NaNbO<sub>3</sub> solid solution ceramics," *Ferroelectrics*, **371**(2008)113-118.

Raevski I. P., Prosandeev S. A., Bogatin A. S., Malitskaya M. A. and Jastrabik L., "High dielectric permittivity in  $AFe_{1/2}B_{1/2}O_3$  non-ferroelectric perovskite ceramics ( $A = Ba, Sr, Ca$ ;  $B = Nb, Ta, Sb$ )," *J. Appl. Phys.* **93**(2003)4130-4136.

Rama N., Philipp J. B., Opel M., Chandrasekaran K., Sankaranarayanan V., Gross R. and Rao M. S. R., "Study of magnetic properties of  $A_2B'NbO_6$  ( $A = Ba, Sr, BaSr$ ; and  $B' = Fe$  and  $Mn$ ) double perovskites," *J. Appl. Phys.*, (11),**95**(2004)7528-7530.

Ramachandran B. and Rao M. S. R., "Low temperature magnetocaloric effect in polycrystalline  $BiFeO_3$  ceramics," *Appl. Phys. Lett.*, **95**(2009)142505.

Ramazanoglu M., Ratcliff W., Choi Y. J., Lee S., Cheong S. W. and Kiryukhin V., "Temperature-dependent properties of the magnetic order in single-crystal  $BiFeO_3$ ," *Phys. Rev. B*, **83**(2011)174434(A).

Ramazanoglu M., Ratcliff W., Yi H. T., Sirenko A. A., Cheong S. W. and Kiryukhin V., "Giant effect of uniaxial pressure on magnetic domain populations in multiferroic bismuth ferrite," *Phys. Rev. Lett.*, **107**(2011)067203(B).

Ramazanoglu M., Laver M., Ratcliff II W., Watson S. M., Chen W. C., Jackson A., Kothapalli K., Lee S., Cheong S-W and Kiryukhin V., "Local weak ferromagnetism in single-crystalline ferroelectric  $BiFeO_3$ ," *Phys. Rev. Lett.*, **107**(2011)207206(C).

Ramesh R. and Spaldin N. A., "Multiferroics: progress and prospects in thin films", *Nature Mater.*, **6**(2007)21-29.

Ranjan R., Singh A. K., Ragini and Pandey D., "Comparison of the  $Cc$  and  $R3c$  space groups for the superlattice phase of  $Pb(Zr_{0.52}Ti_{0.48})O_3$ ," *Phys. Rev. B*, **71**(2005)092101.

Ranjan R., Kothai V., Senyshyn A. and Boysen H., "Neutron diffraction study of the coupling between spin, lattice, and structural degrees of freedom in  $0.8BiFeO_3-0.2PbTiO_3$ ," *J. appl. Phys.*, **109**(2011)063522.

Ravindran P., Vidya R., Kjekshus A. and Fjellvag H., "Theoretical investigation of magnetoelectric behaviour in  $BiFeO_3$ " *Phys. Rev. B*, **74**(2006)224412.

Redfern S. A. T., Wang C., Hong J. W., Catalan G. and Scott J. F., "Elastic and electrical anomalies at low-temperature phase transitions in  $BiFeO_3$ ," *J. Phys.: Condens. Matter* **20**(2008)452205.

Retuerto M., Li M. R., Go Y. B., Ignatov A., Croft M., Ramanujachary K. V., Hadermann J., Hodges J. P., Herber R. H., Nowik I. and Greenblatt M., "Magnetic and Structural Studies of the Multifunctional Material  $SrFe_{0.75}Mo_{0.25}O_{3-\delta}$ ," *Inorg. Chem.* **51**, 12273-12280 (2012).

Reyes Vega A. C. D., Fuentes, M. E. and Fuentes L., "BiFeO<sub>3</sub>: Synchrotron radiation structure refinement and magnetoelectric geometry," *J. Europ. Ceram. Soc.*, **27**(2007)3709-3711.

Rietveld H. M., "Line profiles of neutron powder-diffraction peaks for structure refinement", *Acta Cryst.* **22**(1967)151.

Rietveld H. M., "A profile refinement method for nuclear and magnetic structures," *J. Appl. Cryst.*, **2**(1969)65-71.

Rodriguez R., Fernandez A., Isalgue A., Rodriguez J., Labarta A., Tejada J. and Obradors X., "Spin glass behaviour in an antiferromagnetic non-frustrated lattice:  $\text{Sr}_2\text{FeNbO}_6$  perovskite," *J. Phys. C: Solid State Phys.*, **18**(1985)L401.

Roginskaya Yu. E., Tomashpol'skii Tu. Ya., Venevtsev Yu. N., Petrov V. M. and Zhdanov G. S., "The nature of the dielectric and magnetic properties of  $\text{BiFeO}_3$ ," Sov. Phys. JETP, **23**(1966)47.

Rovillain P., Cazayous M., Gallais Y., Sacuto A., Lobo R., Lebeugle D. and Colson D., "Polar phonons and spin excitations coupling in multiferroic  $\text{BiFeO}_3$  crystals," *Phys. Rev. B*, **79**(2009)180411.

Ruelle B., Zvyagin S., Pyatakov A. P., Bush A., Li J. F., Belotelov V. I., Zvezdin A. K. and Viehland D., "Magnetic-field-induced phase transition in  $\text{BiFeO}_3$  observed by high-field electron spin resonance: Cycloidal to homogeneous spin order, *Phys. Rev. B*, **69**(2004)064114.

Rusakov D. A., Abakumov A. M., Yamaura K., Belik A. A., Tendeloo G. V. and Muromachi E. T., "Structural evolution of the  $\text{BiFeO}_3$ - $\text{LaFeO}_3$  system," *Chem. Mater.*, **23**(2011)285–292.

Saha S. and Sinha T. P., "Structural and dielectric studies of  $\text{BaFe}_{0.5}\text{Nb}_{0.5}\text{O}_3$ ," *J. Phys.: Condens. Matter.*, **14**(2002)249-258 (A).

Saha S., Sinha T.P., "Low-temperature scaling behaviour of  $\text{BaFe}_{0.5}\text{Nb}_{0.5}\text{O}_3$ ," *Phys. Rev. B*, **65**(2002)134103-134106 (B).

Saha S. and Sinha T. P., "Dielectric relaxation in  $\text{Sr}(\text{Fe}_{1/2}\text{Nb}_{1/2})\text{O}_3$ ," *J. Appl. Phys.*, **99**(2006)014109.

Salje E. K. H., "Phase transitions in ferroelastic and co-elastic crystals," Cambridge University Press, Cambridge, (1990).

Schmid H., "Multi-ferroic magnetoelectrics," *Ferroelectrics*, **162**(1994)665-685.

Scott J.F., Dawber M., "Oxygen-vacancy ordering as a fatigue mechanism in perovskite ferroelectrics" *Appl. Phys. Lett.*, **76**(2000)3801.

Scott J. F., "Multiferrics memories," *Nature Materials* **6**(2007)256-257.

Scott J. F., Singh M. K. and Katiyar R. S., "Critical phenomena at the 140 and 200 K magnetic phase transitions in  $\text{BiFeO}_3$ ," *J. Phys.: Condens. Matter*, **20**(2008)322203.

Sergienko I. A. and Dagotto E., “Role of the Dzyaloshinskii–Moriya interaction in multiferroic perovskites,” Phys. Rev. B, **73**(2006)094434.

Serrao C. R., Kundu A. K., Krupanidhi S. B., Waghmare U. V. and Rao C. N. R., “Biferroic  $\text{YCrO}_3$ ,” Phys. Rev. B, **72**(2005)220101(R).

Seshadri R. and Hill N. A., “Visualizing the role of Bi 6s “lone pairs” in the off-center distortion in ferromagnetic  $\text{BiMnO}_3$ ,” Chem. Mater., **13**(2001)2892-2899.

Shannon R. D. and Prewitt C. T., “Effective ionic radii in oxides and fluorides,” Acta Crystallogr. Sect. B, **25**(1969)925.

Shuai Y., Zhou S., Burger D., Reuther H., Skorupa I., John V., Helm M. and Schmidt H., “Decisive role of oxygen vacancy in ferroelectric versus ferromagnetic Mn-doped  $\text{BaTiO}_3$  thin films,” J. Appl. Phys., **109**(2011)084105.

Singh A. K., Pandey D., Yoon S., Baik S. and Sin N., “High-resolution synchrotron x-ray diffraction study of Zr-rich compositions of  $\text{Pb}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$  ( $0.525 \leq x \leq 0.60$ ): Evidence for the absence of the rhombohedral phase,” Appl. Phys. Lett., **91**(2007)192904-192907.

Singh S. P., Singh A.K., Yusuf S. M. and Pandey D., “Dielectric relaxation and phase transitions at cryogenic temperatures in  $0.65[\text{Pb}(\text{Ni}_{1/3}\text{Nb}_{2/3})\text{O}_3]-0.35\text{PbTiO}_3$  ceramics,” Phys. Rev. B, **76**(2007)054102(A).

Singh M. K., Katiyar R. S. and Scott J. F., “New magnetic phase transitions in  $\text{BiFeO}_3$ ”, J. Phys.: Condens. Matter **20**(2008)252203(A).

Singh M. K., Prellier W., Singh M. P., Katiyar R. S. and Scott J. F., “Spin-glass transition in single-crystal  $\text{BiFeO}_3$ ,” Phys. Rev. B, **77**(2008)144403(B).

Singh A., Pandey V., Kotnala R. K. and Pandey D., “Direct evidence for multiferroic magnetoelectric coupling in  $0.9\text{BiFeO}_3-0.1\text{BaTiO}_3$ ,” Phys. Rev. Lett., **101**(2008)247602 (C).

Singh S. P., Yusuf S. M., Yoon S., Baik S., Shin N. and Pandey D., “Ferroic transitions in the multiferroic  $(1-x)\text{Pb}(\text{Fe}_{1/2}\text{Nb}_{1/2})\text{O}_3-x\text{PbTiO}_3$  system and its phase diagram,” Acta Materialia **58**(2010)5381-5392 (A).

Singh G., Tiwari V.S., Gupta P.K., “Role of oxygen vacancies on relaxation and conduction behavior of  $\text{KNbO}_3$  ceramic,” J. Appl. Phys., **107**(2010)64103(B).

Singh A., Senyshyn A., Fuess H., Chatterji T. and Pandey D., “Neutron powder diffraction study of nuclear and magnetic structures of multiferroic  $(\text{Bi}_{0.8}\text{Ba}_{0.2})(\text{Fe}_{0.8}\text{Ti}_{0.2})\text{O}_3$ : Evidence for isostructural phase transition and magnetoelastic and magnetoelectric couplings,” Phys. Rev. B, **83**(2011)054406.

Singh A., Moriyoshi C., Kuroiwa Y. and Pandey D., “Evidence for local monoclinic structure, polarization rotation, and morphotropic phase transitions in  $(1-x)\text{BiFeO}_3$ -

$x$ BaTiO<sub>3</sub> solid solutions: A high-energy synchrotron x-ray powder diffraction study," Phys. Rev. B, **88**(2013)024113.

Singh Ranber, "Unexpected magnetism in nanomaterials," Journal of Magnetism and Magnetic Materials, **346**(2013)58-73.

Singh A., Senyshyn A., Fuess H., Kennedy S. J. and Pandey D., "Magnetic transitions and site-disordered induced weak ferromagnetism in (1-x)BiFeO<sub>3</sub>-xBaTiO<sub>3</sub>," Phys. Rev. B, **89**(2014)024108.

Singh P., Shiva K., Celio H. and Goodenough J. B., "Eldfellite, NaFe(SO<sub>4</sub>)<sub>2</sub>: an intercalation cathode host for low-cost Na-ion batteries," Energy Environ. Sci., **8**(2015)3000-3005.

Smith R. T., Achenbach G. D., Gerson R., and James W. J., "Dielectric properties of solid solutions of BiFeO<sub>3</sub> with Pb(Ti, Zr)O<sub>3</sub> at high temperature and high frequency," J. Appl. Phys., **39**(1968)70-74.

Sosnowska I., Neumaier T. P. and Steichele E., "Spiral magnetic ordering in bismuth ferrite," J. Phys. C: Solid State Phys., **15**(1982)4835-4846.

Sosnowska I., Przenioslo R., Fischer P. and Murashov V.A., "Neutron diffraction studies of the crystal and magnetic structures of BiFeO<sub>3</sub> and Bi<sub>0.93</sub>La<sub>0.07</sub>FeO<sub>3</sub>," J. Magn. Magn. Mater, **160**(1996) 384-385.

Sosnowska I., Schifer W., Kockelmann W., Andersen K. H. and Troyanchuk I.O., "Crystal structure and spiral magnetic ordering of BiFeO<sub>3</sub> doped with manganese," Appl. Phys. A: Mater. Sci. Process., **74**(2002)S1040-S1042.

Spaldin N. A. and Fiebig M., "The renaissance of magnetoelectric multiferroics," Science, **309**(2005)391.

Stoch A. and Stoch P., "Magnetoelectric properties of 0.5BiFeO<sub>3</sub>-0.5Pb(Fe<sub>0.5</sub>Nb<sub>0.5</sub>)O<sub>3</sub> solid solution," Ceramics International, **44**(2018)14136-14144.

Subramanian M. A., Li D., Duan N., Reisner B. A. and Sleight A. W., "High dielectric constant in ACu<sub>3</sub>Ti<sub>4</sub>O<sub>12</sub> and ACu<sub>3</sub>Ti<sub>3</sub>FeO<sub>12</sub> phases," J. Solid State Chem., **151**(2000)323-325.

Tabares-Munoz C., Rivera J. P., Monnier A. and Schmid H., "Measurement of the quadratic magnetoelectric effect on single crystalline BiFeO<sub>3</sub>," Japan. J. Appl. Phys. **24**(1985)1051.

Tagantsev A. K., Courtens E., and Arzel L., "Prediction of a low-temperature ferroelectric instability in antiphase domain boundaries of strontium titanate," Phys. Rev. B, **64**(2001)224107.

Tang R., Jiang C., Qian W., Jian J., Zhang X., Wang H. and Yang H., "Dielectric relaxation, resonance and scaling behaviors in  $\text{Sr}_3\text{Co}_2\text{Fe}_{24}\text{O}_{41}$  hexaferrite," *Scientific Reports*, **5**(2015)13645.

Teague J. R., Gerson R. and James W. J., "Dielectric hysteresis in single crystal  $\text{BiFeO}_3$ ," *Solid State Commun.*, **8**(1970)1073-1074.

Tezuka K., Henmi K. and Hinatsu Y., "Magnetic susceptibilities and mössbauer spectra of perovskites  $\text{A}_2\text{FeNbO}_6$  ( $\text{A} = \text{Sr}, \text{Ba}$ )," *J. Solid State Chem.* **154**(2000)591.

Thongbai P., Tangwancharoen S., Yamwong T. and Maensiri S., "Dielectric relaxation and dielectric response mechanism in (Li, Ti)-doped NiO ceramics," *J. Phys.: Condens. Matter*, **20**(2008)395227.

Ti R., Lu X., He J., Huang F., Wu H., Mei F., Zhou M., Li Y., Xu T. and Zhu J., "Multiferroic properties and magnetoelectric coupling in Fe/Co co-doped  $\text{Bi}_{3.25}\text{La}_{0.75}\text{Ti}_3\text{O}_{12}$  ceramics," *J. Mater. Chem. C.*, **3**(2015)11868-11873.

Toby B. H., "R factors in Rietveld analysis: How good is good enough?" *Powd. Diffract.* **21**(2006)67.

Tolenado J. and Tolenado P., "The Landau theory of phase transitions" *World Scientific*, (1987).

Vura S., Kumar P.S. A., Senyshyn A. and Ranjan R., "Magneto-structural study of the multiferroic  $\text{BiFeO}_3\text{-SrTiO}_3$ ," *Journal of Magnetism and Magnetic Materials*, **365**(2014)76-82.

Tokura Y., "Multiferroics as quantum electromagnets," *Science*, **312**(2006)1481-1482.

Wang J., Neaton J. B., Zheng H., Nagarajan V., Ogale S. B., Liu B., Viehland D., Vaithyanathan V., Schlom D. G., Waghmare U. V., Spaldin N. A., Rabe K. M., Wuttig M. and Ramesh R., "Epitaxial  $\text{BiFeO}_3$  multiferroic thin film heterostructures", *Science*, **299**(2003)1719-1722.

Wang N., Cheng J., Pyatakov A., Zvezdin A. K., Li J. F., Cross L. E. and Viehland D., "Multiferroic properties of modified  $\text{BiFeO}_3\text{-PbTiO}_3$ -based ceramics: Random-field induced release of latent magnetization and polarization," *Phys. Rev. B*, **72**(2005)104434.

Wang Z., Chen X. M., Ni L. and Liu X. Q., "Dielectric abnormalities of complex perovskite  $\text{Ba}(\text{Fe}_{1/2}\text{Nb}_{1/2})\text{O}_3$  ceramics over broad temperature and frequency range", *Appl. Phys. Lett.*, **90**(2007)022904(A).

Wang Z., Chen X. M., Ni L. and Liu X. Q. and Liu Y. Y., "Dielectric relaxations in  $\text{Ba}(\text{Fe}_{1/2}\text{Ta}_{1/2})\text{O}_3$  giant dielectric constant ceramics," *Appl. Phys. Lett.*, **90**(2007)102905(B).

Wang, K. F., Liu, J. M., Ren, Z. F., “Multiferroicity: the coupling between magnetic and polarization orders”, *Advan. Phys.*, **58**(2009)321-448.

Wang Q. Q., Zhuo W., Liu X. Q. and Chen X. M., “Improved structure stability and multiferroic characteristics in CaTiO<sub>3</sub>-modified BiFeO<sub>3</sub> ceramics,” *J. Am. Ceram. Soc.*, **95**(2012)670-675.

Wang, Z., Li, H. J., Zhang, L. L. and Pu, Y. P., “Effects of SrO-B<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub> glass additive on dielectric properties of Ba(Fe<sub>0.5</sub>Nb<sub>0.5</sub>)O<sub>3</sub> ceramics,” *J. Mater. Sci.: Mater. Electron.*, **24**(2013)3418-3422 (A).

Wang B., Pu Y. P., Wu H. D., Chen K., Xu N., “Influence of sintering atmosphere on dielectric properties and microstructure of CaCu<sub>3</sub>Ti<sub>4</sub>O<sub>12</sub> ceramics,” *Ceram. Inter.*, **39**(2013)S525-S528 (B).

Wang T., Hu J., Yang H., Jin L., Wei X., Li C., Yan F. and Lin Y., “Dielectric relaxation and Maxwell-Wagner interface polarization in Nb<sub>2</sub>O<sub>5</sub> doped 0.65BiFeO<sub>3</sub>-0.35BaTiO<sub>3</sub> ceramics,” *J. Appl. Phys.* **121**(2017)084103.

Wei Y., Wang X., Jia J. and Wang X., “Multiferroic and piezoelectric properties of 0.65BiFeO<sub>3</sub>-0.35BaTiO<sub>3</sub> ceramic with pseudo-cubic symmetry,” *Ceramic International*, **38**(2012)3499.

Whitfield P. S., Herron N., Guise W. E., Page K., Cheng Y. Q., Milas I. and Crawford M. K., “Structures, phase transitions and tricritical behaviour of the hybrid perovskite methyl ammonium lead iodide,” *Scientific Reports*, **6**(2016)35685.

Wilson A. J. C., Hahn, T., “International tables for crystallography Vol. A, Space group symmetry,” Kluver Academic, 1983-1995.

Wollan E. O. and Koehler W. C., “Neutron diffraction study of the magnetic properties of the series of perovskite-type compounds [(1-x)La,xCa]MnO<sub>3</sub>,” *Phys. Rev.*, **100**(1955)545-563.

Yamada H., Zheng X-G, Soejima Y. and Kawaminami M., “Lattice distortion and magnetolattice coupling in CuO,” *Phys. Rev. B*, **69**(2004)104104.

Young R. A., “The Rietveld method, Oxford University Press,” pp.1-38(1993).

Yun K. Y., Ricinschi D., Kanashima T., Noda M. and Okuyama M., “Giant ferroelectric polarization beyond 150 μC/cm<sup>2</sup> in BiFeO<sub>3</sub> thin film,” *Jpn. J. Appl. Phys.*, **43**(2004)L647.

Zalessky A. V., Frolov A. A., Khimich T. A., Bush A. A., Pokatilov V. S. and Zvezdin A. K., “<sup>57</sup>Fe NMR study of spin-modulated magnetic structure in BiFeO<sub>3</sub>,” *Europhys. Lett.*, **50**(2000)547-551.

Zener C., “Interaction between the d-shells in the transition metals. II. Ferromagnetic compounds of manganese with perovskite structure,” *Phys. Rev.*, **82**(1951)403-405.

Zhang S. T., Lu M. H., Wu D., Chen Y. F. and Ming N. B., "Larger polarization and weak ferromagnetism in quenched BiFeO<sub>3</sub> ceramics with a distorted rhombohedral crystal structure," *Appl. Phys. Lett.*, **87**(2005)262907.

Zhu W. M., Guo H. Y. and Ye Z. G., "Structural and magnetic characterization of multiferroic (BiFeO<sub>3</sub>)<sub>1-x</sub>(PbTiO<sub>3</sub>)<sub>x</sub> solid solutions," *Phys. Rev. B*, **78**(2008)014401.

Zvezdin A. K., Kadomtseva A. M., Krotov S. S., Pyatakov A. P., Popov Y. F. and Vorob'ev G. P., "Magnetolectric interaction and magnetic field control of electric polarization in multiferroics," *J. Magn. Magn. Mater.*, **300**(2006)224-228.