

TABLE OF CONTENTS

	PAGE NO.
ACKNOWLEDGEMENT	ix
TABLE OF CONTENTS	xi
LIST OF FIGURES	xiv
LIST OF TABLES	xviii
LIST OF SYMBOLS	xix
PREFACE	xxi
CHAPTER 1 INTRODUCTION	1-30
1.1 Introduction	1
1.2 Metal – Matrix Composites (MMCs)	2
1.2.1 Preparation of AMCs	4
1.2.1.1 <i>Exsitu</i> processes	
1.2.1.2 <i>Insitu</i> processes	
1.2.2 Applications of AMCs	10
1.3 Wear	12
1.3.1 Stages of Wear	14
1.3.2 Effect of Operating Parameters	14
1.4 Friction and Laws of Friction	15
1.4.1 Stages of Friction	17
1.4.2 Friction of Materials	18
1.5 Particulate Aluminium Matrix Composites (PAMCs)	20
1.5.1 Intermetallic Reinforcement	20
1.5.2 Ceramic Reinforcement	22
1.5.3 Multiple Reinforcement	25
1.5.4 Al-Mg Alloy Matrix	27
1.6 Origin of the Problem	27
1.7 Objective of the Present Work	30
CHAPTER 2 EXPERIMENTAL DETAILS	31-44
2.1 Introduction	31
2.2 Fabrication	31
2.3 Phase Analysis by X-ray Diffractometer	32
2.4 Compositional Analysis	33
2.5 Thermal and Physical Properties	34
2.5.1 Differential Thermal Analysis (DTA)	34
2.5.2 Coefficient of Linear Thermal Expansion	34
2.5.3 Density and Porosity	35
2.6 Microstructural Characterization	36
2.6.1 Optical Microscope (OM)	36
2.6.2 Scanning Electron Microscope (SEM)	37
2.6.3 Transmission Electron Microscope (TEM)	37

2.7	Mechanical Properties	39
	2.7.1 Hardness Test	39
	2.7.2 Tensile Test	40
2.8	Tribological Properties	41
	2.8.1 Wear and Friction	41
	2.8.2 Surface Topography	43
 CHAPTER 3 SYNTHESIS AND CHARACTERIZATION OF		45-80
Al₃Zr/Al-Mg <i>insitu</i> COMPOSITES		
3.1	Introduction	45
3.2	Fabrication of Al ₃ Zr/Al-Mg Composites	45
3.3	XRD and DTA Analysis	47
3.4	Physical Properties	48
3.5	Optical Microscopy	51
3.6	Electron Microscopy	53
3.7	Mechanical Properties and Fractography	57
3.8	Tribological Properties	61
	3.8.1 Effect of Sliding Distance	61
	3.8.2 Effect of Load	61
	3.8.3 Effect of Sliding Velocity	61
	3.8.4 Effect of Composition	64
	3.8.5 Worn Surface Topography and Mechanism	64
3.9	Coefficient of Linear Thermal Expansion	75
3.10	Conclusions	78
 CHAPTER 4 SYNTHESIS AND CHARACTERIZATION OF		81-120
(Al₃Zr+ZrB₂)/Al-Mg <i>insitu</i> COMPOSITES		
4.1	Introduction	81
4.2	Fabrication of Hybrid Composite	81
4.3	XRD Analysis	84
4.4	Physical Properties	85
4.5	Optical Microscopy	86
4.6	Electron Microscopy	86
4.7	Mechanical Properties and Fractography	93
4.8	Strengthening Mechanism	98
	4.8.1 Dislocation Strengthening	100
	4.8.2 Orowan Strengthening	102
	4.8.3 Grain-refinement Strengthening	104
	4.8.4 Solid-solution Strengthening	105
	4.8.5 Summary of Strengthening Mechanism	105
4.9	Tribological Properties	107
	4.9.1 Effect of Sliding Distance	107
	4.9.2 Effect of Load	107
	4.9.3 Effect of Sliding Velocity	108
	4.9.4 Effect of Composition	110
	4.9.5 Surface Topography and Mechanism	110

4.10	Coefficient of Linear Thermal Expansion	116
4.11	Conclusions	118
CHAPTER 5 HIGH TEMPERATURE PROPERTIES OF (Al₃Zr+ZrB₂)/Al-Mg HYBRID COMPOSITE		121-136
5.1	Introduction	121
5.2	Tensile Properties	121
5.3	Tribological Properties	125
	5.3.1 Effect of Temperature	125
	5.3.2 Effect of Load	127
	5.3.3 Effect of Composition	128
	5.3.4 Worn Surface Studies and Mechanism	129
5.4	Conclusions	136
CHAPTER 6 CONCLUSIONS AND SCOPE		137-140
6.1	Main Conclusions	137
6.2	Scope of the Work	138
REFERENCES		141-150
LIST OF PUBLICATIONS		