

**Abdal-hay** A. et al.; Handbook of Nanoceramic and Nanocomposite Coatings and Materials, 1<sup>st</sup> edition; Makhoulouf A.S.H. and Scharnweber D. (eds.); Elsevier (2015).

**Abdoui** Kh.; Cherif W.; Omrani H.; Mansouri M.; Valent M.A.; Graca M.P.F. and Ktari L.; Structural, magnetic and magnetocaloric properties of  $\text{La}_{0.5}\text{Sm}_{0.2}\text{Sr}_{0.3}\text{Mn}_{1-x}\text{Fe}_x\text{O}_3$  compounds with ( $0 \leq x \leq 0.15$ ); J. Magn. Magn. Mater. **475**, 635-642 (2019).

**Amaral** J.S. and Amaral V.S.; Magnetoelastic coupling influence on the magnetocaloric effect in ferromagnetic materials; J. Magn. Magn. Mater. **272**, 2104-2105 (2004).

**Anderson** P.W.; Antiferromagnetism. Theory of superexchange interaction; Phys. Rev. **79**, 350-356 (1950).

**Anderson** P.W. and Hasegawa H.; Considerations on double exchange; Phys. Rev. **100**, 675-681 (1955).

**Andrade** V.M.; Vivas R.J.C.; Pedro S.S.; Tedesco J.C.G.; Rossi A.L.; Coelho A.A.; Rocco D.L. and Reis M.S., Magnetic and magnetocaloric properties of  $\text{La}_{0.6}\text{Ca}_{0.4}\text{MnO}_3$  tunable by particle size and dimensionality, Acta Mater. **102**, 49-55 (2016).

**Aslibeiki** B.; Kameli P. and Salamati H.; Reentrant spin glass behavior in  $\text{La}_{0.8}\text{Sr}_{0.2}\text{Mn}_{1-x}\text{Ti}_x\text{O}_3$  manganites; Solid State Comm. **149**, 1274-1277 (2009).

**Baazaoui** M.; Hcini S.; Boudard M.; Zemni S. and Oumezzine M.; Critical behaviour near the ferromagnetic-paramagnetic phase transition temperature of  $\text{Pr}_{0.67}\text{Ba}_{0.33}\text{Mn}_{1-x}\text{Fe}_x\text{O}_3$  ( $x = 0$  and  $0.05$ ) manganite; J. Magn. Magn. Mater. **401**, 323-332 (2016).

**Baibich** M.N.; Brito G.M.; Fert A.; Nguyen F.; Dau V. and Petroff F.; Giant magnetoresistance of (001)Fe/(001)Cr magnetic superlattice, Phys. Rev. Lett. **61**, 2472-2475 (1988).

**Baldini** M.; Muramatsu T.; Sherafati M.; Mao H.; Malavasi L.; Postorino P.; Satpathy S. and Struzhkin V.V.; Origin of colossal magnetoresistance in  $\text{LaMnO}_3$  manganite, Proc. Nat. Acad. Sci. **112**, 10869-10872 (2015).

**Banerjee** B.K.; On a generalised approach to first and second order magnetic transitions; Phys. Lett. **12**, 16-17 (1964).

**Barnabe** A.; Millange F.; Maignan A.; Hervieu M. and Raveau B.; Barium-based manganites  $\text{Ln}_{1-x}\text{Ba}_x\text{MnO}_3$  with  $\text{Ln} = \{\text{Pr}, \text{La}\}$ : phase transitions and magnetoresistance properties; Chem. Mater. **10**, 252-259 (1998).

**Barsoum** M.W.; Fundamentals of Ceramics; The McGraw-Hill Companies, Inc. (2000).

**Bau** L.V. and An N.M.; Magneto-electric properties and magnetic entropy change in perovskite  $\text{La}_{0.7}\text{Sr}_{0.3}\text{Mn}_{1-x}\text{Ti}_x\text{O}_3$ , J. Magn. Magn. Mater. **420**, 275-279 (2016).

**Belik** A.A.; Tsujii N.; Huang Q., Muromachi E.T. and Takano M.; Re-entrant spin-glass behaviour of geometrically frustrated  $\text{SrFe}_3(\text{PO}_4)_3\text{O}$ ; J. Phys.: Condens. Matter **19**, 145221-145226 (2007).

**Biswas** A. and Das I.; Magnetic and transport properties of nanocrystalline  $\text{Nd}_{0.5}\text{Sr}_{0.5}\text{MnO}_3$ , J. Appl. Phys. **102**, 064303-064309 (2007).

**Blundell** S.; Magnetism condensed matter, Published in the United States by Oxford University Press Inc., New York (2001).

**Burgy** J.; Mayr M., Martin-Mayor V.; Moreo A. and Dagotto E.; Colossal effects in transition metal oxides caused by intrinsic inhomogeneities; Phys. Rev. Lett. **87**, 277202-277205 (2001).

**Carvajal** J.R.; Recent advances in magnetic structure determination by neutron powder diffraction; Physica B **192**, 55-69 (1993).

**Chaikin** P.M. and Lubensky T.C.; Principles of condensed matter physics; Cambridge University Press, Sep. 28, (2000) @p-153-154.

**Chick** L.A.; Pederson L.R.; Maupin G.D.; Bates J.L.; Thomas L.E. and Exarhos G.J.; Glycine-nitrate combustion synthesis of oxide ceramic powders; Mater Lett. **10**, 6-12 (1990).

**Clarke** J.; SQUID Sensors: Squid Fundamentals; Weinstock H. (Ed.); Springer Netherlands, **329**, 1-65 (1996).

**Coey** J.M.D.; Viret M. and von Molnar S.; Mixed valence manganites; Adv. Phys. **48**, 167-293 (1999).

**Coey** M.; Condensed-matter physics Charge-ordering in oxides; Nature **430**, 155-157 (2004).

**Conceicao** L.D.; Ribeiro N.F.P.; Furtado J.G.M. and Souza M.M.V.M.; Effect of propellant on the combustion synthesized Sr-doped  $\text{LaMnO}_3$  powders, Ceramics Int. **35**, 1683-1687 (2009).

**Conceicao** L.D.; Silva C.R.B.; Ribeiro N.F.P.; Souza M.M.V.M.; Influence of the synthesis method on the porosity, microstructure and electrical properties of  $\text{La}_{0.7}\text{Sr}_{0.3}\text{MnO}_3$  cathode materials; *Mat. Char.* **60**, 1417-1423 (2009a).

**Cullity** B.D.; Introduction to magnetic materials, Addison-Wesley Publishing Company, Inc. Philippines, (1972).

**Cullity** B.D. and Graham C.D.; Introduction to magnetic materials, 2<sup>nd</sup> Edition; Wiley-IEEE Press (2008).

**Dang** N.T.; Zakhvalinskii V.S.; Kozlenk D.P.; Phan T-L.; Kichanov S.E.; Trukhanov S.V.; Trukhanov A.V.; Nekrasova Yu.S.; Taran S.V.; Ovsyannikov S.V.; Jabarov S.H. and Trukhanova E.L.; Effect of Fe doping on structure, magnetic and electrical properties  $\text{La}_{0.7}\text{Ca}_{0.3}\text{Mn}_{0.5}\text{Fe}_{0.5}\text{O}_3$  manganite; *Ceram. Int.* **44**, 14974-14979 (2018).

**Dagotto** E.; Open questions in CMR manganites, relevance of clustered states and analogies with other compounds including the cuprates; *New J. Phys.* **7**, 67-94 (2005).

**Dagotto** E.; Nanoscale phase separation and colossal magnetoresistance; *Springer Series in Solid State Sciences*, Vol. **136**, (2002).

**Das** M.P.; Mesoscopic systems in the quantum realm: fundamental science and applications; *Adv. Nat. Sci.: Nanosci. Nanotechnol.* **1**, 043001-043011 (2010).

**Dayal** V.; Kumar V.P.; Hadimani R.L. and Jiles D.C.; Evolution of Griffith's phase in  $\text{La}_{0.4}\text{Bi}_{0.6}\text{Mn}_{1-x}\text{Ti}_x\text{O}_3$  perovskite oxide; *J. Appl. Phys.* **115**, 17E111-17E113 (2014).

**Dayal** V.; Kumar V.P.; Hadimani R.L. and Jiles D.C.; Critical behavior studies in Ti-substituted lanthanum bismuth perovskite manganites; *Current Appl. Phys.* **12**, 1245-1250 (2015).

**De Gennzs** P.G.; Effects of Double Exchange in Magnetic Crystals; *Phys. Rev.* **118**, 141-154 (1960).

**Deshpande** K.; Muskayan A.S. and Varma A.; Direct synthesis of iron oxide nanopowders by the combustion approach: reaction mechanism and properties; *Chem. Mater.* **16**, 4896-4904 (2004).

**Dho** J.; Kim W.S. and Hur N.H.; Reentrant spin glass behavior in Cr-doped perovskite manganite; *Phys. Rev. B* **89**, 027202-027205 (2002).

**Doshi** R.R.; Solanki P.S.; Khachar U.; Kuberkar D.G.; Krishna P.S.R.; Banerjee A. and Chaddah P.; First order paramagnetic-ferromagnetic phase transition in  $\text{Tb}^{3+}$  doped  $\text{La}_{0.5}\text{Ca}_{0.5}\text{MnO}_3$  manganite; *Physica B* **406**, 4031-4034 (2011).

**Dwight** K. and Menyuk N.; Magnetic Properties of  $Mn_3O_4$  and the Canted Spin Problem, *Phys. Rev.* **119**, 1470-1479 (1960).

**Eerenstien** W.; Mathur N.D. and Scott J.F.; Multiferroic and magnetoelectric materials; *Nature*, **442**, 759-765 (2006).

**Foner** S.; Versatile and Sensitive vibrating-sample magnetometer; *Rev. Sci. Instr.* **30**, 548-557 (1959).

**Fumo** D.A.; Jurado J.R.; Segadaes A.M. and Frade J.R.; Combustion synthesis of iron-substituted strontium titanate perovskites; *Mater. Res. Bull.* **32**, 1459-1470 (1997).

**Fumo** D.A.; Morelli M.R. and Segadaes A.M., Combustion synthesis of calcium aluminates, *Mater. Res. Bull.* **31**, 1243-1255 (1996).

**Ganguly** R.; Hervieu M.; Maignan A.; Martin C. and Raveau B.; Doping at the Mn site of the electron-doped manganite  $Ca_{0.9}Ce_{0.1}MnO_3$ ; *J. Phys.: Condens. Matter* **14**, 9039-9052 (2002).

**Gao** T.; Nishimura K.; Namiki T. and Okimoto H.; Reentrant spin-glass behavior induced by the frustration of Fe-Fe interactions in Laves phase  $Nb_{1-x}Hf_xFe_2$  alloys; *J. Appl. Phys.* **111**, 013913-013918 (2012).

**Gasmi** A.; Boudard M.; Zemni S.; Hippert F. and Oumezzine M.; Influence of non-magnetic  $Ti^{4+}$  ion doping at Mn site on structural and magnetic properties of  $La_{0.67}Ba_{0.33}MnO_3$ ; *J. Phys. D: Appl. Phys.* **42**, 225408-225414 (2009).

**Gayathri** N.; Raychaudhuri A.K.; Tiwary S.K.; Gundakaram R.; Arulraj A. and Rao C.N.R.; Electrical transport, magnetism, and magnetoresistance in ferromagnetic oxides with mixed exchange interactions: A study of the  $La_{0.7}Ca_{0.3}Mn_{1-x}Co_xO_3$  system; *Phys. Rev. B* **56**, 1345-1353 (1997).

**Ghara** S.; Jeon B.G.; Yoo K.; Kim K.H. and Sundaresan A.; Reentrant spin-glass state and magnetodielectric effect in the spiral magnet  $BiMnFe_2O_6$ ; *Phys. Rev. B* **90**, 024413-024419 (2014).

**Giri** S.K.; Poddar A. and Nath T.K.; Surface spin glass and exchange bias effect in  $Sm_{0.5}Ca_{0.5}MnO_3$  manganites nano particles; *AIP Adv.* **1**, 032110-032119 (2011).

**Giri** S.K.; Yusuf S.M.; Mukadam M.D. and Nath T.K.; Enhanced exchange bias effect in size modulated  $Sm_{0.5}Ca_{0.5}MnO_3$  phase separated manganite; *J. Appl. Phys.* **115**, 093906-093915 (2014a).

**Giri S.K.**; Yusuf S.M.; Mukadam M.D. and Nath T.K.; Emergence of Griffiths phase and glassy mixed phase in  $\text{Sm}_{0.5}\text{Ca}_{0.5}\text{MnO}_3$  nanomanganites; *J. Alloys Compd.* **591**, 181-187 (2014b).

**Goldschmidt V.M.**; Die Gesetze der Krystallochemie; *Die Naturwissenschaften* **21**, 477-485 (1926).

**Goodenough J.B.**; Theory of the role of covalence in the perovskite-type manganites  $[\text{La},\text{M}(\text{II})]\text{MnO}_3$ ; *Phys. Rev.* **100**, 564-573 (1955).

**Griffiths R.B.**; Nonanalytic Behavior above the Critical Point in a Random Ising Ferromagnet; *Phys. Rev. Lett.* **23**, 17-19 (1969).

**Grover A.K.**; Pillay R.G.; Mishra S.N.; Rambabu D. and Tandon P.N.; Reentrant spin-glass-like behavior as a consequence of constrained dynamics of magnetic clusters: A case study of  $\text{Fe}_{1.4}\text{Ru}_{1.6}\text{Si}$ ; *Phys. Rev. B* **37**, 5289-5298 (1988).

**Hazzez M.**; Ihzaz N.; Boudard M. and Oumezzine M.; Crystal structure, phase transitions and magnetic properties of titanium doped  $\text{La}_{0.5}\text{Sr}_{0.5}\text{MnO}_3$  perovskites; *Physica B* **487**, 78-84 (2016).

**Helmolt R.-von**; Wecker J.; Holzapfel B.; Schultz L. and Samwer K.; Giant negative magnetoresistance in perovskite like  $\text{La}_{2/3}\text{Ba}_{1/3}\text{MnO}_x$  ferromagnetic films; *Phys. Rev. Lett.* **71**, 2331-2333 (1993)

**Hill N.A.**; Why are there so Few Magnetic Ferroelectrics?; *J. Phys. Chem. B* **104**, 6694-6709 (2000).

**Hintze C.E.**; Fuchs D.; Merz M.; Amari H.; Kubel C.; Huang M.J.; Powell A. and Lohneysen H.V.; Size-induced changes of structural and ferromagnetic properties in  $\text{La}_{1-x}\text{Sr}_x\text{MnO}_3$  nanoparticles; *J. Appl. Phys.* **121**, 214303-21311 (2017).

**Hlavacek V.** and Puszynski J.; Chemical engineering aspects of advanced ceramic materials; *Ind. Eng. Chem. Res.* **35**, 349-377 (1996).

**Ho T.A.**; Lim S.H.; Tho P.T.; Phan T.L. and Yu S.C.; Magnetic and magnetocaloric properties of  $\text{La}_{0.7}\text{Ca}_{0.3}\text{Mn}_{1-x}\text{Zn}_x\text{O}_3$ ; *J. Magn. Magn. Mater.* **426**, 18-24 (2017).

**Ho T.A.**; Phan M.H.; Phuc N.X.; Lam V.D.; Phan T.L. and Yu S.C.; Influence of Ti Doping on the Critical Behavior and Magnetocaloric Effect in Disordered Ferromagnets  $\text{La}_{0.7}\text{Ba}_{0.3}\text{Mn}_{1-x}\text{Ti}_x\text{O}_3$ ; *J. Electro. Mater.* **45**, 2508-2515 (2016).

**Hu B.**; Mahapatra M.K.; Keane M.; Zhang H. and Singh P.; Effect of CO<sub>2</sub> on the stability of strontium doped lanthanum manganite cathode; *J. Power Sources* **268**, 404-413 (2014).

**Hu J.**; Qin H.; Chen J. and Wang Z.; Enhancement of room temperature magnetoresistance in La<sub>0.67</sub>Sr<sub>0.33</sub>Mn<sub>1-x</sub>Ti<sub>x</sub>O<sub>3</sub> manganites; *Mater. Sci. Eng. B* **90**, 146-148 (2002).

**Hussain I.**; Anwar M.S.; Kim E.; Koo B.H. and Lee C.G; Impact of Ba Substitution on the Magnetocaloric Effect in La<sub>1-x</sub>Ba<sub>x</sub>MnO<sub>3</sub> Manganites; *Korean J. Mater. Res.* **26**, 623-627 (2016).

**Jain S.R.**; Adiga K.C. and Vemeker V.R.P.; A new approach to thermochemical calculations of condensed fuel-oxidizer mixtures; *Combust. Flame* **40**, 71-79 (1981).

**Jahn H. A.** and Teller E., Stability of polyatomic molecules in degenerate electronic states. I. orbital degeneracy; *Proc. Roy. Soc. Lond. A* **161**, 220-235 (1937).

**Jemma F.B.**; Mahmmud S.H.; Ellouze M.; Hlil E.K. and Halouani F.; Structural, magnetic, magnetocaloric and critical behavior of selected Ti-doped manganites; *Ceram. Int.* **41**, 8191-8202 (2015).

**Jeon J.**; Alagoz H.S.; Jung J. and Chow K.H.; Low field colossal anisotropic magnetoresistance in spatially confined electronically phase separated La<sub>0.3</sub>Pr<sub>0.4</sub>Ca<sub>0.3</sub>MnO<sub>3</sub> microbridges; *Appl. Phys. Lett.* **107**, 052402-052406 (2015).

**Jiang W.**; Zhou X.Z. and Williams G.; Griffiths phase and critical behavior in single-crystal La<sub>0.7</sub>Ba<sub>0.3</sub>MnO<sub>3</sub>; Phase diagram for La<sub>1-x</sub>Ba<sub>x</sub>MnO<sub>3</sub> (x ≤ 0.33); *Phys. Rev. B* **77**, 064424-064430 (2008).

**Jiang W.**; Zhou X.Z.; Williams G.; Mukovskii Y. and Glazyrin K.; Is a Griffiths Phase a Prerequisite for Colossal Magnetoresistance?; *Phys. Rev. Lett.* **99**, 177203-177206 (2007).

**Jin S.**; McCormack M., Tiefel T.H. and Ramesh R.; Colossal magnetoresistance in La-Ca-Mn-O ferromagnetic thin films; *J. Appl. Phys.* **76**, 6929 (1994).

**Jonker G.H.** and Van Santen J.H.; Ferromagnetic Compounds of Manganese with Perovskite Structure; *Physica*, **16**, 337-349 (1950).

**Ju H.L.**; Nam Y.S.; Lee J.E. and Shin H.S; Anomalous magnetic properties and magnetic phase diagram of La<sub>1-x</sub>Ba<sub>x</sub>MnO<sub>3</sub>; *J. Magn. Magn. Mater.* **219**, 1-8 (2000).

**Kameli P.**; Salamati H.; Heidarian A. and Bahrami H.; Ferromagnetic insulating and reentrant spin glass behavior in Mg doped  $\text{La}_{0.75}\text{Sr}_{0.25}\text{MnO}_3$  manganites; *J. Non-Cryst. Solids* **355**, 917-921 (2009).

**Karmakar A.**; Majumdar S.; Kundu S.; Nath T.K. and Giri S.; Observation of Griffiths phase in antiferromagnetic  $\text{La}_{0.32}\text{Eu}_{0.68}\text{MnO}_3$ ; *J. Phys.: Condens. Matter* **24**, 126003-126007 (2012).

**Kasuya T.**; A Theory of metallic ferro- and antiferromagnetism on Zener's model; *Prog. Theor. Phys.* **16**, 45-57 (1956).

**Kaul S.N.**; Static critical phenomena in ferromagnets with quenched disorder; *J. Magn. Mater.* **53**, 5-53 (1985).

**Kawano H.**; Kajimoto R.; Kubota M. and Yoshizawa H.; Canted antiferromagnetism in an insulating lightly doped  $\text{La}_{1-x}\text{Sr}_x\text{MnO}_3$  with  $x = 0.17$ ; *Phys. Rev. B* **53**, 2202-2205 (1996).

**Khan H.U.**; Mumtaz A.; Shah W.H. and Hasanain S.K.; Non-linear susceptibility studies of  $\text{La}_{0.85}\text{Ca}_{0.15}\text{Mn}_{0.95}\text{Fe}_{0.05}\text{O}_3$ ; *J. Phys: Condens. Matter* **19**, 106202-106211 (2007).

**Kim M.S.**; Yang J.B.; Cai Q.; Zhou X.D.; James W.J.; Yelon W.B.; Parris P.E.; Buddhikot D. and Malik S.K.; Structure, magnetic, and transport properties of Ti-substituted  $\text{La}_{0.7}\text{Sr}_{0.3}\text{MnO}_3$ ; *Phys. Rev. B* **71**, 014433-014440 (2005).

**Kittel C.**; Introduction to Solid State Physics. 7<sup>th</sup> Edition, John Wiley & Sons, Hoboken, (1996).

**Kolthoff I.M.**; Theory of Coprecipitation. The Formation and Properties of Crystalline Precipitates; *J. Phys. Chem.*, **36**, 860-881 (1932).

**Korneta O.B.**; Qi T.F.; Ge M.; Parkin S.; DeLong L.E.; Schlottmann P. and Cao G.; Correlated giant dielectric peaks and antiferromagnetic transitions near room temperature in pure and alkali-doped  $\text{BaMnO}_{3-\delta}$ ; *J. Phys.: Condens. Matter* **23**, 435901-435908 (2011).

**Kossi S.EL.**; Ghodhbane S.; Mnefgui S.; Dhahri J. and Hlil E.K.; The impact of disorder on magnetocaloric properties in Ti-doped manganites of  $\text{La}_{0.7}\text{Sr}_{0.25}\text{Na}_{0.05}\text{Mn}_{1-x}\text{Ti}_x\text{O}_3$  ( $0 \leq x \leq 0.2$ ); *J. Magn. Mater.* **395**, 134-142 (2015).

**Kuepper K.**; Falub M.C.; Prince K.C.; Galakhov V.R.; Troyanchuk I.O.; Chiuzbaian S.G.; Matteucci M.; Wett D.; Szargan R.; Ovechkina N.A.; Mukovskii Y.M. and Neumann M.; Electronic Structure of A- and B-Site Doped Lanthanum Manganites: A Combined X-ray Spectroscopic Study; *J. Phys. Chem. B* **109**, 9354-9361 (2005).

**Kulkarni V.**; Priolkar K.R.; Sarode P.R.; Rawat R.; Banerjee A. and Emura S.; Effect of  $\text{Ti}^{4+}$  substitution on structural, transport and magnetic properties of  $\text{La}_{0.67}\text{Sr}_{0.33}\text{Mn}_{1-x}\text{Ti}_x\text{O}_3$ ; J. Phys.: Condens. Matter **20**, 075203-075214 (2008).

**Kumar D.** and Singh A.K.; Effect of Ti-doping on Structural and Magnetic Properties of  $\text{Nd}_{0.7}\text{Ba}_{0.3}\text{Mn}_{1-x}\text{Ti}_x\text{O}_3$  ( $0 \leq x \leq 0.3$ ) Perovskite Manganites (**unpublished**).

**Kumar D.** and Singh A.K.; Investigation of structural and magnetic properties of  $\text{Nd}_{0.7}\text{Ba}_{0.3}\text{Mn}_{1-x}\text{Ti}_x\text{O}_3$  ( $x = 0.05, 0.15$  and  $0.25$ ) manganites synthesized through a single-step process; J. Magn. Magn. Mater. **469**, 264-273 (2019).

**Kumar D.**; Singh C.B.; Verma N.K. and Singh A.K.; Synthesis and structural investigations on multiferroic  $\text{Ba}_{1-x}\text{Sr}_x\text{MnO}_3$  perovskite manganites; Ferroelectrics **518**, 191-195 (2017).

**Kumar D.**; Verma N.K.; Singh C.B. and Singh A.K.; Crystallite Size Strain Analysis of Nanocrystalline  $\text{La}_{0.7}\text{Sr}_{0.3}\text{MnO}_3$  Perovskite by Williamson-Hall Plot Method; AIP Conf. Proc. **1942**, 050024-4 (2018a).

**Kumar D.**; Verma N.K.; Singh C.B. and Singh A.K.; Evolution of structural characteristics of  $\text{Nd}_{0.7}\text{Ba}_{0.3}\text{MnO}_3$  perovskite manganite as a function of crystallite size; AIP Conf. Proc. **2009**, 020013-4 (2018b).

**Kundhikanjana W.**; Sheng Z.; Yang Y.; Lai K.; Ma E.Y.; Cui Y.T.; Kelly M.A.; Nakamura M.; Kawasaki M.; Tokura Y.; Tang Q.; Zhang K.; Li X. and Shen Z.X.; Direct imaging of dynamic glassy behavior in a strained manganite film; Phys. Rev. Lett. **115**, 265701-265705 (2015).

**Kundu S.**; Das A.; Nath T.K. and Nigam A.K.; Size-induced ferromagnetism and metallicity in  $\text{Nd}_{0.5}\text{Sr}_{0.5}\text{MnO}_3$  nanoparticles: A neutron diffraction study, J. Magn. Magn. Mater. **324**, 823-829 (2012).

**Kundu S.** and Nath T.K.; Critical behavior and magnetic relaxation dynamics of  $\text{Nd}_{0.4}\text{Sr}_{0.6}\text{MnO}_3$  nanoparticles; Philos. Mag. **93**, 2527- 2548 (2013).

**Langevin P.**; Magnétisme et théorie des electrons; Ann. Chemie et Physique **5**, 70-127 (1905).

**Latif I.A.A.**; Rare earth manganites and their applications; J. Phys. **1**, 15-31 (2012).

**Leal M.O.**; Rivadulla F. and Rivas J.; Quenched disorder suppression of the first-order magnetic phase transition in manganites; Phys. Rev. B **76**, 174413-174417 (2007).



- Leontie L.**; Doroftei C. and Carlescu A.; Nanocrystalline iron manganite prepared by sol-gel self-combustion method for sensor applications; *Appl. Phys. A* **124**, 750-757 (2018).
- Levy P.**; Parisi F.; Polla G.; Vega D. and Lanza H.; Controlled phase separation in  $\text{La}_{0.5}\text{Ca}_{0.5}\text{MnO}_3$ , *Phys. Rev. B* **62**, 6437-6441 (2000).
- Liu S.**; Magnetocaloric effect of electron-doped manganites  $\text{LaMn}_{1-x}\text{Ti}_x\text{O}_3$  ( $0.05 \leq x \leq 0.2$ ); *Physica B* **456**, 227-231 (2015).
- Livage J.**; Sanchez C.; Henry M. and Doeuff S.; The chemistry of the sol-gel process; *Solid State Ionics* **32-33**, 633-638 (1989).
- Luo Q.** and Shen J.; Reentrant spin glass ordering in an Fe-based bulk metallic glass; *J. Appl. Phys.* **117**, 053909-053913 (2015).
- Mahendiran R.**; Breard Y.; Hervieu M.; Raveau B. and Schiffer P.; Giant frequency dependence of dynamic freezing in nanocrystalline ferromagnetic  $\text{LaCo}_{0.5}\text{Mn}_{0.5}\text{O}_3$ ; *Phys. Rev. B* **68**, 104402-104405 (2003).
- Manh D.H.**; Phong P.T.; Nam P.H.; Tung D.K.; Phuc N.X. and Lee I.J.; Structural and magnetic study of  $\text{La}_{0.7}\text{Sr}_{0.3}\text{MnO}_3$  nanoparticles and ac magnetic heating characteristics for hyperthermia applications; *Physica B* **444**, 94-102 (2014).
- Manna K.**; Elizabeth S. and Kumar P.S.A.; Investigation of the origin of glassiness in  $\text{La}_{0.5}\text{Sr}_{0.5}\text{CoO}_3$ ; *J. Appl. Phys.* **113**, 17E114-17E116 (2013).
- Markovic D.**; Kusigerski V.; Tadic M.; Blanusa J.; Antisari M.V. and Spasojevic V.; Magnetic properties of nanoparticle  $\text{La}_{0.7}\text{Ca}_{0.3}\text{MnO}_3$  prepared by glycine-nitrate method without additional heat treatment, *Scripta Materiala* **59**, 35-38 (2008).
- Markovich V.**; Dolgin B.; Puzniak R.; Wisniewski A.; Fita I.; Mogilyansky D.; Dvir E.; Gorodetsky G. and Jung G.; Non-equilibrium magnetic properties of  $\text{Sm}_{0.43}\text{Ca}_{0.57}\text{MnO}_3$  nanoparticles; *J. Alloys Compd.* **602**, 204-209 (2014).
- Markovich V.**; Fita I.; Wisniewski A.; Jung G.; Mogilyansky D.; Puzniak R.; Titelman L. and Gorodetsky G.; Spin-glass-like properties of  $\text{La}_{0.8}\text{Ca}_{0.2}\text{MnO}_3$  nanoparticles ensembles; *Phys. Rev. B* **81**, 134440-1344450 (2010).
- Markovich V.**; Fita I.; Wisniewski A.; Mogilyansky D.; Puzniak R.; Titelman L. and Gorodetsky G.; Size-driven magnetic transitions in  $\text{La}_{1/3}\text{Ca}_{2/3}\text{MnO}_3$  nanoparticles; *J. Appl. Phys.* **108**, 063918-063926 (2010).

**Martinez** L.M.R. and Attfield J.P.; Cation disorder and size effects in magnetoresistive manganese oxide perovskites; Phys. Rev. B **54**, 15622-15625 (1996).

**McBride** K.; Partridge N.; Gray S.B.; Felton S.; Stella L. and Poulidi D.; Synthesis, characterisation and study of magnetocaloric effects (enhanced and reduced) in manganate perovskites; Mater. Res. Bull. **88**, 69-77 (2017).

**Merzhanov** A.G. and Borovinskaya I.P.; Self-spreading high temperature synthesis of refractory compounds, Dokl. Chem. **204**, 366-369 (1972).

**Millis** A.J., Littlewood P.B. and Shraima B.I.; Double Exchange Alone Does Not Explain the Resistivity of  $\text{La}_{1-x}\text{Sr}_x\text{MnO}_3$ ; Phys. Rev. Lett. **74**, 5144-5147 (1995).

**Minh** N.Q.; Ceramic fuel cells; J. Amer.Ceram. Soc. **76**, 563-588 (1993).

**Mitchell** R.H.; Perovskites: Modern and Ancient; Almaz Press, (2002).

**Mohamed** A.E.M.A.; Hernando B. and Garcia M.E.D.; Room temperature magneto-transport properties of  $\text{La}_{0.7}\text{Ba}_{0.3}\text{MnO}_3$  manganite; J. Alloys Compd. **695**, 2645-2651 (2017).

**Moore** J.J. and Feng H.J.; Combustion synthesis of advanced materials: Part I. Reaction parameters; Prog. Mater. Sci. **39**, 243-273 (1995a).

**Moore** J.J. and Feng H.J.; Combustion synthesis of advanced materials: Part II. Classification, application and modeling; Prog. Mater. Sci. **39**, 275-316 (1995b).

**Moreno** N.O.; Thompson J.D.; Taylor R.D. and Sarrao J.L.; Spin glass state in  $\text{Fe}_{0.5}\text{Ni}_{0.5}\text{TiO}_3$  polycrystal; Physica B **398**, 245-247 (2007).

**Moreo** A.; Yunoki S. and Dagatto E.; Phase separation scenario for manganese oxides and related materials; Science **283**, 2034-2040 (1999).

**Mukasyan** A.; Lau C. and Varma A.; Influence of gravity on combustion synthesis of advanced materials; AIAA J. **43**, 225-245 (2005).

**Mukasyan** A.S.; Costello C.; Sherlock K.; Lafarga D. and Varma A.; Perovskite membranes by aqueous combustion synthesis: synthesis and properties; Sep. Purif. Tech. **25**, 117-126 (2001).

**Mukasyan** A.S.; Epstein P. and Dinka P., Solution combustion synthesis of nanomaterials, Proc. Comb. Inst. **31**, 1789-1795 (2007).

**Munir** Z.A. and Tamburini U.A.; Self-propagating exothermic reaction: the synthesis of high temperature materials by combustion; *Mater. Sci. Rep.* **3**, 277-365 (1989).

**Munoz** J.L.G.; Frontera C.; Murias B.R. and Mira J.; Dielectric properties of  $\text{Bi}_{1-x}\text{Sr}_x\text{MnO}_3$  ( $x = 0.40, 0.50$ ) manganites: Influence of room temperature charge order; *J. appl. Phys.* **105**, 084116-084120 (2009).

**Mydosh** J.A.; Spin glasses: An Experimental Introduction; Taylor & Francis, London (1993).

**Nam** D.N.H.; Bau L.V.; Khiem N.V.; Dai N.V.; Hong L.V.; Phuc N.X.; Newrock R.S. and Nordblad P.; Selective dilution and magnetic properties of  $\text{La}_{0.7}\text{Sr}_{0.3}\text{Mn}_{1-x}\text{M}'_x\text{O}_3$  ( $\text{M}' = \text{Al}, \text{Ti}$ ); *Phys. Rev. B* **73**, 184430-184435 (2006).

**Néel** M.L.; Propriétés magnétiques des ferrites: ferrimagnétisme et antiferromagnétisme; *Ann. Phys.* **12**, 137-198 (1948).

**Park** S.Y.; Hyun Y.H.; Lee Y.P.; Svetchnikov V.L.; Kim W.; and Prokhorov V.G.; Evidence for the charge-ordered state and phase separation at room temperature in half-doped  $\text{La}_{0.5}\text{Ca}_{0.5}\text{MnO}_3$  films; *Appl. Phys. Lett.* **89**, 052502-052504 (2006).

**Patil** K.C.; Aruna S.T. and Ekabaram S.; Combustion synthesis; *Curr. Opin. Solid State Mater. Sci.* **2**, 158-165 (1997).

**Patil** K.C., Aruna S.T. and Mimani T.; Combustion synthesis: an update; *Curr. Opin. Solid State Mater. Sci.* **6**, 507-512 (2002).

**Patil** K.C.; Mimani T.; Solution combustion synthesis of nanoscale oxides and their composites; *Mater. Phys. Mech.* **4**, 134-137 (2001).

**Pekala** M.; Mucha J.; Vertruyen B.; Cloots R. and Ausloos M.; Effect of Ga doping on magnetotransport properties in colossal magnetoresistive  $\text{La}_{0.7}\text{Ca}_{0.3}\text{Mn}_{1-x}\text{Ga}_x\text{O}_3$  ( $0 < x < 0.1$ ); *J. Magn. Magn. Mater.* **306**, 181-190 (2006).

**Phan** T.L.; Ho T.A.; Manh T.V.; Dang N.T.; Jung C.U.; Lee B.W. and Thanh T.D.; Y-doped  $\text{La}_{0.7}\text{Ca}_{0.3}\text{MnO}_3$  manganites exhibiting a large magnetocaloric effect and the crossover of first-order and second-order phase transitions; *J. Appl. Phys.* **118**, 143902-143910 (2015).

**Phong** P.T.; Bau L.V.; Hoan L.C.; Manh D.H.; Phuc N.X. and Lee I.-J.; Effect of B-site Ti doping on the magnetic, low-field magnetocaloric and electrical transport properties of  $\text{La}_{0.7}\text{Sr}_{0.3}\text{Mn}_{1-x}\text{Ti}_x\text{O}_3$  perovskites; *J. Alloys Compd.* **656**, 920-928 (2016a).

**Phong P.T.**; Dang N.V.; Bau L.V.; An N.M. and Lee I.J.; Landau mean-field analysis and estimation of the spontaneous magnetization from magnetic entropy change in  $\text{La}_{0.7}\text{Sr}_{0.3}\text{MnO}_3$  and  $\text{La}_{0.7}\text{Sr}_{0.3}\text{Mn}_{0.95}\text{Ti}_{0.05}\text{O}_3$ ; *J. Alloy. Compd.* **698**, 451-459 (2017).

**Phong P.T.**; Manh D.H.; Hoan L.C.; Ngai T.V.; Phuc N.X. and Lee I.J.; Particle size effects on  $\text{La}_{0.7}\text{Ca}_{0.3}\text{MnO}_3$ : Griffiths phase-like behavior and magnetocaloric study; *J. Alloys Compd.* **662**, 557-565 (2016b).

**Pramanik A.K.** and Banerjee A.; Griffiths phase and its evolution with Mn-site disorder in the half-doped manganite  $\text{Pr}_{0.5}\text{Sr}_{0.5}\text{Mn}_{1-y}\text{Ga}_y\text{O}_3$  ( $y = 0.0, 0.025, \text{ and } 0.05$ ); *Phys. Rev. B* **81**, 024431-024435 (2010).

**Radaelli P.G.**; Cox D.E.; Marezio M. and Cheong S.W.; Charge, orbital, and magnetic ordering in  $\text{La}_{0.5}\text{Ca}_{0.5}\text{MnO}_3$ ; *Phys. Rev. B* **55**, 3015-3023 (1997a).

**Radaelli P.G.**; Iannone G.; Marezio M.; Hwang H.Y.; Cheong S-W.; Jorgensen J.D.; and Argyriou D.N.; Structural effects on the magnetic and transport properties of perovskite  $\text{A}_{1-x}\text{A}'_x\text{MnO}_3$  ( $x = 0.25, 0.30$ ); *Phys. Rev. B* **56**, 8265-8276 (1997b).

**Rahaman M.N.**; *Ceramic Processing and Sintering*; New York, (1995).

**Ramirez A.P.**; Colossal magnetoresistance; *J. Phys.: Condens. Matter* **9**, 8171-8199 (1997).

**Rao C.N.R.**; Charge, Spin, and Orbital Ordering in the Perovskite Manganates,  $\text{Ln}_{1-x}\text{A}_x\text{MnO}_3$  ( $\text{Ln} = \text{Rare Earth}, \text{ A} = \text{Ca or Sr}$ ); *J. Phys. Chem. B* **104**, 5877-5889 (2000).

**Rao C.N.R.**; Atulraj A.; Cheetham A.K. and Raveau B.; Charge ordering in the rare earth manganates: the experimental situation; *J. Phys.: Condens. Matter* **12**, R83-R106 (2000).

**Rao C.N.R.**; Arulraj A.; Santosh P.N. and Cheetham A.K.; Charge-ordering in manganates; *Chem. Mater.* **10**, 2714-2722 (1998).

**Rao S.S.**; Tripathi S.; Pandey D. and Bhat S.V.; Suppression of charge order, disappearance of antiferromagnetism and emergence of ferromagnetism in  $\text{Nd}_{0.5}\text{Ca}_{0.5}\text{MnO}_3$  nanoparticles; *Phys. Rev. B* **74**, 144416-144420 (2006).

**Ravindranathanan P.** and Pati, K.C.; A one-step process for the preparation of  $\gamma$ -iron oxide ( $\gamma\text{-Fe}_2\text{O}_3$ ); *J. Mater. Sci. Lett.* **5**, 221-222 (1986).

**Ritter C.**; Ibarra M.R.; Teresa J.M.D.; Algarabel P.A.; Marquina C.; Blasco J.; Garcia J.; Oseroff S. and Cheong S.W.; Influence of oxygen content on the structural,

magnetotransport, and magnetic properties of  $\text{LaMnO}_{3+\delta}$ ; Phys. Rev. B **56**, 8902-8911 (1997).

**Reed-Hill** R.E.; Physical Metallurgy Principles; Van Nostrand Reinhold Company (1964).

**Roy** B. and Das S.; Magnetic cluster glass behavior and grain boundary effect in  $\text{Nd}_{0.7}\text{Ba}_{0.3}\text{MnO}_3$  nanoparticles; J. Appl. Phys. **104**, 103915-103925 (2008).

**Ruderman** M.A. and Kittel C.; Indirect exchange coupling of nuclear magnetic moments by conduction electrons, Phys. Rev. **96**, 99-102 (1954).

**Sahoo** R.C.; Giri S.K.; Dasgupta P.; Poddar A. and Nath T.K.; Exchange bias effect in ferromagnetic  $\text{LaSrCoMnO}_6$  double perovskite: consequence of spin glass-like ordering at low temperature; J. Alloys Compd. **658**, 1003-1009 (2016).

**Salamon** M.B., Lin P. and Chun S.H.; Colossal Magnetoresistance is a Griffiths Singularity; Phys. Rev. Lett. **88**, 197203-197206 (2002).

**Samantaray** B. and Ravi S.; Reentrant spin glass behavior in  $\text{Nd}_{0.84}\text{K}_{0.12}\text{MnO}_3$ ; J. Magn. Magn. Mater. **322**, 2038-2042 (2010).

**Shang** C.; Xia Z.C.; Jin Z.; Shi L.R.; Huang J.W.; Chen B.R.; Wei M.; Xiao L.X.; Liu L. and Huang Y.; Effect of Ti-ion doping on martensitic transition of  $\text{La}_{0.5}\text{Sr}_{0.5}\text{Mn}_{1-x}\text{Ti}_x\text{O}_3$ ; J. Alloys Compd. **588**, 53-58 (2014).

**Shankar** U. and Singh A.K.; Origin of Suppression of Charge Ordering Transition in Nanocrystalline  $\text{Ln}_{0.5}\text{Ca}_{0.5}\text{MnO}_3$  (Ln = La, Nd, Pr) Ceramics; J. Phys. Chem. C **119**, 28620-28630 (2015).

**Shankar** U.; Pandey R. and Singh A.K.; Incommensurately modulated phase and charge ordering transition in nanocrystalline  $\text{Nd}_{0.5}\text{Sr}_{0.5}\text{MnO}_3$  perovskite; J. Appl. Phys. **123**, 124301-124311 (2018).

**Shannon** R.D.; Revised effective ionic radii and systematic studies of interatomic distances in halides and chalcogenides; Acta Cryst. A **32**, 751-767 (1976).

**Silbey** R.J. and Alberty R.A.; Physical Chemistry; 3<sup>rd</sup> Edition Wiley, New York (2000).

**Singh** K.; Acharya S.A. and Bhoga S.S.; Glycine-nitrates combustion synthesis and properties of nano-sized  $\text{Ce}_{1-x}\text{Gd}_x\text{O}_{2-\delta}$  solid solution for solid oxide fuel cell view point; Indian J. Eng. Mater. Sci. **13**, 525-530 (2006).

**Somiya S.** and Roy R.; Hydrothermal synthesis of fine oxide powders; Bull. Mater. Sci. **23**, 453-460 (2000).

**Srivastava C.M.**; Theory of colossal magnetoresistance in manganites, J. Phys.: Condens. Matter **11**, 4539-4555 (1999).

**Srivastava S.K.**; Kar M. and Ravi S.; Linear and nonlinear AC susceptibility studies in  $\text{La}(\text{Mn}_{1-x}\text{Cu}_x)\text{O}_3$ ; J. Magn. Magn. Mater. **307**, 318-324 (2006).

**Suib S.L.**; A Review of Nanoceramic Materials for Use in Ceramic Matrix Composites; In: Mishra A. (eds) Sol-gel Based Nanoceramic Materials: Preparation, Properties and Applications; Springer, Cham (2017).

**Thakur S.**; Pandey O.P. and Singh K.; Structural and dielectric properties of  $\text{Bi}_{1-x}\text{Sr}_x\text{MnO}_3$  ( $0.40 \leq x \leq 0.55$ ); Cera. Inter. **39**, 6165-6174 (2013).

**Thanh T.D.**; Manh D.H.; Phan T.L.; Phong P.T.; Hung L.T.; Phuc N.X. and Yu S.C.; Coexistence of considerable inter-particle interactions and spin-glass behavior in  $\text{La}_{0.7}\text{Ca}_{0.3}\text{MnO}_3$  nanoparticles; J. Appl. Phys. **115**, 17B504-17B506 (2014).

**Triki M.**; Dhahri E. and Hlil E.K; Appearance of Griffiths phase in oxygen deficient  $\text{La}_{0.4}\text{Ca}_{0.6}\text{MnO}_{3-\delta}$  oxides, Mater. Lett. **84**, 48-51 (2012).

**Troyanchuk I.O.**; Bushinsky M.V.; Karpinsky D.V.; Sikolenko V.V.; Chobot A.N.; Tereshko N.V.; Mantytskaya O.S. and Schorr S.; Magnetic phase transformations and magnetotransport phenomena in  $\text{La}_{0.7}\text{Sr}_{0.3}\text{Mn}_{1-x}\text{Co}_x\text{O}_3$  perovskite compounds; J. Exp. Theor. Phys. **125**, 290-297 (2017).

**Troyanchuk I.O.**; Khalyavin D.D.; Trukhanov S.V. and Szymczak H.; Magnetic phase diagrams of the manganites  $\text{Ln}_{1-x}\text{Ba}_x\text{MnO}_3$  ( $\text{Ln} = \text{Nd}, \text{Sm}$ ); J. Phys.: Condens. Matter **11**, 8707-8717 (1999).

**Trukhanov S.V.**; Troyanchuk I.O.; Khalyavin D.D.; Fita I.M.; Szymczak H. and Bärner K.; Investigation of magnetic phase transformations in a system of  $\text{Nd}_{1-x}\text{Ba}_x\text{MnO}_{3-\delta}$  ( $0 \leq x \leq 0.50$ ) depending on the conditions of preparation; J. Exp. Theor. Phys. **94**, 329-335 (2002).

**Tokura Y.**; Colossal Magnetoresistive Oxides, Gordon and Breach Science, Singapore, (2000).

**Tokura Y.**; Critical features of colossal magnetoresistive manganites; Rep. Prog. Phys., **69**, 797-891 (2006).

**Tokura** Y. and Nagaosa N.; Orbital physics in transition-metal oxides; Science **288**, 462-468 (2000).

**Tokura** Y. and Tomioka Y.; Colossal magnetoresistive manganites; J. Magn. Magn. Mater. **200**, 1-23 (1999).

**Tong** P.; Kim B.; Kwon D.; Qian T.; Lee S.I.; Cheong S.W. and Kim B.G.; Griffiths phase and thermomagnetic irreversibility behavior in slightly electron-doped manganites  $\text{Sm}_{1-x}\text{Ca}_x\text{MnO}_3$  ( $0.80 \leq x \leq 0.92$ ); Phys. Rev. B **77**, 184432-184438 (2008).

**Toro** J.A.D.; Lee S.S.; Salazar D.; Cheong J.L.; Normile P.S.; Muniz P.; Riveiro J.M.; Hillenkamp M.; Tournus F.; Tamion A. and Nordblad P.; A nanoparticle replica of the spin-glass state; Appl. Phys. Lett. **102**, 183104-183107 (2013).

**Uchino** K.; Ferroelectric devices, Taylor and Francis (2000).

**Van Santen**, J.H. and Jonker, G.H.; Electrical conductivity of ferromagnetic compounds of manganese with perovskite structure; Physica **16**, 599-600 (1950).

**Varma** A.; Muskayan A.S.; Deshpande K.; Pranda P. and Erii P.; Combustion synthesis of nanoscale oxide powders: mechanism, characterization and properties; Mat. Res. Soc. Symp. Proc. **800**, 113-124 (2003).

**Varma** A.; Rogachev A.S.; Mukasyan A.S. and Hwang S.; Combustion synthesis of advanced materials: principles and applications; Adv. Chem. Eng. **24**, 79-226 (1998).

**Viswanathan** M. and Kumar P.S.A.; Observation of reentrant spin glass behavior in  $\text{LaCo}_{0.5}\text{Ni}_{0.5}\text{O}_3$ ; Phys. Rev. B **80**, 012410-012413 (2009).

**Wang** K.Y.; Sangregorio C.; Wiggins J.; Wiemann J. and Tang J.; Colossal magnetoresistance and magnetic phase transitions in bulk  $\text{Nd}_{0.7}\text{Ba}_{0.3}\text{MnO}_3$ ; J. Appl. Phys. **87**, 5819-5822 (2000).

**Wollan** E.O. and Koehler W.C.; Neutron Diffraction Study of the Magnetic Properties of the Series of Perovskite-type Compounds  $[(1-x)\text{La}, x\text{Ca}]\text{MnO}_3$ ; Phys. Rev. **100**, 545-563 (1955).

**Wu** S.Y.; Kuo C.M.; Wang H.Y.; Li W.H. and Lee K.C.; Magnetic structure and spin reorientation of the Mn ions in  $\text{NdMnO}_3$ ; J. Appl. Phys. **87**, 5822-8524 (2000).

**Xavier** Jr. M.M.; Cabral F.A.O.; de Araujo J.H.; Dumelow T. and Coelho A.A.; Reentrant Spin Glass Behavior in Polycrystalline  $\text{La}_{0.7}\text{Sr}_{0.3}\text{Mn}_{1-x}\text{Fe}_x\text{O}_3$ ; Mater. Res. **7**, 355-357 (2004).

**Yang J.**; Ma Y.Q.; Zhang R.L.; Zhao B.C.; Ang R.; Song W.H. and Sun Y.P; Structural, transport, and magnetic properties in the Ti-doped manganites  $\text{LaMn}_{1-x}\text{Ti}_x\text{O}_3$  ( $0 \leq x \leq 0.2$ ); Solid State Commun. **136**, 268-272 (2005).

**Yan Y.**; Du J.S.; Gilroy K.D.; Yang D.; Xia Y. and Zhang H.; Intermetallic Nanocrystals: Syntheses and Catalytic Applications; Adv. Mater. **29**, 1605997-1606025 (2017).

**Yashima M.** and Ali R.; Structural phase transition and octahedral tilting in the calcium titanate perovskite  $\text{CaTiO}_3$ ; Solid State Ionics **180**, 120-126 (2009).

**Yosida K.**; Magnetic properties of Cu-Mn alloys, Phys. Rev. **106**, 893-898 (1957).

**Young R.A.**; The Rietveld Method; International Union of Crystallography; Oxford University Press (1993).

**Zak A.K.**; Majid W.H.A.; Abrishami M.E. and Yousefi R.; X-ray analysis of ZnO nanoparticles by Williamson-Hall and size-strain plot methods; Solid State Sci. **13**, 251-256 (2011).

**Zener C.**; Interaction between the d shells in the transition metals. II. Ferromagnetic Compounds of Manganese with Perovskite Structure; Phys. Rev. **81**, 440-444 (1951).

**Zhang T.**; Zhou T.F.; Qian T. and Li X.G.; Particle size effects on interplay between charge ordering and magnetic properties in nanosized  $\text{La}_{0.25}\text{Ca}_{0.75}\text{MnO}_3$ ; Phys. Rev. B **76**, 174415-174421 (2007).

**Zhang X.**; Tang S.; Li Y. and Du Y.; Reentrant spin glass behavior in antiferromagnetic single crystalline  $\text{Ba}_6\text{Mn}_{24}\text{O}_{48}$  nanoribbons; Phys. Lett. A **374**, 2175-2178 (2010).

**Zhou S.**; Guo Y.; Zhao J.; He L. and Shi L.; Size-Induced Griffiths Phase and Second-Order Ferromagnetic Transition in  $\text{Sm}_{0.5}\text{Sr}_{0.5}\text{MnO}_3$  Nanoparticles; J. Phys. Chem. C **115**, 1535-1540 (2011).

**Zhu X.**; Sun Y.; Luo X.; Lei H.; Wang B.; Song W.; Yang Z.; Dai J.; Shi D. and Dou S.; Crossover of critical behavior in  $\text{La}_{0.7}\text{Ca}_{0.3}\text{Mn}_{1-x}\text{Ti}_x\text{O}_3$ ; J. Magn. Magn. Mater. **322**, 242-246 (2010).

**Zhu X.B.**; Sun Y.P.; Ang R.; Zhao B.C. and Song W.H.; Magnetic and transport properties of  $\text{La}_{0.7}\text{Sr}_{0.3}\text{Mn}_{1-x}\text{Ti}_x\text{O}_3$  ( $0 \leq x \leq 0.5$ ) films prepared by chemical solution deposition; J. Phys. D: Appl. Phys. **39**, 625-630 (2006).