

References

- [1] Edgar LJ. Method and apparatus for controlling electric currents. Google Patents; 1930.
- [2] Edgar LJ. Amplifier for electric currents. Google Patents; 1932.
- [3] Edgar LJ. Device for controlling electric current. Google Patents; 1933.
- [4] Heil O. British Patent 439 457. Application filed 1935;4.
- [5] Weimer PK. The TFT a new thin-film transistor. Proceedings of the IRE 1962;50:1462-9.
- [6] Pinsky A. Preliminary Plans for Press Conference to Announce RCA Development of Liquid Crystal Electron Optic [sic] Effect. Interdepartmental Correspondence (dated 10 Apr 1968) Bernard Lechner Collection DSL 1968.
- [7] Ortiz RP, Facchetti A, Marks TJ. High-k organic, inorganic, and hybrid dielectrics for low-voltage organic field-effect transistors. Chemical reviews 2009;110:205-39.
- [8] Wang B, Huang W, Chi L, Al-Hashimi M, Marks TJ, Facchetti A. High-k Gate Dielectrics for Emerging Flexible and Stretchable Electronics. Chemical Reviews 2018;118:5690-754.
- [9] Schroder DK. Semiconductor material and device characterization: John Wiley & Sons; 2015.
- [10] E. Fortunato PB, and R. Martins. Oxide Semiconductor Thin-Film Transistors: A Review of Recent Advances. Adv Mater 2012;24:2945–86.
- [11] Wawrzinek R, Sobus J, Chaudhry MU, Ahmad V, Grosjean A, Clegg JK, et al. Mobility Evaluation of [1] Benzothieno [3, 2-b][1] benzothiophene Derivatives: Limitation and Impact on Charge Transport. ACS applied materials & interfaces 2018;11:3271-9.
- [12] Liu C, Li G, Di Pietro R, Huang J, Noh Y-Y, Liu X, et al. Device physics of contact issues for the overestimation and underestimation of carrier mobility in field-effect transistors. Physical Review Applied 2017;8:034020.
- [13] Uemura T, Rolin C, Ke TH, Fesenko P, Genoe J, Heremans P, et al. On the Extraction of Charge Carrier Mobility in High-Mobility Organic Transistors. Advanced Materials 2016;28:151-5.
- [14] Park WJ, Shin HS, Ahn BD, Kim GH, Lee SM, Kim KH, et al. Investigation on doping dependency of solution-processed Ga-doped ZnO thin film transistor. Applied Physics Letters 2008;93:083508.

- [15] McDowell M, Hill I, McDermott J, Bernasek S, Schwartz J. Improved organic thin-film transistor performance using novel self-assembled monolayers. *Applied physics letters* 2006;88:073505.
- [16] Hoffman R, Norris BJ, Wager J. ZnO-based transparent thin-film transistors. *Applied Physics Letters* 2003;82:733-5.
- [17] Kobayashi S, Nishikawa T, Takenobu T, Mori S, Shimoda T, Mitani T, et al. Control of carrier density by self-assembled monolayers in organic field-effect transistors. *Nature Materials* 2004;3:317-22.
- [18] Lin Y-Y, Gundlach D, Nelson S, Jackson TN. Stacked pentacene layer organic thin-film transistors with improved characteristics. *IEEE Electron Device Letters* 1997;18:606-8.
- [19] Sirringhaus H, Brown P, Friend R, Nielsen MM, Bechgaard K, Langeveld-Voss B, et al. Two-dimensional charge transport in self-organized, high-mobility conjugated polymers. *Nature* 1999;401:685.
- [20] Brody T, Luo FC, Szepesi ZP, Davies DH. A 6× 6-in 20-lpi electroluminescent display panel. *IEEE transactions on electron devices* 1975;22:739-48.
- [21] Moore GE. Cramming more components onto integrated circuits. *Proceedings of the IEEE* 1998;86:82-5.
- [22] Timp G, Agarwal A, Baumann F, Boone T, Buonanno M, Cirelli R, et al. Low leakage, ultra-thin gate oxides for extremely high performance sub-100 nm nMOSFETs. *International Electron Devices Meeting IEDM Technical Digest: IEEE; 1997. p. 930-2.*
- [23] Timp G, Bude J, Bourdelle K, Garno J, Ghetti A, Gossmann H, et al. The ballistic nano-transistor. *International Electron Devices Meeting 1999 Technical Digest (Cat No 99CH36318): IEEE; 1999. p. 55-8.*
- [24] Casalini S, Bortolotti CA, Leonardi F, Biscarini F. Self-assembled monolayers in organic electronics. *Chemical Society Reviews* 2017;46:40-71.
- [25] DiBenedetto SA, Facchetti A, Ratner MA, Marks TJ. Molecular self-assembled monolayers and multilayers for organic and unconventional inorganic thin-film transistor applications. *Advanced materials* 2009;21:1407-33.
- [26] Noh H, Seol Y, Kim S, Lee N-E. Mechanically flexible low-leakage nanocomposite gate dielectrics for flexible organic thin-film transistors. *Electrochemical and Solid-State Letters* 2008;11:H218-H21.
- [27] Sun X, Di C-a, Liu Y. Engineering of the dielectric–semiconductor interface in organic field-effect transistors. *Journal of Materials Chemistry* 2010;20:2599-611.

- [28] Wang B, Liu L, Huang L, Chi L, Liang G, Yuan L, et al. Fabrication and origin of high-k carbon nanotube/epoxy composites with low dielectric loss through layer-by-layer casting technique. *Carbon* 2015;85:28-37.
- [29] Smith WF, Hashemi J, Presuel-Moreno F. *Foundations of materials science and engineering*: Mcgraw-Hill Publishing; 2006.
- [30] Park S, Kim C-H, Lee W-J, Sung S, Yoon M-H. Sol-gel metal oxide dielectrics for all-solution-processed electronics. *Materials Science and Engineering: R: Reports* 2017;114:1-22.
- [31] Liu C-Y, Zhao K-S. Dielectric relaxations in chitosan solution with varying concentration and temperature: analysis coupled with a scaling approach and thermodynamical functions. *Soft matter* 2010;6:2742-50.
- [32] Wang B, Yu X, Guo P, Huang W, Zeng L, Zhou N, et al. Solution-processed all-oxide transparent high-performance transistors fabricated by spray-combustion synthesis. *Advanced Electronic Materials* 2016;2:1500427.
- [33] Ma H, Acton O, Hutchins DO, Cernetic N, Jen AK-Y. Multifunctional phosphonic acid self-assembled monolayers on metal oxides as dielectrics, interface modification layers and semiconductors for low-voltage high-performance organic field-effect transistors. *Physical Chemistry Chemical Physics* 2012;14:14110-26.
- [34] Pujari SP, Scheres L, Marcelis AT, Zuilhof H. Covalent surface modification of oxide surfaces. *Angewandte Chemie International Edition* 2014;53:6322-56.
- [35] Acton O, Ting G, Ma H, Ka JW, Yip HL, Tucker NM, et al. π - σ -Phosphonic Acid Organic Monolayer/Sol-Gel Hafnium Oxide Hybrid Dielectrics for Low-Voltage Organic Transistors. *Advanced Materials* 2008;20:3697-701.
- [36] Ha Y-G, Everaerts K, Hersam MC, Marks TJ. Hybrid gate dielectric materials for unconventional electronic circuitry. *Accounts of chemical research* 2014;47:1019-28.
- [37] Ha Y-g, Emery JD, Bedzyk MJ, Usta H, Facchetti A, Marks TJ. Solution-deposited organic-inorganic hybrid multilayer gate dielectrics. Design, synthesis, microstructures, and electrical properties with thin-film transistors. *Journal of the American Chemical Society* 2011;133:10239-50.
- [38] Everaerts K, Emery JD, Jariwala D, Karmel HJ, Sangwan VK, Prabhumirashi PL, et al. Ambient-processable high capacitance hafnia-organic self-assembled nanodielectrics. *Journal of the American Chemical Society* 2013;135:8926-39.
- [39] Anderson JT, Munsee CL, Hung CM, Phung TM, Herman GS, Johnson DC, et al. Solution-processed HfSO_x and ZrSO_x inorganic thin-film dielectrics and nanolaminates. *Advanced Functional Materials* 2007;17:2117-24.

- [40] Park YM, Daniel J, Heeney M, Salleo A. Room-temperature fabrication of ultrathin oxide gate dielectrics for low-voltage operation of organic field-effect transistors. *Advanced Materials* 2011;23:971-4.
- [41] Geng G, Liu G, Shan F, Liu A, Zhang Q, Lee W, et al. Improved performance of InGaZnO thin-film transistors with Ta₂O₅/Al₂O₃ stack deposited using pulsed laser deposition. *Current Applied Physics* 2014;14:S2-S6.
- [42] Cho Y-J, Shin J-H, Bobade S, Kim Y-B, Choi D-K. Evaluation of Y₂O₃ gate insulators for a-IGZO thin film transistors. *Thin Solid Films* 2009;517:4115-8.
- [43] Xu W, Cao H, Liang L, Xu J-B. Aqueous solution-deposited gallium oxide dielectric for low-temperature, low-operating-voltage indium oxide thin-film transistors: a facile route to green oxide electronics. *ACS applied materials & interfaces* 2015;7:14720-5.
- [44] Huang L, Jia Z, Kymissis I, O'Brien S. High K capacitors and OFET gate dielectrics from self-assembled BaTiO₃ and (Ba, Sr) TiO₃ nanocrystals in the superparaelectric limit. *Advanced functional materials* 2010;20:554-60.
- [45] Liao L, Bai J, Cheng R, Lin Y-C, Jiang S, Huang Y, et al. Top-Gated Graphene Nanoribbon Transistors with Ultrathin High-k Dielectrics. *Nano Letters* 2010;10:1917-21.
- [46] Okur S, Yakuphanoglu F, Stathatos E. High-mobility pentacene phototransistor with nanostructured SiO₂ gate dielectric synthesized by sol-gel method. *Microelectronic Engineering* 2010;87:635-40.
- [47] Kim DH, Lee HS, Yang H, Yang L, Cho K. Tunable Crystal Nanostructures of Pentacene Thin Films on Gate Dielectrics Possessing Surface-Order Control. *Advanced Functional Materials* 2008;18:1363-70.
- [48] Xia Y, Zhang W, Ha M, Cho JH, Renn MJ, Kim CH, et al. Printed sub-2 V gel-electrolyte-gated polymer transistors and circuits. *Advanced Functional Materials* 2010;20:587-94.
- [49] Lee J, Kaake LG, Cho JH, Zhu X-Y, Lodge TP, Frisbie CD. Ion gel-gated polymer thin-film transistors: Operating mechanism and characterization of gate dielectric capacitance, switching speed, and stability. *The Journal of Physical Chemistry C* 2009;113:8972-81.
- [50] Lee J, Panzer MJ, He Y, Lodge TP, Frisbie CD. Ion gel gated polymer thin-film transistors. *Journal of the American Chemical Society* 2007;129:4532-3.
- [51] Panzer MJ, Frisbie CD. Polymer electrolyte gate dielectric reveals finite windows of high conductivity in organic thin film transistors at high charge carrier densities. *Journal of the American Chemical Society* 2005;127:6960-1.
- [52] Caironi M, Noh Y-Y. *Large area and flexible electronics*: John Wiley & Sons; 2015.

- [53] Thiemann S, Sachnov S, Porscha S, Wasserscheid P, Zaumseil J. Ionic liquids for electrolyte-gating of ZnO field-effect transistors. *The Journal of Physical Chemistry C* 2012;116:13536-44.
- [54] Döbbelin M, Azcune I, Bedu MI, Ruiz de Luzuriaga A, Genua A, Jovanovski V, et al. Synthesis of pyrrolidinium-based poly (ionic liquid) electrolytes with poly (ethylene glycol) side chains. *Chemistry of Materials* 2012;24:1583-90.
- [55] Pal BN, Dhar BM, See KC, Katz HE. Solution-deposited sodium beta-alumina gate dielectrics for low-voltage and transparent field-effect transistors. *Nat Mater* 2009;8:898-903.
- [56] Yu Liu PG, Bo Zhang, Michael L Falk, Howard E Katz. Ion dependence of gate dielectric behavior of alkali metal ion-incorporated aluminas in oxide field-effect transistors. *Chem Mater* 2013;25:3788-96.
- [57] Bo Zhang YL, Shweta Agarwal, Ming-Ling Yeh, Howard E Katz. Structure, sodium ion role, and practical issues for β -alumina as a high-k solution-processed gate layer for transparent and low-voltage electronics. *ACS Appl Mater Interfaces* 2011;3:4254-61.
- [58] Plunkett E, Kale TS, Zhang Q, Katz HE, Reich DH. Effects of trifluoromethyl substituents on interfacial and bulk polarization of polystyrene gate dielectrics. *Applied Physics Letters* 2019;114:023301.
- [59] Smith J, Couture A, Allee D. Charge emission induced transient leakage currents of a-Si: H and IGZO TFTs on flexible plastic substrates. *Electronics Letters* 2014;50:105-6.
- [60] Mativenga M, Choi MH, Choi JW, Jang J. Transparent flexible circuits based on amorphous-indium-gallium-zinc-oxide thin-film transistors. *IEEE Electron Device Letters* 2010;32:170-2.
- [61] Hwang J, Lee K, Jeong Y, Lee YU, Pearson C, Petty MC, et al. UV-Assisted Low Temperature Oxide Dielectric Films for TFT Applications. *Advanced Materials Interfaces* 2014;1:1400206.
- [62] Choi S, Park B-Y, Jung H-K. Growth and characterization of sol-gel prepared Gd₂O₃ films as gate insulators for Zn-Sn-O thin film transistors. *Thin Solid Films* 2013;534:291-5.
- [63] Guo Z, Liu A, Meng Y, Fan C, Shin B, Liu G, et al. Solution-processed ytterbium oxide dielectrics for low-voltage thin-film transistors and inverters. *Ceramics International* 2017;43:15194-200.
- [64] Robertson J. High dielectric constant gate oxides for metal oxide Si transistors. *Reports on Progress in Physics* 2005;69:327.

- [65] Esro M, Vourlias G, Somerton C, Milne WI, Adamopoulos G. High-Mobility ZnO Thin Film Transistors Based on Solution-processed Hafnium Oxide Gate Dielectrics. *Adv Funct Mater* 2015;25:134-41.
- [66] Wager JF, Keszler DA, Presley RE. *Transparent electronics*: Springer; 2008.
- [67] Liu A, Zhu H, Sun H, Xu Y, Noh YY. Solution Processed Metal Oxide High- κ Dielectrics for Emerging Transistors and Circuits. *Advanced Materials* 2018;30:1706364.
- [68] Ren X, Pei K, Peng B, Zhang Z, Wang Z, Wang X, et al. A low-operating-power and flexible active-matrix organic-transistor temperature-sensor array. *Advanced Materials* 2016;28:4832-8.
- [69] Braendlein M, Pappa AM, Ferro M, Lopresti A, Acquaviva C, Mamessier E, et al. Lactate detection in tumor cell cultures using organic transistor circuits. *Advanced Materials* 2017;29:1605744.
- [70] Wager JF, Hoffman R. Thin, fast, and flexible. *Ieee Spectrum* 2011;48:42-56.
- [71] Nomura K, Ohta H, Takagi A, Kamiya T, Hirano M, Hosono H. Room-temperature fabrication of transparent flexible thin-film transistors using amorphous oxide semiconductors. *Nature* 2004;432:488.
- [72] Rupprecht G. Untersuchungen der elektrischen und lichtelektrischen Leitfähigkeit dünner Indiumoxydschichten. *Zeitschrift für Physik* 1954;139:504-17.
- [73] Martins R, Ferreira I, Fortunato E. Electronics with and on paper. *physica status solidi (RRL)–Rapid Research Letters* 2011;5:332-5.
- [74] Tobjörk D, Österbacka R. Paper electronics. *Advanced Materials* 2011;23:1935-61.
- [75] Mott N. Silicon dioxide and the chalcogenide semiconductors; similarities and differences. *Advances in Physics* 1977;26:363-91.
- [76] Narushima S, Mizoguchi H, Shimizu K-i, Ueda K, Ohta H, Hirano M, et al. A p-Type Amorphous Oxide Semiconductor and Room Temperature Fabrication of Amorphous Oxide p–n Heterojunction Diodes. *Advanced Materials* 2003;15:1409-13.
- [77] Nomura K, Takagi A, Kamiya T, Ohta H, Hirano M, Hosono H. Amorphous oxide semiconductors for high-performance flexible thin-film transistors. *Japanese journal of applied physics* 2006;45:4303.
- [78] Varshneya AK. *Fundamentals of inorganic glasses*: Elsevier; 2013.
- [79] Ueda K, Hosono H, Hamada N. Valence-band structures of layered oxychalcogenides, LaCuOCh (Ch= S, Se, and Te), studied by ultraviolet photoemission spectroscopy and energy-band calculations. *Journal of applied physics* 2005;98:043506.

- [80] Falabretti B, Robertson J. Electronic structures and doping of SnO₂, CuAlO₂, and CuInO₂. *Journal of Applied Physics* 2007;102:123703.
- [81] Togo A, Oba F, Tanaka I, Tatsumi K. First-principles calculations of native defects in tin monoxide. *Physical Review B* 2006;74:195128.
- [82] McCluskey MD, Jokela S. Defects in ZnO. *Journal of Applied Physics* 2009;106:10.
- [83] McCluskey M, Jokela S. Applied Physics Reviews—Focused Review. *Journal Of Applied Physics* 2009;106:071101.
- [84] Thomas SR, Pattanasattayavong P, Anthopoulos TD. Solution-processable metal oxide semiconductors for thin-film transistor applications. *Chemical Society Reviews* 2013;42:6910-23.
- [85] Nomura K, Kamiya T, Ohta H, Uruga T, Hirano M, Hosono H. Local coordination structure and electronic structure of the large electron mobility amorphous oxide semiconductor In-Ga-Zn-O: Experiment and ab initio calculations. *Physical review B* 2007;75:035212.
- [86] Kim M-G, Kim HS, Ha Y-G, He J, Kanatzidis MG, Facchetti A, et al. High-performance solution-processed amorphous zinc–indium–tin oxide thin-film transistors. *Journal of the American Chemical Society* 2010;132:10352-64.
- [87] Shi S, Xu S. Determination of effective mass of heavy hole from phonon-assisted excitonic luminescence spectra in ZnO. *Journal of Applied Physics* 2011;109:053510.
- [88] Bellingham J, Phillips W, Adkins C. Electrical and optical properties of amorphous indium oxide. *Journal of Physics: Condensed Matter* 1990;2:6207.
- [89] Button KJ, Fonstad CG, Dreybrodt W. Determination of the electron masses in stannic oxide by submillimeter cyclotron resonance. *Physical Review B* 1971;4:4539.
- [90] Jaffe JE, Kaspar TC, Droubay TC, Varga T, Bowden ME, Exarhos GJ. Electronic and defect structures of CuSCN. *The Journal of Physical Chemistry C* 2010;114:9111-7.
- [91] Barquinha P, Martins R, Pereira L, Fortunato E. *Transparent oxide electronics: from materials to devices*: John Wiley & Sons; 2012.
- [92] Janotti A, Van de Walle CG. Fundamentals of zinc oxide as a semiconductor. *Reports on progress in physics* 2009;72:126501.
- [93] Madelung O. *Semiconductors—basic data*: Springer Science & Business Media; 2012.
- [94] Hartnagel H, Dawar A, Jain A, Jagadish C. *Semiconducting transparent thin films*: Institute of Physics Bristol; 1995.

- [95] Bellingham J, Phillips W, Adkins C. Amorphous indium oxide. *Thin Solid Films* 1991;195:23-32.
- [96] Lewis BG, Paine DC. Applications and processing of transparent conducting oxides. *MRS bulletin* 2000;25:22-7.
- [97] Hamberg I, Granqvist CG, Berggren K-F, Sernelius BE, Engström L. Band-gap widening in heavily Sn-doped In₂O₃. *physical Review B* 1984;30:3240.
- [98] Wager JF, Yeh B, Hoffman RL, Keszler DA. An amorphous oxide semiconductor thin-film transistor route to oxide electronics. *Current Opinion in Solid State and Materials Science* 2014;18:53-61.
- [99] Street RA. Thin-film transistors. *Advanced Materials* 2009;21:2007-22.
- [100] Xu W, Li H, Xu J-B, Wang L. Recent advances of solution-processed metal oxide thin-film transistors. *ACS applied materials & interfaces* 2018;10:25878-901.
- [101] Schneller T, Waser R, Kosec M, Payne D. *Chemical solution deposition of functional oxide thin films*: Springer; 2013.
- [102] Pasquarelli RM, Ginley DS, O'Hayre R. Solution processing of transparent conductors: from flask to film. *Chemical Society Reviews* 2011;40:5406-41.
- [103] Exarhos GJ, Zhou X-D. Discovery-based design of transparent conducting oxide films. *Thin solid films* 2007;515:7025-52.
- [104] Glynn C, O'Dwyer C. Solution processable metal oxide thin film deposition and material growth for electronic and photonic devices. *Advanced Materials Interfaces* 2017;4:1600610.
- [105] Fukuda K, Someya T. Recent Progress in the Development of Printed Thin-Film Transistors and Circuits with High-Resolution Printing Technology. *Advanced Materials* 2017;29:1602736.
- [106] Sakka S, Kozuka H. *Handbook of sol-gel science and technology*. 1. Sol-gel processing: Springer Science & Business Media; 2005.
- [107] Rho YH, Kanamura K, Fujisaki M, Hamagami J-i, Suda S-i, Umegaki T. Preparation of Li₄Ti₅O₁₂ and LiCoO₂ thin film electrodes from precursors obtained by sol-gel method. *Solid State Ionics* 2002;151:151-7.
- [108] Yang W-D. PZT/PLZT ceramics prepared by hydrolysis and condensation of acetate precursors. *Ceramics international* 2001;27:373-84.
- [109] Znaidi L. Sol-gel-deposited ZnO thin films: A review. *Materials Science and Engineering: B* 2010;174:18-30.

- [110] Vescio G, Crespo-Yepes A, Alonso D, Claramunt S, Porti M, Rodriguez R, et al. Inkjet printed HfO₂-Based ReRAMs: First demonstration and performance characterization. *IEEE Electron Device Letters* 2017;38:457-60.
- [111] Wang C, Hwang D, Yu Z, Takei K, Park J, Chen T, et al. User-interactive electronic skin for instantaneous pressure visualization. *Nature materials* 2013;12:899.
- [112] Schwartz G, Tee BC-K, Mei J, Appleton AL, Kim DH, Wang H, et al. Flexible polymer transistors with high pressure sensitivity for application in electronic skin and health monitoring. *Nature communications* 2013;4:1859.
- [113] Hwang S-W, Tao H, Kim D-H, Cheng H, Song J-K, Rill E, et al. A physically transient form of silicon electronics. *Science* 2012;337:1640-4.
- [114] Sharma A, Chourasia NK, Sugathan A, Kumar Y, Jit S, Liu S-W, et al. Solution processed Li₅AlO₄ dielectric for low voltage transistor fabrication and its application in metal oxide/quantum dot heterojunction phototransistors. *Journal of Materials Chemistry C* 2018;6:790-8.
- [115] Seon J-B, Lee S, Kim JM, Jeong H-D. Spin-coated CdS thin films for n-channel thin film transistors. *Chemistry of Materials* 2009;21:604-11.
- [116] Jang J, Kitsomboonloha R, Swisher SL, Park ES, Kang H, Subramanian V. Transparent High-Performance Thin Film Transistors from Solution-Processed SnO₂/ZrO₂ Gel-like Precursors. *Advanced Materials* 2013;25:1042-7.
- [117] Jiang K, Anderson JT, Hoshino K, Li D, Wager JF, Keszler DA. Low-energy path to dense HfO₂ thin films with aqueous precursor. *Chemistry of Materials* 2011;23:945-52.
- [118] Faraji S, Hashimoto T, Turner ML, Majewski LA. Solution-processed nanocomposite dielectrics for low voltage operated OFETs. *Organic Electronics* 2015;17:178-83.
- [119] Hwang DK, Kim CS, Choi JM, Lee K, Park JH, Kim E, et al. Polymer/YOx Hybrid-Sandwich Gate Dielectrics for Semitransparent Pentacene Thin-Film Transistors Operating Under 5 V. *Advanced Materials* 2006;18:2299-303.
- [120] Zhang H, Liang L, Chen A, Liu Z, Yu Z, Cao H, et al. High-performance transparent thin-film transistor based on Y₂O₃/In₂O₃ with low interface traps. *Applied Physics Letters* 2010;97:122108.
- [121] Park JH, Kim K, Yoo YB, Park SY, Lim K-H, Lee KH, et al. Water adsorption effects of nitrate ion coordinated Al₂O₃ dielectric for high performance metal-oxide thin-film transistor. *Journal of Materials Chemistry C* 2013;1:7166-74.
- [122] Kim J-W, Oh J-D, Kim D-K, Lee H-Y, Ha Y-G, Choi J-H. Low-voltage organic devices based on pristine and self-assembled monolayer-treated HfTiO_x gate dielectrics. *Journal of Materials Chemistry C* 2016;4:7999-8005.

- [123] Wang G, Moses D, Heeger AJ, Zhang H-M, Narasimhan M, Demaray R. Poly (3-hexylthiophene) field-effect transistors with high dielectric constant gate insulator. *Journal of applied physics* 2004;95:316-22.
- [124] Shi L, Xia Y, Xu B, Yin J, Liu Z. Thermal stability and electrical properties of titanium-aluminum oxide ultrathin films as high-k gate dielectric materials. *Journal of applied physics* 2007;101:034102.
- [125] Zhao X, Wang S, Li A, Ouyang J, Xia G, Zhou J. Universal solution-processed high-k amorphous oxide dielectrics for high-performance organic thin film transistors. *RSC Advances* 2014;4:14890-5.
- [126] Choi S, Park B-Y, Jeong S, Lee J-Y, Ryu B-H, Jung H-K. Low voltage operated, sol-gel derived oxide thin film transistor based on high-k Gd₂O₃ gate dielectric. *Materials Chemistry and Physics* 2013;138:1-4.
- [127] Je SY, Son B-G, Kim H-G, Park M-Y, Do L-M, Choi R, et al. Solution-Processable LaZrO_x/SiO₂ Gate Dielectric at Low Temperature of 180° C for High-Performance Metal Oxide Field-Effect Transistors. *ACS applied materials & interfaces* 2014;6:18693-703.
- [128] Misra R, McCarthy M, Hebard AF. Electric field gating with ionic liquids. *Applied Physics Letters* 2007;90:052905.
- [129] Hebard A, Fiory A, Eick R. Experimental considerations in the quest for a thin-film superconducting field-effect transistor. *IEEE transactions on magnetics* 1987;23:1279-82.
- [130] Ono S, Miwa K, Seki S, Takeya J. A comparative study of organic single-crystal transistors gated with various ionic-liquid electrolytes. *Applied Physics Letters* 2009;94:39.
- [131] Cho JH, Lee J, He Y, Kim B, Lodge TP, Frisbie CD. High-capacitance ion gel gate dielectrics with faster polarization response times for organic thin film transistors. *Advanced materials* 2008;20:686-90.
- [132] Cho JH, Lee J, Xia Y, Kim B, He Y, Renn MJ, et al. Printable ion-gel gate dielectrics for low-voltage polymer thin-film transistors on plastic. *Nature materials* 2008;7:900.
- [133] Sirringhaus H, Kawase T, Friend R, Shimoda T, Inbasekaran M, Wu W, et al. High-resolution inkjet printing of all-polymer transistor circuits. *Science* 2000;290:2123-6.
- [134] Wöbkenberg PH, Ball J, Kooistra FB, Hummelen JC, de Leeuw DM, Bradley DD, et al. Low-voltage organic transistors based on solution processed semiconductors and self-assembled monolayer gate dielectrics. *Applied Physics Letters* 2008;93:242.
- [135] Urasinska-Wojcik B, Cocherel N, Wilson R, Burroughes J, Opoku J, Turner ML, et al. 1 Volt organic transistors with mixed self-assembled monolayer/Al₂O₃ gate dielectrics. *Organic Electronics* 2015;26:20-4.

- [136] de Oliveira T, Eleta A, Hueso L, Bittner A. Mixed self-assembled monolayer gate dielectrics for low-voltage solution-processed polymer field-effect transistors. *Journal of Materials Chemistry C* 2015;3:1181-6.
- [137] Gao Y, Xu Y, Lu J, Zhang J, Li X. Solution processable amorphous hafnium silicate dielectrics and their application in oxide thin film transistors. *Journal of Materials Chemistry C* 2015;3:11497-504.
- [138] Kim H, Kwack Y-J, Yun E-J, Choi W-S. A mixed solution-processed gate dielectric for zinc-tin oxide thin-film transistor and its MIS capacitance. *Scientific reports* 2016;6:33576.
- [139] Afouxenidis D, Mazzocco R, Vourlias G, Livesley PJ, Krier A, Milne WI, et al. ZnO-based thin film transistors employing aluminum titanate gate dielectrics deposited by spray pyrolysis at ambient air. *ACS applied materials & interfaces* 2015;7:7334-41.
- [140] Yang Z, Pu H, Cui C, Zhang L, Dong C, Zhang Q. Solution-Processed Indium–Zinc-Oxide Thin Film Transistors With High- k Magnesium Titanium Oxide Dielectric. *IEEE Electron Device Letters* 2014;35:557-9.
- [141] Jiang K, Meyers ST, Anderson MD, Johnson DC, Keszler DA. Functional ultrathin films and nanolaminates from aqueous solutions. *Chemistry of Materials* 2013;25:210-4.
- [142] Chang T, Chiu C, Chang S-J, Tsai T, Yang T, Huang Z, et al. Amorphous InGaZnO ultraviolet phototransistors with double-stack Ga₂O₃/SiO₂ dielectric. *Applied Physics Letters* 2013;102:221104.
- [143] Lin YH, Faber H, Zhao K, Wang Q, Amassian A, McLachlan M, et al. High-performance ZnO transistors processed via an aqueous carbon-free metal oxide precursor route at temperatures between 80–180 C. *Advanced Materials* 2013;25:4340-6.
- [144] Yoldas BE. Alumina sol preparation from alkoxide. *Am Ceram Soc Bull* 1975;54:289-90.
- [145] Yoldas BE. Transparent porous alumina. . *Am Ceram Soc Bull* 1975;54:286-8
- [146] McDonald SA, Konstantatos G, Zhang S, Cyr PW, Klem EJD, Levina L, et al. Solution-processed PbS quantum dot infrared photodetectors and photovoltaics. *Nat Mater* 2005;4:138-42.
- [147] Guan Q, Chen X, Gao T, Xiao C, Zhao L, He J, et al. First-principles study of the structural, electronic, dynamical, and thermodynamic properties of Li₅AlO₄. *J Nucl Mater* 2015;465:170-6.
- [148] R. T. Johnson RMBaJDK. Ionic conductivity of Li₅AlO₄ and LiOH. *Mat Res Bull* 1977;12:577-87.

- [149] Miguel A. Valenzuela JJ, Pedro Bosch, Silvia Bulbulian and Victor H. Lara. Sol-Gel Synthesis of Lithium Aluminate. *J Am Ceram Soc* 1996;79:455-60.
- [150] I. D. Ralstrick CH, and R. A. Hugglins. Lithium ion conduction in Li_6AlO_4 , Li_5GaO_4 and Li_6ZnO_4 . *Mat Res Bull* 1976;11:953-8.
- [151] Wooseok Yang KS, Yangho Jung, Sunho Jeong and Joocho Moon. Solution-deposited Zr-doped AlO_x gate dielectrics enabling high-performance flexible transparent thin film transistors. *J Mater Chem C* 2013;1:4275–82.
- [152] Xu W, Wang H, Ye L, Xu J. The role of solution-processed high- κ gate dielectrics in electrical performance of oxide thin-film transistors. *J Mater Chem C* 2014;2:5389-96.
- [153] Jia Sun BZ, and Howard E. Katz Materials for Printable, Transparent, and Low-Voltage Transistors *Adv Funct Mater* 2011;21:29–45.
- [154] Kim M-G, Kanatzidis MG, Facchetti A, Marks TJ. Low-temperature fabrication of high-performance metal oxide thin-film electronics via combustion processing. *Nat Mater* 2011;10:382-8.
- [155] Luisa Petti NM, Christian Vogt, Hendrik Faber, Lars B€uthe, Giuseppe Cantarella, Francesca Bottacchi, Thomas D. Anthopoulos, and Gerhard Troster. Metal oxide semiconductor thin-film transistors for flexible electronics. *Appl Phys Rev* 2016;3:021303.
- [156] Guo W, Liu Y, Huang W, Payne MM, Anthony J, Katz HE. Solution-processed low-voltage organic phototransistors based on an anthradithiophene molecular solid. *Organic Electronics* 2014;15:3061-9.
- [157] Genmao Huang LD, Guifang Dong, Deqiang Zhang, and Yong Qiu. High-Mobility Solution-Processed Tin Oxide Thin-Film Transistors with High- κ Alumina Dielectric Working in Enhancement Mode. *ACS Appl Mater Interfaces* 2014;6:20786–94.
- [158] Yu Liu AKD, and Howard E. Katz. Ion polarization behavior in alumina under pulsed gate bias stress. *Appl Phys Lett* 2015;106:112906.
- [159] George Adamopoulos ST, Paul H. W€obkenberg, Donal D. C. Bradley, Martyn A. McLachlan, Thomas D. Anthopoulos. High-Mobility Low-Voltage ZnO and Li-Doped ZnO Transistors Based on ZrO_2 High-k Dielectric Grown by Spray Pyrolysis in Ambient Air. *Adv Mater* 2011;23:1894–8.
- [160] Kim Y-H, Heo J-S, Kim T-H, Park S, Yoon M-H, Kim J, et al. Flexible metal-oxide devices made by room-temperature photochemical activation of sol-gel films. *Nature* 2012;489:128-32.
- [161] Ao Liu GL, Huihui Zhu, Huijun Song, Byoungchul Shin, Elvira Fortunato, Rodrigo Martins and Fukai Shan. Water-Induced Scandium Oxide Dielectric for Low-Operating

Voltage n- and p-Type Metal-Oxide Thin-Film Transistors. *Adv Funct Mater* 2015;25:7180–8.

[162] J. H. Cho JL, Y. He, B. S. Kim, T. P. Lodge, C. D. Frisbie. High-Capacitance Ion Gel Gate Dielectrics with Faster Polarization Response Times for Organic Thin Film Transistors. *Adv Mater* 2008;20:686–90.

[163] Mahiar Hamedi LH, Xavier Crispin, Rebeca Marcilla, Magnus Berggren and Olle Inganäs. Fiber-Embedded Electrolyte-Gated Field-Effect Transistors for e-Textiles. *Adv Mater* 2009;21:573–7

[164] Cho JH, Lee J, Xia Y, Kim B, He Y, Renn MJ, et al. Printable ion-gel gate dielectrics for low-voltage polymer thin-film transistors on plastic. *Nat Mater* 2008;7:900-6.

[165] Se Hyun Kim KH, Wei Xie, Keun Hyung Lee, Sipei Zhang, Timothy P. Lodge, C. Daniel Frisbie. Electrolyte-Gated Transistors for Organic and Printed Electronics. *Adv Mater* 2013;25:1822–46.

[166] Tatiana A valos-Rendon VHL, and Heriberto Pfeiffer CO₂ Chemisorption and Cyclability Analyses of Lithium Aluminate Polymorphs (α - and β -Li₅AlO₄). *Ind Eng Chem Res* 2012;51:2622–30.

[167] Ahn S-E, Song I, Jeon S, Jeon YW, Kim Y, Kim C, et al. Metal Oxide Thin Film Phototransistor for Remote Touch Interactive Displays. *Adv Mater* 2012;24:2631-6.

[168] Nam S, Seo J, Park S, Lee S, Jeong J, Lee H, et al. Hybrid Phototransistors Based on Bulk Heterojunction Films of Poly(3-hexylthiophene) and Zinc Oxide Nanoparticle. *ACS Appl Mater Interfaces* 2013;5:1385-92.

[169] Rim YS, Yang Y, Bae S-H, Chen H, Li C, Goorsky MS, et al. Ultrahigh and Broad Spectral Photodetectivity of an Organic–Inorganic Hybrid Phototransistor for Flexible Electronics. *Adv Mater* 2015;27:6885-91.

[170] R. M. Biefeld and R. T. Johnson J. Ionic Conductivity of LLO-Based Mixed Oxides and the Effects of Moisture and LiOH on Their Electrical and Structural Properties. *J Electrochem Soc* 1979;126:1-6.

[171] N. Asakuma HH, H. Imai, T. Fukui and M. Toki. Crystallization and Reduction of Sol-Gel-Derived Zinc Oxide Films by Irradiation with Ultraviolet Lamp. *J Sol-Gel Sci Technol* 2003;26:181-4.

[172] L. H. Wang DRY, X. L. Duan, X. Q. Wang and F. P. Yu. Synthesis and characterization of fine lithium niobate powders by sol- gel method. *Cryst Res Technol* 2007;42:321-4.

[173] Ao Liu GL, Chundan Zhu, Huihui Zhu, Elvira Fortunato, Rodrigo Martins and Fukai Shan. Solution-Processed Alkaline Lithium Oxide Dielectrics for Applications in n- and p-Type Thin-Film Transistors. *Adv Electron Mater* 2016;2:1600140.

- [174] Wangying Xu HW, Fangyan Xie, Jian Chen, Hongtao Cao, and Jian-Bin Xu. Facile and Environmentally Friendly Solution-Processed Aluminum Oxide Dielectric for Low-Temperature, High-Performance Oxide Thin-Film Transistors. *ACS Appl Mater Interfaces* 2015;7:5803–10.
- [175] Hwang SM, Lee SM, Park K, Lee MS, Joo J, Lim JH, et al. Effect of annealing temperature on microstructural evolution and electrical properties of sol-gel processed ZrO₂/Si films. *Appl Phys Lett* 2011;98:022903.
- [176] Zaumseil J, Sirringhaus H. Electron and Ambipolar Transport in Organic Field-Effect Transistors. *Chem Rev* 2007;107:1296-323.
- [177] Sun J, Liu H, Jiang J, Lu A, Wan Q. Low-voltage transparent SnO₂ nanowire transistors gated by microporous SiO₂ solid-electrolyte with improved polarization response. *Journal of Materials Chemistry* 2010;20:8010-5.
- [178] Wang H, Kubo T, Nakazaki J, Kinoshita T, Segawa H. PbS-Quantum-Dot-Based Heterojunction Solar Cells Utilizing ZnO Nanowires for High External Quantum Efficiency in the Near-Infrared Region. *The Journal of Physical Chemistry Letters* 2013;4:2455-60.
- [179] Brown PR, Lunt RR, Zhao N, Osedach TP, Wanger DD, Chang L-Y, et al. Improved Current Extraction from ZnO/PbS Quantum Dot Heterojunction Photovoltaics Using a MoO₃ Interfacial Layer. *Nano Letters* 2011;11:2955-61.
- [180] Yue Y, Feng Y, Chen J, Zhang D, Feng W. Two-dimensional large-scale bandgap-tunable monolayer MoS₂(1-x)Se_{2x}/graphene heterostructures for phototransistors. *J Mater Chem C* 2017;5:5887-96.
- [181] Yu Y, Zhang Y, Zhang Z, Zhang H, Song X, Cao M, et al. Broadband Phototransistor Based on CH₃NH₃PbI₃ Perovskite and PbSe Quantum Dot Heterojunction. *The Journal of Physical Chemistry Letters* 2017;8:445-51.
- [182] Yang J, Kwak H, Lee Y, Kang Y-S, Cho M-H, Cho JH, et al. MoS₂-InGaZnO Heterojunction Phototransistors with Broad Spectral Responsivity. *ACS Appl Mater Interfaces* 2016;8:8576-82.
- [183] Wang Y, Zhang Y, Lu Y, Xu W, Mu H, Chen C, et al. Hybrid Graphene-Perovskite Phototransistors with Ultrahigh Responsivity and Gain. *Adv Opt Mater* 2015;3:1389-96.
- [184] Kwon JY, Son KS, Jung JS, Kim TS, Ryu MK, Park KB, et al. Bottom-Gate Gallium Indium Zinc Oxide Thin-Film Transistor Array for High-Resolution AMOLED Display. *IEEE Electron Device Letters* 2008;29:1309-11.
- [185] Jung J, Kim SJ, Lee KW, Yoon DH, Kim Y-g, Kwak HY, et al. Approaches to label-free flexible DNA biosensors using low-temperature solution-processed InZnO thin-film transistors. *Biosens Bioelectron* 2014;55:99-105.

- [186] Khalid Muhieddine MU, Bhola N. Pal, Paul Burn, Ebinazar B. Namdas. All Solution-Processed, Hybrid Light Emitting Field-Effect Transistors. *Adv Mater* 2014;26:6410–5.
- [187] Nomura K, Ohta H, Takagi A, Kamiya T, Hirano M, Hosono H. Room-temperature fabrication of transparent flexible thin-film transistors using amorphous oxide semiconductors. *Nature* 2004;432:488-92.
- [188] Chun-Wei Ou D, Zhong Yo Ho, You-Che Chuang, Shiau-Shin Cheng, Meng-Chyi Wu, Kuo-Chuan Ho, and Chih-Wei Chu. Anomalous p-channel amorphous oxide transistors based on tin oxide and their complementary circuits. *Appl Phys Lett* 2008;92:122113.
- [189] Garlapati Suresh K, Divya M, Breitung B, Kruk R, Hahn H, Dasgupta S. Printed Electronics Based on Inorganic Semiconductors: From Processes and Materials to Devices. *Advanced Materials* 2018;0:1707600.
- [190] Panzer MJ, Frisbie CD. Polymer Electrolyte-Gated Organic Field-Effect Transistors: Low-Voltage, High-Current Switches for Organic Electronics and Testbeds for Probing Electrical Transport at High Charge Carrier Density. *J Am Ceram Soc* 2007;129:6599-607.
- [191] DiBenedetto Sara A, Facchetti A, Ratner Mark A, Marks Tobin J. Molecular Self-Assembled Monolayers and Multilayers for Organic and Unconventional Inorganic Thin-Film Transistor Applications. *Adv Mater* 2009;21:1407-33.
- [192] Liu Y, Guan P, Zhang B, Falk ML, Katz HE. Ion Dependence of Gate Dielectric Behavior of Alkali Metal Ion-Incorporated Aluminas in Oxide Field-Effect Transistors. *Chem Mater* 2013;25:3788-96.
- [193] Sharma A, Chourasia NK, Sugathan A, Kumar Y, Jit S, Liu S-W, et al. Solution processed Li₅AlO₄ dielectric for low voltage transistor fabrication and its application in metal oxide/quantum dot heterojunction phototransistors. *J Mater Chem C* 2018;6:790-8.
- [194] Zhang L, Li J, Zhang XW, Jiang XY, Zhang ZL. High performance ZnO-thin-film transistor with Ta₂O₅ dielectrics fabricated at room temperature. *Appl Phys Lett* 2009;95:072112.
- [195] Song K, Yang W, Jung Y, Jeong S, Moon J. A solution-processed yttrium oxide gate insulator for high-performance all-solution-processed fully transparent thin film transistors. *J Mater Chem* 2012;22:21265-71.
- [196] Majewski LA, Schroeder R, Grell M. Low-Voltage, High-Performance Organic Field-Effect Transistors with an Ultra-Thin TiO₂ Layer as Gate Insulator. *Adv Funct Mater* 2005;15:1017-22.
- [197] Sung S, Park S, Lee W-J, Son J, Kim C-H, Kim Y, et al. Low-Voltage Flexible Organic Electronics Based on High-Performance Sol–Gel Titanium Dioxide Dielectric. *ACS Appl Mater Interfaces* 2015;7:7456-61.

- [198] Zhu C, Liu A, Liu G, Jiang G, Meng Y, Fortunato E, et al. Low-temperature, nontoxic water-induced high-k zirconium oxide dielectrics for low-voltage, high-performance oxide thin-film transistors. *J Mater Chem C* 2016;4:10715-21.
- [199] Park JH, Yoo YB, Lee KH, Jang WS, Oh JY, Chae SS, et al. Low-Temperature, High-Performance Solution-Processed Thin-Film Transistors with Peroxo-Zirconium Oxide Dielectric. *ACS Appl Mater Interfaces* 2013;5:410-7.
- [200] Ko J, Kim J, Park SY, Lee E, Kim K, Lim K-H, et al. Solution-processed amorphous hafnium-lanthanum oxide gate insulator for oxide thin-film transistors. *J Mater Chem C* 2014;2:1050-6.
- [201] Plassmeyer PN, Archila K, Wager JF, Page CJ. Lanthanum Aluminum Oxide Thin-Film Dielectrics from Aqueous Solution. *ACS Appl Mater Interfaces* 2015;7:1678-84.
- [202] Wilk GD, Wallace RM. Electrical properties of hafnium silicate gate dielectrics deposited directly on silicon. *Appl Phys Lett* 1999;74:2854-6.
- [203] Wilk GD, Wallace RM. Stable zirconium silicate gate dielectrics deposited directly on silicon. *Appl Phys Lett* 2000;76:112-4.
- [204] Gao J, Shi S, Xiao R, Li H. Synthesis and ionic transport mechanisms of α -LiAlO₂. *Solid State Ionics* 2016;286:122-34.
- [205] Garcia A, Torres-Treviño G, West AR. New lithium ion conductors based on the γ -LiAlO₂ structure. *Solid State Ionics* 1990;40-41:13-7.
- [206] Hu L, Tang Z, Zhang Z. Hydrothermal synthesis of single crystal mesoporous LiAlO₂ nanobelts. *Materials Letters* 2008;62:2039-42.
- [207] Park JH, Yoo YB, Lee KH, Jang WS, Oh JY, Chae SS, et al. Boron-Doped Peroxo-Zirconium Oxide Dielectric for High-Performance, Low-Temperature, Solution-Processed Indium Oxide Thin-Film Transistor. *ACS Applied Materials & Interfaces* 2013;5:8067-75.
- [208] Park JH, Kim K, Yoo YB, Park SY, Lim K-H, Lee KH, et al. Water adsorption effects of nitrate ion coordinated Al₂O₃ dielectric for high performance metal-oxide thin-film transistor. *Journal of Materials Chemistry C* 2013;1:7166-74.
- [209] Kim C-H, Hlaing H, Yang S, Bonnassieux Y, Horowitz G, Kymissis I. Impedance spectroscopy on copper phthalocyanine diodes with surface-induced molecular orientation. *Organic Electronics* 2014;15:1724-30.
- [210] George A, Aneeqa B, Stuart T, P. GW, Stamatias G, Maxim S, et al. Spray-Deposited Li-Doped ZnO Transistors with Electron Mobility Exceeding 50 cm²/Vs. *Advanced Materials* 2010;22:4764-9.

- [211] Lee E, Ko J, Lim K-H, Kim K, Park Si Y, Myoung Jae M, et al. Gate Capacitance-Dependent Field-Effect Mobility in Solution-Processed Oxide Semiconductor Thin-Film Transistors. *Advanced Functional Materials* 2014;24:4689-97.
- [212] Liu G, Liu A, Zhu H, Shin B, Fortunato E, Martins R, et al. Low-Temperature, Nontoxic Water-Induced Metal-Oxide Thin Films and Their Application in Thin-Film Transistors. *Advanced Functional Materials* 2015;25:2564-72.
- [213] Toshio K, Kenji N, Hideo H. Present status of amorphous In–Ga–Zn–O thin-film transistors. *Sci Technol Adv Mater* 2010;11:044305.
- [214] Först CJ, Ashman CR, Schwarz K, Blöchl PE. The interface between silicon and a high-k oxide. *Nature* 2004;427:53.
- [215] Richards BS, Cotter JE, Honsberg CB. Enhancing the surface passivation of TiO₂ coated silicon wafers. *Applied Physics Letters* 2002;80:1123-5.
- [216] Cho S, Lee K, Heeger AJ. Extended Lifetime of Organic Field-Effect Transistors Encapsulated with Titanium Sub-Oxide as an ‘Active’ Passivation/Barrier Layer. *Advanced materials* 2009;21:1941-4.
- [217] Ma Y, Qiu J-b, Cao Y-a, Guan Z-s, Yao J-n. Photocatalytic activity of TiO₂ films grown on different substrates. *Chemosphere* 2001;44:1087-92.
- [218] Locquet J-P, Marchiori C, Sousa M, Fompeyrine J, Seo JW. High-K dielectrics for the gate stack. *Journal of Applied Physics* 2006;100:051610.
- [219] Blonkowski S, Regache M, Halimaoui A. Investigation and modeling of the electrical properties of metal–oxide–metal structures formed from chemical vapor deposited Ta₂O₅ films. *Journal of Applied Physics* 2001;90:1501-8.
- [220] Ramanathan S, Park C-M, McIntyre PC. Electrical properties of thin film zirconia grown by ultraviolet ozone oxidation. *Journal of applied physics* 2002;91:4521-7.
- [221] Gonon P, El Kamel F. Dielectric response of Cu/ amorphous Ba Ti O₃/ Cu capacitors. *Journal of applied physics* 2007;101:073901.
- [222] Okamura K, Nikolova D, Mechau N, Hahn H. Appropriate choice of channel ratio in thin-film transistors for the exact determination of field-effect mobility. *Applied Physics Letters* 2009;94:183503.
- [223] Avasthi S, McClain WE, Man G, Kahn A, Schwartz J, Sturm JC. Hole-blocking titanium-oxide/silicon heterojunction and its application to photovoltaics. *Applied Physics Letters* 2013;102:203901.
- [224] Jhaveri J, Berg AH, Sturm JC. Isolation of Hole Versus Electron Current at p-Si/TiO₂Selective Contact Using a Heterojunction Bipolar Transistor Structure. *IEEE Journal of Photovoltaics* 2018;8:726-32.

[225] Zeumault A, Subramanian V. Mobility Enhancement in Solution-Processed Transparent Conductive Oxide TFTs due to Electron Donation from Traps in High-k Gate Dielectrics. *Advanced Functional Materials* 2016;26:955-63.

[226] Banger K, Warwick C, Lang J, Broch K, Halpert JE, Socratous J, et al. Identification of dipole disorder in low temperature solution processed oxides: its utility and suppression for transparent high performance solution-processed hybrid electronics. *Chemical science* 2016;7:6337-46.