

## **References**

- [1] Chen K, Bell AT, Iglesia E. The relationship between the electronic and redox properties of dispersed metal oxides and their turnover rates in oxidative dehydrogenation reactions. *Journal of Catalysis* 2002;209:35-42.
- [2] Gutowski M, Jaffe JE, Liu C-L, Stoker M, Hegde RI, Rai RS, et al. Thermodynamic stability of high-K dielectric metal oxides  $ZrO_2$  and  $HfO_2$  in contact with Si and  $SiO_2$ . *Applied Physics Letters* 2002;80:1897-9.
- [3] Robertson J. High dielectric constant gate oxides for metal oxide Si transistors. *Reports on progress in Physics* 2005;69:327.
- [4] Emeline A, Kataeva G, Panasuk A, Ryabchuk V, Sheremetyeva N, Serpone N. Effect of surface photoreactions on the photocoloration of a wide band gap metal oxide: Probing whether surface reactions are photocatalytic. *The Journal of Physical Chemistry B* 2005;109:5175-85.
- [5] Verma R, Gangwar J, Srivastava AK. Multiphase  $TiO_2$  nanostructures: a review of efficient synthesis, growth mechanism, probing capabilities, and applications in bio-safety and health. *RSC Advances* 2017;7:44199-224.
- [6] Park J, An K, Hwang Y, Park J-G, Noh H-J, Kim J-Y, et al. Ultra-large-scale syntheses of monodisperse nanocrystals. *Nature materials* 2004;3:891.
- [7] Kate RS, Khalate SA, Deokate RJ. Overview of nanostructured metal oxides and pure nickel oxide ( $NiO$ ) electrodes for supercapacitors: a review. *Journal of Alloys and Compounds* 2018;734:89-111.
- [8] Dou S. Review and prospect of layered lithium nickel manganese oxide as cathode materials for Li-ion batteries. *Journal of Solid State Electrochemistry* 2013;17:911-26.
- [9] Özgür Ü, Alivov YI, Liu C, Teke A, Reshchikov M, Doğan S, et al. A comprehensive review of  $ZnO$  materials and devices. *Journal of applied physics* 2005;98:11.
- [10] Rajagopal S, Nataraj D, Mangalaraj D, Djaoued Y, Robichaud J, Khyzhun OY. Controlled growth of  $WO_3$  nanostructures with three different morphologies and their structural, optical, and photodecomposition studies. *Nanoscale research letters* 2009;4:1335.
- [11] Redel E, Petrov S, Dag Ö, Moir J, Huai C, Mirtchev P, et al. Green nanochemistry: metal oxide nanoparticles and porous thin films from bare metal powders. *Small* 2012;8:68-72.

- [12] Redel E, Huai C, Dag Ö, Petrov S, O'Brien PG, Helander MG, et al. From bare metal powders to colloidally stable TCO dispersions and transparent nanoporous conducting metal oxide thin films. *small* 2012;8:3806-9.
- [13] Kroll E, Winnik FM, Ziolo RF. In situ preparation of nanocrystalline  $\gamma$ -Fe<sub>2</sub>O<sub>3</sub> in iron (II) cross-linked alginate gels. *Chemistry of materials* 1996;8:1594-6.
- [14] Moreno E, Zayat M, Morales M, Serna C, Roig A, Levy D. Preparation of narrow size distribution superparamagnetic  $\gamma$ -Fe<sub>2</sub>O<sub>3</sub> nanoparticles in a sol-gel transparent SiO<sub>2</sub> matrix. *Langmuir* 2002;18:4972-8.
- [15] Salazar-Alvarez G, Muhammed M, Zagorodni AA. Novel flow injection synthesis of iron oxide nanoparticles with narrow size distribution. *Chemical engineering science* 2006;61:4625-33.
- [16] Devan RS, Patil RA, Lin JH, Ma YR. One-dimensional metal-oxide nanostructures: recent developments in synthesis, characterization, and applications. *Advanced Functional Materials* 2012;22:3326-70.
- [17] Zhang J, Liu X, Neri G, Pinna N. Nanostructured materials for room-temperature gas sensors. *Advanced materials* 2016;28:795-831.
- [18] Kment S, Riboni F, Pausova S, Wang L, Wang L, Han H, et al. Photoanodes based on TiO<sub>2</sub> and  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> for solar water splitting—superior role of 1D nanoarchitectures and of combined heterostructures. *Chemical Society Reviews* 2017;46:3716-69.
- [19] Li F-t, Ran J, Jaroniec M, Qiao SZ. Solution combustion synthesis of metal oxide nanomaterials for energy storage and conversion. *Nanoscale* 2015;7:17590-610.
- [20] Zheng JY, Haider Z, Van TK, Pawar AU, Kang MJ, Kim CW, et al. Tuning of the crystal engineering and photoelectrochemical properties of crystalline tungsten oxide for optoelectronic device applications. *CrystEngComm* 2015;17:6070-93.
- [21] Gnanasekaran L, Hemamalini R, Saravanan R, Ravichandran K, Gracia F, Agarwal S, et al. Synthesis and characterization of metal oxides (CeO<sub>2</sub>, CuO, NiO, Mn<sub>3</sub>O<sub>4</sub>, SnO<sub>2</sub> and ZnO) nanoparticles as photo catalysts for degradation of textile dyes. *Journal of Photochemistry and Photobiology B: Biology* 2017;173:43-9.
- [22] Choi SJ, Kim SJ, Cho HJ, Jang JS, Lin YM, Tuller HL, et al. WO<sub>3</sub> Nanofiber-Based Biomarker Detectors Enabled by Protein-Encapsulated Catalyst Self-Assembled on Polystyrene Colloid Templates. *Small* 2016;12:911-20.
- [23] Gao P, Liu R, Huang H, Jia X, Pan H. MOF-templated controllable synthesis of  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> porous nanorods and their gas sensing properties. *Rsc Advances* 2016;6:94699-705.
- [24] Rathnasamy R, Thangasamy P, Thangamuthu R, Sampath S, Alagan V. Green synthesis of ZnO nanoparticles using Carica papaya leaf extracts for photocatalytic and

photovoltaic applications. *Journal of Materials Science: Materials in Electronics* 2017;28:10374-81.

[25] Edison TNJI, Atchudan R, Lee YR. Binder-free electro-synthesis of highly ordered nickel oxide nanoparticles and its electrochemical performance. *Electrochimica Acta* 2018;283:1609-17.

[26] Scarano D, Cesano F, Bertarione S, Zecchina A. Zinc Oxide Nanostructures: From Chestnut Husk-Like Structures to Hollow Nanocages, Synthesis and Structure. *Crystals* 2018;8:153.

[27] Banfield J. Thermodynamic analysis of phase stability of nanocrystalline titania. *Journal of Materials Chemistry* 1998;8:2073-6.

[28] Zhang Z, Zhong X, Liu S, Li D, Han M. Aminolysis route to monodisperse titania nanorods with tunable aspect ratio. *Angewandte Chemie International Edition* 2005;44:3466-70.

[29] Zhu K-R, Zhang M-S, Hong J-M, Yin Z. Size effect on phase transition sequence of  $TiO_2$  nanocrystal. *Materials Science and Engineering: A* 2005;403:87-93.

[30] Malekshahi Byranvand M, Nemati Kharat A, Fatholahi L, Malekshahi Beiranvand Z. A review on synthesis of nano- $TiO_2$  via different methods. *Journal of nanostructures* 2013;3:1-9.

[31] Schulz M. The end of the road for silicon? *Nature* 1999;399:729.

[32] Bohr MT, Chau RS, Ghani T, Mistry K. The high- $k$  solution. *IEEE spectrum* 2007;44:29-35.

[33] Wilk GD, Wallace RM, Anthony J. High- $\kappa$  gate dielectrics: Current status and materials properties considerations. *Journal of applied physics* 2001;89:5243-75.

[34] Lee BH, Kang L, Qi W-J, Nieh R, Jeon Y, Onishi K, et al. Ultrathin hafnium oxide with low leakage and excellent reliability for alternative gate dielectric application. *International Electron Devices Meeting 1999 Technical Digest (Cat No 99CH36318)*: IEEE; 1999. p. 133-6.

[35] Venkateshan A, Singh R, Poole K, Harriss J, Senter H, Teague R, et al. High- $\kappa$  gate dielectrics with ultra-low leakage current for sub-45 nm CMOS. *Electronics Letters* 2007;43:1130-2.

[36] Khoshman J, Khan A, Kordesch M. Amorphous hafnium oxide thin films for antireflection optical coatings. *Surface and Coatings Technology* 2008;202:2500-2.

[37] Zhao J, Zhang Y, Gong H, Zhang Y, Wang X, Guo X, et al. Fabrication of high-performance  $Y_2O_3$  stabilized hafnium dioxide refractories. *Ceramics International* 2015;41:5232-8.

- [38] Vargas M, Murphy N, Ramana C. Tailoring the index of refraction of nanocrystalline hafnium oxide thin films. *Applied Physics Letters* 2014;104:101907.
- [39] Hadacek N, Nosov A, Ranno L, Strobel P, Galéra R-M. Magnetic properties of HfO<sub>2</sub> thin films. *Journal of Physics: Condensed Matter* 2007;19:486206.
- [40] Lee HY, Chen PS, Wu TY, Chen YS, Wang CC, Tzeng PJ, et al. Low power and high speed bipolar switching with a thin reactive Ti buffer layer in robust HfO<sub>2</sub> based RRAM. *2008 IEEE International Electron Devices Meeting* 2008. p. 1-4.
- [41] Park MH, Lee YH, Kim HJ, Kim YJ, Moon T, Kim KD, et al. Ferroelectricity and Antiferroelectricity of Doped Thin HfO<sub>2</sub>-Based Films. *Advanced Materials* 2015;27:1811-31.
- [42] Wang C, Zinkevich M, Aldinger F. The Zirconia–Hafnia System: DTA Measurements and Thermodynamic Calculations. *Journal of the American Ceramic Society* 2006;89:3751-8.
- [43] RUH R, PATEL VA. Proposed Phase Relations in the HfO<sub>2</sub>-Rich Portion of the System Hf-HfO<sub>2</sub>. *Journal of the American Ceramic Society* 1973;56:606-7.
- [44] El-Shanshoury I, Rudenko V, Ibrahim I. Polymorphic behavior of thin evaporated films of zirconium and hafnium oxides. *Journal of the American Ceramic Society* 1970;53:264-8.
- [45] Kisi EH, Howard C. Crystal structures of zirconia phases and their inter-relation. *Key Engineering Materials: Trans Tech Publ*; 1998. p. 1-36.
- [46] Ohtaka O, Fukui H, Kunisada T, Fujisawa T, Funakoshi K, Utsumi W, et al. Phase relations and volume changes of hafnia under high pressure and high temperature. *Journal of the American Ceramic Society* 2001;84:1369-73.
- [47] Ohtaka O, Yamanaka T, Kume S, Hara N, Asano H, Izumi F. Structural analysis of orthorhombic hafnia by neutron powder diffraction. *Journal of the American Ceramic Society* 1995;78:233-7.
- [48] Liu L-G. New high pressure phases of ZrO<sub>2</sub> and HfO<sub>2</sub>. *Journal of Physics and Chemistry of Solids* 1980;41:331-4.
- [49] Fischer D, Kersch A. Stabilization of the high-k tetragonal phase in HfO<sub>2</sub>: The influence of dopants and temperature from ab initio simulations. *Journal of Applied Physics* 2008;104:084104.
- [50] Sharath S, Kurian J, Komissinskiy P, Hildebrandt E, Bertaud T, Walczyk C, et al. Thickness independent reduced forming voltage in oxygen engineered HfO<sub>2</sub> based resistive switching memories. *Applied Physics Letters* 2014;105:073505.

- [51] Rauwel E, Galeckas A, Rauwel P. Photoluminescent cubic and monoclinic HfO<sub>2</sub> nanoparticles: effects of temperature and ambient. Materials Research Express 2014;1:015035.
- [52] Foster AS, Gejo FL, Shluger A, Nieminen RM. Vacancy and interstitial defects in hafnia. Physical Review B 2002;65:174117.
- [53] Lee C-K, Cho E, Lee H-S, Hwang CS, Han S. First-principles study on doping and phase stability of HfO<sub>2</sub>. Physical Review B 2008;78:012102.
- [54] Lauria A, Villa I, Fasoli M, Niederberger M, Vedda A. Multifunctional role of rare earth doping in optical materials: Nonaqueous sol–gel synthesis of stabilized cubic HfO<sub>2</sub> luminescent nanoparticles. Acs Nano 2013;7:7041-52.
- [55] Gálvez-Barboza S, González L, Puente-Urbina B, Saucedo-Salazar E, García-Cerda L. Preparation and characterization of Ce-doped HfO<sub>2</sub> nanoparticles. Journal of Alloys and Compounds 2015;643:S62-S6.
- [56] Böscke T, Müller J, Bräuhaus D, Schröder U, Böttger U. Ferroelectricity in hafnium oxide thin films. Applied Physics Letters 2011;99:102903.
- [57] Kisi EH. Influence of Hydrostatic Pressure on the t→ o Transformation in Mg-PSZ Studied by In Situ Neutron Diffraction. Journal of the American Ceramic Society 1998;81:741-5.
- [58] Starschich S, Boettger U. An extensive study of the influence of dopants on the ferroelectric properties of HfO<sub>2</sub>. Journal of Materials Chemistry C 2017;5:333-8.
- [59] Materlik R, Künneth C, Kersch A. The origin of ferroelectricity in Hf<sub>1-x</sub>Zr<sub>x</sub>O<sub>2</sub>: A computational investigation and a surface energy model. Journal of Applied Physics 2015;117:134109.
- [60] Venkatesan M, Fitzgerald C, Coey J. Thin films: unexpected magnetism in a dielectric oxide. Nature 2004;430:630.
- [61] Sharma P, Gupta A, Rao K, Owens FJ, Sharma R, Ahuja R, et al. Ferromagnetism above room temperature in bulk and transparent thin films of Mn-doped ZnO. Nature materials 2003;2:673.
- [62] Bi H, Li S, Zhang Y, Du Y. Ferromagnetic-like behavior of ultrafine NiO nanocrystallites. Journal of magnetism and magnetic materials 2004;277:363-7.
- [63] Rumaiz AK, Ali B, Ceylan A, Boggs M, Beebe T, Shah SI. Experimental studies on vacancy induced ferromagnetism in undoped TiO<sub>2</sub>. Solid State Communications 2007;144:334-8.
- [64] Coey J, Douvalis A, Fitzgerald C, Venkatesan M. Ferromagnetism in Fe-doped SnO<sub>2</sub> thin films. Applied Physics Letters 2004;84:1332-4.

- [65] Ning S, Zhan P, Xie Q, Li Z, Zhang Z. Room-temperature ferromagnetism in undoped ZrO<sub>2</sub> thin films. *Journal of Physics D: Applied Physics* 2013;46:445004.
- [66] Dohćević-Mitrović Z, Paunović N, Matović B, Osiceanu P, Scurtu R, Aškrabić S, et al. Structural dependent room-temperature ferromagnetism in yttrium doped HfO<sub>2</sub> nanoparticles. *Ceramics International* 2015;41:6970-7.
- [67] Liu X, Chen Y, Wang L, Peng D-L. Transition from paramagnetism to ferromagnetism in HfO<sub>2</sub> nanorods. *AIP*; 2013.
- [68] Zheng J, Ceder G, Maxisch T, Chim W, Choi W. First-principles study of native point defects in hafnia and zirconia. *Physical Review B* 2007;75:104112.
- [69] Broqvist P, Pasquarello A. Oxygen vacancy in monoclinic HfO<sub>2</sub>: A consistent interpretation of trap assisted conduction, direct electron injection, and optical absorption experiments. *Applied physics letters* 2006;89:262904.
- [70] Conesa J. Computer modeling of surfaces and defects on cerium dioxide. *Surface Science* 1995;339:337-52.
- [71] Ramo DM, Gavartin J, Shluger A, Bersuker G. Spectroscopic properties of oxygen vacancies in monoclinic HfO<sub>2</sub> calculated with periodic and embedded cluster density functional theory. *Physical Review B* 2007;75:205336.
- [72] Coey J, Venkatesan M, Fitzgerald C. Donor impurity band exchange in dilute ferromagnetic oxides. *Nature materials* 2005;4:173.
- [73] Shah LR, Ali B, Zhu H, Wang W, Song Y, Zhang H, et al. Detailed study on the role of oxygen vacancies in structural, magnetic and transport behavior of magnetic insulator: Co–CeO<sub>2</sub>. *Journal of Physics: Condensed Matter* 2009;21:486004.
- [74] Pemmaraju CD, Sanvito S. Ferromagnetism driven by intrinsic point defects in HfO<sub>2</sub>. *Physical review letters* 2005;94:217205.
- [75] Lin K-Q, Wang L-S, Wang Z-W, Wen R-T, Chen Y, Peng D-L. Gas-phase synthesis and magnetism of HfO<sub>2</sub> nanoclusters. *The European Physical Journal D* 2013;67:42.
- [76] Abraham DW, Frank MM, Guha S. Absence of magnetism in hafnium oxide films. *Applied Physics Letters* 2005;87:252502.
- [77] Coey J. d0 ferromagnetism. *Solid State Sciences* 2005;7:660-7.
- [78] Kumar Sharma M, Kumar Mishra D, Ghosh S, Kanjilal D, Srivastava P, Chatterjee R. Oxygen vacancy mediated large magnetization in chemically synthesized Ni-doped HfO<sub>2</sub> nanoparticle powder samples. *Journal of Applied Physics* 2011;110:063902.

- [79] Chang Y, Soo Y, Lee W, Huang M, Lee Y, Weng S, et al. Observation of room temperature ferromagnetic behavior in cluster-free, Co doped HfO<sub>2</sub> films. *Applied Physics Letters* 2007;91:082504.
- [80] Hong NH, Poirot N, Sakai J. Evidence for magnetism due to oxygen vacancies in Fe-doped HfO<sub>2</sub> thin films. *Applied physics letters* 2006;89:042503.
- [81] Wang W, Hong Y, Yu M, Rout B, Glass GA, Tang J. Structure and magnetic properties of pure and Gd-doped HfO<sub>2</sub> thin films. *Journal of applied physics* 2006;99:08M117.
- [82] Lozanov VV, Baklanova NI, Shayapov VR, Berezin AS. Crystal growth and photoluminescence properties of reactive CVD-derived monoclinic hafnium dioxide. *Crystal Growth & Design* 2016;16:5283-93.
- [83] Villa I, Vedda A, Fasoli M, Lorenzi R, Kränzlin N, Rechberger F, et al. Size-dependent luminescence in HfO<sub>2</sub> nanocrystals: Toward white emission from intrinsic surface defects. *Chemistry of Materials* 2016;28:3245-53.
- [84] Carvalho JM, Rodrigues LC, Felinto MC, Nunes LA, Hölsä J, Brito HF. Structure–property relationship of luminescent zirconia nanomaterials obtained by sol–gel method. *Journal of materials science* 2015;50:873-81.
- [85] Fiaczyk K, Wojtowicz AJ, Zych E. Photoluminescent Properties of Monoclinic HfO<sub>2</sub>:Ti Sintered Ceramics in 16–300 K. *The Journal of Physical Chemistry C* 2015;119:5026-32.
- [86] Rauwel P, Rauwel E, Persson C, Sunding M, Galeckas A. One step synthesis of pure cubic and monoclinic HfO<sub>2</sub> nanoparticles: Correlating the structure to the electronic properties of the two polymorphs. *Journal of Applied Physics* 2012;112:104107.
- [87] Jestin Y, Armellini C, Chiappini A, Chiasera A, Ferrari M, Goyes C, et al. Erbium activated HfO<sub>2</sub> based glass–ceramics waveguides for photonics. *Journal of Non-Crystalline Solids* 2007;353:494-7.
- [88] LeLuyer C, Villanueva-Ibañez M, Pillonnet A, Dujardin C. HfO<sub>2</sub>:X (X = Eu<sup>3+</sup>, Ce<sup>3+</sup>, Y<sup>3+</sup>) Sol Gel Powders for Ultradense Scintillating Materials. *The Journal of Physical Chemistry A* 2008;112:10152-5.
- [89] Chen S, Liu Z, Feng L, Zhao X. Photoluminescent properties of undoped and Ce-doped HfO<sub>2</sub> thin films prepared by magnetron sputtering. *Journal of Luminescence* 2014;153:148-51.
- [90] Eyring L, Gschneidner KA, Lander GH. *Handbook on the physics and chemistry of rare earths*: Elsevier; 2002.
- [91] Wiatrowska A, Zych E. Modeling Luminescent Properties of HfO<sub>2</sub>:Eu Powders with Li, Ta, Nb, and V Codopants. *The Journal of Physical Chemistry C* 2012;116:6409-19.

- [92] Aguilar-Castillo A, Aguilar-Hernández JR, García-Hipólito M, López-Romero S, Swarnkar RK, Báez-Rodríguez A, et al. White light generation from HfO<sub>2</sub> films co-doped with Eu<sup>3+</sup> and Tb<sup>3+</sup> ions synthesized by pulsed laser ablation technique. *Ceramics International* 2017;43:355-62.
- [93] Murphy CB, Zhang Y, Troxler T, Ferry V, Martin JJ, Jones WE. Probing Förster and Dexter Energy-Transfer Mechanisms in Fluorescent Conjugated Polymer Chemosensors. *The Journal of Physical Chemistry B* 2004;108:1537-43.
- [94] Malta OL. Mechanisms of non-radiative energy transfer involving lanthanide ions revisited. *Journal of Non-Crystalline Solids* 2008;354:4770-6.
- [95] Villa I, Villa C, Monguzzi A, Babin V, Tervoort E, Nikl M, et al. Demonstration of cellular imaging by using luminescent and anti-cytotoxic europium-doped hafnia nanocrystals. *Nanoscale* 2018;10:7933-40.
- [96] Furasova AD, Fakhardo AF, Milichko VA, Tervoort E, Niederberger M, Vinogradov VV. Synthesis of a rare-earth doped hafnia hydrosol: Towards injectable luminescent nanocolloids. *Colloids and Surfaces B: Biointerfaces* 2017;154:21-6.
- [97] Pan F, Gao S, Chen C, Song C, Zeng F. Recent progress in resistive random access memories: materials, switching mechanisms, and performance. *Materials Science and Engineering: R: Reports* 2014;83:1-59.
- [98] Wong H-SP, Lee H-Y, Yu S, Chen Y-S, Wu Y, Chen P-S, et al. Metal–oxide RRAM. *Proceedings of the IEEE* 2012;100:1951-70.
- [99] Akinaga H, Shima H. Resistive random access memory (ReRAM) based on metal oxides. *Proceedings of the IEEE* 2010;98:2237-51.
- [100] Ye C, Wu J, He G, Zhang J, Deng T, He P, et al. Physical mechanism and performance factors of metal oxide based resistive switching memory: a review. *Journal of Materials Science & Technology* 2016;32:1-11.
- [101] Lin K-L, Hou T-H, Shieh J, Lin J-H, Chou C-T, Lee Y-J. Electrode dependence of filament formation in HfO<sub>2</sub> resistive-switching memory. *Journal of Applied Physics* 2011;109:084104.
- [102] Chen Y, Chen B, Gao B, Liu L, Liu X, Kang J. Well controlled multiple resistive switching states in the Al local doped HfO<sub>2</sub> resistive random access memory device. *Journal of Applied Physics* 2013;113:164507.
- [103] Akbari M, Lee J-S. Control of resistive switching behaviors of solution-processed HfO<sub>x</sub>-based resistive switching memory devices by n-type doping. *RSC Advances* 2016;6:21917-21.

- [104] Zhang H, Liu L, Gao B, Qiu Y, Liu X, Lu J, et al. Gd-doping effect on performance of HfO<sub>2</sub> based resistive switching memory devices using implantation approach. *Applied Physics Letters* 2011;98:042105.
- [105] Xiong Y, Tu H, Du J, Zhang X, Chen D, Wang W. Effects of rapid thermal annealing on structure and electrical properties of Gd-doped HfO<sub>2</sub> high k film. *Applied Physics Letters* 2011;98:082906.
- [106] Laigo J, Christien F, Le Gall R, Tancret F, Furtado J. SEM, EDS, EPMA-WDS and EBSD characterization of carbides in HP type heat resistant alloys. *Materials characterization* 2008;59:1580-6.
- [107] Lloyd GE. Atomic number and crystallographic contrast images with the SEM: a review of backscattered electron techniques. *Mineralogical Magazine* 1987;51:3-19.
- [108] Williamson G, Hall W. X-ray line broadening from filed aluminium and wolfram. *Acta metallurgica* 1953;1:22-31.
- [109] Gao L, Zhou L, Feng J, Bai L, Li C, Liu Z, et al. Stabilization of cubic structure in Mn-doped hafnia. *Ceramics International* 2012;38:2305-11.
- [110] Mendoza-Mendoza E, Quintero-García J, Puente-Urbina B, Rodríguez-Fernández O, García-Cerda L. Synthesis and characterization of Ce-doped HfO<sub>2</sub> nanoparticles in molten chlorides. *Journal of Alloys and Compounds* 2017;692:448-53.
- [111] Matović B, Bučevac D, Prekajski M, Maksimović V, Gautam D, Yoshida K, et al. Synthesis and characterization of nanometric yttrium-doped hafnia solid solutions. *Journal of the European Ceramic Society* 2012;32:1971-6.
- [112] Li P, Chen IW, Penner-Hahn JE. Effect of dopants on zirconia stabilization—an X-ray absorption study: I, trivalent dopants. *Journal of the American Ceramic Society* 1994;77:118-28.
- [113] Osorio-Guillén J, Lany S, Barabash SV, Zunger A. Nonstoichiometry as a source of magnetism in otherwise nonmagnetic oxides: Magnetically interacting cation vacancies and their percolation. *Physical Review B* 2007;75:184421.
- [114] Baik HS, Kim M, Park G-S, Song SA, Varela M, Franceschetti A, et al. Interface structure and non-stoichiometry in HfO<sub>2</sub> dielectrics. *Applied physics letters* 2004;85:672-4.
- [115] Zhang H, Gao B, Yu S, Lai L, Zeng L, Sun B, et al. Effects of ionic doping on the behaviors of oxygen vacancies in HfO<sub>2</sub> and ZrO<sub>2</sub>: A first principles study. *2009 International Conference on Simulation of Semiconductor Processes and Devices: IEEE*; 2009. p. 1-4.
- [116] Singh V, Rai S, Mishra H, Rath C. Stabilization of high temperature hexagonal phase of SrAl<sub>2</sub>O<sub>4</sub> at room temperature: role of ZnO. *Dalton Transactions* 2014;43:5309-16.

- [117] Coey JMD, Venkatesan M, Stamenov P, Fitzgerald C, Dorneles L. Magnetism in hafnium dioxide. *Physical Review B* 2005;72:024450.
- [118] Tirosh E, Markovich G. Control of defects and magnetic properties in colloidal HfO<sub>2</sub> nanorods. *Advanced Materials* 2007;19:2608-12.
- [119] Liu Y, Lockman Z, Aziz A, MacManus-Driscoll J. Size dependent ferromagnetism in cerium oxide (CeO<sub>2</sub>) nanostructures independent of oxygen vacancies. *Journal of Physics: Condensed Matter* 2008;20:165201.
- [120] Gao D, Li J, Li Z, Zhang Z, Zhang J, Shi H, et al. Defect-mediated magnetism in pure CaO nanopowders. *The Journal of Physical Chemistry C* 2010;114:11703-7.
- [121] Mohanty P, Kabiraj D, Mandal R, Kulriya P, Sinha A, Rath C. Evidence of room temperature ferromagnetism in argon/oxygen annealed TiO<sub>2</sub> thin films deposited by electron beam evaporation technique. *Journal of Magnetism and Magnetic Materials* 2014;355:240-5.
- [122] Glinchuk MD, Eliseev EA, Khist VV, Morozovska AN. Ferromagnetism induced by magnetic vacancies as a size effect in thin films of nonmagnetic oxides. *Thin Solid Films* 2013;534:685-92.
- [123] Hong NH, Sakai J, Poirot N, Brizé V. Room-temperature ferromagnetism observed in undoped semiconducting and insulating oxide thin films. *Physical Review B* 2006;73:132404.
- [124] Singh R. Unexpected magnetism in nanomaterials. *Journal of Magnetism and Magnetic Materials* 2013;346:58-73.
- [125] Ran J, Yan Z. Observation of ferromagnetism in highly oxygen-deficient HfO<sub>2</sub> films. *Journal of Semiconductors* 2009;30:102002.
- [126] Zhang Q, Chen G, Yunoki S. Surface ferromagnetism in HfO<sub>2</sub> induced by excess oxygen. *Solid State Communications* 2017;252:33-9.
- [127] Sundaresan A, Bhargavi R, Rangarajan N, Siddu U, Rao C. Ferromagnetism as a universal feature of nanoparticles of the otherwise nonmagnetic oxides. *Physical Review B* 2006;74:161306.
- [128] Mishra D, Mandal BP, Mukherjee R, Naik R, Lawes G, Nadgorny B. Oxygen vacancy enhanced room temperature magnetism in Al-doped MgO nanoparticles. *Applied Physics Letters* 2013;102:182404.
- [129] Wang X, Dai Z, Zeng Z. Search for ferromagnetism in SnO<sub>2</sub> doped with transition metals (V, Mn, Fe, and Co). *Journal of Physics: Condensed Matter* 2008;20:045214.

- [130] Yang G, Gao D, Zhang J, Zhang J, Shi Z, Xue D. Evidence of vacancy-induced room temperature ferromagnetism in amorphous and crystalline Al<sub>2</sub>O<sub>3</sub> nanoparticles. *The Journal of Physical Chemistry C* 2011;115:16814-8.
- [131] Ge M, Wang H, Liu E, Liu J, Jiang J, Li Y, et al. On the origin of ferromagnetism in CeO<sub>2</sub> nanocubes. *Applied Physics Letters* 2008;93:062505.
- [132] Paunović N, Dohčević-Mitrović Z, Scurtu R, Aškrabić S, Prekajski M, Matović B, et al. Suppression of inherent ferromagnetism in Pr-doped CeO<sub>2</sub> nanocrystals. *Nanoscale* 2012;4:5469-76.
- [133] Chen G, Hou Z, Gong X, Li Q. Effects of Y doping on the structural stability and defect properties of cubic HfO<sub>2</sub>. *Journal of Applied Physics* 2008;104:074101.
- [134] Dominiak-Dzik G, Ryba-Romanowski W, Palatnikov M, Sidorov N, Kalinnikov V. Dysprosium-doped LiNbO<sub>3</sub> crystal. Optical properties and effect of temperature on fluorescence dynamics. *Journal of molecular structure* 2004;704:139-44.
- [135] Liu X, Xiang W, Chen F, Hu Z, Zhang W. Synthesis and photoluminescence characteristics of Dy<sup>3+</sup> doped NaY(WO<sub>4</sub>)<sub>2</sub> phosphors. *Materials Research Bulletin* 2013;48:281-5.
- [136] Diaz-Torres L, De la Rosa E, Salas P, Romero V, Angeles-Chavez C. Efficient photoluminescence of Dy<sup>3+</sup> at low concentrations in nanocrystalline ZrO<sub>2</sub>. *Journal of Solid State Chemistry* 2008;181:75-80.
- [137] Gu F, Wang SF, Lü MK, Zhou GJ, Liu SW, Xu D, et al. Effect of Dy<sup>3+</sup> doping and calcination on the luminescence of ZrO<sub>2</sub> nanoparticles. *Chemical physics letters* 2003;380:185-9.
- [138] Shang M, Geng D, Kang X, Yang D, Zhang Y, Lin J. Hydrothermal derived LaOF: Ln<sup>3+</sup> (Ln= Eu, Tb, Sm, Dy, Tm, and/or Ho) nanocrystals with multicolor-tunable emission properties. *Inorganic chemistry* 2012;51:11106-16.
- [139] De la Rosa-Cruz E, Diaz-Torres L, Salas P, Castano V, Hernandez J. Evidence of non-radiative energy transfer from the host to the active ions in monoclinic ZrO<sub>2</sub>: Sm<sup>3+</sup>. *Journal of Physics D: Applied Physics* 2001;34:L83.
- [140] De la Rosa-Cruz E, Diaz-Torres L, Salas P, Rodriguez R, Kumar G, Meneses M, et al. Luminescent properties and energy transfer in ZrO<sub>2</sub>:Sm<sup>3+</sup> nanocrystals. *Journal of applied physics* 2003;94:3509-15.
- [141] Williamson GK, Hall WH. X-ray line broadening from filed aluminium and wolfram. *Acta Metallurgica* 1953;1:22-31.
- [142] Chandana R, Mallick P, Dhananjai P, Sa D, Banerjee A, Mishra NC. Anomalous x-ray diffraction peak broadening and lattice strains in Zn<sub>1-x</sub>Co<sub>x</sub>O dilute magnetic semiconductors. *Journal of Physics: Condensed Matter* 2009;21:075801.

- [143] Gálvez-Barboza S, González LA, Puente-Urbina BA, Saucedo-Salazar EM, García-Cerda LA. Preparation and characterization of Ce-doped HfO<sub>2</sub> nanoparticles. *Journal of Alloys and Compounds* 2015;643:S62-S6.
- [144] Kumar S, Rai SB, Rath C. Multifunctional role of dysprosium in HfO<sub>2</sub>: stabilization of the high temperature cubic phase, and magnetic and photoluminescence properties. *Physical Chemistry Chemical Physics* 2017;19:18957-67.
- [145] Mendoza-Mendoza E, Quintero-García JS, Puente-Urbina BA, Rodríguez-Fernández OS, García-Cerda LA. Synthesis and characterization of Ce-doped HfO<sub>2</sub> nanoparticles in molten chlorides. *Journal of Alloys and Compounds* 2017;692:448-53.
- [146] Lee C-K, Cho E, Lee H-S, Hwang CS, Han S. First-principles study on doping and phase stability of HfO<sub>2</sub>. *Physical Review B* 2008;78:012102.
- [147] Foster AS, Lopez Gejo F, Shluger AL, Nieminen RM. Vacancy and interstitial defects in hafnia. *Physical Review B* 2002;65:174117.
- [148] Sergienko T, Gustavsson B, Brändström U, Axelsson K. Modelling of optical emissions enhanced by the HF pumping of the ionospheric F-region. *Ann Geophys* 2012;30:885-95.
- [149] Ni J, Zhou Q, Li Z, Zhang Z. Oxygen defect induced photoluminescence of HfO<sub>2</sub> thin films. *Applied Physics Letters* 2008;93:011905.
- [150] Gritsenko VA, Islamov DR, Perevalov TV, Aliev VS, Yelisseyev AP, Lomonova EE, et al. Oxygen Vacancy in Hafnia as a Blue Luminescence Center and a Trap of Charge Carriers. *The Journal of Physical Chemistry C* 2016;120:19980-6.
- [151] Ito T, Maeda M, Nakamura K, Kato H, Ohki Y. Similarities in photoluminescence in hafnia and zirconia induced by ultraviolet photons. *Journal of Applied Physics* 2005;97:054104.
- [152] Annapurna K, Dwivedi RN, Kundu P, Buddhudu S. Fluorescence properties of Sm<sup>3+</sup>: ZnCl<sub>2</sub>:BaCl<sub>2</sub>:LiCl glass. *Materials Research Bulletin* 2003;38:429-36.
- [153] Rosa-Cruz EDI, Diaz-Torres LA, Salas P, Rodríguez RA, Kumar GA, Meneses MA, et al. Luminescent properties and energy transfer in ZrO<sub>2</sub>:Sm<sup>3+</sup> nanocrystals. *Journal of Applied Physics* 2003;94:3509-15.
- [154] May PS, Metcalf DH, Richardson FS, Carter RC, Miller CE, Palmer RA. Measurement and analysis of excited-state decay kinetics and chiroptical activity in the <sup>6</sup>H<sub>J</sub> ← <sup>4</sup>G<sub>5/2</sub> transitions of Sm<sup>3+</sup> in trigonal Na<sub>3</sub>[Sm(C<sub>4</sub>H<sub>4</sub>O<sub>5</sub>)<sub>3</sub>].2NaClO<sub>4</sub>.6H<sub>2</sub>O. *Journal of Luminescence* 1992;51:249-68.
- [155] Devlin K, o'Kelly B, Tang ZR, McDonagh C, McGilp JF. A structural study of the sol-gel process by optical fluorescence and decay time spectroscopy. *Journal of non-crystalline solids* 1991;135:8-14.

- [156] Zych E, Wójtowicz M, Dobrowolska A, Kępiński L. Radioluminescence and photoluminescence of hafnia-based Eu-doped phosphors. *Optical Materials* 2009;31:1764-7.
- [157] Assefa Z, Haire RG, Raison PE. Photoluminescence and Raman studies of  $\text{Sm}^{3+}$  and  $\text{Nd}^{3+}$  ions in zirconia matrices: example of energy transfer and host-guest interactions. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy* 2004;60:89-95.
- [158] Jamalaiah BC, Suresh Kumar J, Mohan Babu A, Suhasini T, Rama Moorthy L. Photoluminescence properties of  $\text{Sm}^{3+}$  in LBTAF glasses. *Journal of Luminescence* 2009;129:363-9.
- [159] Nayab Rasool S, Rama Moorthy L, Jayasankar CK. Spectroscopic Investigation of  $\text{Sm}^{3+}$  doped phosphate based glasses for reddish-orange emission. *Optics Communications* 2013;311:156-62.
- [160] Wang SF, Gu F, Lü MK, Yang ZS, Zhou GJ, Zhang HP, et al. Structure evolution and photoluminescence properties of  $\text{ZrO}_2:\text{Eu}^{3+}$  nanocrystals. *Optical Materials* 2006;28:1222-6.
- [161] Rosa-Cruz EDI, Díaz-Torres LA, Salas P, Castaño VM, Hernández JM. Evidence of non-radiative energy transfer from the host to the active ions in monoclinic  $\text{ZrO}_2:\text{Sm}^{3+}$ . *Journal of Physics D: Applied Physics* 2001;34:L83.
- [162] Cullity BD. Elements of x-ray diffraction. Reading, MA: Addison-Wesley Publishing Company, Inc.; 1978.
- [163] Yang L, Li L, Zhao M, Li G. Size-induced variations in bulk/surface structures and their impact on photoluminescence properties of  $\text{GdVO}_4:\text{Eu}^{3+}$  nanoparticles. *Physical Chemistry Chemical Physics* 2012;14:9956-65.
- [164] Perebeinos V, Chan S-W, Zhang F. ‘Madelung model’ prediction for dependence of lattice parameter on nanocrystal size. *Solid state communications* 2002;123:295-7.
- [165] Diehm PM, Ágoston P, Albe K. Size-Dependent Lattice Expansion in Nanoparticles: Reality or Anomaly? *ChemPhysChem* 2012;13:2443-54.
- [166] Dominiak-Dzik G, Ryba-Romanowski W, Palatnikov MN, Sidorov NV, Kalinnikov VT. Dysprosium-doped  $\text{LiNbO}_3$  crystal. Optical properties and effect of temperature on fluorescence dynamics. *Journal of molecular structure* 2004;704:139-44.
- [167] Kumar S, Rai SB, Rath C. Multifunctional role of dysprosium in  $\text{HfO}_2$ : stabilization of the high temperature cubic phase, and magnetic and photoluminescence properties. *Physical Chemistry Chemical Physics* 2017;19:18957-67.
- [168] Diaz-Torres LA, De la Rosa E, Salas P, Romero VH, Angeles-Chavez C. Efficient photoluminescence of  $\text{Dy}^{3+}$  at low concentrations in nanocrystalline  $\text{ZrO}_2$ . *Journal of Solid State Chemistry* 2008;181:75-80.

- [169] Kumar S, Rai SB, Rath C. Monoclinic to cubic phase transformation and photoluminescence properties in  $\text{Hf}_{1-x}\text{Sm}_x\text{O}_2$  ( $x=0-0.12$ ) nanoparticles. *Journal of Applied Physics* 2018;123:055108.
- [170] Annapurna K, Dwivedi RN, Kundu P, Buddhudu S. Fluorescence properties of  $\text{Sm}^{3+}$ :  $\text{ZnCl}_2$ :  $\text{BaCl}_2$ :  $\text{LiCl}$  glass. *Materials research bulletin* 2003;38:429-36.
- [171] Foster AS, Gejo FL, Shluger AL, Nieminen RM. Vacancy and interstitial defects in hafnia. *Physical Review B* 2002;65:174117.
- [172] Villabona-Leal EG, Diaz-Torres LA, Desirena H, Rodríguez-López JL, Pérez E, Meza O. Luminescence and energy transfer properties of  $\text{Eu}^{3+}$  and  $\text{Gd}^{3+}$  in  $\text{ZrO}_2$ . *Journal of Luminescence* 2014;146:398-403.
- [173] May PS, Metcalf DH, Richardson FS, Carter RC, Miller CE, Palmer RA. Measurement and analysis of excited-state decay kinetics and chiroptical activity in the  $^6\text{H}_J \leftarrow ^4\text{G}_{5/2}$  transitions of  $\text{Sm}^{3+}$  in trigonal  $\text{Na}_3[\text{Sm}(\text{C}_4\text{H}_4\text{O}_5)_3].2\text{NaClO}_4.6\text{H}_2\text{O}$ . *Journal of luminescence* 1992;51:249-68.
- [174] De la Rosa-Cruz E, Diaz-Torres LA, Salas P, Rodriguez RA, Kumar GA, Meneses MA, et al. Luminescent properties and energy transfer in  $\text{ZrO}_2:\text{Sm}^{3+}$  nanocrystals. *Journal of applied physics* 2003;94:3509-15.
- [175] Jia G, Song Y, Yang M, Huang Y, Zhang L, You H. Uniform  $\text{YVO}_4$ :  $\text{Ln}^{3+}$  ( $\text{Ln}=\text{Eu}, \text{Dy}$ , and  $\text{Sm}$ ) nanocrystals: solvothermal synthesis and luminescence properties. *Optical materials* 2009;31:1032-7.
- [176] Phaomei G, Singh WR, Ningthoujam RS. Solvent effect in monoclinic to hexagonal phase transformation in  $\text{LaPO}_4$ : RE (RE=  $\text{Dy}^{3+}$ ,  $\text{Sm}^{3+}$ ) nanoparticles: photoluminescence study. *Journal of Luminescence* 2011;131:1164-71.
- [177] Báez-Rodríguez A, Albarrán-Arreguín D, García-Velasco AC, Álvarez-Fregoso O, García-Hipólito M, Álvarez-Pérez MA, et al. White and yellow light emission from  $\text{ZrO}_2$ : Dy<sup>3+</sup> nanocrystals synthesized by a facile chemical technique. *Journal of Materials Science: Materials in Electronics* 2018;29:15502-11.
- [178] Martínez-Martínez R, Lira AC, Speghini A, Falcony C, Caldiño U. Blue-yellow photoluminescence from  $\text{Ce}^{3+} \rightarrow \text{Dy}^{3+}$  energy transfer in  $\text{HfO}_2:\text{Ce}^{3+}$ :  $\text{Dy}^{3+}$  films deposited by ultrasonic spray pyrolysis. *Journal of Alloys and Compounds* 2011;509:3160-5.
- [179] Zhou H, Wang Q, Jin Y. Temperature dependence of energy transfer in tunable white light-emitting phosphor  $\text{BaY}_2\text{Si}_3\text{O}_{10}$ :  $\text{Bi}^{3+}$ ,  $\text{Eu}^{3+}$  for near UV LEDs. *Journal of Materials Chemistry C* 2015;3:11151-62.
- [180] Blasse G. Energy transfer in oxidic phosphors. *Physics Letters A* 1968;28:444-5.
- [181] Thomas GL. The physics of fingerprints and their detection. *Journal of Physics E: Scientific Instruments* 1978;11:722.

- [182] Saif M, Shebl M, Nabeel AI, Shokry R, Hafez H, Mbarek A, et al. Novel non-toxic and red luminescent sensor based on Eu<sup>3+</sup>: Y<sub>2</sub>Ti<sub>2</sub>O<sub>7</sub>/SiO<sub>2</sub> nano-powder for latent fingerprint detection. Sensors and Actuators B: Chemical 2015;220:162-70.
- [183] Seah LK, Dinish US, Phang WF, Chao ZX, Murukeshan VM. Fluorescence optimisation and lifetime studies of fingerprints treated with magnetic powders. Forensic science international 2005;152:249-57.
- [184] Li Z, Wang Q, Wang Y, Ma Q, Wang J, Li Z, et al. Background-free latent fingerprint imaging based on nanocrystals with long-lived luminescence and pH-guided recognition. Nano Research 2018;11:6167-76.
- [185] Wilshire B. Advances in fingerprint detection. Endeavour 1996;20:12-5.
- [186] Sodhi GS, Kaur J. Powder method for detecting latent fingerprints: a review. Forensic science international 2001;120:172-6.
- [187] Zhang D, Liu F, Zhao Q, Lu G, Luo N. Selecting a reference high resolution for fingerprint recognition using minutiae and pores. IEEE Transactions on Instrumentation and Measurement 2011;60:863-71.
- [188] Li Y, Xu C, Shu C, Hou X, Wu P. Simultaneous extraction of level 2 and level 3 characteristics from latent fingerprints imaged with quantum dots for improved fingerprint analysis. Chinese Chemical Letters 2017;28:1961-4.
- [189] Kumar S, Rai S, Rath C. Monoclinic to cubic phase transformation and photoluminescence properties in Hf<sub>1-x</sub>Sm<sub>x</sub>O<sub>2</sub> (x= 0–0.12) nanoparticles. Journal of Applied Physics 2018;123:055108.
- [190] Kumar S, Rai S, Rath C. Multifunctional role of dysprosium in HfO<sub>2</sub>: stabilization of the high temperature cubic phase, and magnetic and photoluminescence properties. Physical Chemistry Chemical Physics 2017;19:18957-67.
- [191] Long B, Li Y, Mandal S, Jha R, Leedy K. Switching dynamics and charge transport studies of resistive random access memory devices. Applied Physics Letters 2012;101:113503.
- [192] Yu S, Guan X, Wong H-SP. Conduction mechanism of TiN/HfO<sub>x</sub>/Pt resistive switching memory: A trap-assisted-tunneling model. Applied Physics Letters 2011;99:063507.
- [193] Soo Lee M, Choi S, An C-H, Kim H. Resistive switching characteristics of solution-deposited Gd, Dy, and Ce-doped ZrO<sub>2</sub> films. Applied Physics Letters 2012;100:143504.
- [194] Cao X, Li X, Gao X, Yu W, Liu X, Zhang Y, et al. Forming-free colossal resistive switching effect in rare-earth-oxide Gd<sub>2</sub>O<sub>3</sub> films for memristor applications. Journal of Applied Physics 2009;106:073723.

[195] Hua P, Ning D. A Forming-Free Bipolar Resistive Switching in  $\text{HfO}_x$ -Based Memory with a Thin Ti Cap. Chinese Physics Letters 2014;31:107303.