

## Contents

	<b>Preface</b>	<b>i-iii</b>
	<b>Contents</b>	<b>iv-v</b>
	<b>List of figures</b>	<b>vi-x</b>
	<b>List of tables</b>	<b>xi</b>
	<b>List of abbreviations</b>	<b>xii</b>
<b>Chapter 1</b>	<b>Introduction</b>	<b>1-18</b>
1.1	Background	1-3
1.2	Relevance of external electric field	3-4
1.3	Model materials	4-6
1.4	Objectives of the dissertation	6-7
1.5	Outline of the dissertation	7-8
	References	10-18
<b>Chapter 2</b>	<b>Literature Review</b>	<b>19-85</b>
2.1	<b>Bone as an electrically active tissue</b>	<b>19-26</b>
2.1.1	Bone biology	19-21
2.1.2	Bone bioelectricity	21-26
2.1.2.1	Piezoelectricity in bone	23-24
2.1.2.2	Pyroelectricity in bone	24-25
2.1.2.3	Ferroelectricity and electret nature of bone	25-26
2.2	<b>Introduction to the modelling of electrical equivalent of a generalized living cell</b>	<b>27-31</b>
2.3	<b>Hydroxyapatite</b>	<b>31-56</b>
2.3.1	HA as an electret	34-37
2.3.2	Origin of electrical nature of HA	37-39
2.3.3	Mechanism of polarization and depolarization in HA	39-43
2.3.4	Ferroelectricity in HA	43-50
2.3.5	Coupling of electro-active response and biocompatibility of HA	50-56
2.4	<b>Human hard tissue as a functionally graded structure</b>	<b>56-60</b>
2.4.1	Need for FGM in prosthetic implant	57-60
2.5	<b>Summary</b>	<b>61</b>
	<b>References</b>	<b>62-85</b>
<b>Chapter 3</b>	<b>Electro-active response of living cell</b>	<b>86-125</b>
3.1	<b>Introduction</b>	<b>86-89</b>
3.2	<b>Model description</b>	<b>89-93</b>
3.3	<b>Analytical computation and discussion</b>	<b>93-96</b>
3.3.1	Model implications	96-100
3.3.2	Evaluation of the E-field, necessary to electroporate the cell	100-108
3.3.3	Evaluation of time constant by considering nuclear membrane as leaky dielectric	109-112
3.3.4	Current and voltage, induced across the cell and nuclear	112-117

	membranes	
<b>3.4</b>	<b>Summary</b>	<b>117-118</b>
	<b>References</b>	<b>119-125</b>
<b>Chapter 4</b>	<b>Electroactive response of electrovector and ferroelectric ceramics</b>	<b>126-182</b>
<b>4.1</b>	<b>Material preparation</b>	<b>126-130</b>
4.1.1	Materials	126-128
4.1.2	Synthesis	128-130
<b>4.2</b>	<b>Phase evaluation and morphological characterization</b>	<b>130</b>
<b>4.3</b>	<b>Dielectric measurement</b>	<b>130-131</b>
<b>4.4</b>	<b>Thermally stimulated depolarization current (TSDC) measurement</b>	<b>131-136</b>
<b>4.5</b>	<b>X-ray photoelectron spectroscopy (XPS) analyses</b>	<b>137</b>
<b>4.6</b>	<b>Results and discussion</b>	<b>137-170</b>
4.6.1	Phase analyses and microstructure	137-139
4.6.2	TSDC characteristics of HA	140-153
4.6.3	Dielectric and ac conductivity behaviour of HA	153-157
4.6.4	Influence of polarization on the surface chemistry of HA	157-160
4.6.5	TSDC, dielectric and ac conductivity behaviour of NKN	160-166
4.6.6	TSDC, dielectric and ac conductivity behaviour of HA - 25 vol % NKN composite	166-170
<b>4.7</b>	<b>Summary</b>	<b>170</b>
	<b>References</b>	<b>171-182</b>
<b>Chapter 5</b>	<b>Hydroxyapatite based Functionally Graded Materials</b>	<b>183-212</b>
<b>5.1</b>	<b>Functionally graded materials for orthopaedic applications</b>	<b>183-185</b>
<b>5.2</b>	<b>Experimental details</b>	<b>185-187</b>
5.2.1	Synthesis	185-186
5.2.2	Phase evaluation and microstructural characterization	186
5.2.3	Dielectric and electrical characterization	187
<b>5.3</b>	<b>Results and discussion</b>	<b>187-205</b>
5.3.1	Phase evolution and microstructural analyses	187-192
5.3.2	Dielectric behaviour of HA and FGMs	192-196
5.3.3	AC conductivity behaviour of HA and FGMs	196-201
5.3.4	Impedance analysis	201-205
<b>5.4</b>	<b>Summary</b>	<b>205-206</b>
	<b>References</b>	<b>207-212</b>
<b>Chapter 6</b>	<b>Conclusions and Future Scope</b>	<b>212-217</b>
<b>6.1</b>	<b>Conclusion</b>	<b>212-216</b>
<b>6.2</b>	<b>Future Scope</b>	<b>217</b>
	<b>List of Publications</b>	<b>218</b>