

# References

- [1] A. Bagnall, J. Lines, A. Bostrom, J. Large, and E. Keogh, “The great time series classification bake off: a review and experimental evaluation of recent algorithmic advances,” *Data Mining and Knowledge Discovery*, 2017, vol. 31, no. 3, pp. 606–660.
- [2] P. Esling and C. Agon, “Time-series data mining,” *ACM Computing Surveys*, 2012, vol. 45, no. 1, pp. 1–34.
- [3] G. Chen, G. Lu, W. Shang, and Z. Xie, “Automated change-point detection of eeg signals based on structural time-series analysis,” *IEEE Access*, 2019, vol. 7, pp. 180 168–180 180.
- [4] B. Liu, J. Li, C. Chen, W. Tan, Q. Chen, and M. Zhou, “Efficient motif discovery for large-scale time series in healthcare,” *IEEE Transactions on Industrial Informatics*, 2015, vol. 11, no. 3, pp. 583–590.
- [5] G. He, Y. Duan, G. Zhou, and L. Wang, “Early classification on multivariate time series with core features,” in *Proc. DEXA*, 2014, pp. 410–422.
- [6] S. M. Idrees, M. A. Alam, and P. Agarwal, “A prediction approach for stock market volatility based on time series data,” *IEEE Access*, 2019, vol. 7, pp. 17 287–17 298.
- [7] J. Yin, Y.-W. Si, and Z. Gong, “Financial time series segmentation based on turning points,” in *Proc. ICSSE*, 2011, pp. 394–399.
- [8] W. Pei, H. Dibeklioglu, D. M. Tax, and L. van der Maaten, “Multivariate time-series classification using the hidden-unit logistic model,” *IEEE transactions on neural networks and learning systems*, 2017, vol. 29, no. 4, pp. 920–931.
- [9] P. Esling and C. Agon, “Multiobjective time series matching for audio classification and retrieval,” *IEEE Transactions on Audio, Speech, and Language Processing*, 2013, vol. 21, no. 10, pp. 2057–2072.

- [10] S. Aminikhanghahi, T. Wang, and D. J. Cook, “Real-time change point detection with application to smart home time series data,” *IEEE Transactions on Knowledge and Data Engineering*, 2019, vol. 31, no. 5, pp. 1010–1023.
- [11] R. H. Shumway and D. S. Stoffer, *Time series analysis and its applications: with R examples*. Springer, 2017.
- [12] A. Bagnall, J. Lines, W. Vickers, and E. Keogh, “The UEA & UCR Time Series Classification Repository,” 2020. [Online]. Available: [www.timeseriesclassification.com](http://www.timeseriesclassification.com)
- [13] D. Dheeru and E. Karra Taniskidou, “UCI machine learning repository,” 2020. [Online]. Available: <http://archive.ics.uci.edu/ml>
- [14] A. Sharabiani, H. Darabi, A. Rezaei, S. Harford, H. Johnson, and F. Karim, “Efficient classification of long time series by 3-d dynamic time warping,” *IEEE Transactions on Systems, Man, and Cybernetics: Systems*, 2017, vol. 47, no. 10, pp. 2688–2703.
- [15] N. Hatami and C. Chira, “Classifiers with a reject option for early time-series classification,” in *Proc. CIEL*, 2013, pp. 9–16.
- [16] K. Fauvel, D. Balouek-Thomert, D. Melgar, P. Silva, A. Simonet, G. Antoniu, A. Costan, V. Masson, M. Parashar, I. Rodero, and A. Termier, “A distributed multi-sensor machine learning approach to earthquake early warning,” in *Proc. AAAI*, 2020.
- [17] A. Dachraoui, A. Bondu, and A. Cornuejols, “Early classification of individual electricity consumptions,” *Real-World Challenges for Data Stream Mining*, 2013, pp. 18–21.
- [18] Z. Xing, J. Pei, G. Dong, and P. S. Yu, “Mining sequence classifiers for early prediction,” in *Proc. SIAM*, 2008, pp. 644–655.
- [19] Z. Xing, J. Pei, and P. S. Yu, “Early prediction on time series: A nearest neighbor approach,” in *Proc. IJCAI*, 2009, pp. 1297–1302.
- [20] Z. Xing, J. Pei, P. S. Yu, and K. Wang, “Extracting interpretable features for early classification on time series,” in *Proc. SIAM*, 2011, pp. 247–258.

- 
- [21] W. Sousa Lima, H. de Souza Bragança, K. Montero Quispe, and E. Pereira Souto, “Human activity recognition based on symbolic representation algorithms for inertial sensors,” *Sensors*, 2018, vol. 18, no. 11, pp. 4045–4069.
- [22] K. Li, S. Li, and Y. Fu, “Early classification of ongoing observation,” in *Proc. ICDM*, 2014, pp. 310–319.
- [23] G. He, Y. Duan, T. Qian, and X. Chen, “Early prediction on imbalanced multivariate time series,” in *Proc. CIKM*, 2013, pp. 1889–1892.
- [24] C.-L. Liu, W.-H. Hsaio, and Y.-C. Tu, “Time series classification with multivariate convolutional neural network,” *IEEE Transactions on Industrial Electronics*, 2018, vol. 66, no. 6, pp. 4788–4797.
- [25] U. Mori, A. Mendiburu, S. Dasgupta, and J. A. Lozano, “Early classification of time series by simultaneously optimizing the accuracy and earliness,” *IEEE transactions on neural networks and learning systems*, 2017, vol. 29, no. 10, pp. 4569–4578.
- [26] M. F. Ghalwash and Z. Obradovic, “Early classification of multivariate temporal observations by extraction of interpretable shapelets,” *BMC bioinformatics*, 2012, vol. 13, no. 1, p. 195.
- [27] M. F. Ghalwash, D. Ramljak, and Z. Obradović, “Patient-specific early classification of multivariate observations,” *International journal of data mining and bioinformatics*, 2015, vol. 11, no. 4, pp. 392–411.
- [28] C. Ma, X. Weng, and Z. Shan, “Early classification of multivariate time series based on piecewise aggregate approximation,” in *Proc. HIS*, 2017, pp. 81–88.
- [29] S. Li, K. Li, and Y. Fu, “Early recognition of 3d human actions,” *ACM Transactions on Multimedia Computing, Communications, and Applications*, 2018, vol. 14, no. 1s, pp. 1–21.
- [30] M. F. Ghalwash, D. Ramljak, and Z. Obradović, “Early classification of multivariate time series using a hybrid hmm/svm model,” in *Proc. BIBM*, 2012, pp. 1–6.
- [31] Y.-F. Lin, H.-H. Chen, V. S. Tseng, and J. Pei, “Reliable early classification on multivariate time series with numerical and categorical attributes,” in *Proc. PAKDD*, 2015, pp. 199–211.

- [32] H.-S. Huang, C.-L. Liu, and V. S. Tseng, "Multivariate time series early classification using multi-domain deep neural network," in *Proc. DSAA*, 2018, pp. 90–98.
- [33] L. Zhao, H. Liang, D. Yu, X. Wang, and G. Zhao, "Asynchronous multivariate time series early prediction for icu transfer," in *Proc. ICIMH*, 2019, pp. 17–22.
- [34] G. He, W. Zhao, and X. Xia, "Confidence-based early classification of multivariate time series with multiple interpretable rules," *Pattern Analysis and Applications*, 2019, pp. 1–14.
- [35] V. S. Tseng, H.-S. Huang, C.-W. Huang, P.-F. Wang, and C.-F. Li, "Early classification of multivariate time series on distributed and in-memory platforms," in *Proc. PAKDD*, 2017, pp. 3–14.
- [36] A. Yazidi, B. J. Oommen, and M. Goodwin, "On solving the problem of identifying unreliable sensors without a knowledge of the ground truth: The case of stochastic environments," *IEEE transactions on Cybernetics*, 2017, vol. 47, no. 7, pp. 1604–1617.
- [37] H. Ghasemzadeh, P. Panuccio, S. Trovato, G. Fortino, and R. Jafari, "Power-aware activity monitoring using distributed wearable sensors," *IEEE Transactions on Human-Machine Systems*, 2014, vol. 44, no. 4, pp. 537–544.
- [38] M. Palatucci, D. Pomerleau, G. E. Hinton, and T. M. Mitchell, "Zero-shot learning with semantic output codes," in *Proc. NIPS*, 2009, pp. 1410–1418.
- [39] W. Jiang, Z. Zhang, F. Li, L. Zhang, M. Zhao, and X. Jin, "Joint label consistent dictionary learning and adaptive label prediction for semisupervised machine fault classification," *IEEE Transactions on Industrial Informatics*, 2015, vol. 12, no. 1, pp. 248–256.
- [40] O. Janssens, M. Loccufier, and S. Van Hoecke, "Thermal imaging and vibration-based multisensor fault detection for rotating machinery," *IEEE Transactions on Industrial Informatics*, 2019, vol. 15, no. 1, pp. 434–444.
- [41] M. F. Ghalwash, V. Radosavljevic, and Z. Obradovic, "Extraction of interpretable multivariate patterns for early diagnostics," in *Proc. ICDM*, 2013, pp. 201–210.
- [42] C. E. Rasmussen and C. Williams, *Gaussian Processes for Machine Learning*. Cambridge, MA, USA: MIT Press, 2006.

- 
- [43] G. Ahn, H. Lee, J. Park, and S. Hur, “Development of indicator of data sufficiency for feature-based early time series classification with applications of bearing fault diagnosis,” *Processes*, 2020, vol. 8, no. 7, p. 790.
- [44] C. J. Alonso González and J. J. R. Díez, “Boosting interval-based literals: Variable length and early classification,” in *Data mining in time series databases*, 2004, pp. 149–171.
- [45] R. Tavenard and S. Malinowski, “Cost-aware early classification of time series,” in *Proc. ECML PKDD*, 2016, pp. 632–647.
- [46] Z. Xing, J. Pei, and S. Y. Philip, “Early classification on time series,” *Knowledge and information systems*, 2012, vol. 31, no. 1, pp. 105–127.
- [47] U. Mori, A. Mendiburu, E. Keogh, and J. A. Lozano, “Reliable early classification of time series based on discriminating the classes over time,” *Data mining and knowledge discovery*, 2017, vol. 31, no. 1, pp. 233–263.
- [48] M. F. Ghalwash, V. Radosavljevic, and Z. Obradovic, “Utilizing temporal patterns for estimating uncertainty in interpretable early decision making,” in *Proc. SIGKDD*, 2014, pp. 402–411.
- [49] G. He, Y. Duan, R. Peng, X. Jing, T. Qian, and L. Wang, “Early classification on multivariate time series,” *Neurocomputing*, 2015, vol. 149, pp. 777–787.
- [50] W. Wang, C. Chen, W. Wang, P. Rai, and L. Carin, “Earliness-aware deep convolutional networks for early time series classification,” *arXiv preprint arXiv:1611.04578*, 2016.
- [51] L. Yao, Y. Li, Y. Li, H. Zhang, M. Huai, J. Gao, and A. Zhang, “Dtec: Distance transformation based early time series classification,” in *Proc. SIAM*, 2019, pp. 486–494.
- [52] H. S. Anderson, N. Parrish, K. Tsukida, and M. R. Gupta, “Reliable early classification of time series,” in *Proc. ICASSP*, 2012, pp. 2073–2076.
- [53] A. Dachraoui, A. Bondu, and A. Cornuéjols, “Early classification of time series as a non myopic sequential decision making problem,” in *Proc. ECML PKDD*, 2015, pp. 433–447.

- [54] A. Antonucci, M. Scanagatta, D. D. Mauá, and C. P. de Campos, “Early classification of time series by hidden markov models with set-valued parameters,” in *Proc. NIPS Workshop*, 2015.
- [55] J. Lv, X. Hu, L. Li, and P. Li, “An effective confidence-based early classification of time series,” *IEEE Access*, 2019, vol. 7, pp. 96 113–96 124.
- [56] U. Mori, A. Mendiburu, I. M. Miranda, and J. A. Lozano, “Early classification of time series using multi-objective optimization techniques,” *Information Sciences*, 2019, vol. 492, pp. 204–218.
- [57] A. Sharma and S. K. Singh, “Early classification of time series based on uncertainty measure,” in *Proc. CICT*, 2019, pp. 1–6.
- [58] M. Rußwurm, S. Lefevre, N. Courty, R. Emonet, M. Körner, and R. Tavenard, “End-to-end learning for early classification of time series,” *arXiv preprint arXiv:1901.10681*, 2019.
- [59] C. Martinez, G. Perrin, E. Ramasso, and M. Rombaut, “A deep reinforcement learning approach for early classification of time series,” in *Proc. EUSIPCO*, 2018, pp. 2030–2034.
- [60] C. Martinez, E. Ramasso, G. Perrin, and M. Rombaut, “Adaptive early classification of temporal sequences using deep reinforcement learning,” *Knowledge-Based Systems*, 2020, vol. 190, p. 105290.
- [61] C. Ding and X. He, “Cluster aggregate inequality and multi-level hierarchical clustering,” in *Proc. ECML PKDD*, 2005, pp. 71–83.
- [62] E. Keogh, K. Chakrabarti, M. Pazzani, and S. Mehrotra, “Dimensionality reduction for fast similarity search in large time series databases,” *Knowledge and Information Systems*, 2001, vol. 3, no. 3, pp. 263–286.
- [63] H. Li, “Piecewise aggregate representations and lower-bound distance functions for multivariate time series,” *Physica A: Statistical Mechanics and its Applications*, 2015, vol. 427, pp. 10–25.
- [64] L. Ye and E. Keogh, “Time series shapelets: a new primitive for data mining,” in *Proc. SIGKDD*, 2009, pp. 947–956.
- [65] M. D. Marzio and C. C. Taylor, “Kernel density classification and boosting: an l2 analysis,” *Statistics and Computing*, 2005, vol. 15, no. 2, pp. 113–123.

- 
- [66] A. Papoulis and S. U. Pillai, *Probability, random variables, and stochastic processes*. Tata McGraw-Hill Education, 2002.
- [67] H. S. Anderson, N. Parrish, and M. R. Gupta, “Early time series classification with reliability guarantee.” Sandia National Lab.(SNL-NM), Albuquerque, NM (United States), Tech. Rep., 2012.
- [68] S. Srivastava, M. R. Gupta, and B. A. Frigiyik, “Bayesian quadratic discriminant analysis,” *Journal of Machine Learning Research*, 2007, vol. 8, no. Jun, pp. 1277–1305.
- [69] S. Ando and E. Suzuki, “Minimizing response time in time series classification,” *Knowledge and Information Systems*, 2016, vol. 46, no. 2, pp. 449–476.
- [70] V. Mnih, K. Kavukcuoglu, D. Silver, A. A. Rusu, J. Veness, M. G. Bellemare, A. Graves, M. Riedmiller, A. K. Fidjeland, G. Ostrovski *et al.*, “Human-level control through deep reinforcement learning,” *Nature*, 2015, vol. 518, no. 7540, pp. 529–533.
- [71] M. Fazeen, B. Gozick, R. Dantu, M. Bhukhiya, and M. C. Gonzalez, “Safe driving using mobile phones,” *IEEE Transactions on Intelligent Transportation Systems*, 2012, vol. 13, no. 3, pp. 1462–1468.
- [72] I. Tang and T. P. Breckon, “Automatic road environment classification,” *IEEE Transactions on Intelligent Transportation Systems*, 2011, vol. 12, no. 2, pp. 476–484.
- [73] A. Abadi, T. Rajabioun, and P. A. Ioannou, “Traffic flow prediction for road transportation networks with limited traffic data,” *IEEE Transactions on Intelligent Transportation Systems*, 2015, vol. 16, no. 2, pp. 653–662.
- [74] L. R. Rabiner, “A tutorial on hidden markov models and selected applications in speech recognition,” *Proc. IEEE*, 1989, vol. 77, no. 2, pp. 257–286.
- [75] G. D. Forney, “The viterbi algorithm,” *Proceedings of IEEE*, 1973, vol. 61, no. 3, pp. 268–278.
- [76] S. Garca, J. Luengo, and F. Herrera, *Data Preprocessing in Data Mining*. Springer Publishing Company, Incorporated, 2014.

- [77] T. Chakraborty, A. U. Nambi, R. Chandra, R. Sharma, M. Swaminathan, Z. Kapetanovic, and J. Appavoo, “Fall-curve: A novel primitive for iot fault detection and isolation,” in *Proc. SenSys*, 2018, pp. 95–107.
- [78] Fitbit, 2020. [Online]. Available: <https://www.fitbit.com/>
- [79] Biostrap, 2020. [Online]. Available: <https://www.biostrap.com/>
- [80] E.-Y. Hsu, C.-L. Liu, and V. S. Tseng, “Multivariate time series early classification with interpretability using deep learning and attention mechanism,” in *Proc. PAKDD*, 2019, pp. 541–553.
- [81] K. H. Rosen, *Discrete mathematics and its applications*. New York: McGraw-Hill, 2011.
- [82] K. Yunus, T. Thiringer, and P. Chen, “Arima-based frequency-decomposed modeling of wind speed time series,” *IEEE Transactions on Power Systems*, 2016, vol. 31, no. 4, pp. 2546–2556.
- [83] G. E. Box, G. M. Jenkins, G. C. Reinsel, and G. M. Ljung, *Time series analysis: forecasting and control*. John Wiley & Sons, 2015.
- [84] D. W. Scott, *Multivariate density estimation: theory, practice, and visualization*. John Wiley & Sons, 2015.
- [85] S. Salvador and P. Chan, “Toward accurate dynamic time warping in linear time and space,” *Intelligent Data Analysis*, 2007, vol. 11, no. 5, pp. 561–580.
- [86] H. P. Gupta, H. S. Chudgar, S. Mukherjee, T. Dutta, and K. Sharma, “A continuous hand gestures recognition technique for human-machine interaction using accelerometer and gyroscope sensors,” *IEEE Sensors Journal*, 2016, vol. 16, no. 16, pp. 6425–6432.
- [87] A. Shahroudy, J. Liu, T.-T. Ng, and G. Wang, “Ntu rgb+d: A large scale dataset for 3d human activity analysis,” in *Proc. CVPR*, 2016, pp. 1010–1019.
- [88] A. Stisen, H. Blunck, S. Bhattacharya, T. S. Prentow, M. B. Kjærgaard, A. Dey, T. Sonne, and M. M. Jensen, “Smart devices are different: Assessing and mitigating mobile sensing heterogeneities for activity recognition,” in *Proc. SenSys*, 2015, pp. 127–140.



- 
- [89] Y. Zhang, Y. Xu, Z. Y. Dong, Z. Xu, and K. P. Wong, “Intelligent early warning of power system dynamic insecurity risk: Toward optimal accuracy-earliness tradeoff,” *IEEE Transactions on Industrial Informatics*, 2017, vol. 13, no. 5, pp. 2544–2554.
- [90] H.-T. Cheng, F.-T. Sun, M. Griss, P. Davis, J. Li, and D. You, “Nuactiv: Recognizing unseen new activities using semantic attribute-based learning,” in *Proc. MobiSys*, 2013, pp. 361–374.
- [91] L. Zhang, T. Xiang, and S. Gong, “Learning a deep embedding model for zero-shot learning,” in *Proc. CVPR*, 2017, pp. 2021–2030.
- [92] X. Wang, A. Mueen, H. Ding, G. Trajcevski, P. Scheuermann, and E. Keogh, “Experimental comparison of representation methods and distance measures for time series data,” *Data Mining and Knowledge Discovery*, 2013, vol. 26, no. 2, pp. 275–309.
- [93] I. Goodfellow, Y. Bengio, and A. Courville, *Deep learning*. MIT press, 2016.
- [94] N. Helwig, E. Pignanelli, and A. Schütze, “Condition monitoring of a complex hydraulic system using multivariate statistics,” in *Proc. I2MTC*, 2015, pp. 210–215.
- [95] J. Fonollosa, I. Rodríguez-Luján, M. Trincavelli, A. Vergara, and R. Huerta, “Chemical discrimination in turbulent gas mixtures with mox sensors validated by gas chromatography-mass spectrometry,” *Sensors*, 2014, vol. 14, no. 10, pp. 19 336–19 353.