List of Tables

Table 3.1 Corrosion parameters for mild steel in 1M HCl in absence and presence ofdifferent concentrations of AM extract obtained from gravimetric method (weight lossmeasurements) at 27±1°C for 5 hrs(Page No. 56)

Table 3.2 Activation parameters for mild steel in 1 M HCl without and with differentconcentrations of AMLE(Page No. 62)

Table 3.3 Potentiodynamic polarization parameters for mild steel without and withdifferent concentrations of AM extract in 1M HCl solution(Page No. 66)

Table 3.4 Parameters obtained from polarization curves at different concentration ofinhibitor for 0.5 M sulfuric acid(Page No. 67)

Table 3.5 Impedance parameters for mild steel in 1.0 M HCl in absence and presence ofdifferent concentrations of AM Extract(Page No. 70)

Table 3.6 Nyquist plots obtained for mild steel in 0.5 M sulfuric acid with differentconcentration of inhibitor(Page No. 71)

Table 4.1 Various parameters obtained from straight lines drawn between C/ θ and C (Page No. 83)

Table 4.2 Activation parameters for mild steel in 1 M HCl without and with differentconcentrations of CBRE(Page No. 89)

Table 4.3 Tafel polarization parameters obtained at different concentration of inhibitorfor 1 M HCl and 0.5 M H2SO4 at RT(Page No. 91)

Table 4.4 Impedance parameters for mild steel in 1 M HCl and 0.5 M H₂SO₄ in absenceand presence of different concentrations of inhibitor at RT(Page No. 95)

Table 5.1 Corrosion rate and inhibition efficiency values for mild steel in 0.5 H_2SO_4 obtained by weight loss method at $26 \pm 1^{\circ}C$ (Page No. 108)

Table 5.2 Activation parameters for mild steel in 1 M HCl without and with differentconcentrations of CBRE(Page No. 116)

Table 5.3 Tafel parameters of mild steel corrosion in 1 M HCl with differentconcentration of inhibitor at RT(Page No. 118)

Table 5.4 Tafel parameters of mild steel corrosion in $0.5 \text{ M H}_2\text{SO}_4$ with differentconcentration of inhibitor at RT(Page No. 120)

Table 5.5 Technical Parameters obtained from Nyquist Plots at different concentration ofinhibitor for mild steel in 1 M HCl at RT.(Page No. 124)

Table 5.6 Corrosion parameters obtained from Nyquist Plots for mild steel in 0.5 M H_2SO_4 with different concentration of the extracts at RT(Page No. 126)

Table 6.1 A comparison of the inhibitive effects of studied extracts(Page No. 134)