

REFERENCES

- Ahart**, M., Somayazulu, M., Cohen, R. E., Ganesh, P., Dera, P., Mao, H. k., Hemley, R. J., Ren, Yang, Liermann, P. and Wu, Z., Origin of morphotropic phase boundaries in ferroelectrics, *Nature* 451, 545, **2008**.
- Alguero**, M., Ramos, P., Jimenez, R., Amorin, H., Vila, E., Castro, A., High temperature piezoelectric $\text{BiScO}_3\text{-PbTiO}_3$ synthesized by mechanochemical methods, *Acta Mater.* 60, 1174-1183, **2012**.
- Anderson**, P.W., “Fizika dielectrikov”, ed. G.I. Skanavi, Acad. Nauk, USSR, Moscow, p. 90, **1960**.
- Bell**, A. J., Phenomenologically derived electric field-temperature phase diagrams and piezoelectric coefficients for single crystal barium titanate under fields along different axes, *J. Appl. Phys.* 89, 3907, **2001**.
- Bellaiche**, L., Garcia, A. and Vanderbilt, D., Finite-Temperature Properties of $\text{Pb}(\text{Zr}_{1-x}\text{Ti}_x)\text{O}_3$ Alloys from First Principles, *Phys. Rev. Lett.* 84, 5427, **2000**.
- Bhattacharjee**, S., Tripathi, S. and Pandey, D., Morphotropic phase boundary in $(1-x)\text{BiFeO}_3\text{-xPbTiO}_3$: Phase coexistence region and unusually large tetragonality, *Appl. Phys. Lett.* 91, 042903, **2007**.
- Binder**, K. and Young, A. P., Spin glasses: Experimental facts, theoretical concepts, and open questions, *Rev. Mod. Phys.* 58, 801, **1986**.
- Blinc**, R. and Zeks, B., Soft Modes in Ferroelectrics and Antiferroelectrics, North Holland Publishing Co.-Amsterdam, Oxford, **1974**.
- Bokov**, A. A. and Ye, Z. G., Recent progress in relaxor ferroelectrics with perovskite structure, *J. Mater. Sci.* 41, 31-52, **2006**.
- Burns**, G.; Dacol, F., Crystalline ferroelectrics with glassy polarization behaviour, *Phys. Rev. B* 28, 2527, **1983**.
- Caglioti**, G., Paoletti, A. and Ricci, F. P., Choice of Collimator for a Crystal Spectrometer for Neutron Diffraction, *Nucl. Instrum.*, 3, 223-228, **1958**.
- Carvajal**, J. R., Recent developments of the program FULLPROF, Commission on powder diffraction (IUCr) *Newsletter* 26, 12-1, **2001**.
- Carvajal**, J. R., FULLPROF: A Rietveld refinement and pattern matching analysis program, laboratory leon brillouin (CEA-CNRS), France-**2011**. [<https://www.ill.eu/sites/fullprof/>]

Chaigneau, J., Kiat, J. M., Malibert, C. and Bogicevic, C., Morphotropic phase boundaries in $(\text{BiScO}_3)_{1-x}(\text{PbTiO}_3)_x$ ($0.60 < x < 0.75$) and their relation to chemical composition and polar order, *Phys. Rev. B* 76, 094111, **2007**.

Chen, J., Tan, X., Jo, W. and Rodel, J., Temperature dependence of piezoelectric properties of high-T_C $\text{Bi}(\text{Mg}_{1/2}\text{Ti}_{1/2})\text{O}_3\text{-PbTiO}_3$, *J. Appl. Phys.* 106, 034109, **2009**.

Chu, F., Setter, N. and Tagantsev, A. K., The spontaneous relaxor-ferroelectric transition of $\text{Pb}(\text{Sc}_{0.5}\text{Ta}_{0.5})\text{O}_3$, *J. Appl. Phys.* 74, 5129, **1993**.

Cochran W., Crystal stability and the theory of ferroelectricity, *Adv. Phys.* 9, 387, **1960**.

Colla E. V., Koroleva E. Y., Okuneva N. M., Vakhrushev S. B., Long-time relaxation of the dielectric response in lead magnoniobate, *Phys. Rev. Lett.* 74, 1681, **1995**.

Cross, L. E., Nicholson, B. J., Theoretical and electrical properties of single crystals of sodium niobate, *Phil. Mag.*, 46, 453-466, **1955**.

Cross, L. E., Relaxor ferroelectrics, *Ferroelectrics* 76, 241-267, **1987**.

Cross, L. E., Relaxor ferroelectrics: An overview, *Ferroelectrics* 151, 305-320, **1994**.

Curie, J. & Curie, P., *Bull. Soc. Fr. Mineral. Cristallogr.* 3, 90-93, **1880**.

Daniels, J. E., Jo, W., Rodel J. and Jones, J. L., Electric-field-induced phase transformation at a lead-free morphotropic phase boundary: Case study in a 93% $(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3$ -7% BaTiO_3 piezoelectric ceramic, *Appl. Phys. Lett.* 95, 032904, **2009**.

Eitel, R. E., Randall, C. A., Shrout, T. R., Rehrig, P.W., Hakenberger, W., Park, S-E., New High temperature morphotropic phase boundary piezoelectrics based on $\text{Bi}(\text{Me})\text{O}_3\text{-PbTiO}_3$ ceramics, *Jpn. J. Appl. Phys.* 40, 5999, **2001**.

Eitel, R. E., Randall, C. A., Shrout, T. R., Park, S-E., Preparation and characterization of high temperature perovskite ferroelectrics in the solid-solution (1- x) $\text{BiScO}_3\text{-xPbTiO}_3$, *Jpn. J. Appl. Phys.* 41, 2099, **2002**.

Fu, H. and Cohen, R. E., Polarization rotation mechanism for ultrahigh electro-mechanical response in single-crystal piezoelectrics, *Nature* 403, 281, **2000**.

Fu, D., Taniguchi, H., Itoh, M., Koshihara, S., Yamamoto, N., Moris, S., Relaxor Pb(Mg_{1/3}Nb_{2/3})O₃: A ferroelectric with multiple inhomogeneities, *Phys. Rev. Lett.* 103, 207601, **2009**.

Fulcher, G. S., Analysis of recent measurement of the viscosity of glasses, *J. Am. Ceram. Soc.* 8, 339, **1925**.

Goldschmidt, V. M., Die Gesetze der Krystallochemie, *Die Naturwissenschaften* 21, 477-485, **1926**.

Goldschmidt, V. M., Crystal structure and chemical constitution, *Trans. Faraday Soc.* 25, 253-283, **1929**.

Grinberg, I., Rappe, A. M., Nonmonotonic T_C trends in Bi-based ferroelectric perovskite solid solutions, *Phys. Rev. Lett.* 98, 037603, **2007**.

Guo, R., Bhalla, A. S., Randall, C. A. and Cross, L. E., Dielectric and pyroelectric properties of the morphotropic phase boundary lead barium niobate (PBN) single crystals at low temperature (10-300K), *J. Appl. Phys.* 67, 6405, **1990**.

Guo, R., Cross, L. E., Park, S. E., Noheda, B., Cox, D. E. and Shirane, G., Origin of the high piezoelectric response in PbZr_{1-x}Ti_xO₃, *Phys. Rev. Lett.* 84, 5423, **2000**.

Hatch, D. M., Stokes, H. T., Ranjan, R., Ragini, Mishra, S. K., Pandey, D. and Kennedy, B. J., Antiferrodistortive phase transition in Pb(Ti_{0.48}Zr_{0.52})O₃: Space group of the lowest temperature monoclinic phase, *Phys. Rev. B*, 65, 212101, **2002**.

Hahn, T. International tables for crystallography, vol. A; **2006**. Available at: <http://it.iucr.org/A/>.

Heywang, W., Lubitz, K. and Wersing, W., Piezoelectricity: evolution and future of a technology, Springer Series in Material Science, p.94, **2008**.

Hinterstein, M., Rouquette, J., Haines, J., Papet, P., Knapp, M., Glaum, J., Fuess, H., Structural description of the macroscopic piezo- and ferroelectric properties of lead zirconate titanate, *Phys. Rev. Lett.* 107, 077602, **2011**.

Hu, P., Chen, J., Sun, X., Deng, J., Chen, X., Yu, R., Qiao, L. and Xing, X, Zero thermal expansion in (1-x)PbTiO₃-xBi(Mg,Ti)_{1/2}O₃ piezoceramics, *J. mater. Chem.* 19, 1648-1652, **2009**.

Jaffe, B., Cook, W. R., and Jaffe, H., Piezoelectric ceramics, *Academic Press*, London, **1971**.

Jona, F., Shirane, G., Mazzi, F. and Pepinsky, R., X-ray and neutron diffraction study of antiferroelectric lead zirconate, PbZrO₃, *Phys. Rev.* 105, 849-856, **1957**.

Jona, F. and Shirane, G., Ferroelectric Crystals, Pergamon Press, New York, **1962**.

Jones, J. L., Pramanick, A., Nino, J. C., Motahari, S. M., Ustundag, E., Daymond, M. R. and Oliver, E. C., Time-resolved and orientation-dependent electric-field-induced strains in lead zirconate titanate ceramics, *Appl. Phys. Lett.* 90, 172909, **2007**.

Jones, J. L., Aksel, E., Tutuncu, G., Usher, T. M., Chen, J., Xing, X. and Studer, A. J., Domain wall and interphase boundary motion in a two-phase morphotropic phase boundary ferroelectric: Frequency dispersion and contribution to piezoelectric and dielectric properties, *Phys. Rev. B* 86, 24104, **2012**.

Khalyavin, D. D., Salak, A. N., Vyshatko, N. P., Lopes A. B., Olekhovich N. M., Pushkarev, A. V., Maroz, I. I. and Radyush, Y. V., Crystal structure of metastable perovskite Bi(Mg_{1/2}Ti_{1/2})O₃: Bi-based structural analogue of antiferroelectric PbZrO₃, *Chem. Mater.* 18, 5104, **2006**.

Kiat, J. M., Uesu, Y., Dkhil, B., Matsuda, M., Malibert, C. and Calvarin, G., Monoclinic structure of unpoled morphotropic high piezoelectric PMN-PT and PZN-PT compounds, *Phys. Rev. B* 65, 064106, **2002**.

Kothai, V., Narayan, B., Brajesh, K., Kaushik, S. D., Siruguri, V. and R. Ranjan, Ferroelectric phase coexistence by crystallite size reduction in BiFeO₃-PbTiO₃, *Phys. Rev. B* 90, 155115 **2014**.

Kovacova, V., Vaxelaire, N., Rhun, G. L., Gergaud, P., Kempen, T. S., Defay, E., Correlation between electric-field-induced phase transition and piezoelectricity in lead zirconate titanate films, *Phys. Rev. B* 90, 140101(R), **2014**.

Kutnjak, Z. and Blinc, R., Electric field induced critical points and polarization rotations in relaxor ferroelectrics, *Phys. Rev. B* 76, 104102, **2007**.

Lalitha, K.V., Kalyani, A.K., Ranjan, R., Analogous stress and electric field driven structural transformation and decrease in polarization coherence on poling around the morphotropic phase boundary in BiScO₃-PbTiO₃, *Phys. Rev. B* 90, 224107, **2014**.

Lee, D. S., Lim, D. H., Kim, M. S., Kim, K. H. and Jeong, S. J., Electric field-induced deformation behavior in mixed Bi_{0.5}Na_{0.5}TiO₃ and Bi_{0.5}(Na_{0.75}K_{0.25})_{0.5}TiO₃-BiAlO₃, *Appl. Phys. Lett.* 99, 062903-062906, **2011**.

Leist, T., Chen, J., Jo, W., Aulbach, E., Suffner, J. and Rodel, J., Temperature dependence of the piezoelectric coefficient in $\text{BiMeO}_3\text{-PbTiO}_3$ ($\text{Me}=\text{Fe, Sc, (Mg}_{1/2}\text{Ti}_{1/2}\text{)}$) ceramics, *J. Am. Ceram. Soc.* 95, 711-715, **2012**.

Lente, M. H., Zanin, A. L., Andreeata, E. R. M., Santos, I. A., Garcia, D. and Eiras, J. A., Investigation of dielectric anomalies at cryogenic temperatures in $(1-x)\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3\text{-PbTiO}_3$ system, *Appl. Phys. Lett.* 85, 982, **2004**.

Li, J. Y., Rogan, R. C., Ustundag, E. and Bhattacharya, K., Domain switching in polycrystalline ferroelectric ceramics, *Nature Mater.* 4, 776, **2005**.

Lines, M. E., Glass, A. M., Principles and applications of ferroelectrics and related materials, *Oxford University Press*: Oxford, UK, **1977**.

Ma, C., Guo, H., Beckman, S. P., Tan, X., Creation and destruction of morphotropic phase boundaries through electrical poling: a case study of lead-free $(\text{Bi}_{1/2}\text{Na}_{1/2})\text{TiO}_3\text{-BaTiO}_3$ piezoelectrics, *Phys. Rev. Lett.* 109, 107602, **2012**. 33.

Maqbool, A., Rahman, J., Hussain, A., Park, J. K., Park, T. G., Song, J. S., Kim, M. H., Structure and temperature dependent electrical properties of lead-free $\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3\text{-SrZrO}_3$ ceramics, *IOP Conf. Series: Mater. Sci. Eng.* 60, 012047, **2014**.

Mathan, N., Husson, E., Calvarin, G., Gavarri, J. R., Hewat, A. W., Morell, A., Structural model for the relaxor $\text{PbMg}_{1/3}\text{Nb}_{2/3}\text{O}_3$ at 5K, *J. Phys. Condens. Matter.* 3, 8159, **1991**.

Mitoseriu, L., Vilarinho, P. M., Baptista, J. L., Phase coexistence in $\text{Pb}(\text{Fe}_{2/3}\text{W}_{1/3})\text{O}_3\text{-PbTiO}_3$ solid solutions, *Appl. Phys. Lett.* 80, 4422-4424, **2002**.

Mitoseriu, L., Stancu, A., Fedor, C. and Vilarinho, P. M., Analysis of the composition-induced transition from relaxor to ferroelectric state in $\text{Pb}(\text{Fe}_{2/3}\text{W}_{1/3})\text{O}_3\text{-PbTiO}_3$ solid solutions, *J. Appl. Phys.* 94, 1918, **2003**.

Moure, A., Alguero, M., Pardo, L., Ringgaard, E. and Pedersen, A. F, Microstructure and temperature dependence of properties of morphotropic phase boundary $\text{Bi}(\text{Mg}_{1/2}\text{Ti}_{1/2})\text{O}_3\text{-PbTiO}_3$ piezoceramics processed by conventional routes, *J. Euro. Ceram. Soc.* 27, 237-245, **2007**.

Noheda, B., Cox, D. E., Shirane, G., Gonzalo, J. A., Cross, L. E. and Park, S. E., A monoclinic ferroelectric phase in the $\text{Pb}(\text{Zr}_{1-x}\text{Ti}_x)\text{O}_3$ solid solution, *Appl. Phys. Lett.* 74, 2059, **1999**.

Noheda, B., Gonzalo, J. A., Cross, L. E., Gao, R., Park, S. E., Cox, D. E. and Shirane, G., Tetragonal-to-monoclinic phase transition in a ferroelectric perovskite: The structure of $\text{PbZr}_{0.52}\text{Ti}_{0.48}\text{O}_3$, *Phys. Rev. B* 61, 8687, **2000**.

Noheda, B., Cox, D. E., Shirane, G., Park, S. E., Cross, L. E. and Zhong, Z., Polarization rotation via a monoclinic phase in the piezoelectric 92% $\text{PbZn}_{1/3}\text{Nb}_{2/3}\text{O}_3$ -8% PbTiO_3 , *Phys. Rev. Lett.* 86, 3891, **2001**.

Noheda, B., Wu, L. and Zhu, Y. Low-temperature superlattice in monoclinic $\text{PbZr}_{0.52}\text{Ti}_{0.48}\text{O}_3$, *Phys. Rev. B* 66, 060103(R), **2005**.

Noheda, B. and Cox, D. E., Bridging phases at the morphotropic boundaries of lead oxide solid solutions, *Phase Transitions* 79, 5-20, **2006**.

Orautapong, D. L., Noheda, B., Ye, Z. G., Gehring, P. M., Toulouse, J., Cox, D. E. and Shirane, G., Phase diagram of the relaxor ferroelectric (1-x) $\text{Pb}(\text{Zn}_{1/3}\text{Nb}_{2/3})\text{O}_3$ -x PbTiO_3 , *Phys. Rev. B* 65, 144101, **2002**.

Pandey, D., Diffusionless Phase Transitions in Oxides (Key Eng. Mater), edited by C. Boulesteix (Trans Tech, Aedermannsdorf, Switzerland), 101-2, 177, **1995**.

Pandey, D., Singh, A. K. and Baik, S., Stability of ferroic phases in the highly piezoelectric $\text{Pb}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$ ceramics, *Acta Cryst. A* 64, 192-203, **2008**.

Pandey, R. and Singh, A. K., Electric field induced cubic to monoclinic phase transition in multiferroic 0.65Bi(Ni_{1/2}Ti_{1/2})O₃-0.35PbTiO₃ solid solution, *Appl. Phys. Lett.* 105, 162901-162904, **2014**.

Pandey, R. and Singh, A. K., Presence of a monoclinic (Pm) phase in the morphotropic phase boundary region of multiferroic (1-x)Bi(Ni_{1/2}Ti_{1/2})O₃-xPbTiO₃ solid solution: A Rietveld study, *J. Appl. Phys.* 116, 044102, **2014**.

Pandey, R., Tiwari, A., Upadhyay, A. and Singh, A. K., Phase coexistence and the structure of the morphotropic phase boundary region in (1-x)Bi(Mg_{1/2}Zr_{1/2})O₃-xPbTiO₃ solid solution, *Acta Mater.* 76, 198-206, **2014**.

Park, S. E. and Shrout, T. R., Ultrahigh strain and piezoelectric behavior in relaxor based ferroelectric single crystals, *J. App. Phys.* 82, 1804, **1997**.

Perovski, L. A., Perovskite mineral data, **1839**
[http://webmineral.com/data/Perovskite.shtml#.V2Mm0qI69_Y]

Pirc, R., Blinc, R., Spherical random-bond-random-field model of relaxor ferroelectrics, *Phys. Rev. B* 60, 13470-13478, **1999**.

Priya, S., Viehland, D. and Uchino, K., Importance of structural irregularity on dielectric loss in $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - PbTiO_3 crystals, *Appl. Phys. Lett.* 80, 4217, **2002**.

Pushkarev, A. V., Olekhovich, N. M. and Radyush, Y. V., High-pressure $\text{Bi}(\text{Mg}_{1-x}\text{Zn}_x)_{1/2}\text{Ti}_{1/2}\text{O}_3$ perovskite solid solutions, *Inorg. Mater.* 47, 1116-1119, **2011**.

Qureshi, A. H., Shabbir, G. and Hall, D. A., On the synthesis and dielectric studies of $(1-x)\text{Bi}(\text{Mg}_{1/2}\text{Zr}_{1/2})\text{O}_3$ - $x\text{PbTiO}_3$ piezoelectric ceramic system, *Mater. Lett.* 61, 4482-4484, **2007**.

Ragini, Mishra, S. K., Pandey, D., Lemmens, H., and Tendeloo, G. V., Evidence for another low-temperature phase transition in tetragonal $\text{Pb}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$ ($x=0.515, 0.520$), *Phys. Rev. B* 64, 054101, **2001**.

Randall, C. A., Eitel, R. E., Jones, B., Shrout, T. R., Woodward, D. I. and Reaney, I. M., Investigation of a high T_c piezoelectric system: $(1-x)\text{Bi}(\text{Mg}_{1/2}\text{Ti}_{1/2})\text{O}_3$ - $x\text{PbTiO}_3$, *J. Appl. Phys.* 95, 3633, **2004**.

Rao, B. N. and Ranjan, R., Electric-field-driven monoclinic-to-rhombohedral transformation in $\text{Na}_{1/2}\text{Bi}_{1/2}\text{TiO}_3$, *Phys. Rev. B* 86, 134103, **2012**.

Redfern, Simon A. T., High-temperature structural phase transitions in perovskite CaTiO_3 , *J. Phys.: Condens. Matter*, 8, 8267-8275, **1996**.

Rödel, J., Jo, W., Seifert, K.T.P., Anton, E.M., Granzow, T., Damjanovic, D., Perspective on the development of lead-free piezoceramics, *J. Am. Ceram. Soc.* 92, 1153-1177, **2009**.

Royles, A. J., Bell, A. J., Jephcoat, A. P., Kleppe, A. K., Milne, S. J. and Comyn, T. P., Electric-field-induced phase switching in the lead free piezoelectric potassium sodium bismuth titanate, *Appl. Phys. Lett.* 97, 132909, **2010**.

Salak, A. N., Ferreira, V. M., Ribeiro, J. L., Vieira, L. G. et al., Bismuth-induced dielectric relaxation in the $(1-x)\text{La}(\text{Mg}_{1/2}\text{Ti}_{1/2})\text{O}_3$ - $x\text{Bi}(\text{Mg}_{1/2}\text{Ti}_{1/2})\text{O}_3$ perovskite system, *J. Appl. Phys.* 104, 014105, **2008**.

Schonau, K. A., Knapp, M., Kungl, H., Hoffmann, M. J. and Fuess, H., In situ synchrotron diffraction investigation of morphotropic $\text{Pb}[\text{Zr}_{1-x}\text{Ti}_x]\text{O}_3$ under an applied electric field, *Phys. Rev. B* 76, 144112, **2007**.

Samara, G. A., The relaxational properties of compositionally disordered ABO_3 perovskites, *J. Phys.: Cond. Matter.* 15, R367, **2003**.

Shabbir, G., Qureshi, A. H., Kojima, S. and Hall, D. A., Synthesis and dielectric investigations of $(1-x)\text{Bi}(\text{Mg}_{1/2}\text{Zr}_{1/2})\text{O}_3-x\text{PbTiO}_3$ high temperature piezoelectric ceramics, *Ferroelectrics* 346, 72-76, **2007**.

Shirane, G., Axe, J. D., Harada, J. and Remeika, J. P., Soft Ferroelectric Modes in Lead Titanate, *Phys. Rev. B* 2, 155, **1970**.

Simons, H., Daniels, J., Jo, W., Dittmer, R., Studer, A., Avdeev, M., Rödel, J., Hoffman, M., Electric-field-induced strain mechanisms in lead-free 94% $(\text{Bi}_{1/2}\text{Na}_{1/2})\text{TiO}_3$ -6% BaTiO_3 , *Appl. Phys. Lett.* 98, 082901-082903, **2011**.

Singh, A. K. and Pandey, D., Structure and the location of the morphotropic phase boundary region in $(1-x)[\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3]-x\text{PbTiO}_3$, *J. Phys.: Cond. Matter* 13, L931, **2001**.

Singh, A. K. and Pandey, D., Evidence for M_B and M_C phases in the morphotropic phase boundary region of $(1-x)[\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3]-x\text{PbTiO}_3$: A Rietveld study, *Phys. Rev. B* 67, 064102, **2003**.

Singh, A. K. and Pandey, D., On the discovery of two new monoclinic phases in the morphotropic phase boundary region of $\text{Pb}[(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3]-x\text{PbTiO}_3$ Ceramics, *Ferroelectrics* 326, 91-99, **2005**.

Singh, A. K. and Pandey, D. and Zaharko, O., Powder neutron diffraction study of phase transitions in and a phase diagram of $(1-x)[\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3]-x\text{PbTiO}_3$, *Phys. Rev. B* 74, 24101, **2006**.

Singh, A. K. and Pandey, D. and Zaharko, O., Evolution of short-range to long-range monoclinic order of M_B type with decreasing temperature in $0.75[\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3]-0.25\text{PbTiO}_3$, *J. Appl. Phys.* 99, 076105, **2006**.

Singh, A. K., Pandey, D., Yoon, S., Baik, S. and Shin, N., High-resolution synchrotron x-ray diffraction study of Zr-rich compositions of $\text{Pb}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$ ($0.525 \leq x \leq 0.60$): Evidence for the absence of the rhombohedral phase *Appl. Phys. Lett.* 91, 192904, **2007**.

Singh, S. P., Singh, A. K. and Pandey, D., Dielectric relaxation and phase transitions at cryogenic temperatures in $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3-\text{PbTiO}_3$ ceramics, *Phys. Rev. B* 76, 054102, **2007**.

Singh, A. K. , Mishra, S. K., Ragini, Pandey, D. , Yoon, S., Baik, S. and Shin, N., Origin of high piezoelectric response of $\text{Pb}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$ at the morphotropic phase boundary: Role of elastic instability, *Appl. Phys. Lett.* 92, 022910, **2008**.

Smolenskii, G. A., Isupov, V. A., Agranovskay, V. A. and Popov, S. N., New ferroelectrics of complex composition, *Sov. Phys. Sol. Stat.* 2, 2584, **1961**.

Smolenskii, G. A., *J. phys. Soc. Jpn.* 28, 26, **1970**.

Snel, M. D., Groen, W. A., With, G. D., Investigation of the new piezoelectric system (1-x)Bi(MgTi)_{0.5}O₃-xPbTiO₃, *J. Eur. Ceram. Soc.* 25, 3229-3233, **2005**.

Stephens, P. W., Phenomenological model of anisotropic peak broadening in powder diffraction, *J. Appl. Cryst.* 32, 281, **1999**.

Subbarao, E. C., *J. Am. Ceram. Soc.* 43, 119, **1960**.

Suchomel, M.R., Davies, P.K., Predicting the position of the morphotropic phase boundary in high temperature PbTiO₃-Bi(B'B'')O₃ based dielectric ceramics, *J Appl Phys.* 96, 4405, **2004**.

Suewattana, M., Singh, D. J. and Limpijumnong, S., Crystal structure and cation off-centering in Bi(Mg_{1/2}Ti_{1/2})O₃, *Phys. Rev. B* 86, 064105, **2001**.

Sun, R., Wang, X., Shi, J. and Wang, L., Dielectric and polar order behaviors of BaTiO₃-Bi(Mg_{1/2}Ti_{1/2})O₃ ceramics, *Appl. Phys. A* 104, 129-133, **2011**.

Toby, B. H., R factors in Rietveld analysis: How good is good enough? *Powd. Diffract.* 21, 67, **2006**.

Upadhyay, A., Pandey, R., Anand, S. and Singh, A. K., Synthesis and structural studies on (1-x)Bi(Mg_{1/2}Ti_{1/2})O₃-xPbTiO₃ Piezoceramics, *AIP Conf. Proc.* 1591, 79-80, **2014**.

Upadhyay, A. and Singh, A. K., Grain size dependent phase stabilities and presence of a monoclinic (Pm) phase in the morphotropic phase boundary region of (1-x)Bi(Mg_{1/2}Ti_{1/2})O₃-xPbTiO₃ piezoceramics, *J. Appl. Phys.* 117, 144102, **2015**.

Vanderbilt, D. and Cohen M. H., Monoclinic and triclinic phases in higher-order Devonshire theory *Phys. Rev. B* 63, 094108 **2001**.

Viehland, D., Li, J. F., Jang, S. J., Cross, L. E. and Wuttig, M., Dipolar-glass model for lead magnesium niobate, *Phys. Rev. B* 43, 8316, **1991**.

Viehland, D., Symmetry-adaptive ferroelectric mesostates in oriented Pb(BI_{1/3}BII_{2/3})O₃-PbTiO₃ crystals, *J. Appl. Phys.* 88, 4794, **2000**.

Vogel, H., The temperature dependence law of the viscosity of fluids, *Phys. Z.* 22, 645, **1921**.

Wang, Z., Webber, K. G., Hudspeth, J. M., Hinterstein, M., Daniels, J. E., Electric-field-induced paraelectric to ferroelectric phase transformation in prototypical polycrystalline BaTiO₃, *Appl. Phys. Lett.* 105, 161903, **2014**.

Westphal, V., Kleemann, W., Glinchuk, M., D., Diffuse phase transitions and random-field-induced domain states of the “relaxor” ferroelectric Pb(Mg_{1/3}Nb_{2/3})O₃, *Phys. Rev. Lett.* 68, 847-850, **1992**.

Xu, G., Wen, J., Stock, C., Gehring, P.M., Phase instability induced by polar nanoregions in a relaxor ferroelectric system, *Nat. Mater.* 7, 562-566, **2008**.

Ye, Z. G., Noheda, B., Dong, M., Cox, D. and Shirane, G., Monoclinic phase in the relaxor-based piezoelectric/ferroelectric Pb(Mg_{1/3}Nb_{2/3})O₃-PbTiO₃ system, *Phys. Rev. B* 64, 184114, **2001**.

Yoneda, Y., Saitoh, H. and Yoshii, K., Local structure analysis of Bi(Mg_{0.5}Ti_{0.5})O₃ grown by high pressure synthesis, *Jpn. J. Appl. Phys.* 50, 09NE06, **2011**.

Young, R. A., The Rietveld method, International Union of Crystallography *Oxford University Press*, **1996**.

Zhang, S., Randall, C. A. and Shrout, T. R., Solid State Commun. 131, 41 **2004**.

Zhang, Q., Li, Z., Li, F., Xu, Z. and Yao, X., Temperature dependence of dielectric/piezoelectric properties of (1-x)Bi(Mg_{1/2}Ti_{1/2})O₃-xPbTiO₃ ceramics with an MPB composition, *J. Am. Ceram. Soc.* 93, 3330, **2010**.

Zhang, Q., Li, Z. and Xu, Z., Phase transition in (1-x)Bi(Mg_{1/2}Ti_{1/2})O₃-xPbTiO₃ ceramics, *Mater. Lett.* 65, 3143-3145, **2011**.

Zhao, W., Zuo, R., Fu, J., Temperature-insensitive large electrostrains and electric field induced intermediate phases in (0.7-x)Bi(Mg_{1/2}Ti_{1/2})O₃-xPb(Mg_{1/3}Nb_{2/3})O₃-0.3PbTiO₃ ceramics, *J. Eur. Ceram. Soc.* 34, 4235-4245, **2014**.

Zheng, L., Lu, X., Shang, H., Xi, Z., Wang, R., Wang, J., Zheng, P., Cao, W., Hysteretic phase transition sequence in 0.67Pb(Mg_{1/3}Nb_{2/3})O₃-0.33PbTiO₃ single crystal driven by electric field and temperature, *Phys. Rev. B* 91, 184105, **2015**.