

References

Anderson J. D. (1995): *Computational Fluid Dynamics, The Basics with Applications*. McGraw Hill Publication, ISBN 0-07-001685-2.

Appleton T. J., Kingman S. W., Lowndes I. S. & Silvester S. A. (2006): The development of a modelling strategy for the simulation of fugitive dust emissions from in-pit quarrying activities: a UK case study. *International Journal of Mining, Reclamation and Environment*, Vol. 20, No. 1, pp. 57 – 82.

AUSTRALIAN ROADS RESEARCH BOARD—ARRB (1996). In *Road Dust Control Techniques, Evaluation of Chemical Dust Suppressants' Performance*. Australian Roads Research Board Special Report 54, Victoria, Australia, pp. 17–18.

Balout, B., Songmene, V. & Masounave, J. (2003): Dust formation during high-speed machining of light alloys and brass. *Light Metals 2003, 42nd Conf. of Metallurgists*, Vancouver, BC, Canada, pp. 24-27.

Balout B., Sogmene V. & Masounave J. (2007): An Experimental Study of Dust Generation During Dry Drilling of Pre-Cooled and Pre-Heated Workpiece Materials. *Journal of Manufacturing Processes* Vol. 9/No. 1 2007, pp. 23-34.

Briggs, G. A. (1993): Plume dispersion in the convective boundary layer. Part II: Analysis of CONDORS field experiment data. *Journal of Applied Meteorology*, 32, pp.1388-1425. *Control Association*, Vol. 34, No. 6, pp. 674-675.

Central Mining of Research Institute (CMRI) (1998): *Determination of Emission factor for various opencast mining activities, GAP/9/EMG/MOEF/97*. Dhanbad: Central Mining Research Institute, Environmental Management Group.

Centre for Science and Environment (2009-2010): *Annual report*, 41, Tughlakabad Institutional Area, New Delhi 110062

CERC (2007): *Atmospheric Dispersion Modelling System (ADMS 4) Used guide version 4.0*. <http://www.cerc.co.uk/environmental-software/user-guides.html>.

CERC (2012): *Atmospheric Dispersion Modelling System (ADMS 5) Used guide version 5.0*. <http://www.cerc.co.uk/environmental-software/user-guides.html>.

Chakraborty M.K., Ahmad M., Singh R.S., Pal D., Bandopadhyay C. & Chaulya S.K. (2002): *Determination of the emission rate from various opencast mining operations, Environmental Modelling & Software* 17, pp. 467–480.

- Chaulya S. K. (2006), Emission rate formulae for surface iron ore mining activities. *Environmental Modelling and Assessment* 11, pp. 361-370.
- Chaulya S. K., Ahmad M., Singh R. S., Bandopadhyay L. K., Bondyopadhyay C & Mondal G. C. (2003): Validation of Two Air Quality Models for Indian Mining Conditions. *Environmental Monitoring and Assessment* 82, pp. 23–43.
- Chaulya S.K. (2004): Assessment and management of air quality for an opencast coal mining area. *Journal of Environmental Management* 70, pp. 1-14.
- CIL (1993): Coal Atlas of India. Central Mine Planning and Design Institute, Coal India Limited, Calcutta, India.
- Cimorelli A. J., Perry S. G., Venkatram A., Weil J. C., Paine R. J., Wilson R. B., Lee R. F., Peters W. D. & Brode R. W. (2005): AERMOD: a dispersion model for industrial source applications. Part I: general model formulation and boundary layer characterization. *Journal of Applied Meteorology*, 44(5), pp. 682–693.
- Cimorelli, A. J., Perry S. G., Venkatram A., Weil J. C., Paine R. J., Wilson R. B., Lee R. F., Peters W. D., Brode R. W. & Paumier J. O. (2004): AERMOD: Description of model formulation. United States Protection Agency, Research Triangle Park, North Carolina.
- Cole, C. F. & Fabrick, A. J. (1984): Surface Mine Pit Retention. *Journal of the Air Pollution Control Association*, Vol. 34, No. 6, pp. 674-675.
- Cole, C.F. & Zapert, J.G. (1995): Air Quality Dispersion Model Validation at Three Stone Quarries, Washington, DC: National Stone Association,27.
- Collett R.S. & Oduyemi K. (1997): Air quality modelling - a technical review of mathematical approaches. *Meteorological Applications* 4(3),pp. 235–246.
- Durvasula, R. (1990): Occupational Health Information Systems in Developing Countries - India, a Case Study. Fourth Takemi Symposium on International Health - Working Populations and Health in the Third World: Problems and Policies, Harvard School of Public Health, Boston, USA.
- Environmental, Health, and Safety Guidelines Construction Materials Extraction: Executive Draft (2006). International Finance Corporation, World Bank Group.
- EPA (1995a): Modelling fugitive dust impacts from surface coal mining operations: phase III – evaluating model performance. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards,

Emissions, Monitoring, and Analysis Division, EPA publication No. EPA-454/R-96-002.

EPA (1995b): User's guide for the industrial source complex (ISC3) dispersion models. Vol. I. User instructions, Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, Emissions, Monitoring, and Analysis Division, EPA publication No. EPA-454/B-95-003a.

EPA (1995c): User's guide for the industrial source complex (ISC3) dispersion models, Vol. II, Description of model algorithms. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, Emissions, Monitoring, and Analysis Division, EPA publication No. EPA-454/B-95-003b.

Frost, Kali D. (2014): AERMOD performance evaluation for three coal-fired electrical generating units in Southwest Indiana. *Journal of the Air & Waste Management Association*, Volume 64, Number 3, pp. 280-290.

Gariazzo C., Pelliccioni A., Bogliolo M. P. & Scalisi G (2004): Evaluation of a Lagrangian Particle Model (Spray) to assess Environmental Impact of an Industrial Facility in Complex Terrain. *Water, Air, and Soil Pollution* 155, pp. 137-158.

Ghose M. K. & Majee S. R. (2000): Assessment of Dust generation due to Opencast Coal Mining – An Indian Case Study. *Environmental Monitoring and Assessment* 61, pp.255-263.

Ghose M. K. & Majee S. R. (2002): Assessment of the status of work zone air environment due to opencast coal mining. *Environmental Monitoring and Assessment* 77, pp. 51-60.

Ghose M. K. (2007): Generation and Quantification of Hazardous Dusts from Coal Mining in the Indian Context. *Environmental Monitoring Assessment* 130, pp. 35-45.

Gifford, F. A. & Sklarew, R. C. (1961): Use of routine meteorological observations for estimating atmospheric dispersion. *Journal of Nuclear Safety*, 2, pp. 47-51.

Gregory J. S. & Harper J. (2010): Evaluation of stockyard upgrade options using CFD for comparison of dust emissions. *Dust control: Australian Bulk Handling Review*, July/August, pp. 62-67.

Hanna S. R., Egan B. A., Purdum J. & Wagler J. (2001): Evaluation of the ADMS, AERMOD, and ISC3 dispersion models with the OPTEX, Duke Forest, Kincaid, Indianapolis and Lovett field datasets. *International Journal of Environment and Pollution*, Vol.16, pp.301-314.

- Hinds, W.C. (1982). *Aerosol Technology: Properties, Behavior, and Measurement of airborne Particles*. New York: John Wiley.
- Hinds, William C. (1999): *Aerosol Technology, Properties, Behaviour, and Measurement of Airborne Particles*. 2nd Edition, (New York: John Wiley & Sons).
- Ho K.F., Lee S.C., Chow J. C. & Watson J. G. (2003): Characterization of PM₁₀ and PM_{2.5} source profiles for fugitive dust in Hong Kong. *Atmospheric Environment* 37, pp. 1023–1032.
- Huertas J. I., Huertas M. E., Izquierdo S. & González E. D. (2012): Air quality impact assessment of multiple open pit coal mines in Northern Colombia. *Journal of Environmental Management* 93, pp. 121-129.
- Jamal, A., Ratan, S. & Dhar B. B. (1997): Textural and mineralogical characteristics of SPM in coal mines. *International Journal of Surface Mining, Reclamation, and Environment*. Vol. 11, pp. 41-44.
- Kesarkar A.P., Dalvi M., Kagainalkar A. & Ojha A. (2006) : Coupling of the weather research and forecasting model with AERMOD for pollutant dispersion modeling, a case study for PM₁₀ dispersion over Pune, India. *Atmospheric Environment* 41, pp. 1976–1988.
- Konstantinos E. K., Marc J. A, John S. L. & Anthimos S. S. (2011): Atmospheric dispersion modelling of the fugitive particulate matter from overburden dumps with numerical and integral models. *Atmospheric Pollution Research* 2, pp. 24-33.
- Kumar A., Dixit S., Varadarajan C., Vijayan A. & Masuraha A. (2006) : Evaluation of the AERMOD Dispersion Model as a Function of Atmospheric Stability for an Urban Area. *Environmental Progress*, Vol.25, No.2, pp-141-151.
- Kumar, A., Luo, J., & Bennett, G. (1993). Statistical evaluation of lower flammability distance (LFD) using four hazardous release models. *Process Safety Progress*, 12, pp. 1–11.
- Kuzmin Dmitri: Introduction to Computational Fluid Dynamics, <http://www.mathematik.uni-dortmund.de/~kuzmin/cfdintro/cfd.html>.
- Lowndes, I., Silvester, S., Kingman, S., & Hargreaves, D. M. (2008): The application of an improved multi-scale computational modelling technique to predict fugitive dust dispersion and deposition within and from surface mining operations. *Proceedings of the 12th US/North American Mine Ventilation Symposium*. Littleton, USA, pp. 359–366.

Management of dust from coal mines (2010). Environmental compliance and performance report, New South Wales.

Mandal K., Kumar A., Tripathi N., Singh R. S., Chaulya S. K., Mishra P. K. & Bandyopadhyay L. K. (2012): Characterization of different road dusts in opencast coal mining areas of India. *Environmental Monitoring and Assessment*, Volume 184, Issue 6, pp. 3427-3441.

Matejicek L., Janour Z., Benes L., Bodnar T. & Gulikova E. (2008): Spatio-Temporal Modelling of Dust Transport over Surface Mining Areas and Neighbouring Residential Zones. *Sensors* 2008, 8, pp. 3830-3847.

McElroy, J.L. and Pooler F. (1968): The St. Louis Dispersion Study-Volume II-Analysis. U.S. Public Health Service, National Air Pollution Control Administration, Report AP-53. Pp. 50.

Mishra P. C. & Jha S. (2010): Dust Dispersion Modeling in Opencast Coal Mines and Control of Dispersion in Mahanadi Coalfields of Orissa. *The Bioscan*, Special issue, Vol. 2, pp. 479-500.

Mohan M., Bhati S., Sreenivas A. & Marrapu P. (2011): Performance Evaluation of AERMOD and ADMS-Urban for Total Suspended Particulate Matter Concentrations in Megacity Delhi. *Aerosol and Air Quality Research*, 11, pp. 883–894.

Mohapatra H., Goswami S. & Dey D. (2010): Coalmine dust concentration and rate of tuberculosis infection around Ib Valley Coalfield, Orissa, India. *Journal of Environmental Biology*, 31(6), pp. 953-956.

Nair, P. K., Pandey, J. K. & Gupta, M. L. (1999): Control of dust in drilling - some CMRI initiatives, *International Symposium on Clean Coal Initiatives*, New Delhi, pp. 627-632.

Nanda, S.N. & Tiwary, S.N. (2001): Concentration of SPM in the Burla–Hirakud–Sambalpur region (Orissa). *Indian Journal of Environmental Protection* 21, pp. 193–202.

National Ambient Air Quality Standards (2009), *The Gazette of India, Extraordinary*. Part III, Section 4, No. 217, pp 1-4.

Neshuku M. N. (2012): A M. Tech. thesis on Comparison of the performance of two atmospheric dispersion models (AERMOD and ADMS) for open pit mining sources of air pollution. Department of Chemical Engineering, University of Pretoria.

Organiscak J. A. & Reed W.M. R. (2004): Characteristics of Fugitive Dust Generated from Unpaved Mine Haulage Roads. *International Journal of Surface Mining, Reclamation and Environment*, Vol. 18, No. 4, pp. 236-252.

Orissa Pollution Control Board (2010): Action Plan for Abatement of Pollution in Critically Polluted Industrial Clusters (Ib Valley-Jharsuguda Area).

Panda K. K., Swar A. K., Panda R. B. & Meikap B. C. (2013): Distribution of respirable suspended particulate matter in ambient air and its impact on human health and remedial measures in Joda-Barbil region in Odisha. *South African Journal of Chemical Engineering*, vol.18, no. 1, pp. 18-29.

Pandey J.K. (2012): Dust control practices in the Indian mining industry. 12th Coal Operators' Conference University of Wollongong & the Australasian Institute of Mining and Metallurgy. pp. 185-192.

Panofsky, H. A. & Dutton J. A. (1984): *Atmospheric Turbulence: Models and Methods for Engineering Applications*. John Wiley and Sons, 417.

Parrett, F.W. (1992): Dust emissions: Dustcon and Stockpile software. F.W. Parrett Limited, Dust Measurement & Control, London, U.K.

Pasquill, F. (1961): The estimation of the dispersion of windborne material. *The Meteorological Magazine*, vol 90, No. 1063, pp. 33-49.

Pereira M.J., Soares A. & Branquinho C. (1997): Stochastic simulation of fugitive dust emissions. Fifth International Geostatistics Congress, Vol. 2, Dordrecht, Netherlands, Kluwer Academic Publishers, pp. 1055–1065.

Petavratzi E., Kingman S. W. & Lowndes I.S. (2007) : Assessment of the dustiness and the dust liberation mechanisms of limestone quarry operations. *Chemical Engineering and Processing* 46, pp. 1412–1423.

Reed W. R. & Westman E. C. (2005): A model for predicting the dispersion of dust from a haul truck. *International Journal of Surface Mining, Reclamation and Environment*, Vol. 19, No. 1, pp. 66 – 74.

Reed W. R. (2003): A Ph.D. thesis on An Improved Model for Prediction of PM10 from Surface Mining Operations. Virginia Tech, Blacksburg.

Reed W. R. (2005): Significant Dust Dispersion Models for Mining Operations. Information Circular 9478, Department of Health and Human Services Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, Pittsburgh Research Laboratory, Pittsburgh.

- Reed W. R., Westman E. C. & Haycocks C. (2001): An improved model for estimating particulate emissions from surface mining operations in the eastern United States. In: *Securing the Future – Proceedings of the International Conference on Mining and the Environment*, Stockholm, Sweden, Swedish Mining Association, pp. 693–702.
- Reed W.M. R. & Organiscak J. A. (2005): Evaluation of dust exposure to truck drivers following the lead haul truck. *SME annual meeting*, pp. 147-153.
- Reed W.R. & Organiscak J.A. (2007): Haul Road Dust Control. *Coal Age*, Oct. pp. 34-37.
- Riddle A., Carruthers D., Sharpe A., McHugh C. & Stocker J.: Comparisons between FLUENT and ADMS for atmospheric dispersion modelling. *Atmospheric Environment* 38 pp. 1029–1038.
- Roy S., Adhikari G.R., Renaldy T.A. & Singh T.N.(2011): Assessment of Atmospheric and Meteorological Parameters for Control of Blasting Dust at an Indian Large Surface Coal Mine. *Research Journal of Environmental and Earth Sciences* 3(3): 234-248.
- Roy, S., Adhikari G.R., Renaldy T.A. & Jha A.K. (2011): Development of multiple regression and neural network models for assessment of blasting dust at a large surface coal mine. *Journal of Environmental Science Technology*, 4(3), pp. 284-301.
- Saiyed H.N. & Chatterjee B.B.: Rapid progression of silicosis in slate pencil workers-A follow up the study. *American Journal of Industrial Medicine* Vol. 8 (2). pp. 135-42.
- Seigneur, C., Pai, P., Hopke, P.K. & Grosjean, D. (1999) : Modeling Atmospheric Particulate Matter. *Environmental Science and Technology*. Vol. 33, No. 3, 80A-86A.
- Sharma A. K. & Siddiqui K.A. (2010): Assessment of air quality for an Open cast coal Mining Area, *Indian Journal of Scientific Research* 1(2). pp.47-55.
- Silvester S.A., Lowndes I.S & Hargreaves D.M (2009): A computational study of particulate emissions from an open pit quarry under neutral atmospheric conditions. *Atmospheric Environment* 43, pp. 6415–6424.
- Singh, G. & Sharma, P. K. (1992): A Study of Spatial Distribution of Air Pollutants in Some Coal Mining Areas of Raniganj Coalfield, India. *Environment International*. Vol. 18, pp. 191-200.
- Singh, G., Prabha, J. and Giri, S. (2006): Comparison and performance evaluation of dispersion models FDM and ISCST3 for a gold mine at Goa, *Industrial pollution control*, 22(2), pp. 297 – 303.

- Sinha S. & Banerjee S. P. (2007): Characterization of Haul Road Dust in An Indian Opencast Iron Ore Mine. *Atmospheric Environment* Vol. 31, No. 17, pp. 2809-2814.
- Sinha, J. K. & Nair, P. K. (1982): Dust arrestor: a novel safety device. *Proceedings of All India Seminar on Air Pollution*, pp.294-314.
- Sinha, S. & Banerjee S.P. (1997): Characterization of Haul Road Dust in an Indian Opencast iron ore mine. *Atmospheric Environment*, Vol. 31, No. 17, pp. 2809-2814.
- Sneha G., Patra A. K. & Prusty B. K. (2012): Opencast mines: a subject to major concern for human health. *International Research Journal of Geology and Mining* Vol. 2 (2), pp. 25-31.
- Stanton D. W., Belle B. K., Dekker K. JJ & Plessis J. JL Du (2006): *South African Mining Industry Best Practice on the Prevention of Silicosis*. Published by Mine Health and Safety Council Safety in Mines Research Advisory Committee Braamfontein Centre, South Africa.
- Tecer L. H. (2007): Prediction of SO₂ and PM Concentrations in a Coastal Mining Area (Zonguldak, Turkey) using an Artificial Neural Network. *Polish Journal of Environmental Studies* Vol. 16, No. 4, pp. 633-638.
- Thompson R. J. & Visser A. T. (2001): Mine Haul Road Fugitive Dust Emission and Exposure Characterisation. www.mineravia.com/.../Dust_emission_and_exposure__mine_road.822.
- Thompson, R. J. & Visser A. T. (2003): Mine haul road fugitive dust emission and exposure characterisation. *Transactions on Biomedicine and Health*, Vol. 7, pp. 103-109.
- Ulden A. P. V. & Holtslag A. A. M. (1985): Estimation of atmospheric boundary layer parameters for diffusion applications. *Journal of Applied Meteorology and Climatology*, 24, pp. 1196–1207.
- United States Environmental Protection Agency (1996): *Executive Summary on Air Quality Criteria for Particulate Matter*. Vol. I,II & III. U.S. EPA, Office of Research and Development Washington, D.C.
- Venkatram, A., Brode, R., Cimorelli, A., Lee, R., Paine, R., Perry, S., Peters, W., Weil, J., and Wilson, R., (2001): A complex terrain dispersion model for regulatory applications. *Atmospheric Environment*, 35(24), pp. 4211-4221.
- Wagner, J.C. (1980): The Pneumoconiosis due to mineral dusts. *Journal of the Geological Society*. Vol. 137. pp. 537-545.

- Watson, J. G., Chow, J. C., Dubois, D., Green, M., Frank, N. & Pitchford, M. (1997): Guidance for Network Design and Optimum Site Exposure for PM_{2.5} and PM₁₀. Research Triangle Park: U.S. EPA, Office of Air Quality Planning and Standards.
- Willis, G. E. and Deardorff J. W. (1981): A laboratory study of dispersion in the middle of the convectively mixed layer. *Atmospheric Environment*, 15, pp. 109-117.
- Willmott CJ. (1981): On the validation of models. *Physical Geography* 2: 184–194.
- World Health Organisation (1999), Hazard Prevention and Control in the Work Environment: Airborne Dust. Chapter-1. pp. 1-96.
- Wyngaard, J. C., 1988: Structure of the PBL. Lectures on Air Pollution Modelling. A. Venkatram and J. C. Wyngaard, Eds., American Meteorological Society, pp. 9–57.
- Xuan J. & Sokolik I. N. (2002): Characterization of sources and emission rates of mineral dust in Northern China. *Atmospheric Environment* 36, pp. 4863–4876.
- Zou, B., Zhan, F.B., Wilson, J.G. and Zeng, Y (2010): Performance of AERMOD at different time scales, *Simulation Modelling Practice and Theory* 18 (2010), pp. 612–623.