

References

"World Health Organization Expert Committee on Diabetes Mellitus. Second WHO Technical Report". *World Health Organ Tecch Rep Ser*, **310** (1965).

"Classification and diagnosis of diabetes mellitus and other categories of glucose intolerance. National Diabetes Data Group". *Diabetes*, **28** (1979) 1039-1057.

"WHO Expert Committee on Diabetes Mellitus: second report". *World Health Organ Tech Rep Ser*, **646** (1980) 1-80.

"Diabetes mellitus. Report of a WHO Study Group". *World Health Organ Tech Rep Ser*, **727** (1985) 1-113.

"Report of the Expert Committee on the Diagnosis and Classification of Diabetes Mellitus". *Diabetes care*, **20** (1997) 1183-1197.

"Flexible dose open trial of Vijayasar in cases of newly-diagnosed non-insulin-dependent diabetes mellitus. Indian Council of Medical Research (ICMR), Collaborating Centres, New Delhi". *The Indian journal of medical research*, **108** (1998) 24-29.

A. Bell C. "Clinical Guide to Laboratory Tests. 3rd edition. Norbert W. Tietz, ed". *Transfusion (Paris)*, **35** (1995) 972-972.

Abdelmalek MF, Lazo M, Horska A, Bonekamp S, Lipkin EW, Balasubramanyam A, Bantle JP, Johnson RJ, Diehl AM, & Clark JM. "Higher dietary fructose is associated with impaired hepatic adenosine triphosphate homeostasis in obese individuals with type 2 diabetes". *Hepatology*, **56** (2012) 952-960.

Abdullah MM, Riediger NN, Chen Q, Zhao Z, Azordegan N, Xu Z, Fischer G, Othman RA, Pierce GN, Tappia PS, Zou J, & Moghadasian MH. "Effects of long-term consumption of a high-fructose diet on conventional cardiovascular risk factors in Sprague-Dawley rats". *Mol Cell Biochem*, **327** (2009) 247-256.

Abraham NG, & Kappas A. "Heme oxygenase and the cardiovascular-renal system". *Free radical biology & medicine*, **39** (2005) 1-25.

Adler AI, Stratton IM, Neil HAW, Yudkin JS, Matthews DR, Cull CA, Wright AD, Turner RC, & Holman RR. "Association of systolic blood pressure with macrovascular and microvascular complications of type 2 diabetes (UKPDS 36): prospective observational study". *BMJ*, **321** (2000) 412-419.

Adrian M, Jeandet P, Douillet-Breuil AC, Tesson L, & Bessis R. "Stilbene content of mature *Vitis vinifera* berries in response to UV-C elicitation". *Journal of agricultural and food chemistry*, **48** (2000) 6103-6105.

Ahmet I, Spangler E, Shukitt-Hale B, Juhaszova M, Sollott SJ, Joseph JA, Ingram DK, & Talan M. "Blueberry-enriched diet protects rat heart from ischemic damage". *PLoS one*, **4** (2009) e5954.

Aiyer HS, Warri AM, Woode DR, Hilakivi-Clarke L, & Clarke R. "Influence of berry polyphenols on receptor signaling and cell-death pathways: implications for breast cancer prevention". *Journal of agricultural and food chemistry*, **60** (2012) 5693-5708.

Alberti KG, & Zimmet PZ. "Definition, diagnosis and classification of diabetes mellitus and its complications. Part 1: diagnosis and classification of diabetes mellitus provisional report of a WHO consultation". *Diabetic medicine : a journal of the British Diabetic Association*, **15** (1998) 539-553.

Alegria JR, Miller TD, Gibbons RJ, Yi QL, & Yusuf S. "Infarct size, ejection fraction, and mortality in diabetic patients with acute myocardial infarction treated with thrombolytic therapy". *Am Heart J*, **154** (2007) 743-750.

Aleksunes LM, Reisman SA, Yeager RL, Goedken MJ, & Klaassen CD. "Nuclear factor erythroid 2-related factor 2 deletion impairs glucose tolerance and exacerbates hyperglycemia in type 1 diabetic mice". *The Journal of pharmacology and experimental therapeutics*, **333** (2010) 140-151.

Amarnath Sathesh M, & Pari L. "The antioxidant role of pterostilbene in streptozotocin-nicotinamide-induced type 2 diabetes mellitus in Wistar rats". *The Journal of pharmacy and pharmacology*, **58** (2006) 1483-1490.

Amour J, Brzezinska AK, Jager Z, Sullivan C, Weihrauch D, Du J, Vladic N, Shi Y, Warltier DC, Pratt PF, Jr., & Kersten JR. "Hyperglycemia adversely modulates endothelial nitric oxide synthase during anesthetic preconditioning through tetrahydrobiopterin- and heat shock protein 90-mediated mechanisms". *Anesthesiology*, **112** (2010) 576-585.

Aneja A, Tang WH, Bansilal S, Garcia MJ, & Farkouh ME. "Diabetic cardiomyopathy: insights into pathogenesis, diagnostic challenges, and therapeutic options". *The American journal of medicine*, **121** (2008) 748-757.

Anjana RM, Ali MK, Pradeepa R, Deepa M, Datta M, Unnikrishnan R, Rema M, & Mohan V. "The need for obtaining accurate nationwide estimates of diabetes prevalence in India - rationale for a national study on diabetes". *The Indian journal of medical research*, **133** (2011) 369-380.

Arany Z, He H, Lin J, Hoyer K, Handschin C, Toka O, Ahmad F, Matsui T, Chin S, Wu PH, Rybkin, II, Shelton JM, Manieri M, Cinti S, Schoen FJ, Bassel-Duby R, Rosenzweig A, Ingwall JS, & Spiegelman BM. "Transcriptional coactivator PGC-1 alpha controls the energy state and contractile function of cardiac muscle". *Cell metabolism*, **1** (2005) 259-271.

Ashrafian H, Czibik G, Bellahcene M, Aksentijevic D, Smith AC, Mitchell SJ, Dodd MS, Kirwan J, Byrne JJ, Ludwig C, Isackson H, Yavari A, Stottrup NB, Contractor H, Cahill TJ, Sahgal N, Ball DR, Birkler RI, Hargreaves I, Tennant DA, Land J, Lygate CA, Johannsen M, Kharbanda RK, Neubauer S, Redwood C, de Cabo R, Ahmet I, Talan M, Gunther UL, Robinson AJ, Viant MR, Pollard PJ, Tyler DJ, & Watkins H.

- "Fumarate is cardioprotective via activation of the Nrf2 antioxidant pathway". *Cell metabolism*, **15** (2012) 361-371.
- Axelsen LN, Lademann JB, Petersen JS, Holstein-Rathlou N-H, Ploug T, Prats C, Pedersen HD, & Kjølbye AL. "Cardiac and metabolic changes in long-term high fructose-fat fed rats with severe obesity and extensive intramyocardial lipid accumulation". *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, **298** (2010) R1560-R1570.
- Badole SL, Chaudhari SM, Jangam GB, Kandhare AD, & Bodhankar SL. "Cardioprotective Activity of Pongamia pinnata in Streptozotocin-Nicotinamide Induced Diabetic Rats". *BioMed Research International*, **2015** (2015) 403291.
- Bandyopadhyay GK, Yu JG, Ofrecio J, & Olefsky JM. "Increased malonyl-CoA levels in muscle from obese and type 2 diabetic subjects lead to decreased fatty acid oxidation and increased lipogenesis; thiazolidinedione treatment reverses these defects". *Diabetes*, **55** (2006) 2277-2285.
- Baquer NZ, Gupta D, & Raju J. "Regulation of metabolic pathways in liver and kidney during experimental diabetes: Effects of antidiabetic compounds". *Indian Journal of Clinical Biochemistry*, **13** (1998) 63-80.
- Basu R, Oudit GY, Wang X, Zhang L, Ussher JR, Lopaschuk GD, & Kassiri Z. "Type 1 diabetic cardiomyopathy in the Akita (Ins2WT/C96Y) mouse model is characterized by lipotoxicity and diastolic dysfunction with preserved systolic function". *American journal of physiology Heart and circulatory physiology*, **297** (2009) H2096-2108.
- Belke DD, & Dillmann WH. "Altered cardiac calcium handling in diabetes". *Current hypertension reports*, **6** (2004) 424-429.
- Bella JN, Devereux RB, Roman MJ, Palmieri V, Liu JE, Paranicas M, Welty TK, Lee ET, Fabsitz RR, & Howard BV. "Separate and joint effects of systemic hypertension and diabetes mellitus on left ventricular structure and function in American Indians (the Strong Heart Study)". *Am J Cardiol*, **87** (2001) 1260-1265.
- Bhakkialakshmi E, Shalini D, Sekar TV, Rajaguru P, Paulmurugan R, & Ramkumar KM. "Therapeutic potential of pterostilbene against pancreatic beta-cell apoptosis mediated through Nrf2". *British journal of pharmacology*, **171** (2014) 1747-1757.
- Bhakkialakshmi E, Sireesh D, Sakthivadivel M, Sivasubramanian S, Gunasekaran P, & Ramkumar KM. "Anti-hyperlipidemic and anti-peroxidative role of pterostilbene via Nrf2 signaling in experimental diabetes". *Eur J Pharmacol*, **777** (2016) 9-16.
- Bidasee KR, Zhang Y, Shao CH, Wang M, Patel KP, Dincer UD, & Besch HR, Jr. "Diabetes increases formation of advanced glycation end products on Sarco(endo)plasmic reticulum Ca²⁺-ATPase". *Diabetes*, **53** (2004) 463-473.

- Bitar MS, & Al-Mulla F. "A defect in Nrf2 signaling constitutes a mechanism for cellular stress hypersensitivity in a genetic rat model of type 2 diabetes". *Am J Physiol Endocrinol Metab*, **301** (2011) E1119-1129.
- Blum J, & Fridovich I. "Inactivation of glutathione peroxidase by superoxide radical". *Arch Biochem Biophys*, **240** (1985) 500-508.
- Boaru SG, Borkham-Kamphorst E, Van de Leur E, Lehnen E, Liedtke C, & Weiskirchen R. "NLRP3 inflammasome expression is driven by NF-kappaB in cultured hepatocytes". *Biochemical and biophysical research communications*, **458** (2015) 700-706.
- Bonnard C, Durand A, Vidal H, & Rieusset J. "Changes in adiponectin, its receptors and AMPK activity in tissues of diet-induced diabetic mice". *Diabetes Metab*, **34** (2008) 52-61.
- Bouchard-Thomassin AA, Lachance D, Drolet MC, Couet J, & Arsenault M. "A high-fructose diet worsens eccentric left ventricular hypertrophy in experimental volume overload". *American journal of physiology Heart and circulatory physiology*, **300** (2011) H125-134.
- Bouche D, Chauveau C, Roussel JC, Mathieu P, Braudeau C, Tesson L, Soullillou JP, Iyer S, Buelow R, & Anegon I. "Inhibition of graft arteriosclerosis development in rat aortas following heme oxygenase-1 gene transfer". *Transpl Immunol*, **9** (2002) 235-238.
- Boudina S, & Abel ED. "Diabetic cardiomyopathy revisited". *Circulation*, **115** (2007) 3213-3223.
- Boudina S, Sena S, O'Neill BT, Tathireddy P, Young ME, & Abel ED. "Reduced mitochondrial oxidative capacity and increased mitochondrial uncoupling impair myocardial energetics in obesity". *Circulation*, **112** (2005) 2686-2695.
- Boudina S, Sena S, Theobald H, Sheng X, Wright JJ, Hu XX, Aziz S, Johnson JJ, Bugger H, Zaha VG, & Abel ED. "Mitochondrial energetics in the heart in obesity-related diabetes: direct evidence for increased uncoupled respiration and activation of uncoupling proteins". *Diabetes*, **56** (2007) 2457-2466.
- Bouhidel O, Pons S, Souktani R, Zini R, Berdeaux A, & Ghaleh B. "Myocardial ischemic postconditioning against ischemia-reperfusion is impaired in ob/ob mice". *American journal of physiology Heart and circulatory physiology*, **295** (2008) H1580-1586.
- Boyer JK, Thanigaraj S, Schechtman KB, & Perez JE. "Prevalence of ventricular diastolic dysfunction in asymptomatic, normotensive patients with diabetes mellitus". *Am J Cardiol*, **93** (2004) 870-875.
- Brewer AC, Murray TV, Arno M, Zhang M, Anilkumar NP, Mann GE, & Shah AM. "Nox4 regulates Nrf2 and glutathione redox in cardiomyocytes in vivo". *Free radical biology & medicine*, **51** (2011) 205-215.

- Buchanan J, Mazumder PK, Hu P, Chakrabarti G, Roberts MW, Yun UJ, Cooksey RC, Litwin SE, & Abel ED. "Reduced cardiac efficiency and altered substrate metabolism precedes the onset of hyperglycemia and contractile dysfunction in two mouse models of insulin resistance and obesity". *Endocrinology*, **146** (2005) 5341-5349.
- Bugger H, & Abel ED. "Mitochondria in the diabetic heart". *Cardiovasc Res*, **88** (2010) 229-240.
- Cai H. "Hydrogen peroxide regulation of endothelial function: origins, mechanisms, and consequences". *Cardiovasc Res*, **68** (2005) 26-36.
- Cai WJ, Wang MJ, Moore PK, Jin HM, Yao T, & Zhu YC. "The novel proangiogenic effect of hydrogen sulfide is dependent on Akt phosphorylation". *Cardiovasc Res*, **76** (2007) 29-40.
- Calvert JW, Gundewar S, Jha S, Greer JJM, Bestermann WH, Tian R, & Lefer DJ. "Acute Metformin Therapy Confers Cardioprotection Against Myocardial Infarction Via AMPK-eNOS-Mediated Signaling". *Diabetes*, **57** (2008) 696-705.
- Camici GG, Schiavoni M, Francia P, Bachschmid M, Martin-Padura I, Hersberger M, Tanner FC, Pelicci P, Volpe M, Anversa P, Luscher TF, & Cosentino F. "Genetic deletion of p66(Shc) adaptor protein prevents hyperglycemia-induced endothelial dysfunction and oxidative stress". *Proceedings of the National Academy of Sciences of the United States of America*, **104** (2007) 5217-5222.
- Cao K, Xu J, Pu W, Dong Z, Sun L, Zang W, Gao F, Zhang Y, Feng Z, & Liu J. "Punicalagin, an active component in pomegranate, ameliorates cardiac mitochondrial impairment in obese rats via AMPK activation". *Scientific reports*, **5** (2015) 14014.
- Cao K, Zheng A, Xu J, Li H, Liu J, Peng Y, Long J, Zou X, Li Y, Chen C, Liu J, & Feng Z. "AMPK activation prevents prenatal stress-induced cognitive impairment: modulation of mitochondrial content and oxidative stress". *Free radical biology & medicine*, **75** (2014) 156-166.
- Cao Z, Zhu H, Zhang L, Zhao X, Zweier JL, & Li Y. "Antioxidants and phase 2 enzymes in cardiomyocytes: Chemical inducibility and chemoprotection against oxidant and simulated ischemia-reperfusion injury". *Experimental biology and medicine (Maywood, NJ)*, **231** (2006) 1353-1364.
- Capano M, & Crompton M. "Bax translocates to mitochondria of heart cells during simulated ischaemia: involvement of AMP-activated and p38 mitogen-activated protein kinases". *Biochem J*, **395** (2006) 57-64.
- Cassuto J, Dou H, Czikora I, Szabo A, Patel VS, Kamath V, Belin de Chantemele E, Feher A, Romero MJ, & Bagi Z. "Peroxynitrite disrupts endothelial caveolae leading to eNOS uncoupling and diminished flow-mediated dilation in coronary arterioles of diabetic patients". *Diabetes*, **63** (2014) 1381-1393.

Cesselli D, Jakoniuk I, Barlucchi L, Beltrami AP, Hintze TH, Nadal-Ginard B, Kajstura J, Leri A, & Anversa P. "Oxidative stress-mediated cardiac cell death is a major determinant of ventricular dysfunction and failure in dog dilated cardiomyopathy". *Circulation research*, **89** (2001) 279-286.

Chang J, Rimando A, Pallas M, Camins A, Porquet D, Reeves J, Shukitt-Hale B, Smith MA, Joseph JA, & Casadesus G. "Low-dose pterostilbene, but not resveratrol, is a potent neuromodulator in aging and Alzheimer's disease". *Neurobiol Aging*, **33** (2012) 2062-2071.

Chen K, Li G, Geng F, Zhang Z, Li J, Yang M, Dong L, & Gao F. "Berberine reduces ischemia/reperfusion-induced myocardial apoptosis via activating AMPK and PI3K-Akt signaling in diabetic rats". *Apoptosis : an international journal on programmed cell death*, **19** (2014) 946-957.

Cheng PW, Ho WY, Su YT, Lu PJ, Chen BZ, Cheng WH, Lu WH, Sun GC, Yeh TC, Hsiao M, & Tseng CJ. "Resveratrol decreases fructose-induced oxidative stress, mediated by NADPH oxidase via an AMPK-dependent mechanism". *British journal of pharmacology*, **171** (2014) 2739-2750.

Cheng Y, Di S, Fan C, Cai L, Gao C, Jiang P, Hu W, Ma Z, Jiang S, Dong Y, Li T, Wu G, Lv J, & Yang Y. "SIRT1 activation by pterostilbene attenuates the skeletal muscle oxidative stress injury and mitochondrial dysfunction induced by ischemia reperfusion injury". *Apoptosis : an international journal on programmed cell death*, **21** (2016) 905-916.

Cho SJ, Jung UJ, & Choi MS. "Differential effects of low-dose resveratrol on adiposity and hepatic steatosis in diet-induced obese mice". *The British journal of nutrition*, **108** (2012) 2166-2175.

Christenson RH, Vollmer RT, Ohman EM, Peck S, Thompson TD, Duh SH, Ellis SG, Newby LK, Topol EJ, & Califf RM. "Relation of temporal creatine kinase-MB release and outcome after thrombolytic therapy for acute myocardial infarction. TAMI Study Group". *Am J Cardiol*, **85** (2000) 543-547.

Cioffi F, Senese R, Lasala P, Ziello A, Mazzoli A, Crescenzo R, Liverini G, Lanni A, Goglia F, & Iossa S. "Fructose-Rich Diet Affects Mitochondrial DNA Damage and Repair in Rats". *Nutrients*, **9** (2017).

Clarke PR, & Hardie DG. "Regulation of HMG-CoA reductase: identification of the site phosphorylated by the AMP-activated protein kinase in vitro and in intact rat liver". *EMBO J*, **9** (1990) 2439-2446.

Coughlan KA, Valentine RJ, Ruderman NB, & Saha AK. "AMPK activation: a therapeutic target for type 2 diabetes?". *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, **7** (2014) 241-253.

Cozma AI, Sievenpiper JL, de Souza RJ, Chiavaroli L, Ha V, Wang DD, Mirrahimi A, Yu ME, Carleton AJ, Di Buono M, Jenkins AL, Leiter LA, Wolever TMS, Beyene J,

- Kendall CWC, & Jenkins DJA. "Effect of Fructose on Glycemic Control in Diabetes". *A systematic review and meta-analysis of controlled feeding trials*, **35** (2012) 1611-1620.
- Crow MT, Mani K, Nam Y-J, & Kitsis RN. "The Mitochondrial Death Pathway and Cardiac Myocyte Apoptosis". *Circ Res*, **95** (2004) 957-970.
- Das DK, Sato M, Ray PS, Maulik G, Engelman RM, Bertelli AA, & Bertelli A. "Cardioprotection of red wine: role of polyphenolic antioxidants". *Drugs under experimental and clinical research*, **25** (1999) 115-120.
- Davies SP, Hawley SA, Woods A, Carling D, Haystead TA, & Hardie DG. "Purification of the AMP-activated protein kinase on ATP-gamma-sepharose and analysis of its subunit structure". *European journal of biochemistry / FEBS*, **223** (1994) 351-357.
- Davis BK, Wen H, & Ting JP. "The inflammasome NLRs in immunity, inflammation, and associated diseases". *Annu Rev Immunol*, **29** (2011) 707-735.
- Delanty N, Reilly MP, Pratico D, Lawson JA, McCarthy JF, Wood AE, Ohnishi ST, Fitzgerald DJ, & FitzGerald GA. "8-epi PGF₂ alpha generation during coronary reperfusion. A potential quantitative marker of oxidant stress in vivo". *Circulation*, **95** (1997) 2492-2499.
- Delbosc S, Paizanis E, Magous R, Araiz C, Dimo T, Cristol J-P, Cros G, & Azay J. "Involvement of oxidative stress and NADPH oxidase activation in the development of cardiovascular complications in a model of insulin resistance, the fructose-fed rat". *Atherosclerosis*, **179** (2005) 43-49.
- Desrois M, Sidell RJ, Gauguier D, King LM, Radda GK, & Clarke K. "Initial steps of insulin signaling and glucose transport are defective in the type 2 diabetic rat heart". *Cardiovasc Res*, **61** (2004) 288-296.
- Domingueti CP, Dusse LM, Carvalho M, de Sousa LP, Gomes KB, & Fernandes AP. "Diabetes mellitus: The linkage between oxidative stress, inflammation, hypercoagulability and vascular complications". *J Diabetes Complications*, **30** (2016) 738-745.
- Du D, Chang S, Chen B, Zhou H, & Chen ZK. "Adenovirus-mediated heme oxygenase transfer inhibits graft arteriosclerosis in rat aortic transplants". *Transplant Proc*, **39** (2007) 3446-3448.
- Dyck JR, & Lopaschuk GD. "AMPK alterations in cardiac physiology and pathology: enemy or ally?". *The Journal of physiology*, **574** (2006) 95-112.
- Echtay KS, Roussel D, St-Pierre J, Jekabsons MB, Cadenas S, Stuart JA, Harper JA, Roebuck SJ, Morrison A, Pickering S, Clapham JC, & Brand MD. "Superoxide activates mitochondrial uncoupling proteins". *Nature*, **415** (2002) 96-99.

- Edwards JF, Casellini CM, Parson HK, Obrosova IG, Yorek M, & Vinik AI. "Role of Peroxynitrite in the Development of Diabetic Peripheral Neuropathy". *Diabetes care*, **38** (2015) e100-e101.
- Eefting F, Rensing B, Wigman J, Pannekoek WJ, Liu WM, Cramer MJ, Lips DJ, & Doevendans PA. "Role of apoptosis in reperfusion injury". *Cardiovasc Res*, **61** (2004) 414-426.
- Eguchi M, Kim YH, Kang KW, Shim CY, Jang Y, Dorval T, Kim KJ, & Sweeney G. "Ischemia-reperfusion injury leads to distinct temporal cardiac remodeling in normal versus diabetic mice". *PLoS One*, **7** (2012) e30450.
- Elango B, Dornadula S, Paulmurugan R, & Ramkumar KM. "Pterostilbene Ameliorates Streptozotocin-Induced Diabetes through Enhancing Antioxidant Signaling Pathways Mediated by Nrf2". *Chem Res Toxicol*, **29** (2016) 47-57.
- Evgenov OV, Pacher P, Schmidt PM, Hasko G, Schmidt HH, & Stasch JP. "NO-independent stimulators and activators of soluble guanylate cyclase: discovery and therapeutic potential". *Nature reviews Drug discovery*, **5** (2006) 755-768.
- Ewing JF, Raju VS, & Maines MD. "Induction of heart heme oxygenase-1 (HSP32) by hyperthermia: possible role in stress-mediated elevation of cyclic 3':5'-guanosine monophosphate". *The Journal of pharmacology and experimental therapeutics*, **271** (1994) 408-414.
- Factor SM, Okun EM, & Minase T. "Capillary microaneurysms in the human diabetic heart". *N Engl J Med*, **302** (1980) 384-388.
- Feldman AT, & Wolfe D. "Tissue processing and hematoxylin and eosin staining". *Methods Mol Biol*, **1180** (2014) 31-43.
- Ferrannini E. "Insulin Resistance versus Insulin Deficiency in Non-Insulin-Dependent Diabetes Mellitus: Problems and Prospects". *Endocr Rev*, **19** (1998) 477-490.
- Fiordaliso F, Li B, Latini R, Sonnenblick EH, Anversa P, Leri A, & Kajstura J. "Myocyte death in streptozotocin-induced diabetes in rats in angiotensin II- dependent". *Lab Invest*, **80** (2000) 513-527.
- Fischer VW, Barner HB, & Larose LS. "Pathomorphologic aspects of muscular tissue in diabetes mellitus". *Hum Pathol*, **15** (1984) 1127-1136.
- Fisslthaler B, & Fleming I. "Activation and signaling by the AMP-activated protein kinase in endothelial cells". *Circulation research*, **105** (2009) 114-127.
- Ford RJ, Fullerton MD, Pinkosky SL, Day EA, Scott JW, Oakhill JS, Bujak AL, Smith BK, Crane JD, Blumer RM, Marcinko K, Kemp BE, Gerstein HC, & Steinberg GR. "Metformin and salicylate synergistically activate liver AMPK, inhibit lipogenesis and improve insulin sensitivity". *Biochem J*, **468** (2015) 125-132.

- Forman HJ, Zhang H, & Rinna A. "Glutathione: overview of its protective roles, measurement, and biosynthesis". *Molecular aspects of medicine*, **30** (2009) 1-12.
- Friedewald WT, Levy RI, & Fredrickson DS. "Estimation of the concentration of low-density lipoprotein cholesterol in plasma, without use of the preparative ultracentrifuge". *Clin Chem*, **18** (1972) 499-502.
- Fritz M, & Rinaldi G. "Blood pressure measurement with the tail-cuff method in Wistar and spontaneously hypertensive rats: Influence of adrenergic- and nitric oxide-mediated vasomotion". *J Pharmacol Toxicol Methods*, **58** (2008) 215-221.
- Fruchart J-C, Staels B, & Duriez P (2003). Ppar-Alpha in Lipid and Lipoprotein Metabolism, Vascular Inflammation and Atherosclerosis. In *Atherosclerosis, Hypertension and Diabetes*. eds Pierce G., Nagano M., Zahradka P., & Dhalla N. Springer US, pp 3-16.
- Fuentes-Antras J, Ioan AM, Tunon J, Egido J, & Lorenzo O. "Activation of toll-like receptors and inflammasome complexes in the diabetic cardiomyopathy-associated inflammation". *International journal of endocrinology*, **2014** (2014) 847827.
- Furman BL. "Streptozotocin-Induced Diabetic Models in Mice and Rats". *Current protocols in pharmacology*, **70** (2015) 5 47 41-20.
- Garstkiewicz M, Strittmatter GE, Grossi S, Sand J, Fenini G, Werner S, French LE, & Beer H-D. "Opposing effects of Nrf2 and Nrf2-activating compounds on the NLRP3 inflammasome independent of Nrf2-mediated gene expression". *Eur J Immunol*, **47** (2017) 806-817.
- Giacco F, & Brownlee M. "Oxidative stress and diabetic complications". *Circulation research*, **107** (2010) 1058-1070.
- Giovannini P, Howes MR, & Edwards SE. "Data on medicinal plants used in Central America to manage diabetes and its sequelae (skin conditions, cardiovascular disease, kidney disease, urinary problems and vision loss)". *Data in brief*, **7** (2016) 1217-1220.
- Golbidi S, Botta A, Gottfred S, Nusrat A, Laher I, & Ghosh S. "Glutathione administration reduces mitochondrial damage and shifts cell death from necrosis to apoptosis in ageing diabetic mice hearts during exercise". *Br J Pharmacol*, **171** (2014) 5345-5360.
- Goldin A, Beckman JA, Schmidt AM, & Creager MA. "Advanced glycation end products: sparking the development of diabetic vascular injury". *Circulation*, **114** (2006) 597-605.
- Gomez-Zorita S, Fernandez-Quintela A, Aguirre L, Macarulla MT, Rimando AM, & Portillo MP. "Pterostilbene improves glycaemic control in rats fed an obesogenic diet: involvement of skeletal muscle and liver". *Food & function*, **6** (2015) 1968-1976.

- Gomez-Zorita S, Fernandez-Quintela A, Lasa A, Aguirre L, Rimando AM, & Portillo MP. "Pterostilbene, a dimethyl ether derivative of resveratrol, reduces fat accumulation in rats fed an obesogenic diet". *Journal of agricultural and food chemistry*, **62** (2014) 8371-8378.
- Gómez-Zorita S, Fernández-Quintela A, Lasa A, Aguirre L, Rimando AM, & Portillo MP. "Pterostilbene, a Dimethyl Ether Derivative of Resveratrol, Reduces Fat Accumulation in Rats Fed an Obesogenic Diet". *Journal of agricultural and food chemistry*, **62** (2014) 8371-8378.
- Gomez-Zorita S, Fernandez-Quintela A, Macarulla MT, Aguirre L, Hijona E, Bujanda L, Milagro F, Martinez JA, & Portillo MP. "Resveratrol attenuates steatosis in obese Zucker rats by decreasing fatty acid availability and reducing oxidative stress". *The British journal of nutrition*, **107** (2012) 202-210.
- Greaney AJ, Maier NK, Leppla SH, & Moayeri M. "Sulforaphane inhibits multiple inflammasomes through an Nrf2-independent mechanism". *J Leukoc Biol*, **99** (2016) 189-199.
- Grover JK, Vats V, & Yadav S. "Effect of feeding aqueous extract of *Pterocarpus marsupium* on glycogen content of tissues and the key enzymes of carbohydrate metabolism". *Molecular and cellular biochemistry*, **241** (2002) 53-59.
- Gu XS, Wang ZB, Ye Z, Lei JP, Li L, Su DF, & Zheng X. "Resveratrol, an activator of SIRT1, upregulates AMPK and improves cardiac function in heart failure". *Genetics and molecular research : GMR*, **13** (2014) 323-335.
- Gugliucci A. "'Blinding" of AMP-dependent kinase by methylglyoxal: a mechanism that allows perpetuation of hepatic insulin resistance?". *Med Hypotheses*, **73** (2009) 921-924.
- Guido S, & Joseph T. "Effect of chemically different calcium antagonists on lipid profile in rats fed on a high fat diet". *Indian journal of experimental biology*, **30** (1992) 292-294.
- Gul K, Celebi AS, Kacmaz F, Ozcan OC, Ustun I, Berker D, Aydin Y, Delibasi T, Guler S, & Barazi AO. "Tissue Doppler imaging must be performed to detect early left ventricular dysfunction in patients with type 1 diabetes mellitus". *European journal of echocardiography : the journal of the Working Group on Echocardiography of the European Society of Cardiology*, **10** (2009) 841-846.
- Guo Y, Zhang L, Li F, Hu CP, & Zhang Z. "Restoration of sirt1 function by pterostilbene attenuates hypoxia-reoxygenation injury in cardiomyocytes". *Eur J Pharmacol*, **776** (2016) 26-33.
- Gurung P, Li B, Subbarao Malireddi RK, Lamkanfi M, Geiger TL, & Kanneganti T-D. "Chronic TLR Stimulation Controls NLRP3 Inflammasome Activation through IL-10 Mediated Regulation of NLRP3 Expression and Caspase-8 Activation". *Scientific reports*, **5** (2015) 14488.

- Gurusamy N, Malik G, Gorbunov NV, & Das DK. "Redox activation of Ref-1 potentiates cell survival following myocardial ischemia reperfusion injury". *Free radical biology & medicine*, **43** (2007) 397-407.
- Gustafsson ÅB, & Gottlieb RA. "Bcl-2 family members and apoptosis, taken to heart". *American Journal of Physiology - Cell Physiology*, **292** (2007) C45-C51.
- Hafstad AD, Khalid AM, Hagve M, Lund T, Larsen TS, Severson DL, Clarke K, Berge RK, & Aasum E. "Cardiac peroxisome proliferator-activated receptor-alpha activation causes increased fatty acid oxidation, reducing efficiency and post-ischaemic functional loss". *Cardiovasc Res*, **83** (2009) 519-526.
- Hallfrisch J. "Metabolic effects of dietary fructose". *FASEB journal : official publication of the Federation of American Societies for Experimental Biology*, **4** (1990) 2652-2660.
- Hamblin M, Friedman DB, Hill S, Caprioli RM, Smith HM, & Hill MF. "Alterations in the Diabetic Myocardial Proteome Coupled With Increased Myocardial Oxidative Stress Underlies Diabetic Cardiomyopathy". *J Mol Cell Cardiol*, **42** (2007) 884-895.
- Hanas R, & John G. "2010 Consensus Statement on the Worldwide Standardization of the Hemoglobin A1C Measurement". *Diabetes care*, **33** (2010) 1903-1904.
- Hardie DG, & Hawley SA. "AMP-activated protein kinase: the energy charge hypothesis revisited". *BioEssays : news and reviews in molecular, cellular and developmental biology*, **23** (2001) 1112-1119.
- Hattori Y, Nakano Y, Hattori S, Tomizawa A, Inukai K, & Kasai K. "High molecular weight adiponectin activates AMPK and suppresses cytokine-induced NF-kappaB activation in vascular endothelial cells". *FEBS letters*, **582** (2008) 1719-1724.
- Hawley SA, Pan DA, Mustard KJ, Ross L, Bain J, Edelman AM, Frenguelli BG, & Hardie DG. "Calmodulin-dependent protein kinase kinase-beta is an alternative upstream kinase for AMP-activated protein kinase". *Cell Metab*, **2** (2005) 9-19.
- Heather LC, & Clarke K. "Metabolism, hypoxia and the diabetic heart". *J Mol Cell Cardiol*, **50** (2011) 598-605.
- Heckbert SR, Post W, Pearson GD, Arnett DK, Gomes AS, Jerosch-Herold M, Hundley WG, Lima JA, & Bluemke DA. "Traditional cardiovascular risk factors in relation to left ventricular mass, volume, and systolic function by cardiac magnetic resonance imaging: the Multiethnic Study of Atherosclerosis". *J Am Coll Cardiol*, **48** (2006) 2285-2292.
- Hickson-Bick DL, Buja LM, & McMillin JB. "Palmitate-mediated alterations in the fatty acid metabolism of rat neonatal cardiac myocytes". *J Mol Cell Cardiol*, **32** (2000) 511-519.

- Hinderliter A, Sherwood A, Gullette EC, Babyak M, Waugh R, Georgiades A, & Blumenthal JA. "Reduction of left ventricular hypertrophy after exercise and weight loss in overweight patients with mild hypertension". *Arch Intern Med*, **162** (2002) 1333-1339.
- Hotta H, Miura T, Miki T, Togashi N, Maeda T, Kim SJ, Tanno M, Yano T, Kuno A, Itoh T, Satoh T, Terashima Y, Ishikawa S, & Shimamoto K. "Angiotensin II type 1 receptor-mediated upregulation of calcineurin activity underlies impairment of cardioprotective signaling in diabetic hearts". *Circulation research*, **106** (2010) 129-132.
- Hou Y, Wang Y, He Q, Li L, Xie H, Zhao Y, & Zhao J. "Nrf2 inhibits NLRP3 inflammasome activation through regulating Trx1/TXNIP complex in cerebral ischemia reperfusion injury". *Behav Brain Res*, **336** (2018) 32-39.
- Hougee S, Faber J, Sanders A, De Jong RB, Van Den Berg WB, Garssen J, Hoijer MA, & Smit HF. "Selective COX-2 inhibition by a Pterocarpus marsupium extract characterized by pterostilbene, and its activity in healthy human volunteers". *Planta Med*, **71** (2005a) 387-392.
- Hougee S, Faber J, Sanders A, de Jong RB, van den Berg WB, Garssen J, Hoijer MA, & Smit HF. "Selective COX-2 inhibition by a Pterocarpus marsupium extract characterized by pterostilbene, and its activity in healthy human volunteers". *Planta medica*, **71** (2005b) 387-392.
- Hsu CL, Lin YJ, Ho CT, & Yen GC. "Inhibitory effects of garcinol and pterostilbene on cell proliferation and adipogenesis in 3T3-L1 cells". *Food & function*, **3** (2012) 49-57.
- Hsu CL, Lin YJ, Ho CT, & Yen GC. "The inhibitory effect of pterostilbene on inflammatory responses during the interaction of 3T3-L1 adipocytes and RAW 264.7 macrophages". *Journal of agricultural and food chemistry*, **61** (2013) 602-610.
- Huang B, Wu P, Popov KM, & Harris RA. "Starvation and diabetes reduce the amount of pyruvate dehydrogenase phosphatase in rat heart and kidney". *Diabetes*, **52** (2003) 1371-1376.
- Hur SH, Won KB, Kim IC, Bae JH, Choi DJ, Ahn YK, Park JS, Kim HS, Choi RK, Choi D, Kim JH, Han KR, Park HS, Choi SY, Yoon JH, Gwon HC, Rha SW, Jang W, Bae JW, Hwang KK, Lim DS, Jung KT, Oh SK, Lee JH, Shin ES, & Kim KS. "Comparison of 2-year clinical outcomes between diabetic versus nondiabetic patients with acute myocardial infarction after 1-month stabilization: Analysis of the prospective registry of DIAMOND (DIabetic acute myocardial infarctiON Disease) in Korea: an observational registry study". *Medicine (Baltimore)*, **95** (2016).
- Hussain T, Tan B, Yin Y, Blachier F, Tossou MCB, & Rahu N. "Oxidative Stress and Inflammation: What Polyphenols Can Do for Us?". *Oxidative medicine and cellular longevity*, **2016** (2016) 7432797.

- Hybertson BM, Gao B, Bose SK, & McCord JM. "Oxidative stress in health and disease: the therapeutic potential of Nrf2 activation". *Molecular aspects of medicine*, **32** (2011) 234-246.
- Inoki K, Zhu T, & Guan KL. "TSC2 mediates cellular energy response to control cell growth and survival". *Cell*, **115** (2003) 577-590.
- Iori E, Pagnin E, Gallo A, Calo L, Murphy E, Ostuni F, Fadini GP, & Avogaro A. "Heme oxygenase-1 is an important modulator in limiting glucose-induced apoptosis in human umbilical vein endothelial cells". *Life sciences*, **82** (2008) 383-392.
- Ishikawa T, Kajiwara H, & Kurihara S. "Alterations in contractile properties and Ca²⁺ handling in streptozotocin-induced diabetic rat myocardium". *Am J Physiol*, **277** (1999) H2185-2194.
- Jager S, Handschin C, St-Pierre J, & Spiegelman BM. "AMP-activated protein kinase (AMPK) action in skeletal muscle via direct phosphorylation of PGC-1 α ". *Proceedings of the National Academy of Sciences of the United States of America*, **104** (2007) 12017-12022.
- Jancso G, Lantos J, Borsiczky B, Szanto Z, & Roth E. "Dynamism of NF-kappaB and AP-1 activation in the signal transduction of ischaemic myocardial preconditioning". *Eur Surg Res*, **36** (2004) 129-135.
- Jay D, Hitomi H, & Griendling KK. "Oxidative stress and diabetic cardiovascular complications". *Free radical biology & medicine*, **40** (2006) 183-192.
- Jiang B, Le L, Pan H, Hu K, Xu L, & Xiao P. "Dihydromyricetin ameliorates the oxidative stress response induced by methylglyoxal via the AMPK/GLUT4 signaling pathway in PC12 cells". *Brain Res Bull*, **109** (2014) 117-126.
- Jung JE, Lee J, Ha J, Kim SS, Cho YH, Baik HH, & Kang I. "5-Aminoimidazole-4-carboxamide-ribonucleoside enhances oxidative stress-induced apoptosis through activation of nuclear factor-kappaB in mouse Neuro 2a neuroblastoma cells". *Neurosci Lett*, **354** (2004) 197-200.
- Kamide K, Rakugi H, Higaki J, Okamura A, Nagai M, Moriguchi K, Ohishi M, Satoh N, Tuck ML, & Ogihara T. "The renin-angiotensin and adrenergic nervous system in cardiac hypertrophy in fructose-fed rats". *Am J Hypertens*, **15** (2002) 66-71.
- Kandula V, Kosuru R, Li H, Yan D, Zhu Q, Lian Q, Ge R, Xia Z, & Irwin MG. "Forkhead box transcription factor 1: role in the pathogenesis of diabetic cardiomyopathy". *Cardiovascular Diabetology*, **15** (2016).
- Katakam PV, Jordan JE, Snipes JA, Tulbert CD, Miller AW, & Busija DW. "Myocardial preconditioning against ischemia-reperfusion injury is abolished in Zucker obese rats with insulin resistance". *Am J Physiol Regul Integr Comp Physiol*, **292** (2007) R920-926.

Kawaguchi M, Takahashi M, Hata T, Kashima Y, Usui F, Morimoto H, Izawa A, Takahashi Y, Masumoto J, Koyama J, Hongo M, Noda T, Nakayama J, Sagara J, Taniguchi S, & Ikeda U. "Inflammasome activation of cardiac fibroblasts is essential for myocardial ischemia/reperfusion injury". *Circulation*, **123** (2011) 594-604.

Kemp BE, Oakhill JS, & Scott JW. "AMPK Structure and Regulation from Three Angles". *Structure*, **15** (2007) 1161-1163.

Kensler TW, Wakabayashi N, & Biswal S. "Cell survival responses to environmental stresses via the Keap1-Nrf2-ARE pathway". *Annu Rev Pharmacol Toxicol*, **47** (2007) 89-116.

Kersten JR, Schmelting TJ, Orth KG, Pagel PS, & Warltier DC. "Acute hyperglycemia abolishes ischemic preconditioning in vivo". *Am J Physiol*, **275** (1998) H721-725.

Kewalramani G, Puthanveetil P, Wang F, Kim MS, Deppe S, Abrahani A, Luciani DS, Johnson JD, & Rodrigues B. "AMP-activated protein kinase confers protection against TNF- α -induced cardiac cell death". *Cardiovasc Res*, **84** (2009) 42-53.

Kim H-L, Kang S-H, Yoon C-H, Cho Y-S, Youn T-J, Cho G-Y, Chae I-H, Kim H-S, Chae S-C, Cho M-C, Kim Y-J, Kim JH, Ahn Y, Jeong MH, Choi D-J, Other Korea Acute Myocardial Infarction R, & Korea Working Group on Myocardial Infarction I. "Differential Prognostic Impacts of Diabetes over Time Course after Acute Myocardial Infarction". *J Korean Med Sci*, **28** (2013) 1749-1755.

Kim M-S, Krawczyk SA, Doridot L, Fowler AJ, Wang JX, Trauger SA, Noh H-L, Kang HJ, Meissen JK, Blatnik M, Kim JK, Lai M, & Herman MA. "ChREBP regulates fructose-induced glucose production independently of insulin signaling". *The Journal of Clinical Investigation*, **126** (2016a) 4372-4386.

Kim Y, Keogh JB, & Clifton PM. "Polyphenols and Glycemic Control". *Nutrients*, **8** (2016b) 17.

King MK, Coker ML, Goldberg A, McElmurray JH, 3rd, Gunasinghe HR, Mukherjee R, Zile MR, O'Neill TP, & Spinale FG. "Selective matrix metalloproteinase inhibition with developing heart failure: effects on left ventricular function and structure". *Circulation research*, **92** (2003) 177-185.

Klein AV, & Kiat H. "The mechanisms underlying fructose-induced hypertension: a review". *J Hypertens*, **33** (2015) 912-920.

Knaapen P, Germans T, Knuuti J, Paulus WJ, Dijkmans PA, Allaart CP, Lammertsma AA, & Visser FC. "Myocardial energetics and efficiency: current status of the noninvasive approach". *Circulation*, **115** (2007) 918-927.

Ko HJ, Zhang Z, Jung DY, Jun JY, Ma Z, Jones KE, Chan SY, & Kim JK. "Nutrient stress activates inflammation and reduces glucose metabolism by suppressing AMP-activated protein kinase in the heart". *Diabetes*, **58** (2009) 2536-2546.

- Kobayashi EH, Suzuki T, Funayama R, Nagashima T, Hayashi M, Sekine H, Tanaka N, Moriguchi T, Motohashi H, Nakayama K, & Yamamoto M. "Nrf2 suppresses macrophage inflammatory response by blocking proinflammatory cytokine transcription". *Nature communications*, **7** (2016) 11624.
- Kosuru R, Rai U, Prakash S, Singh A, & Singh S. "Promising therapeutic potential of pterostilbene and its mechanistic insight based on preclinical evidence". *Eur J Pharmacol*, **789** (2016) 229-243.
- Kosuru R, & Singh S. "Pterostilbene ameliorates insulin sensitivity, glycemic control and oxidative stress in fructose-fed diabetic rats". *Life Sci*, **182** (2017) 112-121.
- Kukidome D, Nishikawa T, Sonoda K, Imoto K, Fujisawa K, Yano M, Motoshima H, Taguchi T, Matsumura T, & Araki E. "Activation of AMP-activated protein kinase reduces hyperglycemia-induced mitochondrial reactive oxygen species production and promotes mitochondrial biogenesis in human umbilical vein endothelial cells". *Diabetes*, **55** (2006) 120-127.
- Kumar R, Yong QC, & Thomas CM. "Do multiple nuclear factor kappa B activation mechanisms explain its varied effects in the heart?". *The Ochsner journal*, **13** (2013) 157-165.
- Kuroda J, Ago T, Matsushima S, Zhai P, Schneider MD, & Sadoshima J. "NADPH oxidase 4 (Nox4) is a major source of oxidative stress in the failing heart". *Proceedings of the National Academy of Sciences of the United States of America*, **107** (2010) 15565-15570.
- Kurutas EB. "The importance of antioxidants which play the role in cellular response against oxidative/nitrosative stress: current state". *Nutrition journal*, **15** (2016) 71.
- Kusmic C, L'Abbate A, Sambuceti G, Drummond G, Barsanti C, Matteucci M, Cao J, Piccolomini F, Cheng J, & Abraham NG. "Improved myocardial perfusion in chronic diabetic mice by the up-regulation of pLKB1 and AMPK signaling". *J Cell Biochem*, **109** (2010) 1033-1044.
- Lacombe VA, Viatchenko-Karpinski S, Terentyev D, Sridhar A, Emani S, Bonagura JD, Feldman DS, Gyorke S, & Carnes CA. "Mechanisms of impaired calcium handling underlying subclinical diastolic dysfunction in diabetes". *Am J Physiol Regul Integr Comp Physiol*, **293** (2007) R1787-1797.
- Langcake P, Cornford CA, & Pryce RJ. "Identification of pterostilbene as a phytoalexin from *Vitis vinifera* leaves". *Phytochemistry*, **18** (1979) 1025-1027.
- Langcake P, & Pryce RJ. "A new class of phytoalexins from grapevines". *Experientia*, **33** (1977) 151-152.
- Lehrke M, & Marx N. "Diabetes Mellitus and Heart Failure". *The American Journal of Cardiology*, **120** (2017) S37-S47.

Lei S, Li H, Xu J, Liu Y, Gao X, Wang J, Ng KF, Lau WB, Ma XL, Rodrigues B, Irwin MG, & Xia Z. "Hyperglycemia-induced protein kinase C beta2 activation induces diastolic cardiac dysfunction in diabetic rats by impairing caveolin-3 expression and Akt/eNOS signaling". *Diabetes*, **62** (2013) 2318-2328.

Levrant S, Vannay-Bouchiche C, Pesse B, Pacher P, Feihl F, Waeber B, & Liaudet L. "Peroxynitrite is a major trigger of cardiomyocyte apoptosis in vitro and in vivo". *Free radical biology & medicine*, **41** (2006) 886-895.

Li B, Liu S, Miao L, & Cai L. "Prevention of diabetic complications by activation of Nrf2: diabetic cardiomyopathy and nephropathy". *Experimental Diabetes Research*, **2012** (2012) 216512.

Li H, Liu Z, Wang J, Wong GT, Cheung C-W, Zhang L, Chen C, Xia Z, & Irwin MG. "Susceptibility to myocardial ischemia reperfusion injury at early stage of type 1 diabetes in rats". *Cardiovascular Diabetology*, **12** (2013a) 133.

Li H, Liu Z, Wang J, Wong GT, Cheung CW, Zhang L, Chen C, Xia Z, & Irwin MG. "Susceptibility to myocardial ischemia reperfusion injury at early stage of type 1 diabetes in rats". *Cardiovascular Diabetology*, **12** (2013b) 133.

Li J, Coven DL, Miller EJ, Hu X, Young ME, Carling D, Sinusas AJ, & Young LH. "Activation of AMPK alpha- and gamma-isoform complexes in the intact ischemic rat heart". *Am J Physiol Heart Circ Physiol*, **291** (2006) H1927-1934.

Li J, Ichikawa T, Villacorta L, Janicki JS, Brower GL, Yamamoto M, & Cui T. "Nrf2 protects against maladaptive cardiac responses to hemodynamic stress". *Arterioscler Thromb Vasc Biol*, **29** (2009) 1843-1850.

Li J, Zhu H, Shen E, Wan L, Arnold JM, & Peng T. "Deficiency of rac1 blocks NADPH oxidase activation, inhibits endoplasmic reticulum stress, and reduces myocardial remodeling in a mouse model of type 1 diabetes". *Diabetes*, **59** (2010) 2033-2042.

Li WL, Zheng HC, Bukuru J, & De Kimpe N. "Natural medicines used in the traditional Chinese medical system for therapy of diabetes mellitus". *Journal of ethnopharmacology*, **92** (2004) 1-21.

Li YY, Feng YQ, Kadokami T, McTiernan CF, Draviam R, Watkins SC, & Feldman AM. "Myocardial extracellular matrix remodeling in transgenic mice overexpressing tumor necrosis factor alpha can be modulated by anti-tumor necrosis factor alpha therapy". *Proceedings of the National Academy of Sciences of the United States of America*, **97** (2000) 12746-12751.

Lin HS, Yue BD, & Ho PC. "Determination of pterostilbene in rat plasma by a simple HPLC-UV method and its application in pre-clinical pharmacokinetic study". *Biomedical chromatography : BMC*, **23** (2009) 1308-1315.

Lin VC, Tsai YC, Lin JN, Fan LL, Pan MH, Ho CT, Wu JY, & Way TD. "Activation of AMPK by pterostilbene suppresses lipogenesis and cell-cycle progression in p53

positive and negative human prostate cancer cells". *Journal of agricultural and food chemistry*, **60** (2012) 6399-6407.

Liu H, Zhao L, Yue L, Wang B, Li X, Guo H, Ma Y, Yao C, Gao L, Deng J, Li L, Feng D, & Qu Y. "Pterostilbene Attenuates Early Brain Injury Following Subarachnoid Hemorrhage via Inhibition of the NLRP3 Inflammasome and Nox2-Related Oxidative Stress". *Molecular neurobiology*, **54** (2017) 5928-5940.

Liu X, Wei J, Peng DH, Layne MD, & Yet SF. "Absence of heme oxygenase-1 exacerbates myocardial ischemia/reperfusion injury in diabetic mice". *Diabetes*, **54** (2005) 778-784.

Liu X, Zhou W, Zhang X, Lu P, Du Q, Tao L, Ding Y, Wang Y, & Hu R. "Dimethyl fumarate ameliorates dextran sulfate sodium-induced murine experimental colitis by activating Nrf2 and suppressing NLRP3 inflammasome activation". *Biochem Pharmacol*, **112** (2016a) 37-49.

Liu XM, Peyton KJ, Shebib AR, Wang H, Korthuis RJ, & Durante W. "Activation of AMPK stimulates heme oxygenase-1 gene expression and human endothelial cell survival". *American journal of physiology Heart and circulatory physiology*, **300** (2011) H84-93.

Liu Y, Jin J, Qiao S, Lei S, Liao S, Ge ZD, Li H, Wong GT, Irwin MG, & Xia Z. "Inhibition of PKC β 2 overexpression ameliorates myocardial ischaemia/reperfusion injury in diabetic rats via restoring caveolin-3/Akt signaling". *Clinical science (London, England : 1979)*, **129** (2015) 331-344.

Liu Z, Chen JM, Huang H, Kuznicki M, Zheng S, Sun W, Quan N, Wang L, Yang H, Guo HM, Li J, Zhuang J, & Zhu P. "The protective effect of trimetazidine on myocardial ischemia/reperfusion injury through activating AMPK and ERK signaling pathway". *Metabolism*, **65** (2016b) 122-130.

Loboda A, Damulewicz M, Pyza E, Jozkowicz A, & Dulak J. "Role of Nrf2/HO-1 system in development, oxidative stress response and diseases: an evolutionarily conserved mechanism". *Cell Mol Life Sci*, **73** (2016) 3221-3247.

Lozano I, Van der Werf R, Bietiger W, Seyfritz E, Peronet C, Pinget M, Jeandidier N, Maillard E, Marchioni E, Sigrist S, & Dal S. "High-fructose and high-fat diet-induced disorders in rats: impact on diabetes risk, hepatic and vascular complications". *Nutrition & metabolism*, **13** (2016) 15.

Luo B, Li B, Wang W, Liu X, Xia Y, Zhang C, Zhang M, Zhang Y, & An F. "NLRP3 gene silencing ameliorates diabetic cardiomyopathy in a type 2 diabetes rat model". *PLoS One*, **9** (2014) e104771.

Lv M, Liu K, Fu S, Li Z, & Yu X. "Pterostilbene attenuates the inflammatory reaction induced by ischemia/reperfusion in rat heart". *Molecular medicine reports*, **11** (2015) 724-728.

Ma G, Al-Shabrawey M, Johnson JA, Datar R, Tawfik HE, Guo D, Caldwell RB, & Caldwell RW. "Protection against myocardial ischemia/reperfusion injury by short-term diabetes: enhancement of VEGF formation, capillary density, and activation of cell survival signaling". *Naunyn Schmiedebergs Arch Pharmacol*, **373** (2006) 415-427.

Ma H, Wang J, Thomas DP, Tong C, Leng L, Wang W, Merk M, Zierow S, Bernhagen J, Ren J, Bucala R, & Li J. "Impaired macrophage migration inhibitory factor-AMP-activated protein kinase activation and ischemic recovery in the senescent heart". *Circulation*, **122** (2010) 282-292.

Maalouf RM, Eid AA, Gorin YC, Block K, Escobar GP, Bailey S, & Abboud HE. "Nox4-derived reactive oxygen species mediate cardiomyocyte injury in early type 1 diabetes". *American journal of physiology Cell physiology*, **302** (2012) C597-604.

Macdonald IA. "A review of recent evidence relating to sugars, insulin resistance and diabetes". *Eur J Nutr*, **55** (2016) 17-23.

Maier HJ, Schips TG, Wietelmann A, Krüger M, Brunner C, Sauter M, Klingel K, Böttger T, Braun T, & Wirth T. "Cardiomyocyte-specific I κ B kinase (IKK)/NF- κ B activation induces reversible inflammatory cardiomyopathy and heart failure". *Proceedings of the National Academy of Sciences*, **109** (2012) 11794-11799.

Maier NK, Leppla SH, & Moayeri M. "The Cyclopentenone Prostaglandin 15d-PGJ₂ Inhibits the NLRP1 and NLRP3 Inflammasomes". *The Journal of Immunology*, **194** (2015) 2776-2785.

Maity P, Bindu S, Dey S, Goyal M, Alam A, Pal C, Mitra K, & Bandyopadhyay U. "Indomethacin, a non-steroidal anti-inflammatory drug, develops gastropathy by inducing reactive oxygen species-mediated mitochondrial pathology and associated apoptosis in gastric mucosa: a novel role of mitochondrial aconitase oxidation". *The Journal of biological chemistry*, **284** (2009) 3058-3068.

Manickam M, Ramanathan M, Jahromi MA, Chansouria JP, & Ray AB. "Antihyperglycemic activity of phenolics from *Pterocarpus marsupium*". *Journal of natural products*, **60** (1997) 609-610.

Marfella R, D'Amico M, Di Filippo C, Piegari E, Nappo F, Esposito K, Berrino L, Rossi F, & Giugliano D. "Myocardial infarction in diabetic rats: role of hyperglycaemia on infarct size and early expression of hypoxia-inducible factor 1". *Diabetologia*, **45** (2002) 1172-1181.

Mariappan N, Elks CM, Sriramula S, Guggilam A, Liu Z, Borkhsenius O, & Francis J. "NF-kappaB-induced oxidative stress contributes to mitochondrial and cardiac dysfunction in type II diabetes". *Cardiovasc Res*, **85** (2010) 473-483.

Marionneau C, Aimond F, Brunet S, Niwa N, Finck B, Kelly DP, & Nerbonne JM. "PPARalpha-mediated remodeling of repolarizing voltage-gated K⁺ (K_v) channels in a mouse model of metabolic cardiomyopathy". *J Mol Cell Cardiol*, **44** (2008) 1002-1015.

- Marso SP, Miller T, Rutherford BD, Gibbons RJ, Qureshi M, Kalynych A, Turco M, Schultheiss HP, Mehran R, Krucoff MW, Lansky AJ, & Stone GW. "Comparison of myocardial reperfusion in patients undergoing percutaneous coronary intervention in ST-segment elevation acute myocardial infarction with versus without diabetes mellitus (from the EMERALD Trial)". *Am J Cardiol*, **100** (2007) 206-210.
- Matthews DR, Hosker JP, Rudenski AS, Naylor BA, Treacher DF, & Turner RC. "Homeostasis model assessment: insulin resistance and beta-cell function from fasting plasma glucose and insulin concentrations in man". *Diabetologia*, **28** (1985) 412-419.
- McCormack D, & McFadden D. "A Review of Pterostilbene Antioxidant Activity and Disease Modification". *Oxidative medicine and cellular longevity*, **2013** (2013) 15.
- McCormack D, Schneider J, McDonald D, & McFadden D. "The antiproliferative effects of pterostilbene on breast cancer in vitro are via inhibition of constitutive and leptin-induced Janus kinase/signal transducer and activator of transcription activation". *American journal of surgery*, **202** (2011) 541-544.
- McMahon M, Itoh K, Yamamoto M, & Hayes JD. "Keap1-dependent proteasomal degradation of transcription factor Nrf2 contributes to the negative regulation of antioxidant response element-driven gene expression". *The Journal of biological chemistry*, **278** (2003) 21592-21600.
- Mellor KM, Wendt IR, Ritchie RH, & Delbridge LMD. "Fructose diet treatment in mice induces fundamental disturbance of cardiomyocyte Ca²⁺ handling and myofilament responsiveness". *American Journal of Physiology - Heart and Circulatory Physiology*, **302** (2012) H964-H972.
- Melo LG, Agrawal R, Zhang L, Rezvani M, Mangi AA, Ehsan A, Griese DP, Dell'Acqua G, Mann MJ, Oyama J, Yet SF, Layne MD, Perrella MA, & Dzau VJ. "Gene therapy strategy for long-term myocardial protection using adeno-associated virus-mediated delivery of heme oxygenase gene". *Circulation*, **105** (2002) 602-607.
- Messina F, Guglielmini G, Curini M, Orsini S, Gresele P, & Marcotullio MC. "Effect of substituted stilbenes on platelet function". *Fitoterapia*, **105** (2015) 228-233.
- Miki T, Miura T, Hotta H, Tanno M, Yano T, Sato T, Terashima Y, Takada A, Ishikawa S, & Shimamoto K. "Endoplasmic reticulum stress in diabetic hearts abolishes erythropoietin-induced myocardial protection by impairment of phospho-glycogen synthase kinase-3 β -mediated suppression of mitochondrial permeability transition". *Diabetes*, **58** (2009) 2863-2872.
- Mikstacka R, Rimando AM, & Ignatowicz E. "Antioxidant effect of trans-resveratrol, pterostilbene, quercetin and their combinations in human erythrocytes in vitro". *Plant foods for human nutrition (Dordrecht, Netherlands)*, **65** (2010) 57-63.
- Mittal M, Siddiqui MR, Tran K, Reddy SP, & Malik AB. "Reactive oxygen species in inflammation and tissue injury". *Antioxidants and Redox Signaling*, **20** (2014) 1126-1167.

- Mizuno R, Fujimoto S, Saito Y, & Nakamura S. "Exercise-induced delayed onset of left ventricular early relaxation in association with coronary microcirculatory dysfunction in patients with diabetes mellitus". *J Card Fail*, **16** (2010) 211-217.
- Mo C, Wang L, Zhang J, Numazawa S, Tang H, Tang X, Han X, Li J, Yang M, Wang Z, Wei D, & Xiao H. "The crosstalk between Nrf2 and AMPK signal pathways is important for the anti-inflammatory effect of berberine in LPS-stimulated macrophages and endotoxin-shocked mice". *Antioxidants & redox signaling*, **20** (2014) 574-588.
- Mohammed Abdul KS, Jovanović S, & Jovanović A. "Exposure to 15% oxygen in vivo up-regulates cardioprotective SUR2A without affecting ERK1/2 and AKT: a crucial role for AMPK". *Journal of cellular and molecular medicine*, **21** (2017) 1342-1350.
- Mohan V, Deepa M, Deepa R, Shanthirani CS, Farooq S, Ganesan A, & Datta M. "Secular trends in the prevalence of diabetes and impaired glucose tolerance in urban South India--the Chennai Urban Rural Epidemiology Study (CURES-17)". *Diabetologia*, **49** (2006a) 1175-1178.
- Mohan V, Deepa R, Rani SS, & Premalatha G. "Prevalence of coronary artery disease and its relationship to lipids in a selected population in South India: The Chennai Urban Population Study (CUPS No. 5)". *J Am Coll Cardiol*, **38** (2001) 682-687.
- Mohan V, Ravikumar R, Shanthi Rani S, & Deepa R. "Intimal medial thickness of the carotid artery in South Indian diabetic and non-diabetic subjects: the Chennai Urban Population Study (CUPS)". *Diabetologia*, **43** (2000) 494-499.
- Mohan V, Shanthirani CS, Deepa M, Deepa R, Unnikrishnan RI, & Datta M. "Mortality rates due to diabetes in a selected urban south Indian population--the Chennai Urban Population Study [CUPS--16]". *J Assoc Physicians India*, **54** (2006b) 113-117.
- Morel S, Berthonneche C, Tanguy S, Toufektsian MC, Foulon T, de Lorgeril M, de Leiris J, & Boucher F. "Insulin resistance modifies plasma fatty acid distribution and decreases cardiac tolerance to in vivo ischaemia/reperfusion in rats". *Clin Exp Pharmacol Physiol*, **30** (2003) 446-451.
- Morrison A, Yan X, Tong C, & Li J. "Acute rosiglitazone treatment is cardioprotective against ischemia-reperfusion injury by modulating AMPK, Akt, and JNK signaling in nondiabetic mice". *American journal of physiology Heart and circulatory physiology*, **301** (2011) H895-902.
- Morrow JD, Hill KE, Burk RF, Nammour TM, Badr KF, & Roberts LJ, 2nd. "A series of prostaglandin F₂-like compounds are produced in vivo in humans by a non-cyclooxygenase, free radical-catalyzed mechanism". *Proceedings of the National Academy of Sciences of the United States of America*, **87** (1990) 9383-9387.
- Munday MR, Campbell DG, Carling D, & Hardie DG. "Identification by amino acid sequencing of three major regulatory phosphorylation sites on rat acetyl-CoA carboxylase". *Eur J Biochem*, **175** (1988) 331-338.

- Muoio DM, Seefeld K, Witters LA, & Coleman RA. "AMP-activated kinase reciprocally regulates triacylglycerol synthesis and fatty acid oxidation in liver and muscle: evidence that sn-glycerol-3-phosphate acyltransferase is a novel target". *Biochem J*, **338** (Pt 3) (1999) 783-791.
- Nayak SS, & Pattabiraman TN. "A new colorimetric method for the estimation of glycosylated hemoglobin". *Clinica chimica acta; international journal of clinical chemistry*, **109** (1981) 267-274.
- Negro R, Mangieri T, Dazzi D, Pezzarossa A, & Hassan H. "Rosiglitazone effects on blood pressure and metabolic parameters in nondipper diabetic patients". *Diabetes Research and Clinical Practice*, **70** (2005) 20-25.
- Nemes-Nagy E, Szocs-Molnar T, Dunca I, Balogh-Samarghitan V, Hobai S, Morar R, Pusta DL, & Craciun EC. "Effect of a dietary supplement containing blueberry and sea buckthorn concentrate on antioxidant capacity in type 1 diabetic children". *Acta physiologica Hungarica*, **95** (2008) 383-393.
- Nian M, Lee P, Khaper N, & Liu P. "Inflammatory cytokines and postmyocardial infarction remodeling". *Circulation research*, **94** (2004) 1543-1553.
- Nigro D, Menotti F, Cento AS, Serpe L, Chiazza F, Dal Bello F, Romaniello F, Medana C, Collino M, Aragno M, & Mastrocola R. "Chronic administration of saturated fats and fructose differently affect SREBP activity resulting in different modulation of Nrf2 and Nlrp3 inflammasome pathways in mice liver". *The Journal of nutritional biochemistry*, **42** (2017) 160-171.
- Nowotny K, Jung T, Höhn A, Weber D, & Grune T. "Advanced Glycation End Products and Oxidative Stress in Type 2 Diabetes Mellitus". *Biomolecules*, **5** (2015) 194-222.
- Oakhill JS, Steel R, Chen Z-P, Scott JW, Ling N, Tam S, & Kemp BE. "AMPK Is a Direct Adenylate Charge-Regulated Protein Kinase". *Science*, **332** (2011) 1433-1435.
- Okonko DO, & Shah AM. "Heart failure: Mitochondrial dysfunction and oxidative stress in CHF". *Nat Rev Cardiol*, **12** (2015) 6-8.
- Onken B, & Driscoll M. "Metformin Induces a Dietary Restriction–Like State and the Oxidative Stress Response to Extend *C. elegans* Healthspan via AMPK, LKB1, and SKN-1". *PLOS ONE*, **5** (2010) e8758.
- Pacher P, Beckman JS, & Liaudet L. "Nitric oxide and peroxynitrite in health and disease". *Physiol Rev*, **87** (2007) 315-424.
- Pacher P, & Szabo C. "Role of peroxynitrite in the pathogenesis of cardiovascular complications of diabetes". *Current opinion in pharmacology*, **6** (2006) 136-141.

- Padiya R, Khatua TN, Bagul PK, Kuncha M, & Banerjee SK. "Garlic improves insulin sensitivity and associated metabolic syndromes in fructose fed rats". *Nutrition & metabolism*, **8** (2011) 53.
- Pan MH, Chang YH, Tsai ML, Lai CS, Ho SY, Badmaev V, & Ho CT. "Pterostilbene suppressed lipopolysaccharide-induced up-expression of iNOS and COX-2 in murine macrophages". *Journal of agricultural and food chemistry*, **56** (2008a) 7502-7509.
- Pan Z, Agarwal AK, Xu T, Feng Q, Baerson SR, Duke SO, & Rimando AM. "Identification of molecular pathways affected by pterostilbene, a natural dimethylether analog of resveratrol". *BMC medical genomics*, **1** (2008b) 7.
- Pari L, & Satheesh MA. "Effect of pterostilbene on hepatic key enzymes of glucose metabolism in streptozotocin- and nicotinamide-induced diabetic rats". *Life sciences*, **79** (2006) 641-645.
- Park ES, Lim Y, Hong JT, Yoo HS, Lee CK, Pyo MY, & Yun YP. "Pterostilbene, a natural dimethylated analog of resveratrol, inhibits rat aortic vascular smooth muscle cell proliferation by blocking Akt-dependent pathway". *Vascular pharmacology*, **53** (2010) 61-67.
- Paul B, Masih I, Deopujari J, & Charpentier C. "Occurrence of resveratrol and pterostilbene in age-old darakchasava, an ayurvedic medicine from India". *Journal of ethnopharmacology*, **68** (1999) 71-76.
- Paul S, Rimando AM, Lee HJ, Ji Y, Reddy BS, & Suh N. "Anti-inflammatory action of pterostilbene is mediated through the p38 mitogen-activated protein kinase pathway in colon cancer cells". *Cancer prevention research (Philadelphia, Pa)*, **2** (2009) 650-657.
- Pereira L, Matthes J, Schuster I, Valdivia HH, Herzig S, Richard S, & Gomez AM. "Mechanisms of [Ca²⁺]_i transient decrease in cardiomyopathy of db/db type 2 diabetic mice". *Diabetes*, **55** (2006) 608-615.
- Pezet R, & Pont V. "Mise en evidence de pterostilbene dans les grappes de Vitis Vinifera". *Plant Physiol Biochem*, **26** (1988) 603-607.
- Pezet R, & Pont V. "Ultrastructural Observations of Pterostilbene Fungitoxicity in Dormant Conidia of Botrytis cinerea Pers". *Journal of Phytopathology*, **129** (1990) 19-30.
- Piantadosi CA, Carraway MS, Babiker A, & Suliman HB. "Heme Oxygenase-1 Regulates Cardiac Mitochondrial Biogenesis via Nrf2-Mediated Transcriptional Control of Nuclear Respiratory Factor-1". *Circ Res*, **103** (2008) 1232-1240.
- Polekhina G, Gupta A, Michell BJ, van Denderen B, Murthy S, Feil SC, Jennings IG, Campbell DJ, Witters LA, Parker MW, Kemp BE, & Stapleton D. "AMPK beta subunit targets metabolic stress sensing to glycogen". *Current biology : CB*, **13** (2003) 867-871.
- Ponka P. "Cell biology of heme". *Am J Med Sci*, **318** (1999) 241-256.

- Prabhu SD, & Frangogiannis NG. "The Biological Basis for Cardiac Repair After Myocardial Infarction: From Inflammation to Fibrosis". *Circulation research*, **119** (2016) 91-112.
- Pradeepa R, Rema M, Vignesh J, Deepa M, Deepa R, & Mohan V. "Prevalence and risk factors for diabetic neuropathy in an urban south Indian population: the Chennai Urban Rural Epidemiology Study (CURES-55)". *Diabetic medicine : a journal of the British Diabetic Association*, **25** (2008) 407-412.
- Przyklenk K, Maynard M, Greiner DL, & Whittaker P. "Cardioprotection with postconditioning: loss of efficacy in murine models of type-2 and type-1 diabetes". *Antioxidants & redox signaling*, **14** (2011) 781-790.
- Qi D, & Young LH. "AMPK: energy sensor and survival mechanism in the ischemic heart". *Trends in endocrinology and metabolism: TEM*, **26** (2015) 422-429.
- Qureshi AA, Guan XQ, Reis JC, Papasian CJ, Jabre S, Morrison DC, & Qureshi N. "Inhibition of nitric oxide and inflammatory cytokines in LPS-stimulated murine macrophages by resveratrol, a potent proteasome inhibitor". *Lipids in health and disease*, **11** (2012) 76.
- Rajasekar P, & Anuradha CV. "Effect of L-Carnitine on Skeletal Muscle Lipids and Oxidative Stress in Rats Fed High-Fructose Diet". *Experimental Diabetes Research*, **2007** (2007).
- Rajesh M, Batkai S, Kechrid M, Mukhopadhyay P, Lee WS, Horvath B, Holovac E, Cinar R, Liaudet L, Mackie K, Hasko G, & Pacher P. "Cannabinoid 1 receptor promotes cardiac dysfunction, oxidative stress, inflammation, and fibrosis in diabetic cardiomyopathy". *Diabetes*, **61** (2012) 716-727.
- Rajesh M, Mukhopadhyay P, Batkai S, Mukhopadhyay B, Patel V, Hasko G, Szabo C, Mabley JG, Liaudet L, & Pacher P. "Xanthine oxidase inhibitor allopurinol attenuates the development of diabetic cardiomyopathy". *Journal of cellular and molecular medicine*, **13** (2009) 2330-2341.
- Rajesh M, Mukhopadhyay P, Batkai S, Patel V, Saito K, Matsumoto S, Kashiwaya Y, Horvath B, Mukhopadhyay B, Becker L, Hasko G, Liaudet L, Wink DA, Veves A, Mechoulam R, & Pacher P. "Cannabidiol attenuates cardiac dysfunction, oxidative stress, fibrosis, and inflammatory and cell death signaling pathways in diabetic cardiomyopathy". *J Am Coll Cardiol*, **56** (2010) 2115-2125.
- Ramachandran A, Snehalatha C, Satyavani K, Latha E, Sasikala R, & Vijay V. "Prevalence of vascular complications and their risk factors in type 2 diabetes". *J Assoc Physicians India*, **47** (1999) 1152-1156.
- Ramanathan M, Jaiswal AK, & Bhattacharya SK. "Superoxide dismutase, catalase and glutathione peroxidase activities in the brain of streptozotocin induced diabetic rats". *Indian journal of experimental biology*, **37** (1999) 182-183.

- Raphael J, Gozal Y, Navot N, & Zuo Z. "Hyperglycemia inhibits anesthetic-induced postconditioning in the rabbit heart via modulation of phosphatidylinositol-3-kinase/Akt and endothelial nitric oxide synthase signaling". *J Cardiovasc Pharmacol*, **55** (2010) 348-357.
- Ravingerova T, Neckar J, & Kolar F. "Ischemic tolerance of rat hearts in acute and chronic phases of experimental diabetes". *Mol Cell Biochem*, **249** (2003) 167-174.
- Rebollo A, Roglans N, Alegret M, & Laguna JC. "Way back for fructose and liver metabolism: bench side to molecular insights". *World journal of gastroenterology*, **18** (2012) 6552-6559.
- Rema M, Premkumar S, Anitha B, Deepa R, Pradeepa R, & Mohan V. "Prevalence of diabetic retinopathy in urban India: the Chennai Urban Rural Epidemiology Study (CURES) eye study, I". *Investigative ophthalmology & visual science*, **46** (2005) 2328-2333.
- Remsberg CM, Yanez JA, Ohgami Y, Vega-Villa KR, Rimando AM, & Davies NM. "Pharmacometrics of pterostilbene: preclinical pharmacokinetics and metabolism, anticancer, antiinflammatory, antioxidant and analgesic activity". *Phytotherapy research : PTR*, **22** (2008) 169-179.
- Riche DM, McEwen CL, Riche KD, Sherman JJ, Wofford MR, Deschamp D, & Griswold M. "Analysis of Safety from a Human Clinical Trial with Pterostilbene". *Journal of Toxicology*, **2013** (2013) 5.
- Riche DM, Riche KD, Blackshear CT, McEwen CL, Sherman JJ, Wofford MR, & Griswold ME. "Pterostilbene on Metabolic Parameters: A Randomized, Double-Blind, and Placebo-Controlled Trial". *Evidence-Based Complementary and Alternative Medicine*, **2014** (2014a) 8.
- Riche DM, Riche KD, Blackshear CT, McEwen CL, Sherman JJ, Wofford MR, & Griswold ME. "Pterostilbene on metabolic parameters: a randomized, double-blind, and placebo-controlled trial". *Evidence-based complementary and alternative medicine : eCAM*, **2014** (2014b) 459165.
- Riche DM, Riche KD, Blackshear CT, McEwen CL, Sherman JJ, Wofford MR, & Griswold ME. "Pterostilbene on Metabolic Parameters: A Randomized, Double-Blind, and Placebo-Controlled Trial". *Evidence-based complementary and alternative medicine : eCAM*, **2014** (2014c).
- Rimando AM, Cuendet M, Desmarchelier C, Mehta RG, Pezzuto JM, & Duke SO. "Cancer chemopreventive and antioxidant activities of pterostilbene, a naturally occurring analogue of resveratrol". *Journal of agricultural and food chemistry*, **50** (2002) 3453-3457.

- Rimando AM, Kalt W, Magee JB, Dewey J, & Ballington JR. "Resveratrol, pterostilbene, and piceatannol in vaccinium berries". *Journal of agricultural and food chemistry*, **52** (2004) 4713-4719.
- Rimando AM, Nagmani R, Feller DR, & Yokoyama W. "Pterostilbene, a new agonist for the peroxisome proliferator-activated receptor alpha-isoform, lowers plasma lipoproteins and cholesterol in hypercholesterolemic hamsters". *Journal of agricultural and food chemistry*, **53** (2005) 3403-3407.
- Rodriguez-Gutierrez R, & Montori VM. "Glycemic Control for Patients With Type 2 Diabetes Mellitus: Our Evolving Faith in the Face of Evidence". *Circulation Cardiovascular quality and outcomes*, **9** (2016) 504-512.
- Ross R. "Mechanisms of atherosclerosis--a review". *Advances in nephrology from the Necker Hospital*, **19** (1990) 79-86.
- Ross R (1992) *The pathogenesis of atherosclerosis*. In: Braunwald E, editor. *Heart Disease: A Textbook of Cardiovascular Medicine*. . 4th edn. Philadelphia (PA): WB Saunders.
- Rossoni G, Manfredi B, Civelli M, Berti F, & Razzetti R. "Combined simvastatin-manidipine protect against ischemia-reperfusion injury in isolated hearts from normocholesterolemic rats". *Eur J Pharmacol*, **587** (2008) 224-230.
- Rubler S, Dlugash J, Yuceoglu YZ, Kumral T, Branwood AW, & Grishman A. "New type of cardiomyopathy associated with diabetic glomerulosclerosis". *Am J Cardiol*, **30** (1972) 595-602.
- Ruderman N, & Prentki M. "AMP kinase and malonyl-CoA: targets for therapy of the metabolic syndrome". *Nature reviews Drug discovery*, **3** (2004) 340-351.
- Ruderman NB, Carling D, Prentki M, & Cacicedo JM. "AMPK, insulin resistance, and the metabolic syndrome". *The Journal of Clinical Investigation*, **123** (2013) 2764-2772.
- Ruiz MJ, Fernandez M, Pico Y, Manes J, Asensi M, Carda C, Asensio G, & Estrela JM. "Dietary administration of high doses of pterostilbene and quercetin to mice is not toxic". *Journal of agricultural and food chemistry*, **57** (2009) 3180-3186.
- Russell LK, Mansfield CM, Lehman JJ, Kovacs A, Courtois M, Saffitz JE, Medeiros DM, Valencik ML, McDonald JA, & Kelly DP. "Cardiac-specific induction of the transcriptional coactivator peroxisome proliferator-activated receptor gamma coactivator-1alpha promotes mitochondrial biogenesis and reversible cardiomyopathy in a developmental stage-dependent manner". *Circulation research*, **94** (2004a) 525-533.
- Russell RR, 3rd, Li J, Coven DL, Pypaert M, Zechner C, Palmeri M, Giordano FJ, Mu J, Birnbaum MJ, & Young LH. "AMP-activated protein kinase mediates ischemic glucose uptake and prevents postischemic cardiac dysfunction, apoptosis, and injury". *J Clin Invest*, **114** (2004b) 495-503.

- Russell RR, Li J, Coven DL, Pypaert M, Zechner C, Palmeri M, Giordano FJ, Mu J, Birnbaum MJ, & Young LH. "AMP-activated protein kinase mediates ischemic glucose uptake and prevents postischemic cardiac dysfunction, apoptosis, and injury". *J Clin Invest*, **114** (2004c) 495-503.
- Rutter MK, Parise H, Benjamin EJ, Levy D, Larson MG, Meigs JB, Nesto RW, Wilson PW, & Vasan RS. "Impact of glucose intolerance and insulin resistance on cardiac structure and function: sex-related differences in the Framingham Heart Study". *Circulation*, **107** (2003) 448-454.
- Sakamoto K, Zarrinpashneh E, Budas GR, Pouleur AC, Dutta A, Prescott AR, Vanoverschelde JL, Ashworth A, Jovanovic A, Alessi DR, & Bertrand L. "Deficiency of LKB1 in heart prevents ischemia-mediated activation of AMPKalpha2 but not AMPKalpha1". *Am J Physiol Endocrinol Metab*, **290** (2006) E780-788.
- Sakata S, Lebeche D, Sakata Y, Sakata N, Chemaly ER, Liang L, Nakajima-Takenaka C, Tsuji T, Konishi N, del Monte F, Hajjar RJ, & Takaki M. "Transcoronary gene transfer of SERCA2a increases coronary blood flow and decreases cardiomyocyte size in a type 2 diabetic rat model". *American journal of physiology Heart and circulatory physiology*, **292** (2007) H1204-1207.
- Salsali A, & Nathan M. "A review of types 1 and 2 diabetes mellitus and their treatment with insulin". *American journal of therapeutics*, **13** (2006) 349-361.
- Salvyre R, Auge N, Benoist H, & Negre-Salvyre A. "Oxidized low-density lipoprotein-induced apoptosis". *Biochimica et biophysica acta*, **1585** (2002) 213-221.
- Sanders M J, Grondin P O, Hegarty B D, Snowden M A, & Carling D. "Investigating the mechanism for AMP activation of the AMP-activated protein kinase cascade". *Biochem J*, **403** (2007) 139-148.
- Sasaki H, Asanuma H, Fujita M, Takahama H, Wakeno M, Ito S, Ogai A, Asakura M, Kim J, Minamino T, Takashima S, Sanada S, Sugimachi M, Komamura K, Mochizuki N, & Kitakaze M. "Metformin prevents progression of heart failure in dogs: role of AMP-activated protein kinase". *Circulation*, **119** (2009) 2568-2577.
- Scherz-Shouval R, Shvets E, Fass E, Shorer H, Gil L, & Elazar Z. "Reactive oxygen species are essential for autophagy and specifically regulate the activity of Atg4". *EMBO J*, **26** (2007) 1749-1760.
- Schofield JD, Liu Y, Rao-Balakrishna P, Malik RA, & Soran H. "Diabetes Dyslipidemia". *Diabetes Therapy*, **7** (2016) 203-219.
- Schulz E, Dopheide J, Schuhmacher S, Thomas SR, Chen K, Daiber A, Wenzel P, Munzel T, & Keaney JF, Jr. "Suppression of the JNK pathway by induction of a metabolic stress response prevents vascular injury and dysfunction". *Circulation*, **118** (2008) 1347-1357.

- Schwartz SM. "Smooth muscle migration in atherosclerosis and restenosis". *The Journal of clinical investigation*, **100** (1997) S87-89.
- Scott JW, Hawley SA, Green KA, Anis M, Stewart G, Scullion GA, Norman DG, & Hardie DG. "CBS domains form energy-sensing modules whose binding of adenosine ligands is disrupted by disease mutations". *J Clin Invest*, **113** (2004) 274-284.
- Segal MS, Gollub E, & Johnson RJ. "Is the fructose index more relevant with regards to cardiovascular disease than the glycemic index?". *Eur J Nutr*, **46** (2007) 406-417.
- Serpillon S, Floyd BC, Gupte RS, George S, Kozicky M, Neito V, Recchia F, Stanley W, Wolin MS, & Gupte SA. "Superoxide production by NAD(P)H oxidase and mitochondria is increased in genetically obese and hyperglycemic rat heart and aorta before the development of cardiac dysfunction. The role of glucose-6-phosphate dehydrogenase-derived NADPH". *American journal of physiology Heart and circulatory physiology*, **297** (2009) H153-162.
- Seshadri TR. "Polyphenols of Pterocarpus and Dalbergia woods". *Phytochemistry*, **11** (1972) 881-898.
- Sharma HS, Maulik N, Gho BC, Das DK, & Verdouw PD. "Coordinated expression of heme oxygenase-1 and ubiquitin in the porcine heart subjected to ischemia and reperfusion". *Mol Cell Biochem*, **157** (1996) 111-116.
- Shaul PW. "Regulation of endothelial nitric oxide synthase: location, location, location". *Annual review of physiology*, **64** (2002) 749-774.
- Sheweita SA, Mashaly S, Newairy AA, Abdou HM, & Eweda SM. "Changes in Oxidative Stress and Antioxidant Enzyme Activities in Streptozotocin-Induced Diabetes Mellitus in Rats: Role of Alhagi maurorum Extracts". *Oxidative medicine and cellular longevity*, **2016** (2016) 8.
- Shibata R, Sato K, Pimentel DR, Takemura Y, Kihara S, Ohashi K, Funahashi T, Ouchi N, & Walsh K. "Adiponectin protects against myocardial ischemia-reperfusion injury through AMPK- and COX-2-dependent mechanisms". *Nature medicine*, **11** (2005) 1096-1103.
- Smith HM, Hamblin M, & Hill MF. "Greater propensity of diabetic myocardium for oxidative stress after myocardial infarction is associated with the development of heart failure". *J Mol Cell Cardiol*, **39** (2005) 657-665.
- Soares MP, Seldon MP, Gregoire IP, Vassilevskaia T, Berberat PO, Yu J, Tsui TY, & Bach FH. "Heme oxygenase-1 modulates the expression of adhesion molecules associated with endothelial cell activation". *Journal of immunology*, **172** (2004) 3553-3563.
- Srivastava RA, Pinkosky SL, Filippov S, Hanselman JC, Cramer CT, & Newton RS. "AMP-activated protein kinase: an emerging drug target to regulate imbalances in lipid

and carbohydrate metabolism to treat cardio-metabolic diseases". *J Lipid Res*, **53** (2012) 2490-2514.

Stavniichuk R, Shevalye H, Lupachyk S, Obrosova A, Groves JT, Obrosova IG, & Yorek MA. "Peroxynitrite and protein nitration in the pathogenesis of diabetic peripheral neuropathy". *Diabetes Metab Res Rev*, **30** (2014) 669-678.

Stocks J, & Dormandy TL. "The autoxidation of human red cell lipids induced by hydrogen peroxide". *British journal of haematology*, **20** (1971) 95-111.

Sugden MC, & Holness MJ. "Mechanisms underlying regulation of the expression and activities of the mammalian pyruvate dehydrogenase kinases". *Arch Physiol Biochem*, **112** (2006) 139-149.

Suzuki K, Sagara M, Aoki C, Tanaka S, & Aso Y. "Clinical Implication of Plasma Hydrogen Sulfide Levels in Japanese Patients with Type 2 Diabetes". *Intern Med*, **56** (2017) 17-21.

Szabó G, Loganathan S, Merkely B, Groves JT, Karck M, Szabó C, & Radovits T. "Catalytic peroxynitrite decomposition improves reperfusion injury after heart transplantation". *The Journal of thoracic and cardiovascular surgery*, **143** (2012) 1443-1449.

Tahrani AA, Barnett AH, & Bailey CJ. "Pharmacology and therapeutic implications of current drugs for type 2 diabetes mellitus". *Nature reviews Endocrinology*, **12** (2016) 566-592.

Takano H, Zou Y, Hasegawa H, Akazawa H, Nagai T, & Komuro I. "Oxidative stress-induced signal transduction pathways in cardiac myocytes: involvement of ROS in heart diseases". *Antioxidants & redox signaling*, **5** (2003) 789-794.

Tan Y, Ichikawa T, Li J, Si Q, Yang H, Chen X, Goldblatt CS, Meyer CJ, Li X, Cai L, & Cui T. "Diabetic downregulation of Nrf2 activity via ERK contributes to oxidative stress-induced insulin resistance in cardiac cells in vitro and in vivo". *Diabetes*, **60** (2011) 625-633.

Tay YC, Wang Y, Kairaitis L, Rangan GK, Zhang C, & Harris DC. "Can murine diabetic nephropathy be separated from superimposed acute renal failure?". *Kidney Int*, **68** (2005) 391-398.

ter Horst KW, Schene MR, Holman R, Romijn JA, & Serlie MJ. "Effect of fructose consumption on insulin sensitivity in nondiabetic subjects: a systematic review and meta-analysis of diet-intervention trials". *The American journal of clinical nutrition*, **104** (2016) 1562-1576.

Tesch GH, & Allen TJ. "Rodent models of streptozotocin-induced diabetic nephropathy". *Nephrology (Carlton, Vic)*, **12** (2007) 261-266.

- Tran LT, Yuen VG, & McNeill JH. "The fructose-fed rat: a review on the mechanisms of fructose-induced insulin resistance and hypertension". *Mol Cell Biochem*, **332** (2009) 145-159.
- Tschope C, Walther T, Escher F, Spillmann F, Du J, Altmann C, Schimke I, Bader M, Sanchez-Ferrer CF, Schultheiss HP, & Noutsias M. "Transgenic activation of the kallikrein-kinin system inhibits intramyocardial inflammation, endothelial dysfunction and oxidative stress in experimental diabetic cardiomyopathy". *FASEB journal : official publication of the Federation of American Societies for Experimental Biology*, **19** (2005) 2057-2059.
- Turer AT, Mahaffey KW, Gallup D, Weaver WD, Christenson RH, Every NR, & Ohman EM. "Enzyme estimates of infarct size correlate with functional and clinical outcomes in the setting of ST-segment elevation myocardial infarction". *Current controlled trials in cardiovascular medicine*, **6** (2005) 12.
- Um JH, Park SJ, Kang H, Yang S, Foretz M, McBurney MW, Kim MK, Viollet B, & Chung JH. "AMP-activated protein kinase-deficient mice are resistant to the metabolic effects of resveratrol". *Diabetes*, **59** (2010) 554-563.
- Unnikrishnan RI, Rema M, Pradeepa R, Deepa M, Shanthirani CS, Deepa R, & Mohan V. "Prevalence and risk factors of diabetic nephropathy in an urban South Indian population: the Chennai Urban Rural Epidemiology Study (CURES 45)". *Diabetes care*, **30** (2007) 2019-2024.
- van Empel VPM, Bertrand ATA, Hofstra L, Crijns HJ, Doevendans PA, & De Windt LJ. "Myocyte apoptosis in heart failure". *Cardiovasc Res*, **67** (2005) 21-29.
- van Hoeven KH, & Factor SM. "A comparison of the pathological spectrum of hypertensive, diabetic, and hypertensive-diabetic heart disease". *Circulation*, **82** (1990) 848-855.
- Vandanmagsar B, Youm YH, Ravussin A, Galgani JE, Stadler K, Mynatt RL, Ravussin E, Stephens JM, & Dixit VD. "The NLRP3 inflammasome instigates obesity-induced inflammation and insulin resistance". *Nat Med*, **17** (2011) 179-188.
- Vanuffelen BE, Van Der Zee J, De Koster BM, Vansteveninck J, & Elferink JG. "Intracellular but not extracellular conversion of nitroxyl anion into nitric oxide leads to stimulation of human neutrophil migration". *Biochem J*, **330 (Pt 2)** (1998) 719-722.
- Verzija N, DeGroot J, Thorpe SR, Bank RA, Shaw JN, Lyons TJ, Bijlsma JW, Lafeber FP, Baynes JW, & TeKoppele JM. "Effect of collagen turnover on the accumulation of advanced glycation end products". *The Journal of biological chemistry*, **275** (2000) 39027-39031.
- Victor VM, & Rocha M. "Targeting antioxidants to mitochondria: a potential new therapeutic strategy for cardiovascular diseases". *Curr Pharm Des*, **13** (2007) 845-863.

- Wang C, Sun H, Song Y, Ma Z, Zhang G, Gu X, & Zhao L. "Pterostilbene attenuates inflammation in rat heart subjected to ischemia-reperfusion: role of TLR4/NF-kappaB signaling pathway". *International journal of clinical and experimental medicine*, **8** (2015a) 1737-1746.
- Wang G, Hamid T, Keith RJ, Zhou G, Partridge CR, Xiang X, Kingery JR, Lewis RK, Li Q, Rokosh DG, Ford R, Spinale FG, Riggs DW, Srivastava S, Bhatnagar A, Bolli R, & Prabhu SD. "Cardioprotective and antiapoptotic effects of heme oxygenase-1 in the failing heart". *Circulation*, **121** (2010) 1912-1925.
- Wang W, Ding XQ, Gu TT, Song L, Li JM, Xue QC, & Kong LD. "Pterostilbene and allopurinol reduce fructose-induced podocyte oxidative stress and inflammation via microRNA-377". *Free radical biology & medicine*, **83** (2015b) 214-226.
- Wang X, Jia X, Chang T, Desai K, & Wu L. "Attenuation of hypertension development by scavenging methylglyoxal in fructose-treated rats". *J Hypertens*, **26** (2008) 765-772.
- Wang Y, Gao E, Tao L, Lau WB, Yuan Y, Goldstein BJ, Lopez BL, Christopher TA, Tian R, Koch W, & Ma XL. "AMP-activated protein kinase deficiency enhances myocardial ischemia/reperfusion injury but has minimal effect on the antioxidant/antinitrative protection of adiponectin". *Circulation*, **119** (2009) 835-844.
- Wen H, Ting JPY, & O'Neill LAJ. "A role for the NLRP3 inflammasome in metabolic diseases—did Warburg miss inflammation?". *Nature Immunology*, **13** (2012) 352.
- Wessels B, Ciapaite J, van den Broek NMA, Nicolay K, & Prompers JJ. "Metformin Impairs Mitochondrial Function in Skeletal Muscle of Both Lean and Diabetic Rats in a Dose-Dependent Manner". *PLOS ONE*, **9** (2014) e100525.
- Westermann D, Rutschow S, Jager S, Linderer A, Anker S, Riad A, Unger T, Schultheiss HP, Pauschinger M, & Tschope C. "Contributions of inflammation and cardiac matrix metalloproteinase activity to cardiac failure in diabetic cardiomyopathy: the role of angiotensin type 1 receptor antagonism". *Diabetes*, **56** (2007a) 641-646.
- Westermann D, Van Linthout S, Dhayat S, Dhayat N, Schmidt A, Noutsias M, Song XY, Spillmann F, Riad A, Schultheiss HP, & Tschope C. "Tumor necrosis factor-alpha antagonism protects from myocardial inflammation and fibrosis in experimental diabetic cardiomyopathy". *Basic Res Cardiol*, **102** (2007b) 500-507.
- Westermann D, Walther T, Savvatis K, Escher F, Sobirey M, Riad A, Bader M, Schultheiss HP, & Tschope C. "Gene deletion of the kinin receptor B1 attenuates cardiac inflammation and fibrosis during the development of experimental diabetic cardiomyopathy". *Diabetes*, **58** (2009) 1373-1381.
- Wiesel P, Patel AP, DiFonzo N, Marria PB, Sim CU, Pellacani A, Maemura K, LeBlanc BW, Marino K, Doerschuk CM, Yet S-F, Lee M-E, & Perrella MA. "Endotoxin-Induced Mortality Is Related to Increased Oxidative Stress and End-Organ Dysfunction, Not Refractory Hypotension, in Heme Oxygenase-1-Deficient Mice". *Circulation*, **102** (2000) 3015-3022.

- Wold LE, & Ren J. "Streptozotocin directly impairs cardiac contractile function in isolated ventricular myocytes via a p38 map kinase-dependent oxidative stress mechanism". *Biochemical and biophysical research communications*, **318** (2004) 1066-1071.
- Woods A, Williams JR, Muckett PJ, Mayer FV, Liljevald M, Bohlooly-Y M, & Carling D. "Liver-Specific Activation of AMPK Prevents Steatosis on a High-Fructose Diet". *Cell reports*, **18** (2017a) 3043-3051.
- Woods A, Williams JR, Muckett PJ, Mayer FV, Liljevald M, Bohlooly YM, & Carling D. "Liver-Specific Activation of AMPK Prevents Steatosis on a High-Fructose Diet". *Cell reports*, **18** (2017b) 3043-3051.
- Worthley MI, Holmes AS, Willoughby SR, Kucia AM, Heresztyn T, Stewart S, Chirkov YY, Zeitz CJ, & Horowitz JD. "The deleterious effects of hyperglycemia on platelet function in diabetic patients with acute coronary syndromes mediation by superoxide production, resolution with intensive insulin administration". *J Am Coll Cardiol*, **49** (2007) 304-310.
- Wu M, Lu S, Zhong J, Huang K, & Zhang S. "Protective Effects of Pterostilbene Against Myocardial Ischemia/Reperfusion Injury in Rats". *Inflammation*, (2017).
- Xia Z, Kuo KH, Godin DV, Walker MJ, Tao MC, & Ansley DM. "15-F(2t)-isoprostane exacerbates myocardial ischemia-reperfusion injury of isolated rat hearts". *American journal of physiology Heart and circulatory physiology*, **289** (2005) H1366-1372.
- Xie M, Zhang D, Dyck JR, Li Y, Zhang H, Morishima M, Mann DL, Taffet GE, Baldini A, Khoury DS, & Schneider MD. "A pivotal role for endogenous TGF-beta-activated kinase-1 in the LKB1/AMP-activated protein kinase energy-sensor pathway". *Proc Natl Acad Sci U S A*, **103** (2006) 17378-17383.
- Xie Z, Zhang J, Wu J, Viollet B, & Zou MH. "Upregulation of mitochondrial uncoupling protein-2 by the AMP-activated protein kinase in endothelial cells attenuates oxidative stress in diabetes". *Diabetes*, **57** (2008) 3222-3230.
- Xing Y, Niu T, Wang W, Li J, Li S, Janicki JS, Ruiz S, Meyer CJ, Wang XL, Tang D, Zhao Y, & Cui T. "Triterpenoid Dihydro-CDDO-Trifluoroethyl Amide Protects against Maladaptive Cardiac Remodeling and Dysfunction in Mice: A Critical Role of Nrf2". *PLOS ONE*, **7** (2012) e44899.
- Xu G, Takashi E, Kudo M, Ishiwata T, & Naito Z. "Contradictory effects of short- and long-term hyperglycemias on ischemic injury of myocardium via intracellular signaling pathway". *Exp Mol Pathol*, **76** (2004) 57-65.
- Xu XJ, Gauthier MS, Hess DT, Apovian CM, Cacicedo JM, Gokce N, Farb M, Valentine RJ, & Ruderman NB. "Insulin sensitive and resistant obesity in humans: AMPK activity, oxidative stress, and depot-specific changes in gene expression in adipose tissue". *J Lipid Res*, **53** (2012) 792-801.

- Xue R, Lei S, Xia ZY, Wu Y, Meng Q, Zhan L, Su W, Liu H, Xu J, Liu Z, Zhou B, & Xia Z. "Selective inhibition of PTEN preserves ischaemic post-conditioning cardioprotection in STZ-induced Type 1 diabetic rats: role of the PI3K/Akt and JAK2/STAT3 pathways". *Clinical science (London, England : 1979)*, **130** (2016) 377-392.
- Yan Y, Jiang W, Spinetti T, Tardivel A, Castillo R, Bourquin C, Guarda G, Tian Z, Tschopp J, & Zhou R. "Omega-3 fatty acids prevent inflammation and metabolic disorder through inhibition of NLRP3 inflammasome activation". *Immunity*, **38** (2013) 1154-1163.
- Yang Q, Wang HC, Liu Y, Gao C, Sun L, & Tao L. "Resveratrol Cardioprotection Against Myocardial Ischemia/Reperfusion Injury Involves Upregulation of Adiponectin Levels and Multimerization in Type 2 Diabetic Mice". *J Cardiovasc Pharmacol*, **68** (2016a) 304-312.
- Yang Y, Wang J, Li Y, Fan C, Jiang S, Zhao L, Di S, Xin Z, Wang B, Wu G, Li X, Li Z, Gao X, Dong Y, & Qu Y. "HO-1 Signaling Activation by Pterostilbene Treatment Attenuates Mitochondrial Oxidative Damage Induced by Cerebral Ischemia Reperfusion Injury". *Molecular neurobiology*, **53** (2016b) 2339-2353.
- Yet S-F, Perrella MA, Layne MD, Hsieh C-M, Maemura K, Kobzik L, Wiesel P, Christou H, Kourembanas S, & Lee M-E. "Hypoxia induces severe right ventricular dilatation and infarction in heme oxygenase-1 null mice". *The Journal of Clinical Investigation*, **103** (1999) R23-R29.
- Yet S-F, Tian R, Layne MD, Wang ZY, Maemura K, Solovyeva M, Ith B, Melo LG, Zhang L, Ingwall JS, Dzau VJ, Lee M-E, & Perrella MA. "Cardiac-Specific Expression of Heme Oxygenase-1 Protects Against Ischemia and Reperfusion Injury in Transgenic Mice". *Circ Res*, **89** (2001) 168-173.
- Yoon YS, Uchida S, Masuo O, Cejna M, Park JS, Gwon HC, Kirchmair R, Bahlman F, Walter D, Curry C, Hanley A, Isner JM, & Losordo DW. "Progressive attenuation of myocardial vascular endothelial growth factor expression is a seminal event in diabetic cardiomyopathy: restoration of microvascular homeostasis and recovery of cardiac function in diabetic cardiomyopathy after replenishment of local vascular endothelial growth factor". *Circulation*, **111** (2005) 2073-2085.
- Yoshida N, Okumura K, & Aso Y. "High serum pentosidine concentrations are associated with increased arterial stiffness and thickness in patients with type 2 diabetes". *Metabolism*, **54** (2005) 345-350.
- Youdim KA, Shukitt-Hale B, MacKinnon S, Kalt W, & Joseph JA. "Polyphenolics enhance red blood cell resistance to oxidative stress: in vitro and in vivo". *Biochimica et biophysica acta*, **1523** (2000) 117-122.

- Yu Y, Ohmori K, Kondo I, Yao L, Noma T, Tsuji T, Mizushige K, & Kohno M. "Correlation of functional and structural alterations of the coronary arterioles during development of type II diabetes mellitus in rats". *Cardiovasc Res*, **56** (2002) 303-311.
- Yu Z, Wang S, Zhang X, Li Y, Zhao Q, & Liu T. "Pterostilbene protects against myocardial ischemia/reperfusion injury via suppressing oxidative/nitrative stress and inflammatory response". *International immunopharmacology*, **43** (2016) 7-15.
- Yu Z, Wang S, Zhang X, Li Y, Zhao Q, & Liu T. "Pterostilbene protects against myocardial ischemia/reperfusion injury via suppressing oxidative/nitrative stress and inflammatory response". *International immunopharmacology*, **43** (2017) 7-15.
- Zhang DM, Jiao RQ, & Kong LD. "High Dietary Fructose: Direct or Indirect Dangerous Factors Disturbing Tissue and Organ Functions". *Nutrients*, **9** (2017).
- Zhang H, & Tsao R. "Dietary polyphenols, oxidative stress and antioxidant and anti-inflammatory effects". *Current Opinion in Food Science*, **8** (2016) 33-42.
- Zhang H, Wang C, Li X, & Zhang Y. "Effects of pterostilbene on treating hyperprolactinemia and related mechanisms". *American Journal of Translational Research*, **8** (2016a) 3049-3055.
- Zhang L, Cannell MB, Phillips AR, Cooper GJ, & Ward ML. "Altered calcium homeostasis does not explain the contractile deficit of diabetic cardiomyopathy". *Diabetes*, **57** (2008) 2158-2166.
- Zhang L, Cui L, Zhou G, Jing H, Guo Y, & Sun W. "Pterostilbene, a natural small-molecular compound, promotes cytoprotective macroautophagy in vascular endothelial cells". *The Journal of nutritional biochemistry*, **24** (2013a) 903-911.
- Zhang L, Zhou G, Song W, Tan X, Guo Y, Zhou B, Jing H, Zhao S, & Chen L. "Pterostilbene protects vascular endothelial cells against oxidized low-density lipoprotein-induced apoptosis in vitro and in vivo". *Apoptosis : an international journal on programmed cell death*, **17** (2012) 25-36.
- Zhang X, Xiao Z, Yao J, Zhao G, Fa X, & Niu J. "Participation of protein kinase C in the activation of Nrf2 signaling by ischemic preconditioning in the isolated rabbit heart". *Mol Cell Biochem*, **372** (2013b) 169-179.
- Zhang Y-B, Meng Y-H, Chang S, Zhang R-Y, & Shi C. "High fructose causes cardiac hypertrophy via mitochondrial signaling pathway". *American Journal of Translational Research*, **8** (2016b) 4869-4880.
- Zhang Y, Wang JH, Zhang YY, Wang YZ, Wang J, Zhao Y, Jin XX, Xue GL, Li PH, Sun YL, Huang QH, Song XT, Zhang ZR, Gao X, Yang BF, Du ZM, & Pan ZW. "Deletion of interleukin-6 alleviated interstitial fibrosis in streptozotocin-induced diabetic cardiomyopathy of mice through affecting TGFbeta1 and miR-29 pathways". *Scientific reports*, **6** (2016c) 23010.

- Zhao C, Gillette DD, Li X, Zhang Z, & Wen H. "Nuclear Factor E2-related Factor-2 (Nrf2) Is Required for NLRP3 and AIM2 Inflammasome Activation". *J Biol Chem*, **289** (2014) 17020-17029.
- Zhao Y, Zhang L, Qiao Y, Zhou X, Wu G, Wang L, Peng Y, Dong X, Huang H, Si L, Zhang X, Zhang L, Li J, Wang W, Zhou L, & Gao X. "Heme Oxygenase-1 Prevents Cardiac Dysfunction in Streptozotocin-Diabetic Mice by Reducing Inflammation, Oxidative Stress, Apoptosis and Enhancing Autophagy". *PLOS ONE*, **8** (2013) e75927.
- Zhou Y, Zhang XM, Ma A, Zhang YL, Chen YY, Zhou H, Li WJ, & Jin X. "Orally administrated pterostilbene attenuates acute cerebral ischemia-reperfusion injury in a dose- and time-dependent manner in mice". *Pharmacol Biochem Behav*, **135** (2015) 199-209.
- Zieman SJ, Melenovsky V, Clattenburg L, Corretti MC, Capriotti A, Gerstenblith G, & Kass DA. "Advanced glycation endproduct crosslink breaker (alagebrium) improves endothelial function in patients with isolated systolic hypertension". *J Hypertens*, **25** (2007) 577-583.
- Zimmermann K, Baldinger J, Mayerhofer B, Atanasov AG, Dirsch VM, & Heiss EH. "Activated AMPK boosts the Nrf2/HO-1 signaling axis—A role for the unfolded protein response". *Free radical biology & medicine*, **88** (2015) 417-426.
- Zong H, Ren JM, Young LH, Pypaert M, Mu J, Birnbaum MJ, & Shulman GI. "AMP kinase is required for mitochondrial biogenesis in skeletal muscle in response to chronic energy deprivation". *Proc Natl Acad Sci U S A*, **99** (2002) 15983-15987.
- Zou MH, & Xie Z. "Regulation of interplay between autophagy and apoptosis in the diabetic heart: new role of AMPK". *Autophagy*, **9** (2013) 624-625.
-