

References

Adibkia, K., Shadbad, M.R.S., Nokhodchi, A., Javadzede, A., Barzegar-Jalali, M., Barar, J., Mohammadi, G., Omid, Y., "Piroxicam nanoparticles for ocular delivery: physicochemical characterization and implementation in endotoxin-induced uveitis," *Journal of Drug Targeting*, **15**(6) (2007) 407-416.

Adjei, I.M., Sharma, B., Peetla, C., Labhasetwar, V., "Inhibition of bone loss with surface-modulated, drug-loaded nanoparticles in an intraosseous model of prostate cancer," *Journal of Controlled Release*, **232** (2016) 83-92.

Aggarwal, P., Hall, J.B., McLeland, C.B., Dobrovolskaia, M.A., McNeil, S.E., "Nanoparticle interaction with plasma proteins as it relates to particle biodistribution, biocompatibility and therapeutic efficacy," *Advanced Drug Delivery Reviews*, **61**(6) (2009) 428-437.

Alizadeh, B., Bahari Javan, N., Akbari Javar, H., Khoshayand, M.R., Dorkoosh, F.A., "Prolonged injectable formulation of Nafarelin using in situ gel combination delivery system," *Pharmaceutical Development and Technology*, (just-accepted) (2017) 1-44.

Allen, T.M., "Ligand-targeted therapeutics in anticancer therapy," *Nature Reviews Cancer*, **2**(10) (2002) 750-763.

Alley, E., Green, R., Schuchter, L., "Cutaneous toxicities of cancer therapy," *Current Opinion in Oncology*, **14**(2) (2002) 212-216.

Bae, Y.H., Park, K., "Targeted drug delivery to tumors: myths, reality and possibility," *Journal of Controlled Release*, **153**(3) (2011) 198-205.

Bahari Javan, N., Rezaie Shirmard, L., Jafary Omid, N., Akbari Javar, H., Rafiee Tehrani, M., Abedin Dorkoosh, F., "Preparation, statistical optimisation and in vitro characterisation of poly (3-hydroxybutyrate-co-3-hydroxyvalerate)/poly (lactic-co-glycolic acid) blend nanoparticles for prolonged delivery of teriparatide," *Journal of Microencapsulation*, **33**(5) (2016) 460-474.

Bangham, A., Standish, M.M., Watkins, J., "Diffusion of univalent ions across the lamellae of swollen phospholipids," *Journal of Molecular Biology*, **13**(1) (1965) 238-227.

Bank, D., "Docetaxel," Accessed, <https://www.drugbank.ca/drugs/DB01248>.

- Baranda, A.B., Etxebarria, N., Jiménez, R.M., Alonso, R.M., "Improvement of the chromatographic separation of several 1, 4-dihydropyridines calcium channel antagonist drugs by experimental design," *Journal of Chromatographic Science*,**43**(10) (2005) 505-512.
- Bayne, K., Ramachandra, G.S., Rivera, E.A., Wang, J., "The evolution of animal welfare and the 3Rs in Brazil, China, and India," *Journal of the American Association for Laboratory Animal Science*,**54**(2) (2015) 181-191.
- Beg, S., Jena, S.S., Patra, C.N., Rizwan, M., Swain, S., Sruti, J., Rao, M.B., Singh, B., "Development of solid self-nanoemulsifying granules (SSNEGs) of ondansetron hydrochloride with enhanced bioavailability potential," *Colloids and Surfaces B: Biointerfaces*,**101** (2013) 414-423.
- Benns, J.M., Choi, J.-S., Mahato, R.I., Park, J.-S., Kim, S.W., "pH-sensitive cationic polymer gene delivery vehicle: N-Ac-poly (L-histidine)-graft-poly (L-lysine) comb shaped polymer," *Bioconjugate Chemistry*,**11**(5) (2000) 637-645.
- Bernabeu, E., Helguera, G., Legaspi, M.J., Gonzalez, L., Hocht, C., Taira, C., Chiappetta, D.A., "Paclitaxel-loaded PCL-TPGS nanoparticles: In vitro and in vivo performance compared with Abraxane®," *Colloids and Surfaces B: Biointerfaces*,**113** (2014) 43-50.
- Blessy, M., Patel, R.D., Prajapati, P.N., Agrawal, Y., "Development of forced degradation and stability indicating studies of drugs—A review," *Journal of Pharmaceutical Analysis*,**4**(3) (2014) 159-165.
- Bogdanov Jr, A., Wright, S., Marecos, E., Bogdanova, A., Martin, C., Petherick, P., Weissleder, R., "A long-circulating co-polymer in "passive targeting" to solid tumors," *Journal of Drug Targeting*,**4**(5) (1997) 321-330.
- Bu, X., Zhu, T., Ma, Y., Shen, Q., "Co-administration with cell penetrating peptide enhances the oral bioavailability of docetaxel-loaded nanoparticles," *Drug Development and Industrial Pharmacy*,**41**(5) (2015) 764-771.
- Budhian, A., Siegel, S.J., Winey, K.I., "Production of haloperidol-loaded PLGA nanoparticles for extended controlled drug release of haloperidol," *Journal of Microencapsulation*,**22**(7) (2005) 773-785.

- Budhian, A., Siegel, S.J., Winey, K.I., "Haloperidol-loaded PLGA nanoparticles: systematic study of particle size and drug content," *International Journal of Pharmaceutics*,**336**(2) (2007) 367-375.
- Cao, L., Li, G., Yang, D., Liu, J., Huang, Y., "Application of Response Surface Methodology To Formulation Optimization of Rapamycin Loaded Magnetic Fe₃O₄/Carboxymethylchitosan Nanoparticles," *Journal of Macromolecular Science, Part A*,**50**(8) (2013) 894-904.
- Chalikwar, S.S., Belgamwar, V.S., Talele, V.R., Surana, S.J., Patil, M.U., "Formulation and evaluation of Nimodipine-loaded solid lipid nanoparticles delivered via lymphatic transport system," *Colloids and Surfaces B: Biointerfaces*,**97** (2012) 109-116.
- Chen, Q., Li, W., Yao, Q., Liang, R., Pérez-Garcia, R., Munoz, J., Boccaccini, A.R., "Multilayered drug delivery coatings composed of daidzein-loaded PHBV microspheres embedded in a biodegradable polymer matrix by electrophoretic deposition," *Journal of Materials Chemistry B*,**4**(29) (2016) 5035-5045.
- Chen, Y.-C., Hsieh, W.-Y., Lee, W.-F., Zeng, D.-T., "Effects of surface modification of PLGA-PEG-PLGA nanoparticles on loperamide delivery efficiency across the blood–brain barrier," *Journal of Biomaterials Applications*,**27**(7) (2013) 909-922.
- Chilkoti, A., Dreher, M.R., Meyer, D.E., "Design of thermally responsive, recombinant polypeptide carriers for targeted drug delivery," *Advanced Drug Delivery Reviews*,**54**(8) (2002) 1093-1111.
- Coates, A., Abraham, S., Kaye, S.B., Sowerbutts, T., Frewin, C., Fox, R., Tattersall, M., "On the receiving end—patient perception of the side-effects of cancer chemotherapy," *European Journal of Cancer and Clinical Oncology*,**19**(2) (1983) 203-208.
- Correia, A., Shahbazi, M.-A., Mäkilä, E., Almeida, S.r., Salonen, J., Hirvonen, J., Santos, H.I.A., "Cyclodextrin-modified porous silicon nanoparticles for efficient sustained drug delivery and proliferation inhibition of breast cancer cells," *ACS applied materials & interfaces*,**7**(41) (2015) 23197-23204.

- Costa, P., Lobo, J.M.S., "Modeling and comparison of dissolution profiles," *European Journal of Pharmaceutical Sciences*,**13**(2) (2001) 123-133.
- Couvreur, P., "Nanoparticles in drug delivery: past, present and future," *Advanced Drug Delivery Reviews*,**65**(1) (2013) 21-23.
- Couvreur, P., Vauthier, C., "Nanotechnology: intelligent design to treat complex disease," *Pharmaceutical Research*,**23**(7) (2006) 1417-1450.
- Cui, F.-b., Li, R.-T., Liu, Q., Wu, P.-y., Hu, W.-j., Yue, G.-f., Ding, H., Yu, L.-X., Qian, X.-P., Liu, B.-R., "Enhancement of radiotherapy efficacy by docetaxel-loaded gelatinase-stimuli PEG-Pep-PCL nanoparticles in gastric cancer," *Cancer Letters*,**346**(1) (2014) 53-62.
- Das, M., Mohanty, C., Sahoo, S.K., "Ligand-based targeted therapy for cancer tissue," *Expert opinion on drug delivery*,**6**(3) (2009) 285-304.
- Date, A.A., Nagarsenker, M.S., "Design and evaluation of microemulsions for improved parenteral delivery of propofol," *AAPS PharmSciTech*,**9**(1) (2008) 138-145.
- Della Rocca, J., Werner, M.E., Kramer, S.A., Huxford-Phillips, R.C., Sukumar, R., Cummings, N.D., Vivero-Escoto, J.L., Wang, A.Z., Lin, W., "Polysilsesquioxane nanoparticles for triggered release of cisplatin and effective cancer chemoradiotherapy," *Nanomedicine: Nanotechnology, Biology and Medicine*,**11**(1) (2015) 31-38.
- Deng, X., Cao, M., Zhang, J., Hu, K., Yin, Z., Zhou, Z., Xiao, X., Yang, Y., Sheng, W., Wu, Y., "Hyaluronic acid-chitosan nanoparticles for co-delivery of MiR-34a and doxorubicin in therapy against triple negative breast cancer," *Biomaterials*,**35**(14) (2014) 4333-4344.
- Dhat, S., Pund, S., Kokare, C., Sharma, P., Shrivastava, B., "Risk management and statistical multivariate analysis approach for design and optimization of satranidazole nanoparticles," *European Journal of Pharmaceutical Sciences*,**96** (2017) 273-283.
- Doane, T., Burda, C., "Nanoparticle mediated non-covalent drug delivery," *Advanced Drug Delivery Reviews*,**65**(5) (2013) 607-621.

Dobrovolskaia, M.A., Clogston, J.D., Neun, B.W., Hall, J.B., Patri, A.K., McNeil, S.E., "Method for analysis of nanoparticle hemolytic properties in vitro," *Nano Letters*,**8**(8) (2008) 2180-2187.

Eatemadi, A., Darabi, M., Afraidooni, L., Zarghami, N., Daraee, H., Eskandari, L., Mellatyar, H., Akbarzadeh, A., "Comparison, synthesis and evaluation of anticancer drug-loaded polymeric nanoparticles on breast cancer cell lines," *Artificial cells, nanomedicine, and biotechnology*,**44**(3) (2016) 1008-1017.

Elzoghby, A.O., Hemasa, A.L., Freag, M.S., "Hybrid protein-inorganic nanoparticles: From tumor-targeted drug delivery to cancer imaging," *Journal of Controlled Release*,**243** (2016) 303-322.

Fan, B., Stewart, J.T., "Determination of zidovudine/lamivudine/nevirapine in human plasma using ion-pair HPLC," *Journal of Pharmaceutical and Biomedical Analysis*,**28**(5) (2002) 903-908.

Fazil, M., Md, S., Haque, S., Kumar, M., Baboota, S., kaur Sahni, J., Ali, J., "Development and evaluation of rivastigmine loaded chitosan nanoparticles for brain targeting," *European Journal of Pharmaceutical Sciences*,**47**(1) (2012) 6-15.

Ferlay, J., Soerjomataram, I., Dikshit, R., Eser, S., Mathers, C., Rebelo, M., Parkin, D.M., Forman, D., Bray, F., "Cancer incidence and mortality worldwide: sources, methods and major patterns in GLOBOCAN 2012," *International Journal of Cancer*,**136**(5) (2015) 359-386.

Fornaguera, C., Calderó, G., Mitjans, M., Vinardell, M.P., Solans, C., Vauthier, C., "Interactions of PLGA nanoparticles with blood components: protein adsorption, coagulation, activation of the complement system and hemolysis studies," *Nanoscale*,**7**(14) (2015) 6045-6058.

Gandhi, A., Jana, S., Sen, K.K., "In-vitro release of acyclovir loaded Eudragit RLPO® nanoparticles for sustained drug delivery," *International Journal of Biological Macromolecules*,**67** (2014) 478-482.

Gannu, R., Yamsani, V.V., Yamsani, S.K., Palem, C.R., Yamsani, M.R., "Optimization of hydrogels for transdermal delivery of lisinopril by Box–Behnken statistical design," *AAPS PharmSciTech*,**10**(2) (2009) 505-514.

- Ganta, S., Devalapally, H., Shahiwala, A., Amiji, M., "A review of stimuli-responsive nanocarriers for drug and gene delivery," *Journal of Controlled Release*,**126**(3) (2008) 187-204.
- Gao, H., Zhang, S., Yang, Z., Cao, S., Jiang, X., Pang, Z., "Invitro and invivo intracellular distribution and anti-glioblastoma effects of docetaxel-loaded nanoparticles functioned with IL-13 peptide," *International Journal of Pharmaceutics*,**466**(1) (2014) 8-17.
- Gao, K., Sun, J., Liu, K., Liu, X., He, Z., "Preparation and characterization of a submicron lipid emulsion of docetaxel: submicron lipid emulsion of docetaxel," *Drug Development and Industrial Pharmacy*,**34**(11) (2008) 1227-1237.
- Gaumet, M., Vargas, A., Gurny, R., Delie, F., "Nanoparticles for drug delivery: the need for precision in reporting particle size parameters," *European Journal of Pharmaceutics and Biopharmaceutics*,**69**(1) (2008) 1-9.
- Gidwani, B., Vyas, A., "Preparation, characterization, and optimization of altretamine-loaded solid lipid nanoparticles using Box-Behnken design and response surface methodology," *Artificial cells, nanomedicine, and biotechnology*,**44**(2) (2016) 571-580.
- Giufrida, W.M., Cabral, V.F., Cardoso-Filho, L., dos Santos Conti, D., de Campos, V.E., da Rocha, S.R., "Medroxyprogesterone-encapsulated poly (3-hydroxybutyrate-co-3-hydroxyvalerate) nanoparticles using supercritical fluid extraction of emulsions," *The Journal of Supercritical Fluids*,**118** (2016) 79-88.
- Gottesman, M.M., "Mechanisms of cancer drug resistance," *Annual Review of Medicine*,**53**(1) (2002) 615-627.
- Gradishar, W.J., Tjulandin, S., Davidson, N., Shaw, H., Desai, N., Bhar, P., Hawkins, M., O'shaughnessy, J., "Phase III trial of nanoparticle albumin-bound paclitaxel compared with polyethylated castor oil-based paclitaxel in women with breast cancer," *Journal of Clinical Oncology*,**23**(31) (2005) 7794-7803.
- Guideline, I.H.T., "Stability testing of new drug substances and products," *QIA (R2), current step*,**4** (2003).
- Guideline, I.H.T., "Quality risk management," *Q9, Current step*,**4** (2005).

- Gumel, A., Annuar, M., Chisti, Y., "Recent advances in the production, recovery and applications of polyhydroxyalkanoates," *Journal of Polymers and the Environment*,**21**(2) (2013) 580-605.
- Hamel, E., "Evaluation of antimetabolic agents by quantitative comparisons of their effects on the polymerization of purified tubulin," *Cell Biochemistry and Biophysics*,**38**(1) (2003) 1-21.
- Han, M., Li, Z., Bi, D., Guo, Y., Kuang, H., Wang, X., "Novel folate-targeted docetaxel-loaded nanoparticles for tumour targeting: in vitro and in vivo evaluation," *RSC Advances*,**6**(69) (2016) 64306-64314.
- Hao, J., Fang, X., Zhou, Y., Wang, J., Guo, F., Li, F., Peng, X., "Development and optimization of solid lipid nanoparticle formulation for ophthalmic delivery of chloramphenicol using a Box-Behnken design," *Int J Nanomedicine*,**6**(4) (2011) 683-692.
- Hao, J., Wang, F., Wang, X., Zhang, D., Bi, Y., Gao, Y., Zhao, X., Zhang, Q., "Development and optimization of baicalin-loaded solid lipid nanoparticles prepared by coacervation method using central composite design," *European Journal of Pharmaceutical Sciences*,**47**(2) (2012) 497-505.
- Hasirci, V., Vrana, E., Zorlutuna, P., Ndreu, A., Yilgor, P., Basmanav, F., Aydin, E., "Nanobiomaterials: a review of the existing science and technology, and new approaches," *Journal of Biomaterials Science, Polymer Edition*,**17**(11) (2006) 1241-1268.
- He, C., Hu, Y., Yin, L., Tang, C., Yin, C., "Effects of particle size and surface charge on cellular uptake and biodistribution of polymeric nanoparticles," *Biomaterials*,**31**(13) (2010) 3657-3666.
- He, H., Chen, S., Zhou, J., Dou, Y., Song, L., Che, L., Zhou, X., Chen, X., Jia, Y., Zhang, J., "Cyclodextrin-derived pH-responsive nanoparticles for delivery of paclitaxel," *Biomaterials*,**34**(21) (2013) 5344-5358.
- Heinisch, S., Rocca, J., "Effect of mobile phase composition, pH and buffer type on the retention of ionizable compounds in reversed-phase liquid chromatography: application to method development," *Journal of Chromatography A*,**1048**(2) (2004) 183-193.

Hu, C.-M.J., Zhang, L., "Nanoparticle-based combination therapy toward overcoming drug resistance in cancer," *Biochemical Pharmacology*,**83**(8) (2012) 1104-1111.

Huang, X., Brazel, C.S., "On the importance and mechanisms of burst release in matrix-controlled drug delivery systems," *Journal of Controlled Release*,**73**(2) (2001) 121-136.

Jackson, S.P., Bartek, J., "The DNA-damage response in human biology and disease," *Nature*,**461**(7267) (2009) 1071-1078.

Javan, N.B., Montazeri, H., Shirmard, L.R., Omid, N.J., Barbari, G.R., Amini, M., Ghahremani, M.H., Rafiee-Tehrani, M., Dorkoosh, F.A., "Preparation, characterization and in vivo evaluation of a combination delivery system based on hyaluronic acid/jeffamine hydrogel loaded with PHBV/PLGA blend nanoparticles for prolonged delivery of Teriparatide," *European Journal of Pharmaceutical Sciences*,**101** (2017) 167-181.

Jemal, A., Siegel, R., Ward, E., Hao, Y., Xu, J., Murray, T., Thun, M.J., "Cancer statistics, 2008," *CA: A Cancer Journal for Clinicians*,**58**(2) (2008) 71-96.

Katiyar, S.S., Muntimadugu, E., Rafeeqi, T.A., Domb, A.J., Khan, W., "Co-delivery of rapamycin-and piperine-loaded polymeric nanoparticles for breast cancer treatment," *Drug Delivery*,**23**(7) (2016) 2608-2616.

Kaur, M., Malik, B., Garg, T., Rath, G., Goyal, A.K., "Development and characterization of guar gum nanoparticles for oral immunization against tuberculosis," *Drug Delivery*,**22**(3) (2015) 328-334.

Kaur, P., Garg, T., Rath, G., Murthy, R.R., Goyal, A.K., "Development, optimization and evaluation of surfactant-based pulmonary nanolipid carrier system of paclitaxel for the management of drug resistance lung cancer using Box-Behnken design," *Drug Delivery*,**23**(6) (2016) 1912-1925.

Kenney, K.B., Wring, S.A., Carr, R.M., Wells, G.N., Dunn, J.A., "Simultaneous determination of zidovudine and lamivudine in human serum using HPLC with tandem mass spectrometry," *Journal of Pharmaceutical and Biomedical Analysis*,**22**(6) (2000) 967-983.

- Kheradmandnia, S., Vasheghani-Farahani, E., Nosrati, M., Atyabi, F., "Preparation and characterization of ketoprofen-loaded solid lipid nanoparticles made from beeswax and carnauba wax," *Nanomedicine: Nanotechnology, Biology and Medicine*,**6**(6) (2010) 753-759.
- Kim, C.S., Mout, R., Zhao, Y., Yeh, Y.-C., Tang, R., Jeong, Y., Duncan, B., Hardy, J.A., Rotello, V.M., "Co-delivery of protein and small molecule therapeutics using nanoparticle-stabilized nanocapsules," *Bioconjugate Chemistry*,**26**(5) (2015) 950-954.
- Kopans, D.B., Breast imaging, Lippincott Williams & Wilkins 2007.
- Kossatz, S., Grandke, J., Couleaud, P., Latorre, A., Aires, A., Crosbie-Staunton, K., Ludwig, R., Dähring, H., Ettelt, V., Lazaro-Carrillo, A., "Efficient treatment of breast cancer xenografts with multifunctionalized iron oxide nanoparticles combining magnetic hyperthermia and anti-cancer drug delivery," *Breast Cancer Research*,**17**(1) (2015) 66-83.
- Kourti, T., Davis, B., "The business benefits of quality by design (QbD)," *Pharm Eng*,**32**(4) (2012) 1-10.
- Kulhari, H., Pooja, D., Shrivastava, S., Naidu, V., Sistla, R., "Peptide conjugated polymeric nanoparticles as a carrier for targeted delivery of docetaxel," *Colloids and Surfaces B: Biointerfaces*,**117** (2014) 166-173.
- Kumar, S., Bhanjana, G., Verma, R.K., Dhingra, D., Dilbaghi, N., Kim, K.H., "Metformin-loaded alginate nanoparticles as an effective antidiabetic agent for controlled drug release," *Journal of Pharmacy and Pharmacology*,**69**(2) (2017) 143-150.
- Kumari, A., Yadav, S.K., Yadav, S.C., "Biodegradable polymeric nanoparticles based drug delivery systems," *Colloids and Surfaces B: Biointerfaces*,**75**(1) (2010) 1-18.
- Kuppens, I., Bosch, T., Van Maanen, M., Rosing, H., Fitzpatrick, A., Beijnen, J., Schellens, J., "Oral bioavailability of docetaxel in combination with OC144-093 (ONT-093)," *Cancer Chemotherapy and Pharmacology*,**55**(1) (2005) 72-78.
- Lee, E.S., Na, K., Bae, Y.H., "Doxorubicin loaded pH-sensitive polymeric micelles for reversal of resistant MCF-7 tumor," *Journal of Controlled Release*,**103**(2) (2005) 405-418.

- Lee, J., Choi, J.-Y., Park, C., "Characteristics of polymers enabling nano-comminution of water-insoluble drugs," *International Journal of Pharmaceutics*, **355**(1) (2008) 328-336.
- Leimann, F.V., Biz, M.H., Kaufmann, K.C., Maia, W.J., Honçalves, O.H., Cardozo Filho, L., Sayer, C., Araújo, P.H.H.d., "Characterization of progesterone loaded biodegradable blend polymeric nanoparticles," *Ciência Rural*, **45**(11) (2015) 2082-2088.
- Leroux, J., Vargas, A., Doelker, E., Gurny, R., Delie, F., "The Use of Drug-Loaded Nanoparticles in Cancer Chemotherapy," *Drugs and the Pharmaceutical Sciences*, **158** (2006) 625-667.
- Letchford, K., Burt, H., "A review of the formation and classification of amphiphilic block copolymer nanoparticulate structures: micelles, nanospheres, nanocapsules and polymersomes," *European Journal of Pharmaceutics and Biopharmaceutics*, **65**(3) (2007) 259-269.
- Li, Z., Qiu, L., Chen, Q., Hao, T., Qiao, M., Zhao, H., Zhang, J., Hu, H., Zhao, X., Chen, D., "pH-sensitive nanoparticles of poly (L-histidine)-poly (lactide-co-glycolide)-tocopheryl polyethylene glycol succinate for anti-tumor drug delivery," *Acta Biomaterialia*, **11** (2015) 137-150.
- Lim, E.-K., Chung, B., Chung, S., "Recent Advances in pH-Sensitive Polymeric Nanoparticles for Smart Drug Delivery in Cancer Therapy," *Current Drug Targets*, (2016) 197-209.
- Liu, J.J., Galettis, P., Farr, A., Maharaj, L., Samarasinha, H., McGechan, A.C., Baguley, B.C., Bowen, R.J., Berners-Price, S.J., McKeage, M.J., "In vitro antitumour and hepatotoxicity profiles of Au (I) and Ag (I) bidentate pyridyl phosphine complexes and relationships to cellular uptake," *Journal of Inorganic Biochemistry*, **102**(2) (2008) 303-310.
- Liu, R., Guo, Y., Odusote, G., Qu, F., Priestley, R.D., "Core-shell Fe₃O₄ polydopamine nanoparticles serve multipurpose as drug carrier, catalyst support and carbon adsorbent," *ACS applied materials & interfaces*, **5**(18) (2013a) 9167-9171.
- Liu, X., Chen, Y., Li, H., Huang, N., Jin, Q., Ren, K., Ji, J., "Enhanced retention and cellular uptake of nanoparticles in tumors by controlling their aggregation behavior," *ACS nano*, **7**(7) (2013b) 6244-6257.

- Liu, Y., Li, K., Pan, J., Liu, B., Feng, S.-S., "Folic acid conjugated nanoparticles of mixed lipid monolayer shell and biodegradable polymer core for targeted delivery of Docetaxel," *Biomaterials*,**31**(2) (2010) 330-338.
- Lu, N., Tian, Y., Tian, W., Huang, P., Liu, Y., Tang, Y., Wang, C., Wang, S., Su, Y., Zhang, Y., "Smart cancer cell targeting imaging and drug delivery system by systematically engineering periodic mesoporous organosilica nanoparticles," *ACS applied materials & interfaces*,**8**(5) (2016) 2985-2993.
- Lu, T., Liang, Y., Song, J., Xie, L., Wang, G.J., Liu, X.D., "Simultaneous determination of berberine and palmatine in rat plasma by HPLC–ESI-MS after oral administration of traditional Chinese medicinal preparation Huang-Lian-Jie-Du decoction and the pharmacokinetic application of the method," *Journal of Pharmaceutical and Biomedical Analysis*,**40**(5) (2006) 1218-1224.
- MacMahon, B., Cole, P., Brown, J., "Etiology of human breast cancer: a review," *Journal of the National Cancer Institute*,**50**(1) (1973) 21-42.
- Magdeldin, S., Enany, S., Yoshida, Y., Xu, B., Zhang, Y., Zureena, Z., Lokamani, I., Yaoita, E., Yamamoto, T., "Basics and recent advances of two dimensional-polyacrylamide gel electrophoresis," *Clinical Proteomics*,**11**(1) (2014) 11-26.
- Mahdavi, H., Mirzadeh, H., Hamishehkar, H., Jamshidi, A., Fakhari, A., Emami, J., Najafabadi, A.R., Gilani, K., Minaiyan, M., Najafi, M., "The effect of process parameters on the size and morphology of poly (D, L-lactide-co-glycolide) micro/nanoparticles prepared by an oil in oil emulsion/solvent evaporation technique," *Journal of Applied Polymer Science*,**116**(1) (2010) 528-534.
- Mainardes, R.M., Evangelista, R.C., "PLGA nanoparticles containing praziquantel: effect of formulation variables on size distribution," *International Journal of Pharmaceutics*,**290**(1) (2005) 137-144.
- Maji, R., Dey, N.S., Satapathy, B.S., Mukherjee, B., Mondal, S., "Preparation and characterization of Tamoxifen citrate loaded nanoparticles for breast cancer therapy," *International journal of nanomedicine*,**9** (2014) 3107-3118.
- Masood, F., Chen, P., Yasin, T., Fatima, N., Hasan, F., Hameed, A., "Encapsulation of Ellipticine in poly-(3-hydroxybutyrate-co-3-hydroxyvalerate) based nanoparticles and its in vitro application," *Materials Science and Engineering: C*,**33**(3) (2013a) 1054-1060.

- Masood, F., Chen, P., Yasin, T., Hasan, F., Ahmad, B., Hameed, A., "Synthesis of poly-(3-hydroxybutyrate-co-12 mol% 3-hydroxyvalerate) by *Bacillus cereus* FB11: its characterization and application as a drug carrier," *Journal of Materials Science: Materials in Medicine*,**24**(8) (2013b) 1927-1937.
- Meng, H., Mai, W.X., Zhang, H., Xue, M., Xia, T., Lin, S., Wang, X., Zhao, Y., Ji, Z., Zink, J.I., "Codelivery of an optimal drug/siRNA combination using mesoporous silica nanoparticles to overcome drug resistance in breast cancer in vitro and in vivo," *ACS nano*,**7**(2) (2013) 994-1005.
- Merisko-Liversidge, E., Liversidge, G.G., Cooper, E.R., "Nanosizing: a formulation approach for poorly-water-soluble compounds," *European Journal of Pharmaceutical Sciences*,**18**(2) (2003) 113-120.
- Mok, H., Veiseh, O., Fang, C., Kievit, F.M., Wang, F.Y., Park, J.O., Zhang, M., "pH-Sensitive siRNA nanovector for targeted gene silencing and cytotoxic effect in cancer cells," *Molecular Pharmaceutics*,**7**(6) (2010) 1930-1939.
- Moorkoth, D., Nampoothiri, K.M., "Production and characterization of poly (3-hydroxy butyrate-co-3 hydroxyvalerate)(PHBV) by a novel halotolerant mangrove isolate," *Bioresource Technology*,**201** (2016) 253-260.
- Mukhopadhyay, P., Chakraborty, S., Bhattacharya, S., Mishra, R., Kundu, P., "pH-sensitive chitosan/alginate core-shell nanoparticles for efficient and safe oral insulin delivery," *International Journal of Biological Macromolecules*,**72** (2015) 640-648.
- Nagavarma, B., Yadav, H.K., Ayaz, A., Vasudha, L., Shivakumar, H., "Different techniques for preparation of polymeric nanoparticles—a review," *Asian J. Pharm. Clin. Res*,**5**(3) (2012) 16-23.
- Nair, L.S., Laurencin, C.T., "Biodegradable polymers as biomaterials," *Progress in polymer science*,**32**(8) (2007) 762-798.
- Nair, P.M., Khawale, P.G., "Role of therapeutic fasting in women's health: An overview," *Journal of Mid-life Health*,**7**(2) (2016) 61-64.
- Narayanan, S., Mony, U., Vijaykumar, D.K., Koyakutty, M., Paul-Prasanth, B., Menon, D., "Sequential release of epigallocatechin gallate and paclitaxel from PLGA-casein core/shell nanoparticles sensitizes drug-resistant breast cancer cells," *Nanomedicine: Nanotechnology, Biology and Medicine*,**11**(6) (2015) 1399-1406.

Nemati, F., Dubernet, C., De Verdière, A.C., Poupon, M., Treupel-Acar, L., Puisieux, F., Couvreur, P., "Some parameters influencing cytotoxicity of free doxorubicin and doxorubicin-loaded nanoparticles in sensitive and multidrug resistant leucemic murine cells: incubation time, number of nanoparticles per cell," *International Journal of Pharmaceutics*, **102**(1-3) (1994) 55-62.

Ocal, H., Arica-Yegin, B., Vural, I., Goracinova, K., Caliş, S., "5-Fluorouracil-loaded PLA/PLGA PEG-PPG-PEG polymeric nanoparticles: formulation, in vitro characterization and cell culture studies," *Drug Development and Industrial Pharmacy*, **40**(4) (2014) 560-567.

Pan, D., Guo, C., Luo, K., Yi, Q., Gu, Z., "PEGylated dendritic diaminocyclohexyl-platinum (II) conjugates as pH-responsive drug delivery vehicles with enhanced tumor accumulation and antitumor efficacy," *Biomaterials*, **35**(38) (2014) 10080-10092.

Park, J.-H., Cho, H.-J., Yoon, H.Y., Yoon, I.-S., Ko, S.-H., Shim, J.-S., Cho, J.-H., Park, J.H., Kim, K., Kwon, I.C., "Hyaluronic acid derivative-coated nanohybrid liposomes for cancer imaging and drug delivery," *Journal of Controlled Release*, **174** (2014) 98-108.

Parrott, N., Lavé, T., "Prediction of intestinal absorption: comparative assessment of GASTROPLUS™ and IDEA™," *European Journal of Pharmaceutical Sciences*, **17**(1) (2002) 51-61.

Parveen, S., Misra, R., Sahoo, S.K., "Nanoparticles: a boon to drug delivery, therapeutics, diagnostics and imaging," *Nanomedicine: Nanotechnology, Biology and Medicine*, **8**(2) (2012) 147-166.

Pasipoularides, A., "Galen, father of systematic medicine. An essay on the evolution of modern medicine and cardiology," *International Journal of Cardiology*, **172**(1) (2014) 47-58.

Patel, L., Suhagia, B., Shah, P., "RP-HPLC and HPTLC methods for the estimation of nebivolol hydrochloride in tablet dosage form," *Indian Journal of Pharmaceutical Sciences*, **69**(4) (2007) 594-596.

Piccart, M., "The role of taxanes in the adjuvant treatment of early stage breast cancer," *Breast Cancer Research and Treatment*, **79**(1) (2003) 25-34.

- Qian, J., Ma, J., Su, J., Yan, Y., Li, H., Shin, J.-W., Wei, J., Zhao, L., "PHBV-based ternary composite by intermixing of magnesium calcium phosphate nanoparticles and zein: In vitro bioactivity, degradability and cytocompatibility," *European Polymer Journal*,**75** (2016) 291-302.
- Rafiei, P., Haddadi, A., "Docetaxel-loaded Plga and Plga-Peg nanoparticles for intravenous application: pharmacokinetics and biodistribution profile," *International journal of nanomedicine*,**12** (2017) 935-947.
- Ramesh, B., "British Biomedical Bulletin," *Pathology*,**2** (2013) 3.
- Rathore, A.S., "Roadmap for implementation of quality by design (QbD) for biotechnology products," *Trends in Biotechnology*,**27**(9) (2009) 546-553.
- Rejniak, K.A., "An immersed boundary framework for modelling the growth of individual cells: an application to the early tumour development," *Journal of Theoretical Biology*,**247**(1) (2007) 186-204.
- Rodzinski, A., Guduru, R., Liang, P., Hadjikhani, A., Stewart, T., Stimphil, E., Runowicz, C., Cote, R., Altman, N., Datar, R., "Targeted and controlled anticancer drug delivery and release with magnetoelectric nanoparticles," *Scientific Reports*,**6** (2016) 20867-20874.
- Roy, A., Murakami, M., Ernsting, M.J., Hoang, B., Undzys, E., Li, S.-D., "Carboxymethylcellulose-based and docetaxel-loaded nanoparticles circumvent P-glycoprotein-mediated multidrug resistance," *Molecular Pharmaceutics*,**11**(8) (2014) 2592-2599.
- Sabitha, P., Vijaya, R., Ravindra, R., "Development and validation of new RP-HPLC method with UV detection for the determination of rifampicin in plasma," *Journal of Pharmacy Research*,**2**(10) (2009) 622-635.
- Sahana, B., Santra, K., Basu, S., Mukherjee, B., "Development of biodegradable polymer based tamoxifen citrate loaded nanoparticles and effect of some manufacturing process parameters on them: a physicochemical and in-vitro evaluation," *International journal of nanomedicine*,**5** (2010) 621-630.
- Sahoo, M., Giri, R., Barik, C., Kanungo, S., Kumar, B., "RP-HPLC method for the estimation of Nebivolol in tablet dosage form," *Journal of Chemistry*,**6**(3) (2009) 915-919.

Sarode, S.C., Sarode, G.S., Tupkari, J.V., "Oral potentially malignant disorders: A proposal for terminology and definition with review of literature," *Journal of Oral and Maxillofacial Pathology*,**18**(4) (2014) 77-89.

Schleich, N., Po, C., Jacobs, D., Ucakar, B., Gallez, B., Danhier, F., Pr at, V., "Comparison of active, passive and magnetic targeting to tumors of multifunctional paclitaxel/SPIO-loaded nanoparticles for tumor imaging and therapy," *Journal of Controlled Release*,**194** (2014) 82-91.

Seibel, N.L., Reaman, G.H., "New microtubular agents in pediatric oncology," *Investigational New Drugs*,**14**(1) (1996) 49-54.

Seju, U., Kumar, A., Sawant, K., "Development and evaluation of olanzapine-loaded PLGA nanoparticles for nose-to-brain delivery: in vitro and in vivo studies," *Acta Biomaterialia*,**7**(12) (2011) 4169-4176.

Serda, R.E., Godin, B., Blanco, E., Chiappini, C., Ferrari, M., "Multi-stage delivery nano-particle systems for therapeutic applications," *Biochimica et Biophysica Acta (BBA)-General Subjects*,**1810**(3) (2011) 317-329.

Shahin, A., "Integration of FMEA and the Kano model: An exploratory examination," *International Journal of Quality & Reliability Management*,**21**(7) (2004) 731-746.

Sharma, D., Maheshwari, D., Philip, G., Rana, R., Bhatia, S., Singh, M., Gabrani, R., Sharma, S.K., Ali, J., Sharma, R.K., "Formulation and optimization of polymeric nanoparticles for intranasal delivery of lorazepam using Box-Behnken design: in vitro and in vivo evaluation," *BioMed research international*,**2014** (2014) 1560-1575.

She, W., Li, N., Luo, K., Guo, C., Wang, G., Geng, Y., Gu, Z., "Dendronized heparin– doxorubicin conjugate based nanoparticle as pH-responsive drug delivery system for cancer therapy," *Biomaterials*,**34**(9) (2013) 2252-2264.

Simion, V., Stan, D., Gan, A.-M., Pirvulescu, M.M., Butoi, E., Manduteanu, I., Deleanu, M., Andrei, E., Durdureanu-Angheluta, A., Bota, M., "Development of curcumin-loaded poly (hydroxybutyrate-co-hydroxyvalerate) nanoparticles as anti-inflammatory carriers to human-activated endothelial cells," *Journal of nanoparticle research*,**15**(12) (2013) 2108-2123.

- Simon, G.R., Bunn Jr, M., Paul A, "Taxanes in the Treatment of Advanced (Stage III and IV) Non-small Cell Lung Cancer (NSCLC): Recent Developments: Clinical Science Review," *Cancer Investigation*,**21**(1) (2003) 87-104.
- Singare, D.S., Marella, S., Gowthamrajan, K., Kulkarni, G.T., Vooturi, R., Rao, P.S., "Optimization of formulation and process variable of nanosuspension: an industrial perspective," *International Journal of Pharmaceutics*,**402**(1) (2010) 213-220.
- Singh, A., Sharma, P.K., Majumdar, D.K., "Development and Validation of New HPLC-Methods for Estimation of Fluconazole in Different Simulated Biological Fluids: A Comparative Study," *Journal of Liquid Chromatography & Related Technologies*,**37**(4) (2014) 594-607.
- Singh, B., Dahiya, M., Saharan, V., Ahuja, N., "Optimizing drug delivery systems using systematic" design of experiments." Part II: retrospect and prospects," *Critical Reviews™ in Therapeutic Drug Carrier Systems*,**22**(3) (2005a) 215-294.
- Singh, B., Kumar, R., Ahuja, N., "Optimizing drug delivery systems using systematic" design of experiments." Part I: fundamental aspects," *Critical Reviews™ in Therapeutic Drug Carrier Systems*,**22**(1) (2005b) 27-105.
- Singh, J., "International conference on harmonization of technical requirements for registration of pharmaceuticals for human use," *Journal of Pharmacology & Pharmacotherapeutics*,**6**(3) (2015) 185-220.
- Singh, R., Lillard, J.W., "Nanoparticle-based targeted drug delivery," *Experimental and Molecular Pathology*,**86**(3) (2009) 215-223.
- Singh, S., Dobhal, A.K., Jain, A., Pandit, J.K., Chakraborty, S., "Formulation and evaluation of solid lipid nanoparticles of a water soluble drug: zidovudine," *Chemical and Pharmaceutical Bulletin*,**58**(5) (2010) 650-655.
- Smith, J.W., Buyse, M.E., Rastogi, P., Geyer, C.E., Jacobs, S.A., Patocskai, E.J., Robidoux, A., Conlin, A.K., Ansari, B., Keogh, G.P., "Epirubicin With Cyclophosphamide Followed by Docetaxel With Trastuzumab and Bevacizumab as Neoadjuvant Therapy for HER2-Positive Locally Advanced Breast Cancer or as Adjuvant Therapy for HER2-Positive Pathologic Stage III Breast Cancer: A Phase II Trial of the NSABP Foundation Research Group, FB-5," *Clinical Breast Cancer*, (2016) 48-54.

Solanki, A.B., Parikh, J.R., Parikh, R.H., "Formulation and optimization of piroxicam proniosomes by 3-factor, 3-level Box-Behnken design," *AAPS PharmSciTech*,**8**(4) (2007) 43-49.

Solar, P., González, G., Vilos, C., Herrera, N., Juica, N., Moreno, M., Simon, F., Velásquez, L., "Multifunctional polymeric nanoparticles doubly loaded with SPION and ceftiofur retain their physical and biological properties," *Journal of nanobiotechnology*,**13**(1) (2015) 14-26.

Somayaji, M.R., Das, D., Przekwas, A., "A New Level A Type IVIVC for the Rational Design of Clinical Trials Toward Regulatory Approval of Generic Polymeric Long-Acting Injectables," *Clinical Pharmacokinetics*,**55**(10) (2016) 1179-1190.

Soppimath, K.S., Aminabhavi, T.M., Kulkarni, A.R., Rudzinski, W.E., "Biodegradable polymeric nanoparticles as drug delivery devices," *Journal of Controlled Release*,**70**(1) (2001) 1-20.

Sowjanya, P., Srinath, N., Sumanth, K.S., Chaitanya, D., Sai, A.P., Padmaja, V., "Validated RP-HPLC method for estimation of sodium cromoglycate in human plasma," *Int J Pharm Res Dev*,**5** (2013) 112-120.

Szczepanowicz, K., Bzowska, M., Kruk, T., Karabasz, A., Bereta, J., Warszynski, P., "Pegylated polyelectrolyte nanoparticles containing paclitaxel as a promising candidate for drug carriers for passive targeting," *Colloids and Surfaces B: Biointerfaces*,**143** (2016) 463-471.

Tan, G.-R., Feng, S.-S., Leong, D.T., "The reduction of anti-cancer drug antagonism by the spatial protection of drugs with PLA-TPGS nanoparticles," *Biomaterials*,**35**(9) (2014) 3044-3051.

Tao, W., Zeng, X., Liu, T., Wang, Z., Xiong, Q., Ouyang, C., Huang, L., Mei, L., "Docetaxel-loaded nanoparticles based on star-shaped mannitol-core PLGA-TPGS diblock copolymer for breast cancer therapy," *Acta Biomaterialia*,**9**(11) (2013) 8910-8920.

Tekade, R.K., Dutta, T., Gajbhiye, V., Jain, N.K., "Exploring dendrimer towards dual drug delivery: pH responsive simultaneous drug-release kinetics," *Journal of Microencapsulation*,**26**(4) (2009) 287-296.

- Tran, T.H., Ramasamy, T., Choi, J.Y., Nguyen, H.T., Pham, T.T., Jeong, J.-H., Ku, S.K., Choi, H.-G., Yong, C.S., Kim, J.O., "Tumor-targeting, pH-sensitive nanoparticles for docetaxel delivery to drug-resistant cancer cells," *International journal of nanomedicine*, **10** (2015) 5249-5262.
- Unsoy, G., Khodadust, R., Yalcin, S., Mutlu, P., Gunduz, U., "Synthesis of Doxorubicin loaded magnetic chitosan nanoparticles for pH responsive targeted drug delivery," *European Journal of Pharmaceutical Sciences*, **62** (2014) 243-250.
- Vardhan, H., Mittal, P., Adena, S.K.R., Mishra, B., "Long-circulating polyhydroxybutyrate-co-hydroxyvalerate nanoparticles for tumor targeted docetaxel delivery: Formulation, optimization and in vitro characterization," *European Journal of Pharmaceutical Sciences*, **99** (2017a) 85-94.
- Vardhan, H., Mittal, P., Adena, S.K.R., Upadhyay, M., Mishra, B., "Development of long-circulating docetaxel loaded poly (3-hydroxybutyrate-co-3-hydroxyvalerate) nanoparticles: optimization, pharmacokinetic, cytotoxicity and in vivo assessments," *International Journal of Biological Macromolecules*, (2017b) 791-801.
- Vasir, J.K., Reddy, M.K., Labhasetwar, V.D., "Nanosystems in drug targeting: opportunities and challenges," *Current Nanoscience*, **1**(1) (2005) 47-64.
- Vaupel, P., Kallinowski, F., Okunieff, P., "Blood flow, oxygen and nutrient supply, and metabolic microenvironment of human tumors: a review," *Cancer Research*, **49**(23) (1989) 6449-6465.
- Vichai, V., Kirtikara, K., "Sulforhodamine B colorimetric assay for cytotoxicity screening," *Nature Protocols*, **1**(3) (2006) 1112-1116.
- Vivek, R., Thangam, R., Nipunbabu, V., Ponraj, T., Kannan, S., "Oxaliplatin-chitosan nanoparticles induced intrinsic apoptotic signaling pathway: A "smart" drug delivery system to breast cancer cell therapy," *International Journal of Biological Macromolecules*, **65** (2014) 289-297.
- Vlastos, G., Verkooijen, H.M., "Minimally invasive approaches for diagnosis and treatment of early-stage breast cancer," *The oncologist*, **12**(1) (2007) 1-10.

- Walia, S., Sharma, S., Kulurkar, P.M., Patial, V., Acharya, A., "A bimodal molecular imaging probe based on chitosan encapsulated magneto-fluorescent nanocomposite offers biocompatibility, visualization of specific cancer cells in vitro and lung tissues in vivo," *International Journal of Pharmaceutics*,**498**(1) (2016) 110-118.
- Wang, F., Chen, L., Jiang, S., He, J., Zhang, X., Peng, J., Xu, Q., Li, R., "Optimization of methazolamide-loaded solid lipid nanoparticles for ophthalmic delivery using Box–Behnken design," *Journal of Liposome Research*,**24**(3) (2014) 171-181.
- Wang, L., Liu, Z., Liu, D., Liu, C., Juan, Z., Zhang, N., "Docetaxel-loaded-lipid-based-nanosuspensions (DTX-LNS): preparation, pharmacokinetics, tissue distribution and antitumor activity," *International Journal of Pharmaceutics*,**413**(1) (2011) 194-201.
- Wang, M., Shan, F., Zou, Y., Sun, X., Zhang, Z.-R., Fu, Y., Gong, T., "Pharmacokinetic and pharmacodynamic study of a phospholipid-based phase separation gel for once a month administration of octreotide," *Journal of Controlled Release*,**230** (2016) 45-56.
- Wang, Y., Wang, X., Wei, K., Zhao, N., Zhang, S., Chen, J., "Fabrication, characterization and long-term in vitro release of hydrophilic drug using PHBV/HA composite microspheres," *Materials Letters*,**61**(4) (2007) 1071-1076.
- Welch, H., Gorski, D., Albertsen, P., Andriole, G., Crawford, E., Grubb III, R., Schröder, F., Hugosson, J., Roobol, M., "Trends in Metastatic Breast and Prostate Cancer," *New England Journal of Medicine*,**2016**(374) (2016) 594-596.
- Wong, H.L., Rauth, A.M., Bendayan, R., Manias, J.L., Ramaswamy, M., Liu, Z., Erhan, S.Z., Wu, X.Y., "A new polymer–lipid hybrid nanoparticle system increases cytotoxicity of doxorubicin against multidrug-resistant human breast cancer cells," *Pharmaceutical Research*,**23**(7) (2006) 1574-1585.
- Xu, P., Meng, Q., Sun, H., Yin, Q., Yu, H., Zhang, Z., Cao, M., Zhang, Y., Li, Y., "Shrapnel nanoparticles loading docetaxel inhibit metastasis and growth of breast cancer," *Biomaterials*,**64** (2015) 10-20.
- Yousefi, A., Esmaeili, F., Rahimian, S., Atyabi, F., Dinarvand, R., "Preparation and in vitro evaluation of a pegylated nano-liposomal formulation containing docetaxel," *Scientia Pharmaceutica*,**77** (2009) 453-464.

Zakeri-Milani, P., Loveymi, B.D., Jelvehgari, M., Valizadeh, H., "The characteristics and improved intestinal permeability of vancomycin PLGA-nanoparticles as colloidal drug delivery system," *Colloids and Surfaces B: Biointerfaces*,**103** (2013) 174-181.

Zeng, X., Tao, W., Wang, Z., Zhang, X., Zhu, H., Wu, Y., Gao, Y., Liu, K., Jiang, Y., Huang, L., "Docetaxel-Loaded Nanoparticles of Dendritic Amphiphilic Block Copolymer H40-PLA-b-TPGS for Cancer Treatment," *Particle & Particle Systems Characterization*,**32**(1) (2015) 112-122.

Zhang, X., Dong, Y., Zeng, X., Liang, X., Li, X., Tao, W., Chen, H., Jiang, Y., Mei, L., Feng, S.-S., "The effect of autophagy inhibitors on drug delivery using biodegradable polymer nanoparticles in cancer treatment," *Biomaterials*,**35**(6) (2014) 1932-1943.

Zhang, Y., Chan, H.F., Leong, K.W., "Advanced materials and processing for drug delivery: the past and the future," *Advanced Drug Delivery Reviews*,**65**(1) (2013) 104-120.

Zhang, Y., Huo, M., Zhou, J., Zou, A., Li, W., Yao, C., Xie, S., "DDSolver: an add-in program for modeling and comparison of drug dissolution profiles," *The AAPS journal*,**12**(3) (2010) 263-271.

Zhang, Z., Feng, S.-S., "The drug encapsulation efficiency, in vitro drug release, cellular uptake and cytotoxicity of paclitaxel-loaded poly (lactide)–tocopheryl polyethylene glycol succinate nanoparticles," *Biomaterials*,**27**(21) (2006) 4025-4033.

Zhang, Z., Lee, S.H., Feng, S.-S., "Folate-decorated poly (lactide-co-glycolide)-vitamin E TPGS nanoparticles for targeted drug delivery," *Biomaterials*,**28**(10) (2007) 1889-1899.

Zhao, S., Tan, S., Guo, Y., Huang, J., Chu, M., Liu, H., Zhang, Z., "pH-sensitive docetaxel-loaded d- α -tocopheryl polyethylene glycol succinate–poly (β -amino ester) copolymer nanoparticles for overcoming multidrug resistance," *Biomacromolecules*,**14**(8) (2013) 2636-2646.

Zidan, A.S., Sammour, O.A., Hammad, M.A., Megrab, N.A., Habib, M.J., Khan, M.A., "Quality by design: Understanding the formulation variables of a cyclosporine A self-nanoemulsified drug delivery systems by Box–Behnken design and desirability function," *International Journal of Pharmaceutics*,**332**(1) (2007) 55-63.