



References

- Agubra, V. A.; Owuor, P. S.; Hosur, M. V., Influence of nanoclay dispersion methods on the mechanical behavior of E-Glass/Epoxy nanocomposites. *Nanomaterials* **2013**, 3, (3), 550-563.
- Aguzzi, C.; Cerezo, P.; Viseras, C.; Caramella, C., Use of clays as drug delivery systems: possibilities and limitations. *Applied Clay Science* **2007**, 36, (1), 22-36.
- Alexandre, M.; Dubois, P., Polymer-layered silicate nanocomposites: preparation, properties and uses of a new class of materials. *Materials Science and Engineering: R: Reports* **2000**, 28, (1), 1-63.
- Allwood, M. C., The release of phthallate ester plasticizer from intravenous administration sets into fat emulsion. *International journal of pharmaceutics* **1986**, 29, (2), 233-236.
- Al-Saleh, M. H.; Sundararaj, U., Processing-microstructure-property relationship in conductive polymer nanocomposites. *Polymer* 51, (12), 2740-2747.
- Asadinezhad, A.; Lehoc̃k, M. r.; S̃jha, P.; MozetiĀ, M., Recent progress in surface modification of polyvinyl chloride. *Materials* **2012**, 5, (12), 2937-2959.
- Asadinezhad, A.; NovĀjk, I.; Lehoc̃k, M. n.; SedlaĀTMĀ-k, V.; Vesel, A.; Junkar, I.; S̃jha, P.; ChodĀjk, I., An in vitro bacterial adhesion assessment of surface-modified medical-grade PVC. *Colloids and Surfaces B: Biointerfaces* **2010**, 77, (2), 246-256.
- Autian, J., Biological model systems for the testing of the toxicity of biomaterials. In *Polymers in Medicine and Surgery*, Springer: 1975, 181-203.
- Balakrishnan, B.; Kumar, D. S.; Yoshida, Y.; Jayakrishnan, A., Chemical modification of poly(vinyl chloride) resin using poly(ethylene glycol) to improve blood compatibility. *Biomaterials* **2005**, 26, (17), 3495-3502.
- Balazs, D.; Triandafillu, K.; Chevlot, Y.; Aronsson, B. O.; Harms, H.; Descouts, P.; Mathieu, H., Surface modification of PVC endotracheal tubes by oxygen glow discharge to reduce bacterial adhesion. *Surface and interface analysis* **2003**, 35, (3), 301-309.
- Bao, Y.-Z.; Huang, Z.-M.; Weng, Z.-X., Preparation and characterization of poly(vinyl chloride)/layered double hydroxides nanocomposite via in situ suspension polymerization. *Journal of Applied Polymer Science* **2006**, 102, (2), 1471-1477.
- Becker, C. M.; Gabbardo, A. D.; Wypych, F.; Amico, S. C., Mechanical and flame-retardant properties of epoxy/MgĀ^cAl LDH composites. *Composites Part A: Applied Science and Manufacturing* **2011**, 42, (2), 196-202.

- Bicak, N.; Sherrington, D. C.; Bulbul, H., Vinylamine polymer via chemical modification of PVC. *European Polymer Journal* **2001**, 37, (4), 801-805.
- Bigot, S.; Louarn, G.; KÄ©bir, N.; Burel, F., Facile grafting of bioactive cellulose derivatives onto PVC surfaces. *Applied Surface Science* **2013**, (0).
- Black, J., Biological performance of materials: fundamentals of biocompatibility. **1999**.
- Black, J., *Biological performance of materials: fundamentals of biocompatibility*. CRC Press: **2005**.
- Bouma, M.; Maessen, J.; Weerwind, P.; Dentener, M.; Fransen, E.; de Jong, D.; Buurman, W., Release of lipopolysaccharide toxicity-modulating proteins in patients undergoing cardiopulmonary bypass using noncoated and heparin-coated extracorporeal circuits: A clinical pilot study. *CHEST Journal* **1997**, 111, (3), 577-583.
- Braun, D., Poly(vinyl chloride) on the way from the 19th century to the 21st century. *Journal of Polymer Science Part A: Polymer Chemistry* **2004**, 42, (3), 578-586.
- Carraher Jr, C. E., *Carraher's polymer chemistry*. CRC Press: **2008**.
- Changwen, H.; Danfeng, L.; Yihang, G.; Enbo, W., Supermolecular layered double hydroxides. *Chinese Science Bulletin* **2001**, 46, (13), 1061-1066.
- Chen, L.; Sheng, C.-y.; Duan, Y.-x.; Zhang, J.-m., Morphology, microstructure and properties of PEG-plasticized PVC. *Polymer-Plastics Technology and Engineering* **2011**, 50, (4), 412-417.
- Choy, J.-H.; Choi, S.-J.; Oh, J.-M.; Park, T., Clay minerals and layered double hydroxides for novel biological applications. *Applied Clay Science* **2007**, 36, (1), 122-132.
- Choy, J.-H.; Kwak, S.-Y.; Jeong, Y.-J.; Park, J.-S., Inorganic layered double hydroxides as nonviral vectors. *Angewandte Chemie* **2000**, 39, (22), 4041-4045.
- Choy, J.-H.; Kwak, S.-Y.; Park, J.-S.; Jeong, Y.-J., Cellular uptake behavior of [[gamma]-32P] labeled ATP-LDH nanohybrids. *Journal of Materials Chemistry J. Mater. Chem.* **2001**, 11, (6), 1671-1674.
- Choy, J.-H.; Kwak, S.-Y.; Park, J.-S.; Jeong, Y.-J.; Portier, J., Intercalative nanohybrids of nucleoside monophosphates and DNA in layered metal hydroxide. *Journal of the American Chemical Society* **1999**, 121, (6), 1399-1400.

- Costa, F. R.; Saphiannikova, M.; Wagenknecht, U.; Heinrich, G., Layered double hydroxide based polymer nanocomposites. In *Wax Crystal Control: Nanocomposites: Stimuli-Responsive Polymers*, Springer: **2008**; pp 101-168.
- Curran, J. M.; Chen, R.; Hunt, J. A., The guidance of human mesenchymal stem cell differentiation in vitro by controlled modifications to the cell substrate. *Biomaterials* **2006**, *27*, (27), 4783-4793.
- Das, T. K.; Prusty, S., Graphene-based polymer composites and their applications. *Polymer-Plastics Technology and Engineering* **52**, (4), 319-331.
- Del Hoyo, C., Layered double hydroxides and human health: An overview. *Applied Clay Science: Clays and Health Clays in Pharmacy, Cosmetics, Pelotherapy, and Environment Protection* **2007**, *36*, (1-3), 103-121.
- Dumitrascu, N.; Balau, T.; Tasca, M.; Popa, G., Corona discharge treatment of the plastified PVC films obtained by chemical grafting. *Materials chemistry and physics* **2000**, *65*, (3), 339-344.
- Endo, K., Synthesis and structure of poly (vinyl chloride). *Progress in Polymer science* **2002**, *27*, (10), 2021-2054.
- Evans, D. G.; Duan, X., Preparation of layered double hydroxides and their applications as additives in polymers, as precursors to magnetic materials and in biology and medicine. *Chemical Communications Chem. Commun.* **2006**, (5), 485-496.
- Evans, D. G.; Duan, X., Preparation of layered double hydroxides and their applications as additives in polymers, as precursors to magnetic materials and in biology and medicine. *Chemical Communications* **2006**, (5), 485-496.
- Faouzi, M. A.; Khalfi, F.; Dine, T.; Luyckx, M.; Brunet, C.; Gressier, B.; Goudaliez, F.; Cazin, M.; Kablan, J.; Belabed, A.; Cazin, J. C., Stability, compatibility and plasticizer extraction of quinine injection added to infusion solutions and stored in polyvinyl chloride (PVC) containers. *Journal of Pharmaceutical and Biomedical Analysis* **1999**, *21*, (5), 923-930.
- Finnigan, B.; Martin, D.; Halley, P.; Truss, R.; Campbell, K., Morphology and properties of thermoplastic polyurethane nanocomposites incorporating hydrophilic layered silicates. *Polymer* **2004**, *45*, (7), 2249-2260.
- Fischer, D.; Li, Y.; Ahlemeyer, B.; Krieglstein, J.; Kissel, T., In vitro cytotoxicity testing of polycations: influence of polymer structure on cell viability and hemolysis. *Biomaterials* **2003**, *24*, (7), 1121-1131.

- Folarin, O. M.; Sadiku, E. R., Thermal stabilizers for poly (vinyl chloride): A review. *International Journal of Physical Sciences* **2011**, 6, (18), 4323-4330.
- Forbes, C. D., Thrombosis and artificial surfaces. *Clinics in haematology* **1981**, 10, (2), 653.
- Fornes, T. D.; Yoon, P. J.; Keskkula, H.; Paul, D. R., Nylon 6 nanocomposites: the effect of matrix molecular weight. *Polymer* **2001**, 42, (25), 09929-09940.
- Frederick, L.; Theiss, Synthesis and Characterisation of Layered Double Hydroxides and their Application for Water Purification. Queensland University of Technology, 2012.
- Gacitua, W.; Ballerini, A.; Zhang, J., Polymer nanocomposites: synthetic and natural fillers a review. *Maderas. Ciencia y tecnolog a* **2005**, 7, (3), 159-178.
- Gonen, M.; Ozturk, S.; Balko se, D.; Okur, S.; Utku, S., Preparation and Characterization of Calcium Stearate Powders and Films Prepared by Precipitation and Langmuir-Blodgett Techniques. *Industrial & Engineering Chemistry Research* 49, (4), 1732-1736.
- Gorrasi, G.; Tortora, M.; Vittoria, V.; Pollet, E.; Lepoittevin, B. n. d.; Alexandre, M.; Dubois, P., Vapor barrier properties of polycaprolactone montmorillonite nanocomposites: effect of clay dispersion. *Polymer* **2003**, 44, (8), 2271-2279.
- Gottenbos, B.; Mei, H.; Busscher, H. J., Initial adhesion and surface growth of Staphylococcus epidermidis and Pseudomonas aeruginosa on biomedical polymers. *Journal of biomedical materials research* **2000**, 50, (2), 208-214.
- Grossiord, N.; Loos, J.; Van Laake, L.; Maugey, M.; Zakri, C.; Koning, C. E.; Hart, A. J., High Conductivity Polymer Nanocomposites Obtained by Tailoring the Characteristics of Carbon Nanotube Fillers. *Advanced Functional Materials* **2008**, 18, (20), 3226-3234.
- Gu, Z.; Liu, W.; Dou, W.; Tang, F., Preparation of a novel heat stabilizer for poly(vinyl chloride)-Zn, Mg, Al-layered double hydroxide. *Polymer Composites* **2010** Preparation of a Novel Heat Stabilizer for Poly(vinylchloride)-Zn, Mg, Al-Layered Double Hydroxide, 31, (5), 928-932.
- Guo, S.; Evans, D. G.; Li, D., Preparation of C.I. Pigment 52:1 anion-pillared layered double hydroxide and the thermo- and photostability of the resulting intercalated material. *Journal of Physics and Chemistry of Solids* **2006**, 67, (5), 1002-1006.

- Gupta, K. K.; Mishra, P. K.; Srivastava, P.; Gangwar, M.; Nath, G.; Maiti, P., Hydrothermal in situ preparation of TiO₂ particles onto poly(lactic acid) electrospun nanofibres. *Applied Surface Science* 264, 375-382.
- Gunzler, H.; Williams, A., Handbook of Analytical Techniques, WILEY-VCH Verlag GmbH, D-69469 Weinheim (Federal Republic of Germany), **2001**
- Hanawa, T.; Muramatsu, E.; Asakawa, K.; Suzuki, M.; Tanaka, M.; Kawano, K.; Seki, T.; Juni, K.; Nakajima, S. i., Investigation of the release behavior of diethylhexyl phthalate from the polyvinyl-chloride tubing for intravenous administration. *International journal of pharmaceutics* **2000**, 210, (1), 109-115.
- Herrero, M.; Navarro, R.; Grohens, Y.; Reinecke, H.; Mijangos, C., Controlled wet-chemical modification and bacterial adhesion on PVC-surfaces. *Polymer Degradation and Stability* **2006**, 91, (9), 1915-1918.
- Hidalgo, M.; Reinecke, H.; Mijangos, C., PVC containing hydroxyl groups: I. Synthesis, characterization, properties and crosslinking. *Polymer* **1999**, 40, (12), 3525-3534.
- Huang, N. H.; Wang, J. Q., A new route to prepare nanocomposites based on polyvinyl chloride and MgAl layered double hydroxide intercalated with lauryl ether phosphate. *Express Polym Lett* **2009**, 3, 595-604.
- Hule, R. A.; Pochan, D. J., Polymer Nanocomposites for Biomedical Applications doi:10.1557/mrs2007.235. In *MRS Bulletin*, Cambridge Journals Online: 2007; Vol. 32, pp 354-358.
- Hwang, S.-H.; Han, Y.-S.; Choy, J.-H., Intercalation of functional organic molecules with pharmaceutical, cosmeceutical and neutraceutical functions into layered double hydroxides and zinc basic salts. *Bulletin-Korean Chemical Society* **2001**, 22, (9), 1019-1022.
- Kazuhika, I. Yasuhiko, E. Sayaka, S. Youichi, N. Nobuo, *Colloids Surf B: Biointerfaces*, 2000, **18**, 325-335.
- Inoue, K.; Higuchi, T.; Okada, F.; Iguchi, H.; Yoshimura, Y.; Sato, A.; Nakazawa, H., The validation of column-switching LC/MS as a high-throughput approach for direct analysis of di(2-ethylhexyl) phthalate released from PVC medical devices in intravenous solution. *Journal of Pharmaceutical and Biomedical Analysis* **2003**, 31, (6), 1145-1152.
- Ishida, H.; Campbell, S.; Blackwell, J., General Approach to Nanocomposite Preparation. *Chemistry of Materials Chem. Mater.* **2000**, 12, (5), 1260-1267.

- Ishida, H.; Campbell, S.; Blackwell, J., General Approach to Nanocomposite Preparation. *Chemistry of Materials Chem. Mater.* **2000**, 12, (5), 1260-1267.
- Ishihara, K.; Iwasaki, Y.; Ebihara, S.; Shindo, Y.; Nakabayashi, N., Photoinduced graft polymerization of 2-methacryloyloxyethyl phosphorylcholine on polyethylene membrane surface for obtaining blood cell adhesion resistance. *Colloids and Surfaces B: biointerfaces* **2000**, 18, (3), 325-335.
- Ito, R.; Seshimo, F.; Miura, N.; Kawaguchi, M.; Saito, K.; Nakazawa, H., Effect of sterilization process on the formation of mono(2-ethylhexyl)phthalate from di(2-ethylhexyl)phthalate. *Journal of Pharmaceutical and Biomedical Analysis* **2006**, 41, (2), 455-460.
- Ito, T.; Iwasaki, Y.; Narita, T.; Akiyoshi, K.; Ishihara, K., Controlled adhesion of human lymphocytes on electrically charged polymer surface having phosphorylcholine moiety. *Science and Technology of Advanced Materials* **2003**, 4, (2), 99-104.
- Jagur-Grodzinski, J., Biomedical application of functional polymers. *Reactive and Functional Polymers* **1999**, 39, (2), 99-138.
- James, N. R.; Jayakrishnan, A., Surface thiocyanation of plasticized poly(vinyl chloride) and its effect on bacterial adhesion. *Biomaterials Focus on Biomaterials Science in Asia* **2003**, 24, (13), 2205-2212.
- James, N. R.; Jayakrishnan, A., Surface thiocyanation of plasticized poly(vinyl chloride) and its effect on bacterial adhesion. *Biomaterials Focus on Biomaterials Science in Asia* **2003**, 24, (13), 2205-2212.
- Ji, J.; Zhang, W., Bacterial behaviors on polymer surfaces with organic and inorganic antimicrobial compounds. *Journal of Biomedical Materials Research Part A* **2009**, 88, (2), 448-453.
- Jiang, L.; Lam, Y. C.; Tam, K. C.; Chua, T. H.; Sim, G. W.; Ang, L. S., Strengthening acrylonitrile-butadiene-styrene (ABS) with nano-sized and micron-sized calcium carbonate. *Polymer* **2005**, 46, (1), 243-252.
- Kameda, T.; Fukuda, Y.; Grause, G.; Yoshioka, T., Chemical modification of flexible and rigid poly(vinyl chloride) by nucleophilic substitution with thiocyanate using a phase-transfer catalyst. *Materials Chemistry and Physics* **2010**, 124, (1), 163-167.
- Kameda, T.; Ono, M.; Grause, G.; Mizoguchi, T.; Yoshioka, T., Antibacterial effect of thiocyanate substituted poly(vinyl chloride). *Journal of Polymer Research* **2011**, 18, 945-947 LA - English.

- Kameda, T.; Ono, M.; Grause, G.; Mizoguchi, T.; Yoshioka, T., Effect of a phase-transfer catalyst on the chemical modification of poly(vinyl chloride) by substitution with thiocyanate as a nucleophile. *Materials Chemistry and Physics* **2009**, 118, (2â€“3), 362-366.
- Khanam, P. N.; Ponnamma, D.; Al-Madeed, M. A., Electrical Properties of Graphene Polymer Nanocomposites. In *Graphene-Based Polymer Nanocomposites in Electronics*, Springer: pp 25-47.
- Kapusetti, G.; Misra, N.; Singh, V.; Kushwaha, R. K.; Maiti, P., Bone cement/layered double hydroxide nanocomposites as potential biomaterials for joint implant. *Journal of Biomedical Materials Research Part A* **2012**, 100A, (12), 3363-3373.
- Khorasani, M. T.; Mirzadeh, H., Effect of oxygen plasma treatment on surface charge and wettability of PVC blood bagâ€”In vitro assay. *Radiation Physics and Chemistry* **2007**, 76, (6), 1011-1016.
- Kim, S., Flame retardancy and smoke suppression of magnesium hydroxide filled polyethylene. *Journal of Polymer Science Part B: Polymer Physics* **2003**, 41, (9), 936-944.
- Kojima, Y.; Usuki, A.; Kawasumi, M.; Okada, A.; Fukushima, Y.; Kurauchi, T.; Kamigaito, O., Mechanical properties of nylon 6-clay hybrid. *Journal of Materials Research* **1993**, 8, (05), 1185-1189.
- Kojima, Y.; Usuki, A.; Kawasumi, M.; Okada, A.; Kurauchi, T.; Kamigaito, O., Synthesis of nylon 6â€”clay hybrid by montmorillonite intercalated with Î¼-caprolactam. *Journal of Polymer Science Part A: Polymer Chemistry* **1993**, 31, (4), 983-986.
- Krikorian, V.; Pochan, D. J., Poly (L-lactic acid)/layered silicate nanocomposite: fabrication, characterization, and properties. *Chemistry of Materials* **2003**, 15, (22), 4317-4324.
- Kumar, A. P.; Depan, D.; Tomer, N. S.; Singh, R. P., Nanoscale particles for polymer degradation and stabilizationâ€”trends and future perspectives. *Progress in Polymer Science* **2009**, 34, (6), 479-515.
- LÃ³pez, D.; Reinecke, H.; Hidalgo, M.; Mijangos, C., Vinylchloride copolymers obtained by chemical modification of PVC. *Polymer international* **1997**, 44, (1), 1-10.
- Lakshmi, S.; Jayakrishnan, A., Properties and performance of sulfideâ€”substituted plasticized poly (vinyl chloride) as a biomaterial. *Journal of Biomedical Materials Research Part B: Applied Biomaterials* **2003**, 65, (1), 204-210.

- Lakshmi, S.; Jayakrishnan, A., Synthesis, surface properties and performance of thiosulphate-substituted plasticized poly(vinyl chloride). *Biomaterials* **2002**, 23, (24), 4855-4862.
- Lee, H. B.; Khang, G.; Lee, J. H., CRC Biomedical Engineering Handbook, 2nd edn, Section IV. Biomaterials, 39 Polymeric Biomaterials, JD Bronzino, ed. In CRC Press, Boca Raton, FL: 2000.
- Lee, W. F.; Chen, Y. C., Effect of intercalated hydrotalcite on swelling and mechanical behavior for poly (acrylic acid-co-N-isopropylacrylamide)/hydrotalcite nanocomposite hydrogels. *Journal of applied polymer science* **2005**, 98, (4), 1572-1580.
- Levchik, S. V.; Weil, E. D., Overview of the recent literature on flame retardancy and smoke suppression in PVC. *Polymers for advanced technologies* **2005**, 16, (10), 707-716.
- Li, F.; Duan, X., Applications of layered double hydroxides. In *Layered double hydroxides*, Springer: **2006**; pp 193-223.
- Lin, Y.; Wang, J.; Evans, D. G.; Li, D., Layered and intercalated hydrotalcite-like materials as thermal stabilizers in PVC resin. *Journal of Physics and Chemistry of Solids* **2006**, 67, (5), 998-1001.
- Lin, Y.-J.; Li, D.-Q.; Evans, D. G.; Duan, X., Modulating effect of Mg-Al-CO₃ layered double hydroxides on the thermal stability of PVC resin. *Polymer Degradation and Stability* **2005**, 88, (2), 286-293.
- Liu, J.; Boo, W. J.; Clearfield, A.; Sue, H. J., Intercalation and exfoliation: a review on morphology of polymer nanocomposites reinforced by inorganic layer structures. *Materials and manufacturing processes* **2006**, 21, (2), 143-151.
- Liu, P.; Liu, Y.; Su, Z., Modification of Poly(hydroethyl acrylate)-Grafted Cross-linked Poly(vinyl chloride) Particles via Surface-Initiated Atom-Transfer Radical Polymerization (SI-ATRP). Competitive Adsorption of Some Heavy Metal Ions on Modified Polymers. *Industrial & Engineering Chemistry Research* **2006**, 45, (7), 2255-2260.
- Liu, J.; Chen, G.; Yang, J., Preparation and characterization of poly(vinyl chloride)/layered double hydroxide nanocomposites with enhanced thermal stability. *Polymer* **2008**, 49, (18), 3923-3927.
- Liu, J.; Chen, G.; Yang, J.; Ding, L., Thermal stability of poly (vinyl chloride)/layered double hydroxide nanocomposites. *Journal of applied polymer science* **2010**, 116, (4), 2058-2064.

- Lukashin, A. V.; Vertegel, A. A.; Eliseev, A. A.; Nikiforov, M. P.; Gornert, P.; Tretyakov, Y. D., Chemical Design of Magnetic Nanocomposites Based on Layered Double Hydroxides. *Journal of Nanoparticle Research* **2003**, 5, (5-6), 455-464.
- Mallakpour, S.; Zadehnazari, A., Thermoplastic vinyl polymers: From macro to nanostructure. *Polymer-Plastics Technology and Engineering* **2013**, 52, (14), 1423-1466.
- Ma, H.; Davis, R. H.; Bowman, C. N., A novel sequential photoinduced living graft polymerization. *Macromolecules* **2000**, 33, (2), 331-335.
- Mao, C.; Qiu, Y.; Sang, H.; Mei, H.; Zhu, A.; Shen, J.; Lin, S., Various approaches to modify biomaterial surfaces for improving hemocompatibility. *Advances in colloid and interface science* **2004**, 110, (1), 5-17.
- Matsumoto, M.; Hirata-Koizumi, M.; Ema, M., Potential adverse effects of phthalic acid esters on human health: A review of recent studies on reproduction. *Regulatory Toxicology and Pharmacology* **2008**, 50, (1), 37-49.
- Meneghetti, P.; Qutubuddin, S., Synthesis, thermal properties and applications of polymer-clay nanocomposites. *Thermochimica Acta A collection of papers from the 32nd Conference of North American Thermal Analysis Society* **2006**, 442, (1-2), 74-77.
- Mittal, V., Mechanical and gas permeation properties of compatibilized polypropylene/layered silicate nanocomposites. *Journal of applied polymer science* **2008**, 107, (2), 1350-1361.
- Monika; Mahto, S. K.; Das, S.; Ranjan, A.; Singh, S. K.; Roy, P.; Misra, N., Chemical modification of poly(vinyl chloride) for blood and cellular biocompatibility. *RSC Advances* **2015**, 5, (56), 45231-45238.
- Moulay, S., Chemical modification of poly(vinyl chloride) – Still on the run. *Progress in Polymer Science* **2010**, 35, (3), 303-331.
- Nalawade, P.; Aware, B.; Kadam, V. J.; Hirlekar, R. S., Layered double hydroxides: A review. *J. Sci. Ind. Res* **2009**, 68, (267272), 4.
- Nam, P. H.; Maiti, P.; Okamoto, M.; Kotaka, T.; Hasegawa, N.; Usuki, A., A hierarchical structure and properties of intercalated polypropylene/clay nanocomposites. *Polymer* **2001**, 42, (23), 9633-9640.

- Odian, G., Radical chain polymerization. *Principles of Polymerization, Fourth Edition* **2004**, 198-349.
- Oehr, C., Plasma surface modification of polymers for biomedical use. *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms Ionizing Radiation and Polymers* **2003**, 208, (0), 40-47.
- Olad, A., Polymer/clay nanocomposites. *Advances in diverse industrial applications of nanocomposites* **2011**, 113-138.
- Osman, M. A.; Rupp, J. r. E. P.; Suter, U. W., Effect of non-ionic surfactants on the exfoliation and properties of polyethylene-layered silicate nanocomposites. *Polymer* **2005**, 46, (19), 8202-8209.
- Oya, A.; Kurokawa, Y.; Yasuda, H., Factors controlling mechanical properties of clay mineral/polypropylene nanocomposites. *Journal of Materials Science* **2000**, 35, (5), 1045-1050.
- Paul, D. R.; Robeson, L. M., Polymer nanotechnology: nanocomposites. *Polymer* **2008**, 49, (15), 3187-3204.
- Pavlidou, S.; Papaspyrides, C. D., A review on polymer-layered silicate nanocomposites. *Progress in polymer science* **2008**, 33, (12), 1119-1198.
- Pavithra, D.; Doble, M., Biofilm formation, bacterial adhesion and host response on polymeric implants—issues and prevention. *Biomedical Materials* **2008**, 3, (3), 034003.
- Pearson, R., PVC as a food packaging material. *Food chemistry* **1982**, 8, (2), 85-96.
- Phang, I. Y.; Liu, T.; Mohamed, A.; Pramoda, K. P.; Chen, L.; Shen, L.; Chow, S. Y.; He, C.; Lu, X.; Hu, X., Morphology, thermal and mechanical properties of nylon 12/organoclay nanocomposites prepared by melt compounding. *Polymer international* **2005**, 54, (2), 456-464.
- Preininger, C.; Clausen-Schaumann, H.; Ahluwalia, A.; de Rossi, D., Characterization of IgG Langmuir-Blodgett films immobilized on functionalized polymers. *Talanta* **2000**, 52, (5), 921-930.
- Ramakrishna, S.; Mayer, J.; Wintermantel, E.; Leong, K. W., Biomedical applications of polymer-composite materials: a review. *Composites Science and Technology* **2001**, 61, (9), 1189-1224.
- Ratner, B. D., Surface modification of polymers: chemical, biological and surface analytical challenges. *Biosensors and Bioelectronics* **1995**, 10, (9-10), 797-804.

- Ratner, B. D.; Bryant, S. J., Biomaterials: where we have been and where we are going. *Annu. Rev. Biomed. Eng.* **2004**, 6, 41-75.
- Ray, S. S.; Maiti, P.; Okamoto, M.; Yamada, K.; Ueda, K., New polylactide/layered silicate nanocomposites. 1. Preparation, characterization, and properties. *Macromolecules* **2002**, 35, (8), 3104-3110.
- Ray, S. S.; Okamoto, M., Polymer/layered silicate nanocomposites: a review from preparation to processing. *Progress in polymer science* **2003**, 28, (11), 1539-1641.
- Reinecke, H.; Mijangos, C., Synthesis and characterization of poly(vinyl chloride)-containing amino groups. *Polymer* **1997**, 38, (9), 2291-2294.
- Reyes-Labarta, J.; Herrero, M.; Tiemblo, P.; Mijangos, C.; Reinecke, H., Wetchemical surface modification of plasticized PVC. Characterization by FTIR-ATR and Raman microscopy. *Polymer* **2003**, 44, (8), 2263-2269.
- Sacrist n, J.; Reinecke, H.; Mijangos, C., Surface modification of PVC films in solvent/non-solvent mixtures. *Polymer* **2000**, 41, (15), 5577-5582.
- Sadat-Shojai, M.; Bakhshandeh, G.-R., Recycling of PVC wastes. *Polymer Degradation and Stability* **2011**, 96, (4), 404-415.
- Seeponkai, N.; Wootthikanokkhan, J.; Thanachayanont, C., Synthesis and characterization of fullerene functionalized poly (vinyl chloride)(PVC) and dehydrochlorinated PVC using atom Transfer Radical Addition and AIBN based fullerenation. *Journal of Applied Polymer Science* **2013**, 130, (4), 2410-2421.
- Shelley, J. S.; Mather, P. T.; DeVries, K. L., Reinforcement and environmental degradation of nylon-6/clay nanocomposites. *Polymer* **2001**, 42, (13), 5849-5858.
- Sheng, N.; Boyce, M. C.; Parks, D. M.; Rutledge, G. C.; Abes, J. I.; Cohen, R. E., Multiscale micromechanical modeling of polymer/clay nanocomposites and the effective clay particle. *Polymer* **2004**, 45, (2), 487-506.
- Shim, D.; Wechsler, D. S.; Lloyd, T. R.; Beekman Iii, R. H., Hemolysis following coil embolization of a patent ductus arteriosus. **1996**.
- Sinha Ray, S.; Okamoto, M., Polymer/layered silicate nanocomposites: a review from preparation to processing. *Progress in Polymer Science* **2003**, 28, (11), 1539-1641.
- Speranza, G.; Gottardi, G.; Pederzolli, C.; Lunelli, L.; Canteri, R.; Pasquardini, L.; Carli, E.; Lui, A.; Maniglio, D.; Brugnara, M., Role of chemical interactions in bacterial adhesion to polymer surfaces. *Biomaterials* **2004**, 25, (11), 2029-2037.

- Starnes, W. H., Structural and mechanistic aspects of the thermal degradation of poly (vinyl chloride). *Progress in Polymer Science* **2002**, 27, (10), 2133-2170.
- te Velthuis, H.; Baufreton, C.; Jansen, P. G. M.; Thijs, C. M.; Hack, C. E.; Sturk, A.; Wildevuur, C. R. H.; Loisanse, D. Y., Heparin coating of extracorporeal circuits inhibits contact activation during cardiac operations. *The Journal of thoracic and cardiovascular surgery* **1997**, 114, (1), 117-122.
- Tian, Y.; Wang, G.; Li, F.; Evans, D. G., Synthesis and thermo-optical stability of o-methyl red-intercalated Ni-Fe layered double hydroxide material. *Materials Letters* **2007**, 61, (8-9), 1662-1666.
- Tickner, J. A.; Schettler, T.; Guidotti, T.; McCally, M.; Rossi, M., Health risks posed by use of Di-2-ethylhexyl phthalate (DEHP) in PVC medical devices: A critical review. *American Journal of Industrial Medicine* **2001**, 39, (1), 100-111.
- Tortora, M.; Vittoria, V.; Galli, G.; Ritrovati, S.; Chiellini, E., Transport Properties of Modified Montmorillonite-Poly (Îµ-caprolactone) Nanocomposites. *Macromolecular materials and engineering* **2002**, 287, (4), 243-249.
- Tronto, J.; Bordonal, A. C. u.; Naal, Z.; Valim, J. o. B., Conducting Polymers / Layered Double Hydroxides Intercalated Nanocomposites 42654 In *Materials Science - Advanced Topics*, 2013.
- Turhan, Y.; Dogan, M.; Alkan, M., Poly (vinyl chloride)/kaolinite nanocomposites: characterization and thermal and optical properties. *Industrial & Engineering Chemistry Research* **2010**, 49, (4), 1503-1513.
- Usuki, A.; Kojima, Y.; Kawasumi, M.; Okada, A.; Fukushima, Y.; Kurauchi, T.; Kamigaito, O., Synthesis of nylon 6-clay hybrid. *Journal of Materials Research* **1993**, 8, (05), 1179-1184.
- van Kooten, T. G.; Spijker, H. T.; Busscher, H. J., Plasma-treated polystyrene surfaces: model surfaces for studying cell-biomaterial interactions. *Biomaterials* **2004**, 25, (10), 1735-1747.
- Vladkova, G. T.; Surface Engineered Polymeric Biomaterials with Improved Biocontact Properties. *International Journal of Polymer Science*, **2010**, 1-22.
- Wan, C.; Qiao, X.; Zhang, Y.; Zhang, Y., Effect of different clay treatment on morphology and mechanical properties of PVC-clay nanocomposites. *Polymer Testing* **2003**, 22, (4), 453-461.

- Wang, G.-A.; Wang, C.-C.; Chen, C.-Y., The disorderly exfoliated LDHs/PMMA nanocomposite synthesized by in situ bulk polymerization. *Polymer* **2005**, 46, (14), 5065-5074.
- Wang, I. w.; Anderson, J. M.; Marchant, R. E., Staphylococcus epidermidis adhesion to hydrophobic biomedical polymer is mediated by platelets. *Journal of Infectious Diseases* **1993**, 167, (2), 329-336.
- Wang, S.; Long, C.; Wang, X.; Li, Q.; Qi, Z., Synthesis and properties of silicone rubber/organomontmorillonite hybrid nanocomposites. *Journal of Applied Polymer Science* **1998**, 69, (8), 1557-1561.
- Wang, Y.-X.; Robertson, J. L.; Spillman Jr, W. B.; Claus, R. O., Effects of the chemical structure and the surface properties of polymeric biomaterials on their biocompatibility. *Pharmaceutical research* **2004**, 21, (8), 1362-1373.
- Wendel, H. P.; Weber, N.; Ziemer, G., Increased adsorption of high molecular weight kininogen to heparin-coated artificial surfaces and correlation to hemocompatibility. *Immunopharmacology* **1999**, 43, (2), 149-153.
- Williams, D. F., Advanced applications for materials implanted within the human body. *Materials science and technology* **1987**, 3, (10), 797-806.
- Williams, D. F., On the mechanisms of biocompatibility. *Biomaterials* **2008**, 29, (20), 2941-2953.
- Wu, C.-J.; Gaharwar, A. K.; Schexnailder, P. J.; Schmidt, G., Development of biomedical polymer-silicate nanocomposites: a materials science perspective. *Materials* **2010**, 3, (5), 2986-3005., 2986-3005.
- Wypych, F.; Satyanarayana, K. G., Functionalization of single layers and nanofibers: a new strategy to produce polymer nanocomposites with optimized properties. *Journal of Colloid and Interface Science* **2005**, 285, (2), 532-543.
- Xue, X.; Zhang, S.; Zhang, H., Structures of LDHs Intercalated with Ammonia and the Thermal Stability for Poly (vinyl chloride). *American Journal of Analytical Chemistry* **2015**, 6, (04), 334.
- Yao, K. J.; Song, M.; Hourston, D. J.; Luo, D. Z., Polymer/layered clay nanocomposites: 2 polyurethane nanocomposites. *Polymer* **2002**, 43, (3), 1017-1020.
- Yu, J.-L.; Johansson, S.; Ljungh, Å. s., Fibronectin exposes different domains after adsorption to a heparinized and an unheparinized poly (vinyl chloride) surface. *Biomaterials* **1997**, 18, (5), 421-427.

- Yuan, Y.; Lee, R. T.; G. Bracco, B. Holst eds, Chapter 1. Contact Angle and Wetting Properties, Surface Science Techniques, *Springer Series in Surface Sciences* **2013** (51),3-33.
- Zha, Z.; Ma, Y.; Yue, X.; Liu, M.; Dai, Z., Self-assembled hemocompatible coating on poly (vinyl chloride) surface. *Applied Surface Science* **2009**, 256, (3), 805-814.
- Zhang, G.; Ding, P.; Zhang, M.; Qu, B., Synergistic effects of layered double hydroxide with hyperfine magnesium hydroxide in halogen-free flame retardant EVA/HFMH/LDH nanocomposites. *Polymer Degradation and Stability* **2007**, 92, (9), 1715-1720.
- Zhang, J.; Zhang, F.; Ren, L.; Evans, D. G.; Duan, X., Synthesis of layered double hydroxide anionic clays intercalated by carboxylate anions. *Materials Chemistry and Physics* **2004**, 85, (1), 207-214.
- Zhang, Q.; Fu, Q.; Jiang, L.; Lei, Y., Preparation and properties of polypropylene/montmorillonite layered nanocomposites. *Polymer international* **2000**, 49, (12), 1561-1564.
- Zhang, X.; Chen, Y.; Konsowa, A. H.; Zhu, X.; Crittenden, J. C., Evaluation of an innovative polyvinyl chloride (PVC) ultrafiltration membrane for wastewater treatment. *Separation and Purification Technology* **2009**, 70, (1), 71-78.
- Zhang, X.; Zhang, C.; Hankett, J. M.; Chen, Z., Molecular surface structural changes of plasticized PVC materials after plasma treatment. *Langmuir* **2013**, 29, (12), 4008-4018.
- Zhao, X.; Courtney, J.; Yin, H.; West, R.; Lowe, G. D. O., Blood interactions with plasticised poly (vinyl chloride): influence of surface modification. *Journal of Materials Science: Materials in Medicine* **2008**, 19, (2 DO - 10.1007/s10856-007-3191-6), 713-719 LA - English.