

CONTENTS

	PAGE No.
List of Abbreviations	vii-ix
List of Figures	x-xvi
List of Tables	xvii-xviii
List of Schemes	xix
Preface	xx-xxiii
<hr/>	
CHAPTER	
<hr/>	
1. INTRODUCTION	1-31
<hr/>	
1.1. Tribology	1
1.1.1. Friction	1
1.1.2. Wear	2
1.1.2.1. Adhesive Wear	2
1.1.2.2. Abrasive Wear	3
1.1.2.3. Chemical Wear	3
1.1.2.4. Surface Fatigue Wear	3
1.1.3. Lubrication	4
1.1.3.1. Boundary Lubrication	5
1.1.3.2. Mixed Lubrication	5
1.1.3.3. Hydrodynamic Lubrication	6
1.2. Lubricants	7
1.2.1. Liquid Lubricants	7
1.2.1.1. Vegetable Oil	8
1.5.1.2. Animal Oil	8
1.5.1.3. Mineral Oil	8
1.5.1.4. Synthetic Lubricants	8
1.2.2. Semi-solid Lubricants	9
1.2.3. Solid Lubricants	9
1.2.4. Gaseous Lubricants	10

1.3. Lubricant Additives	10
1.3.1. Sulfur Compounds	11
1.3.2. Ashless Phosphorus Compounds	13
1.3.3. Heterocyclic Compounds	14
1.3.4. Dialkyldithiocarbamate Complexes of Metals	16
1.3.5. Dialkyldithiophosphate Complexes of Metals	17
1.3.6. Halogens	19
1.3.7. Boron Compounds	20
1.3.8. Ionic Liquids	24
1.3.9. Ceramic Nanoparticles	24
1.3.10. Carbon Based Nanomaterials	25
1.3.10.1. Graphite	25
1.3.10.2. Graphene	27
1.4. Statement of Problem	29
1.5. Aims and Objectives	29
<hr/>	
2. Experimental Section	32–38
<hr/>	
2.1. Instrumentation Details	32
2.1.1. Electronic Absorption Spectra	32
2.1.2. Fourier Transform Infrared Spectroscopy	32
2.1.3. Nuclear Magnetic Resonance Spectra	32
2.1.4. Elemental Analysis	32
2.1.5. MASS Spectrometry	33
2.1.6. Powder X-Ray Diffraction Spectroscopy	33
2.1.7. Transmission Electron Microscopy	33
2.1.8. Energy Dispersive X-ray Spectroscopy	33
2.1.9. X-ray Photoelectron Spectroscopy	34
2.1.10. Raman Analysis	34
2.1.11. Scanning Electron Microscopy	34
2.1.12. Atomic Force Microscopy	34

2.2. Theoretical Studies	35
2.3. Tribological Characterization	35
2.3.1. Steel ball	35
2.3.2. Base oil	35
2.3.3. Tribological Test	36
2.3.3.1. Tribological Parameters	37
2.3.3.1.1. Mean wear scar diameter	37
2.3.3.1.2. Mean wear volume	37
2.3.3.1.3. Friction coefficient	38
2.3.3.1.4. Wear rate	38
<hr/>	
3. TRIBOLOGICAL STUDIES OF SOME SAPS-FREE SCHIFF BASES DERIVED FROM 4-AMINOANTIPYRINE AND AROMATIC ALDEHYDES AND THEIR SYNERGISTIC TERACTION WITH BORATE ESTER	39-64
<hr/>	
3.1. Experimental Section	40
3.1.1. Chemicals	40
3.1.2. Synthesis of Schiff base lubricant additives	41
3.1.3. Analytical data of the synthesized Schiff bases	42
3.1.4. Tribological Characterization	43
3.1.4.1. Sample Preparation	43
3.2. Results and discussion	43
3.2.1. Antiwear behavior	43
3.2.2. Effect of load	52
3.2.3. Surface characterization	53
3.2.3.1. Surface Morphology	53
3.2.3.2. Tribochemistry of synergistic lubricant formulation	57
3.2.4. Proposed Mechanism	60
3.2.5. Quantum chemical calculation	62
3.3. Conclusions	64

4. EVALUATION OF ANTIWEAR ACTIVITY OF SUBSTITUTED BENZOYLHYDRAZONES AND THEIR COPPER (II) COMPLEXES IN PARAFFIN OIL AS EFFICIENT LOW SAPS ADDITIVES AND THEIR INTERACTIONS WITH METAL SURFACE USING DENSITY FUNCTIONAL THEORY	65–96
---	-------

4.1. Experimental Section	66
4.1.1. Chemicals	66
4.1.2. Synthesis of lubricant additives	66
4.1.2.1. Synthesis of Schiff base ligands	66
4.1.2.2. Synthesis of copper (II) complexes	67
4.1.3. Characterization of lubricant additives	68
4.1.4. Tribological Characterization	68
4.1.4.1. Sample Preparation	68
4.1.4.2. Corrosion test	69
4.2. Results and discussion	69
4.2.1. Additive Optimization	69
4.2.2. Copper strip corrosion testing	71
4.2.3. Antiwear Performance	73
4.2.4. Effect of load	78
4.2.5. Surface Characterization	80
4.2.5.1. Surface morphology	80
4.2.5.2. Tribochemistry	87
4.2.6. Proposed mechanism	89
4.2.7. Quantum chemical calculation studies	90
4.3. Conclusions	96

5. TRIBOLOGICAL STUDIES OF STEARIC ACID-MODIFIED $\text{CaCu}_{2.9}\text{Zn}_{0.1}\text{Ti}_4\text{O}_{12}$ NANOPARTICLES AS EFFECTIVE LOW SAPS ANTIWEAR LUBRICANT ADDITIVES IN PARAFFIN OIL	97–120
--	--------

5.1. Experimental Section	98
5.1.1. Chemicals	98
5.1.2. Synthesis of nanomaterials	98
5.1.2.1. Synthesis of Zn-doped CCTO (CCZTO) nanoparticles	98
5.1.2.2. Surface modification	99
5.1.3. Characterization of nanomaterials	99
5.1.3.1. Characterization of CCZTOs nanoparticles	99
5.1.3.1.1. Powder-XRD	99
5.1.3.1.2. EDX Analysis	100
5.1.3.2. Characterization of SCCZTOs nanoparticles	101
5.1.3.2.1. FT-IR	101
5.1.3.2.2. TEM Analysis	102
5.1.4. Tribological Characterization	103
5.1.4.1. Sample Preparation	103
5.2. Results and discussion	103
5.2.1. Antiwear behavior	103
5.2.2. Effect of load	109
5.2.3. Surface characterization	110
5.2.3.1. Surface Morphology	110
5.2.3.2. Tribochemistry of SCCZTOs nanoparticles	113
5.2.4. Proposed mechanism for antiwear behavior	119
5.3. Conclusions	120

6. SYNTHESIS, CHARACTERIZATION AND TRIBOLOGICAL EVALUATION
OF TiO₂-REINFORCED BORON AND NITROGEN co-doped REDUCED
GRAPHENE OXIDE BASED HYBRID NANOMATERIALS AS EFFICIENT
ANTIWEAR LUBRICANT ADDITIVES 121-147

6.1. Experimental section	123
6.1.1. Materials	123

6.1.2. Synthesis of graphene based nanomaterials	123
6.1.2.1. Preparation of GO and MRG	123
6.1.2.2. Preparation of TiO ₂ Nanoparticles	124
6.1.2.3. Preparation of doped-MRG	124
6.1.2.4. Preparation of TiO ₂ -B-N-co-doped MRG	124
6.1.3. Dispersion stability	125
6.1.4. Tribological Characterization	125
6.2. Results and discussion	125
6.2.1. Morphology and Microstructure of MRGs	125
6.2.2. Dispersion stability of MRGs in paraffin oil	131
6.2.3. Tribological Properties	132
6.2.3.1. Additive optimization	132
6.2.3.2. Antiwear Properties	132
6.2.3.3. Effect of load	137
6.2.3.4. Coefficient of friction test	139
6.2.3.5. Surface Characterization	141
6.2.3.6. Tribochemistry	142
6.2.3.7. Proposed mechanism	145
6.3. Conclusions	146
Summary	148
References	153
List of Publications	
Personal Profile	