

LIST OF FIGURES

Figure 1.1: Multi-view capture of the same scene and its registered image showing the difference between two viewpoints.....	2
Figure 1.2: Another sample that can be taken as an example for multi-view image registration	3
Figure 1.3: Temporal changes in a aerial scene where only a few parked trailers are left in a san diego, california trailer park over a period of 8 months.....	3
Figure 1.4: Temporal view of deforestation progress within a period of two years in Amazonian rain forests.....	4
Figure 1.5: Brain tumour size reduction through several intervals in the 8 months time duration	4
Figure 1.6: MRI image volume (showing soft tissues), CT image volume (shows bony structures) and fusion of both volumes to find the most optimal transformation.....	5
Figure 1.7: CT image volume, PET image volume and fusion of both volumes to find the best representation possible.....	6
Figure 1.8: PET image volume, MR image volume and fusion of both volumes to find the best representation possible.....	6
Figure 1.9: End to end stitching of two images at pre-designated points to create a panorama.....	7
Figure 1.10: Source (S) is Green; Target (T) is Red and third is the registered image.....	8
Figure 1.11: Different coordinate systems involved in the image registration process. Note that the transform being optimized is the one mapping from the physical space of the fixed image into the physical space of the moving image.....	9
Figure 2.1: Rigid image morphological behaviour under deformation	19
Figure 2.2: Rigid image motions in stages as shown using a Riemann Sphere (a-r)	19
Figure 2.3: Deformable image morphological behaviour under deformation	22
Figure 2.4: Amoeboid motion realized as a deformable image motion	23
Figure 2.5: Motion of lungs during breathing	25
Figure 2.6: Image registration methodology classification	34
Figure 2.7: The iterative strain energy minimization process	40
Figure 2.8: Integral image calculation.....	42
Figure 2.9: Axial anatomical position	46

Figure 2.10: Coronal anatomical position	46
Figure 2.11: Sagittal anatomical position	46
Figure 2.12: A 3-dimensional cubical representation of the APs	47
Figure 3.1: The proposed model.....	63
Figure 3.2: The working model for SURF.....	64
Figure 3.3: Corresponding feature points at their respective positions in the inhale (left) and the exhale (right) frame recorded at t= 0.1 and 0.6 seconds respectively	64
Figure 3.4: Corresponding feature points matched in the inhale (left) and the exhale (right) frame recorded at t= 0.1 and 0.6 seconds respectively	66
Figure 3.5: Registered axial image for the first subject from inhale frame at t=0.1 sec to exhale frame at t=0.6 sec	66
Figure 3.6: Average x-translations for axial AP.....	69
Figure 3.7: Average y-translations for axial AP.....	69
Figure 3.8: Average x-translations for coronal AP.....	70
Figure 3.9: Average y-translations for coronal AP.....	70
Figure 3.10: Average x-translations for sagittal AP	71
Figure 3.11: Average y-translations for sagittal AP	71
Figure 4.1: The proposed framework structure	88
Figure 4.2: The working model of SURF	89
Figure 4.3: Flow of a common feature point (x, y) through a sequentially temporal thoracic image sequence with N frames, arrows indicating the changing velocity vector \vec{v}	92
Figure 4.4: Image sequence frames and the registered image for all subjects-Axial	93
Figure 4.5: Image sequence frames and the registered image for all subjects-Coronal.....	94
Figure 4.6: Image sequence frames and the registered image for all subjects-Sagittal	94
Figure 4.7: The test image temporal sequence (accordingly labeled). Subject ‘case 5’ Sagittal AP.....	95
Figure 4.8: The color coded feature points and their colored trails showing the distinct paths for Sagittal AP ‘case 5’, frames are labeled in order of their temporal sequence.....	97
Figure 4.9: The registered image for the corresponding temporal sequence for subject ‘case 5’ Sagittal AP	97

Figure 4.10: Color-coded Optic flow for subject ‘case 5’ sagittal AP with flow orientation scheme	98
Figure 4.11: The overall image sequence optic flow with magnitude scale	99
Figure 4.12: Average displacement for all subjects in Axial AP	101
Figure 4.13: Average displacement for all subjects in Coronal AP	101
Figure 4.14: Average displacement for all subjects in Sagittal AP	102
Figure 5.1: Overview of the proposed methodology	115
Figure 5.2: Flowchart of the iterative process in the registration procedure	118
Figure 5.3: The iterative process graphical results on ‘case 3’ coronal AP	120
Figure 5.4: Energy minimization vs. Iterations for ‘case 3’ coronal AP	122
Figure 5.5: mean Registration error (pixels) for all 10 subjects through all APs	123