

REFERENCES

- [1]. S. Mallat, "A Theory for Multiresolution Signal Decomposition - The wavelet representation", *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 1989, v. 11, n.7, pp. 674-693.
- [2]. I. Daubechies, "Orthonormal Bases of Compactly Supported Wavelets", *Communications in Pure and Applied Mathematics*, 1988, v. 41, n.7, pp.909-966.
- [3]. N. Kingsbury, "Complex Wavelets for Shift Invariant Analysis and Filtering of Signals", *Journal of Applied and Computational Harmonic Analysis*, 2001, v. 10, n. 3, pp. 234-253.
- [4]. I. Daubechies, "Ten Lectures on Wavelets", Philadelphia: SIAM, 1992.
- [5]. D. Clonda, J.-M. Lina, B. Goulard, "Complex Daubechies Wavelets: Properties and Statistical Image Modeling", *Journal of Signal Processing*, 2004, v. 84, n. 1, pp. 1-23.
- [6]. A. Khare, U. S. Tiwary, "Symmetric Daubechies Complex Wavelet Transform and its Application to Denoising and Deblurring", *WSEAS Transaction on Signal Processing*, 2006, v. 2, n.5, pp. 738-745.
- [7]. A. Khare, U.S. Tiwary, "Complex Wavelet Transform for Signal Processing Applications", in proceeding of 9th WSEAS International Conference on Applied Mathematics (MATH 06), Istanbul, Turkey, 2006, pp. 115-120.
- [8]. W. Lawton, "Applications of Complex Valued Wavelet Transform in Sub-band Decomposition", *IEEE Transactions on Signal processing*, 1993, v. 41, n. 12, pp. 3566-3568.
- [9]. J. M. Lina, M. Mayrand, "Complex Daubechies Wavelets", *Journal of Applied and Computational Harmonic Analysis*, 1995, v. 2, n. 3, pp. 219-229.
- [10]. M. Sonka, V. Hlavac, R. Boyle, "Image Processing, Analysis and Machine Vision", Thomas Asia pvt. Ltd., Singapore, 2001.
- [11]. M. Khare, R. K. Srivastava, "Level Set Method for Segmentation of Medical Images without re-initialization", *Journal of Medical Imaging and Health Informatics*, v. 2, n. 2, June 2012, pp. 158-167.
- [12]. M. Piccardi, "Background Subtraction Techniques: a Review", in proceeding of IEEE international Conference on Systems, Man and Cybernetics, 2004, pp. 3099-3104.

- [13]. A. R. Mansouri, J. Konrad, "Multiple Motion Segmentation with Level Sets", *IEEE Transaction on Image Processing*, 2003, v. 12, n. 2, pp. 201-220.
- [14]. H. Reza, S. Broojeni, N. M. Charkari, "A New Background Subtraction Method in Video Sequences Based on Temporal Motion Windows", *International Journal of the Computer, the Internet and Management*, 2009, v. 17, n. SP1, pp. 25.1-25.7.
- [15]. L. Li, Y. Yang, "Optical Flow Estimation for a Periodic Image Sequence", *IEEE Transaction on Image Processing*, 2010, v. 19, n. 1, pp. 1-10.
- [16]. J. C. Huang, W. S. Hsieh, "Wavelet Based Moving Object Segmentation", *Electronics Letters*, 2003, v. 39, n. 19, pp. 1380-1382.
- [17]. Y. Guan, X. Cheng, X. Jia, "Motion Foreground Detection Based on Wavelet Transformation and Color Ratio Difference", International Congress on Image and Signal Processing, Yantai, China, 2010, pp. 1423-1426.
- [18]. T. Bouwmans, "Recent Advanced Statistical Background Modeling for Foreground Detection: A Systematic Survey", *Recent Patents on Computer Science*, 2011, v. 4, n. 3, pp. 147-176.
- [19]. H. Hassanpour, M. Sedighi, A. Manashty, "Video Frame's Background Modeling: Reviewing the Techniques", *Journal of Signal and Information*, 2011, v. 2, n. 2, pp. 72-78.
- [20]. L. Xu, F. Qi, R. Jiang, "Shadow Removal from Single Image", in proceeding of 6th International Conference on Intelligent System Design and Applications (ISDA), Jinan, 2006, v. 2, pp. 1049-1054.
- [21]. G. D. Finlayson, S. D. Hordley, L. Cheng, M. S. Drew, "On the Removal of Shadow from Images", *IEEE Transaction on Pattern Analysis and Machine Intelligence*, 2006, v. 28, n. 1, pp. 59-68.
- [22]. J. Aggarwal and M. Ryoo, "Human Activity Analysis: A review", *ACM Computing Survey*, 2011, v. 43, pp. 16:1-16:43.
- [23]. A. K. S. Kushwaha, C. Sharma, M. Khare, R.K. Srivastava and A. Khare, "Automatic multiple human detection and tracking for visual surveillance system", in proc. of IEEE/OSA/IAPR International conference on Informatics, Electronics and Vision, 18-19 May, Dhaka, 2012, pp. 326-331.
- [24]. W. Hu, T. Tan, "A Survey on Visual Surveillance of Object Motion and Behaviors", *IEEE Trans. Systems, Man, and Cybernetics*, 2006, v. 34, n. 3, pp. 334-352.

- [25]. K. Toyama, J. Krumm, B. Brumitt, B. Meyers, “Wall Flower: Principles and Practice of Background Maintenance”, IEEE International Conference on Computer Vision (ICCV), 1999, v. 1, pp. 255–261.
- [26]. A. K. S. Kushwaha, C. M. Sharma, M. Khare, O. Prakash and A. Khare, "Adaptive Real-Time Motion Segmentation Technique Based on Statistical Background Model", *The Imaging Science Journal*, 2014, v. 62, n. 5, pp. 285-302.
- [27]. N. McFarlane, C. Schofield, “Segmentation and Tracking of Piglets in Images”, *Machine Vision and Application*, 1995, v. 8, n. 3, pp. 187-193.
- [28]. X. Mei and L. Ling, “An Automatic Segmentation Method For Moving Objects Based On The Spatial-Temporal Information Of Video ” *Journal Of Electronics*, 2005, v. 22 n.5, pp. 498-504.
- [29]. C. Stauffer, W. Grimson, “Adaptive Background Mixture Models for Real-Time Tracking”, IEEE Computer Society Conference on Computer Vision and Pattern Recognition (CVPR'99), 1999, v. 2, pp. 246-252.
- [30]. L. Ellis, V. Zografos, “Online Learning for Fast Segmentation of Moving Objects”, 11th Asian Conference on Computer Vision, Daejeon, Korea, 2013, v. 7725, pp 52-65.
- [31]. C. R. Wren, A. Azarbayejani, T. Darrell, and A. P. Pentland, “Pfinder: Real-Time Tracking of the Human Body”, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 1997, v. 19, n. 7, pp. 780–785.
- [32]. Z. Zivkovic and F. van der Heijden, “Efficient Adaptive Density Estimation per Image Pixel for the Task of Background Subtraction”, *Pattern Recognition Letters*, 2006, v. 27 n.7, pp. 773–780.
- [33]. K. Kim, T. H. Chalidabhongse, D. Harwood, L. Davis, “Real Time Foreground Background Segmentation using Codebook Model”, *Real Time Imaging*, June 2005, v. 11, n. 3, pp. 172-185.
- [34]. M. Y. Liu, Q.-H. Dai , X.-D. Liu, G.-H. Er, “Automatic Extraction of Initial Moving Object Based on Advanced Feature and Video Analysis”, proceeding of Visual Communications and Image Processing, 2005, v. 5960, pp. 160-168.
- [35]. J. C. Huang, T. S. Su, L. J. Wang, W. S. Hsieh, “Double Change Detection method for Wavelet based Moving Object Segmentation”, *Electronics Letters*, June 2004, v. 40, n. 13, pp. 798-799.
- [36]. A. Baradarani, Q. M. J. Wu, “Wavelet based Moving Object Segmentation: From Scalar Wavelets to Dual-Tree Complex Filter Banks”, in *Pattern Recognition Recent Advances*, A. Herout, InTech Publication, European Union, 2010

- [37]. A. Baradarani, "Moving Object Segmentation using 9/7-10/8 Dual Tree Complex Filter Bank", in proceeding of IEEE 19th International Conference on Pattern Recognition (ICPR), Tampa, Florida, USA, Dec. 8-11, 2008, pp. 1-4.
- [38]. T. H. Im, I. K. Eom, Y. S. Kim, "Wavelet-Based Moving Object Segmentation using Background Registration Technique", Proceedings of the Ninth IASTED International Conference on Signal and Image Processing, 2007, pp. 84-88.
- [39]. A. Kushwaha, R. Srivastava, "Complex Wavelet Based Moving Object Segmentation using Approximate Median Filter Based Method for Video Surveillance", IEEE International on Advance Computing Conference, 2014, pp. 973-978.
- [40]. M. Khare, R. K. Srivastava, A. Khare, "Moving Shadow Detection and Removal- A Wavelet Transform based Approach", *IET Computer Vision*, 2014, v. 8, n. 6, pp. 701-717.
- [41]. A. Iosifidis, A. Tefas and I. Pitas, "View-invariant Action Recognition Based on Artificial Neural Networks", *IEEE Transactions on Neural Networks and Learning Systems*, 2012, v. 23, n. 3, pp. 412-424.
- [42]. M.B. Holte, C. Tran, M.M. Trivedi, T.B. Moeslund, "Human Pose Estimation and Activity Recognition from Multi-view Videos: comparative explorations of recent developments", *IEEE Journal of Selected Topics in Signal Processing*, 2012, v. 6, n.5, pp. 538-552.
- [43]. X. Ji, H. Liu, "Advances in View-invariant Human Motion Analysis: a Review", *IEEE Transactions on Systems, Man and Cybernetics, Part C: Applications Reviews*, 2010, v.40, n.1, pp. 13-24.
- [44]. D. Weinland, and R. Ronfard, "A Survey of Vision Based Methods for Action Representation, Segmentation, and Recognition," *International Journal of Computer Vision and Image Understanding*, 2011, v. 115, n. 2, pp. 529-551.
- [45]. A. F. Bobick, and J.W. Davis, "The Recognition of Human Movement using Temporal Templates," *IEEE Trans. Pattern Analysis and Machine Intelligence*, 2001, v. 23, n. 3, pp. 257-267.
- [46]. J. Ben-Arie, Z. Wang, P. Pandit, S. Rajaram, "Human Activity Recognition Using Multidimensional Indexing", *IEEE Transactions on Pattern Analysis and Machine Intelligence Archive*, 2002, v. 24 , n. 8, pp. 1091-1104.
- [47]. C. M. Sharma, A. K. S. Kushwaha, S. Nigam, and A. Khare, "Automatic Human Activity Recognition in Video using Background Modeling and Spatio-temporal Template Matching Based Technique", in proc. of International Conference on

Advances in Computing and Artificial Intelligence (ACAI – 2011), 2011, pp. 97-101.

- [48]. R. Hamid, Y. Huang, I. Essa, “ARGMode–Activity Recognition using Graphical Models”, Conference on Computer Vision and Pattern Recognition Workshop, Madison, Wisconsin, June 16-22, 2003, n. 4, pp. 38-45.
- [49]. I. Cohen, H. Li, “Inference of Human Postures by Classification of 3D Human Body Shape”, IEEE International Workshop on Analysis and Modeling of Faces and Gestures, 2003, pp. 74-81.
- [50]. S. Carlsson, J. Sullivan, “Action Recognition by Shape Matching to Key Frames”, IEEE Computer Society Workshop on Models versus Exemplars in Computer Vision, 2002, pp. 263-270.
- [51]. A. Veeraraghavan, R. Chellappa, and A. K. Roy-Chowdhury, “The Function Space of an Activity”, Proc. of IEEE Computer Society Conf. on Computer Vision and Pattern Recognition, 2006, v. 1, pp. 959-968.
- [52]. M. Ahmad and S.-W. Lee, “Human Action Recognition using Shape and CLG-Motion Flow from Multi-view Image Sequences”, *Journal of Pattern Recognition*, 2008, v. 41, pp. 2237-2252.
- [53]. S. Althloothi, M. H. Mahoor, X. Zhang, R. M. Voyles, “Human Activity Recognition using Multi-Features and Multiple Kernel Learning”, *Journal of Pattern Recognition*, 2014, v. 47, pp. 1800 – 1812.
- [54]. K. Huang and M. Trivedi, “3D Shape Context Based Gesture Analysis Integrated with Tracking using Omni Video Array,” In CVPR Workshops, 2005, pp. 80-80.
- [55]. M. Ahmad and S.-W. Lee, “HMM-Based Human Action Recognition Using Multiview Image Sequences”, In ICPR, 2006, vol. 1, pp. 263-266.
- [56]. C. Canton-Ferrer, J. Casas, and M. Pardo, “Human Model and Motion Based 3d Action Recognition in Multiple View Scenarios”, In EUSIPCO, 2006, pp. 1-5.
- [57]. M. Pierobon, M. Marcon, A. Sarti, and S. Tubaro, “3-D Body Posture Tracking for Human Action Template Matching”, In ICASSP, 2006, vol. 2, pp. II-II.
- [58]. D. Weinland, R. Ronfard, E. Boyer, "Free Viewpoint Action Recognition Using Motion History Volumes", *International Journal of Computer Vision and Image Understanding*, 2006, v. 104, n. 2-3, pp. 249-257.
- [59]. F. Lv and R. Nevatia, “Single View Human Action Recognition Using Key Pose Matching and Viterbi path searching”, In CVPR, 2007, pp. 1-8.

- [60]. D. Weinland, R. Ronfard, and E. Boyer, "Action Recognition from Arbitrary Views Using 3D Exemplars", In ICCV, 2007, pp. 1-7.
- [61]. S. Cherla, K. Kulkarni, A. Kale, and V. Ramasubramanian, "Towards Fast, View-Invariant Human Action Recognition", In CVPR Workshops, 2008, pp. 1-8.
- [62]. A. Farhadi, and M.K. Tabrizi, "Learning to Recognize Activities from the Wrong View Point," Proc. European Conference on Computer Vision, 2008, pp. 154-166.
- [63]. I. Junejo, E. Dexter, I. Laptev, and P. Perez, "Cross-View Action Recognition from Temporal Self-Similarities", In ECCV, 2008, pp. 293-306.
- [64]. J. Liu, S. Ali, and M. Shah, "Recognizing Human Actions Using Multiple Features", In CVPR, 2008, pp. 1-8.
- [65]. J. Liu and M. Shah, "Learning Human Actions via Information Maximization", In CVPR, 2008, pp. 1-8.
- [66]. R. Souvenir, and J. Babbs, "Learning the Viewpoint Manifold for Action Recognition," Proc. IEEE Conference on Computer Vision and Pattern Recognition, 2008, pp. 118-125.
- [67]. D. Tran and A. Sorokin, "Human Activity Recognition with Metric Learning", In ECCV, 2008, pp. 548-561.
- [68]. P. Turaga, A. Veeraraghavan, and R. Chellappa, "Statistical Analysis on Stiefel and Grassmann Manifolds with Applications in Computer Vision", In CVPR, 2008, pp. 1-8.
- [69]. S. Vitaladevuni, V. Kellokumpu, and L. Davis, "Action Recognition Using Ballistic Dynamics", In CVPR, 2008, pp. 1-8.
- [70]. P. Yan, S. Khan, and M. Shah, "Learning 4d Action Feature Models for Arbitrary View Action Recognition", In CVPR, 2008, pp. 1-7.
- [71]. N. Gkalelis, N. Nikolaidis, and I. Pitas, "View Independent Human Movement Recognition from Multi-View Video Exploiting a Circular Invariant Posture Representation", In ICME, 2009, pp. 394-397.
- [72]. J. Kilner, J.-Y. Guillemaut, and A. Hilton, "3D Action Matching with Key-Pose Detection" In ICCV Workshops, 2009, pp. 1-8.
- [73]. K. Reddy, J. Liu, and M. Shah, "Incremental Action Recognition using Feature-Tree", In ICCV, 2009, pp. 1010-1017.

- [74]. A. Veeraraghavan, A. Srivastava, A. Roy-Chowdhury, and R. Chellappa, "Rate-Invariant Recognition of Humans and their Activities", *IEEE Transactions on Image Processing*, 2009, v. 18, n. 6, pp.1326-1339.
- [75]. P. Huang, A. Hilton, and J. Starck, "Shape Similarity for 3D Video Sequences of People", *International Journal of Computer Vision*, 2010, v. 89, pp.362-381.
- [76]. A. Iosi dis, N. Nikolaidis, and I. Pitas, "Movement Recognition Exploiting Multi-View Information", In MMSP, 2010, pp. 427-431.
- [77]. D. Weinland, M. Ozuysal, and P. Fua, "Making Action Recognition Robust to Occlusions and Viewpoint Changes", In ECCV, 2010, pp. 635-648.
- [78]. A. Haq, I. Gondal, and M. Murshed, "On Dynamic Scene Geometry for View-Invariant Action Matching", In CVPR, 2011, pp. 3305-3312.
- [79]. M. B. Holte, T. B. Moeslund, N. Nikolaidis, and I. Pitas, "3D Human Action Recognition for Multi-View Camera Systems", Proceedings of 3D Imaging, Modeling, Processing, Visualization and Transmission, 2011, pp. 342-349.
- [80]. I. Junejo, E. Dexter, I. Laptev, and P. Perez. "View-independent Action Recognition From Temporal Self-Similarities", *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 2011, v. 33, n. 1, pp. 172-185.
- [81]. J. Liu, M. Shah, B. Kuipers, and S. Savarese, "Cross-View Action Recognition via View Knowledge Transfer", In CVPR, 2011, pp. 3209-3216.
- [82]. S. Pehlivan and P. Duygulu. "A New Pose-Based Representation for Recognizing Actions from Multiple Cameras", *CVIU*, 2011, v. 51, pp. 115-140.
- [83]. Y. Song, D. Demirdjian, and R. Davis, "Multi-Signal Gesture Recognition Using Temporal Smoothing Hidden Conditional Random Fields", International Conference of Automatic Face and Gesture Recognition, 2011, pp. 388-393.
- [84]. Y. Gao-bo, Z. Zhao-yang, "Objective Performance Evaluation of Video Segmentation Algorithms With Ground-Truth", *Journal of Shanghai University (English Edition)*, 2004, v. 8, n. 1, pp. 70-74.
- [85]. A. M. Eskicioglu and P. S. Fisher, "Image Quality Measures and Their Performance", *IEEE Transactions on Communications*, 1995, v. 43, n. 12, pp. 2959-2965.
- [86]. I. Avcibas, B. Sankur, and K. Sayood, "Statistical Evaluation of Image Quality Measure", *Journal of Electronic Imaging*, 2002, v. 11, n. 2, pp. 206-223.

- [87]. Poobal, S., and Ravindran, G., “The Performance Of Fractal Image Compression On Different Imaging Modalities Using Objective Quality Measures”, *International Journal of Engineering Science and Technology*, 2011, v. 3, n. 1, pp. 525-530.
- [88]. A. Prati, I. Mikic, MM. Trivedi, R. Cucchiara, “Detecting Moving Shadows: Algorithms and Evaluation”, *IEEE Trans Pattern Anal Mach Intell.*, 2003, v. 25, n.6, pp.918– 923.
- [89]. Subudhi, B. N., Ghosh, S., and Ghosh, A., “Change Detection for Moving Object Segmentation with Robust Background Construction under Wronskian Framework”, *Mach. Vision and Applications*, 2013, v. 24, pp. 795-809.
- [90]. L. Di Stefano, F. Tombari, S. Mattocchia, “Robust and Accurate Change Detection under Sudden Illumination Variations”, in ACCV Workshop on Multi-dimensional and Multi-view Image Processing, 2007, v.3.
- [91]. M. Cristani, M. Farenzena, D. Bloisi, V. Murino, “Background Subtraction for Automated Multisensor Surveillance: A Comprehensive Review”, *EURASIP Journal on Advances in Signal Processing*, 2010, v. 24.
- [92]. S-C. Cheung, C. Kamath, “Robust Techniques for Background Subtraction in Urban Traffic Video”, *Proc. SPIE 5308 conf. of Visual Communications and Image Processing*. 2004, v. 5308, pp. 881-892.
- [93]. A. Mitiche, P. Bouthemy, “Computation and Analysis of Image Motion: A Synopsis of Current Problems and Methods”, *International Journal of Computer Vision*. 1996, v. 19, n. 1, pp. 29–55.
- [94]. R.J. Radke, S. Andra, O. Al-Kofahi, B. Roysam, “Image Change Detection Algorithms: A Systematic Survey”, *IEEE Transactions on Image Processing*, 2005, v. 14, n. 3), pp. 294–307.
- [95]. S. Y. Elhabian, K. M. El-Sayed and S. H. Ahmed, “Moving Object Detection in Spatial Domain using Background Removal Techniques - State-of-Art”, *Recent Patents on Computer Science*, 2008, v. 1, pp. 32-54.
- [96]. Z. Xiaoyan, L. Lingxia, Z. Xuchun, “An Automatic Video Segmentation Scheme”, in proceeding of IEEE International Symposium on Intelligent Signal Processing and Communication Systems. 2007, pp. 272-275.
- [97]. A. Sobral, and A. Vacavant, “A Comprehensive Review of Background Subtraction Algorithms Evaluated with Synthetic and Real Videos”, *Journal of Computer Vision and Image Understanding*, 2014, v. 122, pp. 4-21.

- [98]. G. R. Bradski and J. W. Davis, "Motion Segmentation and Pose Recognition with Motion History Gradients", *Int. Journal of Machine Vision and Applications*, 2002, v. 13, n. 3, pp. 174-184.
- [99]. S. Mahmoodi, "Shape Based Active Contour for Fast Video Segmentation", *IEEE Signal Processing Letters*, 2009, v. 16, n. 10, pp. 857-860.
- [100]. T. Meier and K. N. Ngan, "Automatic Segmentation of Moving Objects for Video Object Plane Generation", *IEEE Transactions on Circuits and Systems for Video Technology*, 1998, v. 8, n. 5, pp. 525-538.
- [101]. D. Butler, S. Sridharan, VMJr. Bove, "Real-time Adaptive Background Segmentation", *IEEE Int. Conf. on Acoustics, Speech, and Signal Processing*, 2003, v. 3, pp. 349-352.
- [102]. K. P. Karmann, AV. Brandt, R. Gerl, "Moving Object Segmentation Based on Adaptive Reference Images", *In Signal Processing V: Theories and Application*, Elsevier, 1990, v. 2, pp. 951-954.
- [103]. F. Cheng, S. Huang, S. Ruan, "Advanced Motion Detection for Intelligent Video Surveillance Systems", *ACM Symposium on Applied Computing, Lausanne*, 2010, pp. 983-984.
- [104]. P. Remagnino, A. Baumberg, T. Grove , D. Hogg , T. Tan , A. Worrall , K. Baker, "An Integrated Traffic and Pedestrian Model-Based Vision System," in *Proceedings of the Eighth British Machine Vision Conference*, 1997, pp. 380-389.
- [105]. H. Reza, S. Broojeni, N. M. Charkari, "A New Background Subtraction Method In Video Sequences Based On Temporal Motion Windows", in *proceeding of International conference on IT to celebrate S. Charmonman's 72 birthday*, 2009, pp. 25.1-25.7.
- [106]. Y. Ivanov, A. Bobick, J. Li, "Fast Lighting Independent Background Subtraction", in *proceeding of IEEE Workshop on Visual Surveillance*, 1998, pp. 49-55.
- [107]. H. Wang, D. Suter, "Background Initialization with a New Robust Statistical Approach", *IEEE Int. Workshop on Visual Surveillance and Performance Evaluation of Tracking and Surveillance*, 2005, pp. 153-159.
- [108]. D. Toth, T. Aach, V. Metzler, "Bayesian Spatio-Temporal Motion Detection Under Varying Illumination Illumination-Invariant Change Detection", In *Proc. of X EUSIPCO*, 2000, pp. 3-7.

- [109]. S. Bucak, B. Günsel, O. Gursoy, “Incremental Non-negative Matrix Factorization for Dynamic Background Modeling”, International Workshop on Pattern Recognition in Information Systems, Funchal, Portugal, 2007, pp. 107-116.
- [110]. N. Oliver, B. Rosario, and A. Pentland, “A Bayesian Computer Vision System for Modeling Human Interactions”, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 2000, v. 22, pp. 831–843.
- [111]. R. Cucchiara, C. Grana, M. Piccardi, and A. Prati, “Detecting Moving Objects, Ghosts, and Shadows in Video Streams,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 2003, v. 25, n. 10, pp. 1337-1442.
- [112]. J. Kato, T. Watanabe, S. Joga, J. Rittscher, A. Blake, “An HMM Based Segmentation Method for Traffic Monitoring Movies”, *IEEE Transaction on Pattern Recognition and Machine Intelligence*. 2002, v. 24, n. 9, pp. 1291-1296.
- [113]. D. Culbrik, O. Marques, D. Socek, H. Kalva, B. Furht, “Neural Network Approach To Background Modeling For Video Object Segmentation”, *IEEE Transaction on Neural Networks*, 2007, v. 18, n. 6, pp. 1614–1627.
- [114]. L. Maddalena, A. Petrosino, “A Self Organizing Approach To Background Subtraction For Visual Surveillance Applications”, *IEEE Transactions on Image Processing*, 2008, v. 17, n. 7, pp. 1729–1736.
- [115]. R. Luque, D. Lopez-Rodriguez, E. Merida-Casermeiro, E.J. Palomo, “Video Object Segmentation with Multivalued Neural Networks”, IEEE International Conference on Hybrid Intelligent System, 2008, pp. 613-618.
- [116]. M. Kim, J.G. Jeon, J.S. Kwak, M.H. Lee, C. Ahn, “Moving Object Segmentation In Video Sequences By User Interaction And Automatic Object Tracking”, *Image and Vision Computing*, 2001, v. 19, n. 5, pp. 245-260.
- [117]. S. Chien, S. Ma, and L. Chen, “Efficient Moving Object Segmentation Algorithm Using Background Registration Technique”, *IEEE Transactions on Circuits And Systems for Video Technology*, 2002, v. 12, n. 7, pp. 577-586.
- [118]. C. Kim, J.-N. Hwang, “Fast and Automatic Video Object Segmentation And Tracking For Content-Based Applications”, *IEEE Transactions on Circuits and Systems for Video Technology*, 2002, v. 12, n. 2, pp. 122 – 129.
- [119]. M. Y. Shih, Y.-J. Chang, B.-C. Fu, C.-C. Huang, “Motion-Based Background Modeling For Moving Object Detection On Moving Platforms”, in Proceedings of the International Conference on Computer Communications and Networks, 2007, pp. 1178 – 1182.

- [120]. C. H. Hsia, J.-M. Guo, "Efficient Modified Directional Lifting-Based Discrete Wavelet Transform For Moving Object Detection", *Journal of Signal Processing*. 2014, v. 96, pp. 138-152.
- [121]. M. Khare, R. K. Srivastava, A. Khare: "Single Change Detection-Based Moving Object Segmentation By Using Daubechies Complex Wavelet Transform", *IET Image Processing* (ISSN 1751-9659), 2014, v. 8, n. 6, pp. 334-344.
- [122]. H. Liu, X. Chen, Y. Chen, and C. Xie, "Double Change Detection Method For Moving-Object Segmentation Based On Clustering", *IEEE ISCAS 2006 Circuits and System*, 2006, pp. 5027-5030.
- [123]. A. Cavallaro, T. Ebrahimi, "Change Detection Based On Color Edges, Circuits and Systems", *IEEE Int. Symposium*, 2001, pp. 141-144.
- [124]. C. Kim and J. N. Hwang, "Fast and Automatic Video Object Segmentation and Tracking for Content-Based Applications", *IEEE Trans. Circuits Syst. Video Technol.*, 2002, pp. 122-129.
- [125]. A. S. Jalal and V. Singh, "A Framework for Background Modelling and Shadow Suppression for Moving Object Detection in Complex Wavelet Domain", *Multimedia Tools and Applications*, Springer, 2012, v. 73, n. 2, pp. 779-801.
- [126]. L. Snidaro, and G. L. Foresti, "Real-Time Thresholding with Euler Numbers", *Pattern Recognit. Lett.*, 2003, v. 24, n. 9, pp. 1533-1544.
- [127]. A. Khare, U. S. Tiwary, W. Pedrycz, M. Jeon, "Multilevel Adaptive Thresholding And Shrinkage Technique For Denoising Using Daubechies Complex Wavelet Transform", *The Imaging Science Journal*, 2010. v. 58, n. 6, pp. 340-358.
- [128]. S. Sridhar, "Digital Image Processing", Oxford Publication, 3rd edition, 2008.
- [129]. <http://www.cvg.rdg.ac.uk/PETS2013/a.html>.
- [130]. http://www.openvisor.org/video_details.asp?idvideo=114
- [131]. http://imagelab.ing.unimore.it/visor_test/video_details.asp?idvideo=194
- [132]. http://imagelab.ing.unimore.it/visor/video_details.asp?idvideo=113
- [133]. <http://homepages.inf.ed.ac.uk/rbf/CAVIAR/DATA1/>
- [134]. <http://crcv.ucf.edu/data/crowd.php>

- [135]. T. Bouwmans, "Traditional and Recent Approaches in Background Modeling for Foreground Detection: An Overview", *Computer Science Review*, 2014, v. 11, pp. 31-66.
- [136]. D. D. Bloisi, A. Pennisi, and L. Iocchi, "Background Modeling in The Maritime Domain", *Mach. Vision and Applications*, 2014, v. 25, pp. 1257-1269.
- [137]. J. Sanderson, "Target Identification in a Complex Maritime Scene", Proceedings of IEEE Colloquium on Motion Analysis and Tracking, IET, London, 1999, pp. 15/1-15/4.
- [138]. T. Gao, Z. Liu, W. Gao, and J. Zhang, "A Robust Technique For Background Subtraction In Traffic Video", Proceedings of 15th International Conference on Neural Information Processing, Auckland, New Zealand, 25-28 November, Lecture Notes in Computer Science, 2008, pp. 736-744.
- [139]. A. Jalal, and V. Singh "A Robust Background Subtraction Approach Based On Daubechies Complex Wavelet Transform," Proceedings of Advances in Computing and Communication, Kochi, India, 22-24 July, 2011, pp. 516-524.
- [140]. A. Mendizabal, and L. Salgado, "A Region Based Approach To Background Modeling In A Wavelet Multi-Resolution Framework", Proceedings of International Conference on Acoustics, Speech and Signal Processing, IEEE Prague, 22-27 May, 2011 pp. 929-932.
- [141]. M. K., R.K. Srivastava, and A. Khare, "Moving Object Segmentation in Daubechies Complex Wavelet Domain", *Signal, Image and Video Processing*, 2015, v. 9, n. 3, pp. 635-650.
- [142]. Y. P. Guan, 'Spatio-Temporal Motion-Based Foreground Segmentation and Shadow Suppression', *IET Computer Vision*, 2010, v. 4, n. 1, pp. 50-60.
- [143]. M. Khare, R. K. Srivastava, and A. Khare, "Dual tree complex wavelet transform based Shadow Detection and Removal from Moving Objects", in proceeding of 26th SPIE Electronic Imaging, 2014, v. 9029, pp. 1-7.
- [144]. R. Srivastava, "Restoration and Enhancement of Astronomical Images using Hybrid Adaptive nonlinear complex diffusion-based Filter", *Defense Science Journal*, 2012, v. 62, n. 6, pp. 437-442.
- [145]. J. K. Romberg., H. Choi, and R G. Baraniuk., "Multiscale Edge Grammars For Complex Wavelet Transforms", Proceedings of IEEE International Conference on Image Processing, Thessaloniki, IEEE , 07-10 Oct., 2001, pp. 614 –617.

- [146]. D. Bloisi, L.I. A. Pennisi, and F. Previtali, “MarDCT-Maritime Detection, Classification and Tracking Dataset”. Available at: <http://www.dis.uniroma1.it/~labrococo/MAR/dataset.htm>
- [147]. R. Enficiaud, B. Lienard, N. Allezard, R. Sebbe Serge Beucher, X. Desurmont, P. Sayd, J. Delaigle, “CLOVIS - A Generic Framework For General Purpose Visual Surveillance Applications” , 2006, pp. 177-184.
- [148]. P.Y. Chen, H. M. Lin, W. T. Chen, Y. C. Tseng, “Demo Abstract: A Multi-View Visual Surveillance System Based On Angle Coverage”, in Proc. 8th ACM Conference on Embedded Networked Sensor System, 2010, pp. 357-358.
- [149]. I. Martins, L. Corte-Real, “A 3D Model Based Visual Surveillance System”, in Proc. 10th European Signal Processing Conference (EUSIPCO), Tampere, 2000, pp. 1-4.
- [150]. I. Haritaoglu, D. Harwood, L. S. Davis, “W4: Real-Time Surveillance of People and Their Activities”, *IEEE Trans. Pattern Anal. Machine Intelligence*, 2000, v. 22, pp. 809-830.
- [151]. T. Olson, F. Brill, “Moving Object Detection and Event Recognition Algorithms for Smart Cameras”, in Proc. DARPA Image Understanding Workshop, 1997, pp. 159–175.
- [152]. A. J. Lipton, H. Fujiyoshi, R. S. Patil, “Moving Target Classification And Tracking From Real-Time Video”, in Proc. IEEE Workshop Applications of Computer Vision, 1998, pp. 8-14.
- [153]. T. N. Tan, G. D. Sullivan, K. D. Baker, “Model-Based Localization and Recognition of Road Vehicles”, *Int. Journal of Computer Vision*, 1998, v. 29, n. 1, pp. 22-25.
- [154]. M. Valera, S.A. Velastin, “Intelligent Distributed Surveillance Systems: A Review”, *Int. j. Vision, Image and Signal Processing*, 2005, v. 152, n. 2, pp. 192-204.
- [155]. K. Srinivasan, K. Porkumaran, G. Sainarayanan, “Intelligent Human Body Tracking, Modeling, and Activity Analysis of Video Surveillance System: A Survey”, *Int. J. of Convergence in Engineering, Technology and Science*, 2009, v. 1, pp. 1-8.
- [156]. P. Kumar, A. Mittal, P. Kumar, “Study of Robust and Intelligent Surveillance in Visible and Multimodal Framework”, *Int. J. of Computing and Informatics*, 2008, pp. 63-77.

- [157]. I. Laptev, B. Caputo, C. Schuldt, and T. Lindeberg, "Local Velocity Adapted Motion Events for Spatio-Temporal Recognition", *Computer Vision and Image Understanding*, 2007, v. 108, pp. 207-229.
- [158]. Y. Ke, R. Sukthankar, and M. Hebert, "Volumetric Features for Video Event Detection," *Int. J. of Computer Vision*, 2010, v. 88, n. 3, pp. 339-362.
- [159]. A. Fathi, and G. Mori, "Action Recognition by Learning Mid-Level Motion Features", Proc. IEEE Conference on Computer Vision and Pattern Recognition, 2008, pp. 1-8.
- [160]. Y. Yacoob, and L.S. Davis, "Learned Models for Estimation of Rigid and Articulated Human Motion from Stationary or Moving Camera", *Int. Journal of Computer Vision*, 2000, v. 36, n. 1, pp. 5-30.
- [161]. M. Hofmann, and D.M. Gavrila, "Multi-View 3D Human Upper Body Pose Estimation Combining Single-Frame Recovery, Temporal Integration And Model Adaptation", Proc. IEEE Conference on Computer Vision and Pattern Recognition, Miami (USA), 2009, pp. 2214-2221.
- [162]. M. Hu, "Visual Pattern Recognition by Moment Invariants, "*IRE Trans. Information Theory*", 1962, v. 8, n. 2, pp. 179-187.
- [163]. I. Laptev, B. Caputo, Recognition of Human Actions, November 2011.
<http://www.nada.kth.se/cvap/actions/>
- [164]. University of Surrey and CErTH-ITI, i3dpost Multi-View Human Action Datasets, January 2012.
<http://kahlan.eps.surrey.ac.uk/i3dpostaction/>
- [165]. J. Yuan, Z. Liu and Y. Wu, "Discriminative Sub volume Search for Efficient Action Detection", IEEE Conf. on Computer Vision and Pattern Recognition, 2009
http://www.ece.northwestern.edu/~jyu410/index_files/actiondetection.html
- [166]. G. Denina, B. Bhanu, H. Nguyen, C. Ding, A. Kamal, C. Ravishankar, A. Roy-Chowdhury, A. Ivers, and B. Varda, "VideoWeb Dataset for Multi-camera Activities and Non-verbal Communication", in Distributed Video Sensor Networks, Springer 2010.
Available on: <http://www.ee.ucr.edu/~amitrc/datasets.php>
- [167]. V. Kulathumani, WVU Multi-View Action Recognition Dataset
Available on: <http://csee.wvu.edu/~vkkulathumani/wvu-action.html#download2>

- [168]. H. Qian, Y. Mao, W. Xiang, Z. Wang, "Recognition of Human Activities Using SVM Multi-Class Classifier", *Pattern Recognition Letters*, 2010, v. 31, n. 2, pp. 100-111.
- [169]. N. Ikizler-Cinbis, S. Sclaroff, "Object, Scene And Actions: Combining Multiple Features For Human Action Recognition", *Proceedings of Computer Vision–ECCV*, Springer Berlin Heidelberg, 2010, pp. 494-507.
- [170]. T. B. Moeslund, A. Hilton, and V. Krüger, "A Survey of Advances in Vision-Based Human Motion Capture and Analysis", *Computer Vision and Image Understanding*, 2006, v. 104, n. 2, pp. 90-126.
- [171]. D. Gavrilu, "The Visual Analysis of Human Movement: A Survey", *Computer Vision and Image Understanding*, 1999, v. 73 n. 1, pp. 82-98.
- [172]. T. B. Moeslund and E. Granum, "A Survey of Computer Vision-Based Human Motion Capture", *Computer Vision and Image Understanding*, 2001, v. 81. n. 3, pp. 231-268.
- [173]. R. Weinland, R. Ronfard, E. Boyer, "Automatic Discovery of Action Taxonomies from Multiple Views", *IEEE Conference on Computer Vision and Pattern Recognition*, 2006, v. 2, pp. 1639-1645.
- [174]. A. Iosifidis, A. Tefas, N. Nikolaidis and I. Pitas, "Multi-View Human Movement Recognition based on Fuzzy Distances and Linear Discriminant Analysis", *Computer Vision & Image Understanding*, 2011, v. 116, pp. 347-360.
- [175]. A. Iosifidis, A. Tefas and I. Pitas, "Multi-View Action Recognition Based on Action Volumes, Fuzzy Distances and Cluster Discriminant Analysis", *Signal Processing*, 2013, v. 93, pp. 1445-1457.
- [176]. A. A. Chaaoui, P. Climent-Pérez, and F. Flores-Revuelta, "Silhouette-Based Human Action Recognition Using Sequences of Key Poses", *Pattern Recognition Letters*, 2013, v. 34, n. 15, pp. 1799–1807.
- [177]. A. Iosifidis, A. Tefas and I. Pitas, "Learning Sparse Representations for View-independent Human Action Recognition Based on Fuzzy Distances", *Neuro computing*, 2013, v. 121, pp. 334-353.
- [178]. Y. Dedeoglu, B. U. Toereyin, U. Gueduekbay, and A. E. Cetin, "Silhouette-Based Method for Object Classification And Human Action Recognition", In *Proc. ECCV workshop on HCI*, 2006, pp. 64-77.
- [179]. M. Pietikäinen, *Computer Vision Using Local Binary Patterns*, Springer, vol. 40, Springer-Verlag London, 2011.

- [180]. J. Westons and C. Wtkins, "Support Vector Machines for Multiclass Pattern Recognition", Proc. 7th European Symposium on Artificial Neural Networks, 1999, pp. 219-224.

- [181]. B. Wang, Y. Wang, I. W. Selesnick, A. Vetro, "An Investigation Of 3D Dual Tree Wavelet Transform For Video Coding", in proceeding of International Conference on Image Processing (ICIP), 2004, pp. 1317-1320.

- [182]. A. Mansouri, F. T. Azar, A. M. Aznaven, "Face Tracking By 3D Dual Tree Complex Wavelet Transform Using Support Vector Machine", in proceeding of 9th International Symposium on Signal Processing and its Applications, 2007, pp. 1-4.