

Contents

Contents

<i>Acknowledgements</i>	ix
<i>Contents</i>	xi
<i>List of Figures</i>	xv
<i>PREFACE</i>	xxvii
Chapter 1 Introduction and Literature Review	1
1.1 Introduction.....	1
1.1.1 Crystal Structure	2
1.1.2 Magnetic Behaviour.....	6
1.1.3 Applications	17
1.2 Literature survey	23
1.2.1 Synthesis of the Polymorphs of MnO ₂	23
1.2.2 Structural Transformation: Effect of Synthesis Parameters & dopants	26
1.2.3 Structure, Morphology and Dopant Dependent Magnetic Properties.....	29
1.2.4 MnO ₂ as an Electrode Material for Supercapacitor application	31
1.3 Objectives.....	37
Chapter 2 Synthesis and Characterization Techniques	41
2.1 Sample preparation.....	41
2.1.1 Hydrothermal Synthesis Technique.....	42
2.2 Characterization Techniques	46
2.2.1 X-ray Diffraction (XRD)	47
2.2.2 Fourier Transform Infrared Spectroscopy (FT-IR).....	50
2.2.3 Raman spectroscopy	51
2.2.4 Scanning Electron Microscope (SEM)	53
2.2.5 Transmission Electron Microscope (TEM)	54
2.2.6 X-ray Photoelectron Spectroscopy (XPS)	56
2.2.7 Brunauer-Emmett-Teller Measurement (BET).....	57
2.2.8 UV-Visible Spectroscopy	58
2.2.9 Magnetic Measurements	59
2.2.10 Electrochemical Measurements	61

Chapter 3 Structure, Optical and Magnetic Properties with electrochemical Performance of α and β-MnO₂Nanorods.....	67
3.1 Introduction	67
3.2 Structure, Microstructure and Optical Properties.....	68
3.2.1 Fourier Transform Infrared Spectroscopy	68
3.2.2 X-Ray Diffraction: Rietveld Refinement.....	69
3.2.3 Emission Scanning Electron Microscope	74
3.2.4 UV Visible Spectroscopy.....	75
3.2.5 X-ray Photoelectron Spectroscopy	77
3.3 Electrochemical Performance Using Cyclic Voltammetry	80
3.4 Magnetic Properties.....	82
3.4.1 Temperature Dependent Magnetization.....	82
3.4.2 Field Dependent Magnetization.....	84
3.4.3 ac Susceptibility	86
3.4.4 Remanent Magnetization Measurement	91
3.5 Conclusion.....	94
Chapter 4 Structure, Microstructure and Magnetic Properties of Hydrothermally Synthesized δ-MnO₂	97
4.1 Introduction	97
4.2 Structural and Microstructural Analysis	98
4.2.1 X-ray Diffraction	98
4.2.2 Fourier Transform Infrared Spectroscopy	98
4.2.3 Raman Spectroscopy.....	100
4.2.4 Transmission Electron Microscope.....	101
4.2.5 X-Ray Photoelectron Spectroscopy	102
4.3 Magnetic Properties.....	104
4.3.1 Temperature Dependent Magnetization.....	104
4.3.2 Field Dependent Magnetization.....	109
4.3.3 ac Susceptibility	110
4.3.4 Remanent Magnetization Measurement	115
4.4 Conclusion.....	118
Chapter 5 Electrochemical Studies of Dy Doped α-MnO₂ Nanorods for Supercapacitor Application	119

5.1	Introduction	119
5.2	Structural and Microstructural Analysis	120
5.2.1	X-ray Diffraction	120
5.2.2	Raman Spectroscopy.....	122
5.2.3	Scanning Electron Microscope	123
5.2.4	Transmission Electron Microscope	125
5.3	Surface Area Analysis (BET).....	127
5.4	Electrochemical Analysis.....	129
5.4.1	Cyclic Voltammetry.....	129
5.4.2	Galvanostatic Charge Discharge.....	133
5.4.3	Electrochemical Impedance Spectroscopy	136
5.5	Conclusion	138
Chapter 6 Magnetic Properties of Dy Doped α-MnO₂ Nanorods	139	
6.1	Introduction	139
6.2	X-ray Photoelectron Spectroscopy.....	140
6.3	Magnetic Properties	142
6.3.1	Temperature Dependent Magnetization.....	142
6.3.2	Field Dependent Magnetization.....	145
6.3.3	Remanant Magnetization Measurement	149
6.3.4	Training Effect.....	150
6.4	Conclusion	156
Chapter 7 Conclusions and Future Work	157	
References.....	161	
<i>List of publications.....</i>	181	

List of Figures

Figure 1.1: MnO ₆ octahedral molecular sieve (OMS) and its sharing pattern.....	3
Figure 1.2: Arrangement of various MnO ₂ framework by forming tunnel (n x m) structures [38].....	5
Figure 1.3: The magnetization process in ferromagnets.....	8
Figure 1.4: Curie-Weiss law for the ferromagnetic material (a) χ Vs T and (b) χ^{-1} Vs T above and below T _C	8
Figure 1.5: Magnetization M versus applied field H for a ferromagnetic material (Hysteresis loop)	9
Figure 1.6: (a) Outline of magnetic dipoles in antiferromagnetic material aligns in opposite direction, Curie-Weiss law (b) χ Vs T and (c) χ^{-1} Vs T above and below T _N	11
Figure 1.7: Arrangement of spins in different types of antiferromagnetism.	11
Figure 1.8: Bathe-Slater curve showing the variation of exchange integral with 3d orbital radius r _{3d} relative to atomic radius r _a	14
Figure 1.9: Schematic diagram for (a) superexchange interaction and (b) double exchange interaction.	16
Figure 1.10: Various properties of MnO ₂ nanostructures.....	19
Figure 1.11: Different applications of MnO ₂ nanostructures.	20
Figure 1.12: Taxonomy of materials for supercapacitors.....	21
Figure 1.13: Schematic diagram of supercapacitor (a) EDLC and (b) Pseudocapacitor....	21
Figure 1.14: XRD patterns of the different compositions of Zn/Mn mix-MnO ₂	28
Figure 1.15: Constrained equilibrium thermodynamics driving phase selection between MnO ₂ polymorphs as a function of solution conditions at 298 K and zero applied potential, for solutions containing (a) Li ⁺ , (b) Na ⁺ , (c) K ⁺ , (d) Mg ²⁺ , or (e) Ca ²⁺ cations.....	28
Figure 1.16: (a) Galvanostatic charge/discharge curves of MnO ₂ and Co-MnO ₂ spheres at a current density of 1 A/g (b) cyclic stability of MnO ₂ and Co-MnO ₂ at a current density of 2 A/g.	33
Figure 2.1: Flow chart for the synthesis of MnO ₂ using hydrothermal technique.	43

Figure 2.2: Flow chart for the Synthesis of α -MnO ₂ , β -MnO ₂ , and $\alpha\beta$ -MnO ₂	44
Figure 2.3: Flow chart for the Synthesis of δ -MnO ₂ and α -MnO ₂	45
Figure 2.4: Schematic Flow chart for the synthesis of bare and Dy doped α -MnO ₂	46
Figure 2.5: Schematic diagram of incident and diffracted X-rays from the crystal lattice.	48
Figure 2.6: Schematic representation of X-ray technique.	49
Figure 2.7: Schematic diagram for the simplified setup of Raman spectroscopy.	52
Figure 2.8: UV-Visible Spectrophotometer.....	58
Figure 2.9: MPMS-3, Quantum Design (USA) used for magnetic measurement	60
Figure 2.10: An electrochemical three electrode setup.....	62
Figure 2.11: Schematic circuit diagram of electrochemical three electrode setup (Potentiostat/Galvanostat, PSTAT/GSTAT).[152].....	63
Figure 3.1: Fourier-Transform Infrared (FT-IR) spectrum of α -MnO ₂ , β - MnO ₂ and $\alpha\beta$ - MnO ₂ nanorods.	68
Figure 3.2: Room temperature X-Ray diffraction (XRD) pattern of (a) α -MnO ₂ , (b) γ - MnOOH, and (c) $\alpha\beta$ - MnO ₂ nanorods.	70
Figure 3.3: X-Ray diffraction (XRD) pattern of α -MnO ₂ , β -MnO ₂ , and $\alpha\beta$ - MnO ₂ nanorods calcined at 400° C.	71
Figure 3.4: XRD pattern of α -MnO ₂ , β - MnO ₂ and $\alpha\beta$ - MnO ₂ nanorods fitted using Rietveld refinement of Fullprof program.....	71
Figure 3.5: Scanning electron micrograph (SEM) of (a) α -MnO ₂ , (b) β - MnO ₂ and (c) $\alpha\beta$ - MnO ₂ nanorods.	73
Figure 3.6: particle size distribution histogram of (a) α -MnO ₂ , (b) β - MnO ₂ , (c.1) phase 1 and (c.2) phase 2 of $\alpha\beta$ - MnO ₂ nanorods.	74
Figure 3.7: (a) UV-visible absorption spectra of α -, β - and $\alpha\beta$ -MnO ₂ nanorods. Tauc plot and the corresponding linear fit for the calculation of optical bandgap of (b) α -MnO ₂ , (c) β - MnO ₂ and (d) $\alpha\beta$ -MnO ₂ nanorods.	76
Figure 3.8: X-Ray photoelectron spectra of Mn 2p for (a) α -MnO ₂ , (b) β - MnO ₂ and (c) $\alpha\beta$ - MnO ₂ nanorods.....	78
Figure 3.9: X-Ray photoelectron spectra of O 1s for (a) α -MnO ₂ , (b) β - MnO ₂ and (c) $\alpha\beta$ - MnO ₂ nanorods.	79

Figure 3.10: Cyclic voltammogram of as prepared α -MnO ₂ , β - MnO ₂ and $\alpha\beta$ - MnO ₂ nanorods at the scan rate of 20 mV/sec	81
Figure 3.11: Temperature dependent magnetization (M-T) curve of (a) α -MnO ₂ , (b) β - MnO ₂ and (c) $\alpha\beta$ - MnO ₂ nanorods.	84
Figure 3.12: Inverse susceptibility versus temperature fitted with Curie-Weiss law for (a) α -MnO ₂ , (b) β - MnO ₂ and (c) $\alpha\beta$ - MnO ₂ nanorods.	85
Figure 3.13: Magnetization versus magnetic field at 2K for (a) α -MnO ₂ , (b) β - MnO ₂ and (c) $\alpha\beta$ - MnO ₂ nanorods. Inset shows the enlarged view.....	86
Figure 3.14: Temperature dependence of real (χ') and imaginary (χ'') of ac susceptibility data at 31, 101, 299 and 501 Hz with an ac field of 3 Oe for (a) α -MnO ₂ , (b) β - MnO ₂ and (c) $\alpha\beta$ - MnO ₂ nanorods and corresponding inset shows the enlarge view at peak position.	89
Figure 3.15: Variation of relaxation time (τ) with temperature (T) plotted and fitted with (a) Neel-Arrhenius law (b) Vogel–Fulcher law and (c) Power law for $\alpha\beta$ - MnO ₂ nanorods. Solid line represents the fitting.	92
Figure 3.16: Thermoremanent magnetization measurement at 5 K fitted with stretched exponential decay functions for (a) β -MnO ₂ and (b) $\alpha\beta$ -MnO ₂ nanorods.	94
Figure 4.1: X-ray diffraction pattern of δ -MnO ₂	99
Figure 4.2: FTIR spectrum of δ -MnO ₂	100
Figure 4.3: Raman spectroscopy of δ -MnO ₂	101
Figure 4.4: (a) Low resolution and (b) high resolution image of Transmission electron micrograph of δ -MnO ₂ . Inset shows the particle size distribution histogram, (c) High resolution TEM and (d) SAED pattern of δ -MnO ₂	102
Figure 4.5: X-ray photoelectron spectroscopy of (a) Mn 2p and (b) O 1s of δ -MnO ₂	103
Figure 4.6: (a) Temperature dependent magnetization (M-T) curve of δ -MnO ₂ measured under applied field of 100 Oe. (b) shows the derivative dM/dT with temperature and (c) shows the inverse susceptibility versus temperature fitted with Curie-Weiss law in paramagnetic region.....	106
Figure 4.7: Temperature dependent magnetization (M-T) curve of δ -MnO ₂ measured under applied field of (a) 50, 100, 500 Oe, and (b) 10 kOe. (c) shows the field dependence of reduced temperature with the best fit in terms of A-T line.....	108
Figure 4.8: (a) Magnetization vs. magnetic field at (a) 2, 10 and 30 K under ZFC and at (b) 2K under FC of δ -MnO ₂	110

Figure 4.9: Temperature dependence of real, χ' and imaginary, χ'' of ac susceptibility at 31, 101, 299 and 501 with ac field of 3 Oe. The inset shows the enlarged view of the peak shift with frequency.	112
Figure 4.10: (a) Variation of relaxation time τ with temperature T_b plotted as $\ln \tau$ versus $(T_b)^{-1}$ and fitted with Neel-Arrhenius law, (b) Vogel-Fulcher law and power law (inset).	114
Figure 4.11: Thermoremanent magnetization measurement at 5K fitted with (a) Power law, Logarithmic decay (inset) and (b) Stretched exponential decay functions.	116
Figure 5.1 XRD of bare α -MnO ₂ and α -MnO ₂ : Dy (5, 10, 15, 20 mol %) nanorods.	121
Figure 5.2: Raman spectra of bare α -MnO ₂ and α -MnO ₂ : Dy (5, 10, 15, 20 mol %) nanorods. Inset shows the enlarge view of Raman band at 633 cm^{-1}	123
Figure 5.3: FE-SEM images of (a) bare α -MnO ₂ , (b) α -MnO ₂ : Dy (15 mol %) (c) α -MnO ₂ : Dy (20 mol %) nanorods.	124
Figure 5.4: Particle size distribution histograms of bare α -MnO ₂ and α -MnO ₂ : Dy (15 and 20 mol %) nanorods.	125
Figure 5.5: TEM and HR-TEM images (a,b) for bare and (c, d) for α -MnO ₂ : Dy (15 mol %) nanorods. SEAD patterns are shown in the inset of (b) and (d).	126
Figure 5.6: (a) Nitrogen adsorption desorption isotherms of bare and α -MnO ₂ : Dy (5, 10 and 15 mol %) nanorods and (b) shows the corresponding pore size distribution.	128
Figure 5.7: Electrochemical performances of bare and α -MnO ₂ : Dy (5, 10, 15, 20 mol %) nanorods (a) at 5 mV/sec (b) Specific capacitance Vs. Dy concentration (c) α -MnO ₂ : Dy (15 mol %) at various scan rate and (d) specific capacitance at different scan rate.	131
Figure 5.8: Relationship between the maximum current and square root of the scan rate of bare and α -MnO ₂ : Dy (5, 10, 15, 20 mol %) nanorods.	132
Figure 5.9: (a) Galvanostatic charge discharge at 10 A/g, (b) specific capacitance at various current density of bare and α -MnO ₂ : Dy (5,10,15,20 mol%) nanorods, (c) charge discharge at different current densities and (d) cycling performance at the current density of 2 A/g of α -MnO ₂ : Dy (15 mol %).	134
Figure 5.10: (a) Nyquist plot showing charge transfer resistances and inset shows the electrical equivalent circuit for bare and α -MnO ₂ : Dy (5,10,15 & 20 mol%) nanorods and (b) Bode images of bare and α -MnO ₂ : Dy (5,10,15,20 mol%) nanorods.	137
Figure 6.1: (1) X-ray photoelectron spectroscopy for Mn 2p in (a) α -MnO ₂ (b) α -MnO ₂ :Dy, (2) Dy 4d in α -MnO ₂ and (3) for O1s in (a) α -MnO ₂ and (b) α -MnO ₂ :Dy nanorods.	141

Figure 6.2: Temperature dependent magnetization of (a) α -MnO ₂ and α -MnO ₂ :Dy under ZFC and FC	144
Figure 6.3: The inverse susceptibility, $1/\chi$ Vs. T data in paramagnetic region is fitted with the equation $\chi^{-1} = T/C + 1/\chi_0 - b/(T-\theta)$ for (a) α -MnO ₂ and (b) α -MnO ₂ :Dy measured at an external applied field of 100 Oe	144
Figure 6.4: Field dependent magnetization M(H) for ZFC at 2K, 15K and 30K of α -MnO ₂ and α - MnO ₂ :Dy nanorods.....	147
Figure 6.5: (a) Field dependent magnetization M(H) for FC under the field of 10 kOe at 2K of α -MnO ₂ and α -MnO ₂ :Dy nanorods. Upper inset shows the corresponding coercivity at positive field of α -MnO ₂ . (b) Shows the variation of exchange bias with cooling field for both samples	148
Figure 6.6: Schematic of core shell model of α -MnO ₂ and α -MnO ₂ :Dy nanorods having diameter 40 and 20 nm, respectively. The arrows indicate the magnetic state of the spins after initial magnetization.	150
Figure 6.7: Variation of thermoremanent remnant magnetization [M(t)] at 2K for α -MnO ₂ and α -MnO ₂ :Dy (in inset) nanorods.	151
Figure 6.8: (a) Enlarge view of five hysteresis loops to reveal the shift of the loop with increasing loop number for α -MnO ₂ , (b) Variation of coercive fields H_{c1} and H_{c2} with number of recurrent hysteresis loops n	154
Figure 6.9: symbols represent the experimental data for H_{EB} versus loop index number (n). Dotted line corresponds to a fit with a power law for $n \geq 2$, while solid line illustrates the best fit with equation 6.9.....	155

List of Tables

Table 1.1: Crystallographic data of polymorphs of MnO ₂	4
Table 1.2: Polymorphs of MnO ₂ with different morphologies and their specific capacitance.....	32
Table1.3: Comparision of specific capacitance of cation-doped-MnO ₂ nanostructures reported in literatures.....	35
Table1.4: Comparision of the specific capacitance of MnO ₂ nanocomposites reported in the literature.....	36
Table 3.1: Structural parameters obtained from Rietveld refinement fitting for (a) α-MnO ₂ , (b) β-MnO ₂ and (c) αβ- MnO ₂ nanorods	72
Table 3.2: Mn ⁺³ /Mn ⁺⁴ and O _b /O _a obtained from fitting of Mn 2p and O 1s XPS peaks using software XPS peak 4.1 for α-MnO ₂ , β- MnO ₂ and αβ- MnO ₂ nanorods	80
Table 3.3: Fitting parameters deduced from ac susceptibility data fitted with Neel-Arrhenius law, Power law and Vogel-Fulcher law for αβ- MnO ₂ nanorods.....	91
Table 3.4: Fitting parameters deduced from thermoremanent relaxation magnetization fitted with stretched exponential decay function for (1) β- MnO ₂ and (2) αβ- MnO ₂ nanorods.....	93
Table 4.1: Fitting parameters deduced from thermo remanant relaxation magnetization fitted with empirical relations like power law decay, logarithmic decay and stretched exponential decay functions.....	117
Table 5.1: Data obtained from EDAX for Dy in α-MnO ₂ : Dy (5, 10, 15 and 20 mol %).	125
Table 5.2: Parameters obtained from Nitrogen adsorption desorption isotherm of bare and α-MnO ₂ : Dy (5, 10 and 15 mol %) nanorods.....	129
Table 5.3: Comparison of specific capacitance of metal oxides reported in literatures with the present material, α-MnO ₂ : Dy (15 mol %).	133
Table 5.4: EIS fitted parameters of bare MnO ₂ and α-MnO ₂ : Dy (5, 10, 15 and 20 mol %).	138
Table 6.1: Numeric value of exchange bias field and percentage of training effect during each cycle for bare and Dy doped α-MnO ₂	152
Table 6.2: Values of the expression 6.9 fitting parameters approximating experimental data for training effect.	156

