

## References

- [1] “Gas,” *Wikipedia*. Accessed May 29, 2022. [Online]. Available: <https://en.wikipedia.org/wiki/Gas>
- [2] CurioKids, “Jean-Baptiste Van Helmont,” Accessed May 29, 2022. [Online]. Available: <https://curiokids.net/jean-baptiste-van-helmont/?lang=en>
- [3] “Pneumatic chemistry,” *Wikipedia*. Accessed May 29, 2022. [Online]. Available: [https://en.wikipedia.org/wiki/Pneumatic\\_chemistry](https://en.wikipedia.org/wiki/Pneumatic_chemistry)
- [4] C. Pollock, “The canary in the coal mine,” *Journal of avian medicine and surgery*, vol. 30, no. 4, pp. 386–391, 2016.
- [5] “Davy lamp,” *Wikipedia*. Accessed May 29, 2022. [Online]. Available: [https://en.wikipedia.org/wiki/Davy\\_lamp](https://en.wikipedia.org/wiki/Davy_lamp)
- [6] J. Sheriff and R. Lochhead, “The design and approval of modern gas detectors for international markets,” 1994.
- [7] T. C. Pearce, S. S. Schiffman, H. T. Nagle, and J. W. Gardner, *Handbook of machine olfaction: electronic nose technology*. John Wiley & Sons, 2006.
- [8] S. Qiu and J. Wang, “Application of sensory evaluation, hs-spme gc-ms, e-nose, and e-tongue for quality detection in citrus fruits,” *Journal of food science*, vol. 80, no. 10, pp. S2296–S2304, 2015.

- 
- [9] W. H. Brattain and J. Bardeen, "Surface properties of germanium," *The Bell System Technical Journal*, vol. 32, no. 1, pp. 1–41, 1953.
- [10] T. Seiyama, A. Kato, K. Fujiishi, and M. Nagatani, "A new detector for gaseous components using semiconductive thin films." *Analytical Chemistry*, vol. 34, no. 11, pp. 1502–1503, 1962.
- [11] N. Taguchi, "Gas-detecting device," Dec. 28 1971, uS Patent 3,631,436.
- [12] J. B. Miller, "Catalytic sensors for monitoring explosive atmospheres," *IEEE sensors journal*, vol. 1, no. 1, pp. 88–93, 2001.
- [13] Z. Awang, "Gas sensors: A review," *Sens. Transducers*, vol. 168, no. 4, pp. 61–75, 2014.
- [14] C.-O. Park, J. Fergus, N. Miura, J. Park, and A. Choi, "Solid-state electrochemical gas sensors," *Ionics*, vol. 15, no. 3, pp. 261–284, 2009.
- [15] T. Hübert, L. Boon-Brett, G. Black, and U. Banach, "Hydrogen sensors—a review," *Sensors and Actuators B: Chemical*, vol. 157, no. 2, pp. 329–352, 2011.
- [16] K. Arshak, E. Moore, G. Lyons, J. Harris, and S. Clifford, "A review of gas sensors employed in electronic nose applications," *Sensor review*, 2004.
- [17] S. Feng, F. Farha, Q. Li, Y. Wan, Y. Xu, T. Zhang, and H. Ning, "Review on smart gas sensing technology," *Sensors*, vol. 19, no. 17, p. 3760, 2019.
- [18] C. Wang, L. Yin, L. Zhang, D. Xiang, and R. Gao, "Metal oxide gas sensors: sensitivity and influencing factors," *sensors*, vol. 10, no. 3, pp. 2088–2106, 2010.

- 
- [19] K. Persaud and G. Dodd, "Analysis of discrimination mechanisms in the mammalian olfactory system using a model nose," *Nature*, vol. 299, no. 5881, pp. 352–355, 1982.
- [20] H. V. Shurmer and J. W. Gardner, "Odour discrimination with an electronic nose," *Sensors and Actuators B: Chemical*, vol. 8, no. 1, pp. 1–11, 1992.
- [21] J. M. Pinto, "Olfaction," *Proceedings of the American Thoracic Society*, vol. 8, no. 1, pp. 46–52, 2011.
- [22] S. Sironi, L. Eusebio, L. Capelli, M. Remondini, and R. Del Rosso, "Use of an electronic nose for indoor air quality monitoring," *Chemical Engineering Transactions*, vol. 40, pp. 73–78, 2014.
- [23] J. He, L. Xu, P. Wang, and Q. Wang, "A high precise e-nose for daily indoor air quality monitoring in living environment," *Integration*, vol. 58, pp. 286–294, 2017.
- [24] S. Zampolli, I. Elmi, F. Ahmed, M. Passini, G. Cardinali, S. Nicoletti, and L. Dori, "An electronic nose based on solid state sensor arrays for low-cost indoor air quality monitoring applications," *Sensors and Actuators B: Chemical*, vol. 101, no. 1-2, pp. 39–46, 2004.
- [25] R. Laref, E. Losson, A. Sava, and M. Siadat, "Support vector machine regression for calibration transfer between electronic noses dedicated to air pollution monitoring," *Sensors*, vol. 18, no. 11, p. 3716, 2018.
- [26] C. Di Natale, A. Macagnano, E. Martinelli, R. Paolesse, G. D'Arcangelo, C. Roscioni, A. Finazzi-Agro, and A. D'Amico, "Lung cancer identification by the analysis of breath by means of an array of non-selective gas sensors," *Biosensors and Bioelectronics*, vol. 18, no. 10, pp. 1209–1218, 2003.

- [27] K. Benara, S. Baliga, D. D. Pai, S. Shenoy, K. Vishnumurthy, M. Vidya, and S. B. Gandla, "Fabrication of a sensor to detect low concentration of methane: A bio-marker of colon cancer," in *2016 IEEE Annual India Conference (INDICON)*. IEEE, 2016, pp. 1–4.
- [28] L. Hao and F. Xu, "An investigation on electronic nose diagnosis of liver cancer," in *2017 10th International Congress on Image and Signal Processing, BioMedical Engineering and Informatics (CISP-BMEI)*. IEEE, 2017, pp. 1–5.
- [29] S. Anjali, N. Shaji, S. Dhanya, N. Biju, and E. M. George, "Analysis of voc using sensor array for early detection of breast cancer," in *2018 International Conference on Emerging Trends and Innovations In Engineering And Technological Research (ICETIETR)*. IEEE, 2018, pp. 1–4.
- [30] V. N. Schuermans, Z. Li, A. C. Jongen, Z. Wu, J. Shi, J. Ji, and N. D. Bouvy, "Pilot study: detection of gastric cancer from exhaled air analyzed with an electronic nose in chinese patients," *Surgical innovation*, vol. 25, no. 5, pp. 429–434, 2018.
- [31] J. Vorobioff, N. Boggio, A. Lamagna, O. Salomon, and C. Rinaldi, "Improvement of the electronic nose response to detect presence of transmitters of chagas disease," in *2017 ISOCS/IEEE International Symposium on Olfaction and Electronic Nose (ISOEN)*. IEEE, 2017, pp. 1–3.
- [32] O. Zaim, T. Saidi, N. El Bari, and B. Bouchikhi, "Assessment of" breath print" in patients with chronic kidney disease during dialysis by non-invasive breath screening of exhaled volatile compounds using an electronic nose," in *2019 IEEE International Symposium on Olfaction and Electronic Nose (ISOEN)*. IEEE, 2019, pp. 1–4.

- 
- [33] K. Snitz, M. Andelman-Gur, L. Pinchover, R. Weissgross, A. Weissbrod, E. Mishor, R. Zoller, V. Linetsky, A. Medhanie, S. Shushan *et al.*, “Proof of concept for real-time detection of sars cov-2 infection with an electronic nose,” *PloS one*, vol. 16, no. 6, p. e0252121, 2021.
- [34] T. C. Miller, S. D. Morgera, S. E. Sadow, A. Takshi, and M. Palm, “Electronic nose with detection method for alcohol, acetone, and carbon monoxide in coronavirus disease 2019 breath simulation model,” *IEEE Sensors Journal*, vol. 21, no. 14, pp. 15 935–15 943, 2021.
- [35] P. Braca, D. Gaglione, S. Marano, L. M. Millefiori, P. Willett, and K. R. Pattipati, “Quickest detection of covid-19 pandemic onset,” *IEEE signal processing letters*, vol. 28, pp. 683–687, 2021.
- [36] C. C. Moor, J. C. Oppenheimer, G. Nakshbandi, J. G. Aerts, P. Brinkman, A.-H. Maitland-van der Zee, and M. S. Wijsenbeek, “Exhaled breath analysis by use of enose technology: a novel diagnostic tool for interstitial lung disease,” *European Respiratory Journal*, vol. 57, no. 1, 2021.
- [37] L. Kou, D. Zhang, J. You, Y. Jiang *et al.*, “Breath analysis for detecting diseases on respiratory, metabolic and digestive system,” *Journal of Biomedical Science and Engineering*, vol. 12, no. 01, p. 40, 2019.
- [38] A. M. I. Saktiawati, K. Triyana, S. D. Wahyuningtias, B. Dwihardiani, T. Julian, S. N. Hidayat, R. A. Ahmad, A. Probandari, and Y. Mahendradhata, “enose-tb: A trial study protocol of electronic nose for tuberculosis screening in indonesia,” *PloS one*, vol. 16, no. 4, p. e0249689, 2021.
- [39] P. Choden, T. Seesaard, U. Dorji, C. Sriphrapadang, and T. Kerdcharoen, “Urine odor detection by electronic nose for smart toilet application,” in *2017*

- 14th International Conference on Electrical Engineering/Electronics, Computer, Telecommunications and Information Technology (ECTI-CON)*. IEEE, 2017, pp. 190–193.
- [40] S. Esfahani, M. Shanta, J. P. Specht, Y. Xing, M. Cole, and J. W. Gardner, “Wearable iot electronic nose for urinary incontinence detection,” in *2020 IEEE SENSORS*. IEEE, 2020, pp. 1–4.
- [41] Q. Wang, K. Song, and T. Guo, “Portable vehicular electronic nose system for detection of automobile exhaust,” in *2010 IEEE Vehicle Power and Propulsion Conference*. IEEE, 2010, pp. 1–5.
- [42] M. M. Ali, N. Hashim, S. Abd Aziz, and O. Lasekan, “Principles and recent advances in electronic nose for quality inspection of agricultural and food products,” *Trends in Food Science & Technology*, vol. 99, pp. 1–10, 2020.
- [43] N. Abu-Khalaf, “Identification and quantification of olive oil quality parameters using an electronic nose,” *Agriculture*, vol. 11, no. 7, p. 674, 2021.
- [44] J. Chen, Y. Sun, and L. Shen, “Reach and application of electronic nose on testing the quality of agriculture products,” in *Applied Mechanics and Materials*, vol. 738. Trans Tech Publ, 2015, pp. 116–124.
- [45] W. Jia, G. Liang, Z. Jiang, and J. Wang, “Advances in electronic nose development for application to agricultural products,” *Food Analytical Methods*, vol. 12, no. 10, pp. 2226–2240, 2019.
- [46] J. Hu, “Application of pca method on pest information detection of electronic nose,” in *2006 IEEE International Conference on Information Acquisition*. IEEE, 2006, pp. 1465–1468.

- 
- [47] N. Deshpandey, A. Shaligram, B. Botre, S. Bindal, and S. Sadistap, "Embedded e-nose application to sense the food grain storage condition," in *2010 International Conference on Computational Intelligence and Communication Networks*. IEEE, 2010, pp. 608–611.
- [48] F. Rashid, H. Maamor, N. Zakaria, N. Yusuf, K. Adnan, A. Zakaria, L. Kamarudin, and A. Shakaff, "Electronic nose as the rapid technique for aroma assesment of vegetable oils," in *2013 IEEE Conference on Wireless Sensor (ICWISE)*. IEEE, 2013, pp. 130–133.
- [49] H. Yu, M. Meng, and Y. Yin, "The research on the application of electronic nose in discriminate the rice varieties," in *Proceedings of the 2013 International Conference on Advanced Mechatronic Systems*. IEEE, 2013, pp. 449–454.
- [50] W. Lu, W. Yu, C. Gan, Q. Liu, and J. Li, "Application of electronic nose technology in the detection of wheat quality," in *2015 International Conference on Intelligent Transportation, Big Data and Smart City*. IEEE, 2015, pp. 133–136.
- [51] C. Di Natale, A. Macagnano, F. Davide, A. D'amico, R. Paolesse, T. Boschi, M. Faccio, and G. Ferri, "An electronic nose for food analysis," *Sensors and Actuators B: Chemical*, vol. 44, no. 1-3, pp. 521–526, 1997.
- [52] E. Schaller, J. O. Bosset, and F. Escher, "'electronic noses' and their application to food," *LWT-Food Science and Technology*, vol. 31, no. 4, pp. 305–316, 1998.
- [53] R. S. Concepcion, A. A. Bandala, R. A. R. Bedruz, and E. P. Dadios, "Fuzzy classification approach on quality deterioration assesment of tomato puree in aerobic storage using electronic nose," in *2019 IEEE 11th International*

- Conference on Humanoid, Nanotechnology, Information Technology, Communication and Control, Environment, and Management (HNICEM)*. IEEE, 2020, pp. 1–6.
- [54] T. C. Pearce, J. W. Gardner, S. Friel, P. N. Bartlett, and N. Blair, “Electronic nose for monitoring the flavour of beers,” *Analyst*, vol. 118, no. 4, pp. 371–377, 1993.
- [55] S. Murugan and N. Gala, “Elena: A low-cost portable electronic nose for alcohol characterization,” in *2017 IEEE SENSORS*. IEEE, 2017, pp. 1–3.
- [56] T. Eamsa-ard, M. M. Swe, T. Seesaard, and T. Kerdcharoen, “Development of electronic nose for evaluation of fragrance and human body odor in the cosmetic industry,” in *2018 IEEE 7th global Conference on consumer Electronics (GCCE)*. IEEE, 2018, pp. 363–364.
- [57] D. Yan, H. Cao, P. Zhang, and S. Yang, “Fuzzy linguistic odor cognition for robotics olfaction,” *IEEE Transactions on Cognitive and Developmental Systems*, vol. 11, no. 2, pp. 234–243, 2018.
- [58] X. Zhang, S. Zhang, and X. Ma, “Malodorous gas sensor array system for the olfactory robot,” in *Journal of Physics: Conference Series*, vol. 1732, no. 1. IOP Publishing, 2021, p. 012014.
- [59] N. Zhigang and W. Lu, “Hazardous gas detecting method applied in coal mine detection robot,” in *2011 Third International Conference on Measuring Technology and Mechatronics Automation*, vol. 2. IEEE, 2011, pp. 308–311.
- [60] A. Jadon, M. Omama, A. Varshney, M. S. Ansari, and R. Sharma, “Firenet: a specialized lightweight fire & smoke detection model for real-time iot applications,” *arXiv preprint arXiv:1905.11922*, 2019.



- 
- [61] A. M. Putrada, M. Abdurohman, and A. G. Putrada, "Increasing smoke classifier accuracy using naive bayes method on internet of things," *Kinetik: Game Technology, Information System, Computer Network, Computing, Electronics, and Control*, pp. 19–26, 2019.
- [62] N. Chowdhury, D. R. Mushfiq, and A. E. Chowdhury, "Computer vision and smoke sensor based fire detection system," in *2019 1st International Conference on Advances in Science, Engineering and Robotics Technology (ICAS-ERT)*. IEEE, 2019, pp. 1–5.
- [63] A. ur Rehman and A. Bermak, "Concentration estimation of industrial gases for electronic nose applications," in *2018 30th International Conference on Microelectronics (ICM)*. IEEE, 2018, pp. 13–16.
- [64] —, "Discriminant analysis of industrial gases for electronic nose applications," in *2018 IEEE International Conference on Computational Intelligence and Virtual Environments for Measurement Systems and Applications (CIVEMSA)*. IEEE, 2018, pp. 1–5.
- [65] A. Wilson, "Electronic-nose applications in forensic science and for analysis of volatile biomarkers in the human breath," *Journal of Forensic Science & Criminology*, vol. 1, no. 1, pp. 1–21, 2014.
- [66] S. Rahman, T. Usmani, and S. Saeed, "Review of electronic nose and application," *Int. J. Comput. Corp. Res.(IJCCR)*, vol. 3, pp. 1–9, 2013.
- [67] H. Alam and S. H. Saeed, "Modern applications of electronic nose: A review." *International Journal of Electrical & Computer Engineering (2088-8708)*, vol. 3, no. 1, 2013.

- [68] E. Mahmoudi, “Electronic nose technology and its applications,” *Sensors & Transducers*, vol. 107, no. 8, p. 17, 2009.
- [69] A. D. Wilson and M. Baietto, “Applications and advances in electronic-nose technologies,” *Sensors*, vol. 9, no. 7, pp. 5099–5148, 2009.
- [70] S. Y. Park, Y. Kim, T. Kim, T. H. Eom, S. Y. Kim, and H. W. Jang, “Chemoresistive materials for electronic nose: Progress, perspectives, and challenges,” *InfoMat*, vol. 1, no. 3, pp. 289–316, 2019.
- [71] H. Wang, J. Ma, J. Zhang, Y. Feng, M. T. Vijjapu, S. Yuvaraja, S. G. Surya, K. N. Salama, C. Dong, Y. Wang *et al.*, “Gas sensing materials roadmap,” *Journal of Physics: Condensed Matter*, vol. 33, no. 30, p. 303001, 2021.
- [72] A. K. Prasad and S. Madanagurusamy, “Recent advances in materials development and design for gas sensing applications,” *Journal of Materials NanoScience*, vol. 9, no. 1, pp. 1–2, 2022.
- [73] S. Sharma and M. Madou, “A new approach to gas sensing with nanotechnology,” *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, vol. 370, no. 1967, pp. 2448–2473, 2012.
- [74] X. Liu, S. Cheng, H. Liu, S. Hu, D. Zhang, and H. Ning, “A survey on gas sensing technology,” *Sensors*, vol. 12, no. 7, pp. 9635–9665, 2012.
- [75] C.-F. Fong, C.-L. Dai, and C.-C. Wu, “Fabrication and characterization of a micro methanol sensor using the cmos-mems technique,” *Sensors*, vol. 15, no. 10, pp. 27 047–27 059, 2015.
- [76] M. S. Choi, M. Y. Kim, A. Mirzaei, H.-S. Kim, S.-i. Kim, S.-H. Baek, D. W. Chun, C. Jin, and K. H. Lee, “Selective, sensitive, and stable no2 gas sensor

- based on porous zno nanosheets,” *Applied Surface Science*, vol. 568, p. 150910, 2021.
- [77] X. Qiao, Y. Xu, K. Yang, J. Ma, C. Li, H. Wang, and L. Jia, “Mo doped bivo<sub>4</sub> gas sensor with high sensitivity and selectivity towards h<sub>2</sub>s,” *Chemical Engineering Journal*, vol. 395, p. 125144, 2020.
- [78] A. Schütze, T. Baur, M. Leidinger, W. Reimringer, R. Jung, T. Conrad, and T. Sauerwald, “Highly sensitive and selective voc sensor systems based on semiconductor gas sensors: how to?” *Environments*, vol. 4, no. 1, p. 20, 2017.
- [79] N. Van Toan, N. V. Chien, N. Van Duy, H. S. Hong, H. Nguyen, N. D. Hoa, and N. Van Hieu, “Fabrication of highly sensitive and selective h<sub>2</sub> gas sensor based on sno<sub>2</sub> thin film sensitized with micro-sized pd islands,” *Journal of hazardous materials*, vol. 301, pp. 433–442, 2016.
- [80] Z. Nenova and G. Dimchev, “Compensation of the impact of temperature and humidity on gas sensors,” in *XLVI International Scientific Conference on Information, Communication and Energy Systems and Technologies–ICEST*, 2011, pp. 287–290.
- [81] A. N. Abdullah, K. Kamarudin, S. M. Mamduh, A. H. Adom, and Z. H. M. Juffry, “Effect of environmental temperature and humidity on different metal oxide gas sensors at various gas concentration levels,” in *IOP Conference Series: Materials Science and Engineering*, vol. 864, no. 1. IOP Publishing, 2020, p. 012152.
- [82] D. Vlachos, P. Skafidas, and J. Avaritsiotis, “The effect of humidity on tin-oxide thick-film gas sensors in the presence of reducing and combustible gases,” *Sensors and Actuators B: Chemical*, vol. 25, no. 1-3, pp. 491–494, 1995.

- [83] M. Shooshtari, A. Salehi, and S. Vollebregt, “Effect of humidity on gas sensing performance of carbon nanotube gas sensors operated at room temperature,” *IEEE Sensors Journal*, vol. 21, no. 5, pp. 5763–5770, 2020.
- [84] B. Ruhland, T. Becker, and G. Müller, “Gas-kinetic interactions of nitrous oxides with  $\text{SnO}_2$  surfaces,” *Sensors and Actuators B: Chemical*, vol. 50, no. 1, pp. 85–94, 1998.
- [85] D. E. Williams, G. S. Henshaw, and K. F. Pratt, “Detection of sensor poisoning using self-diagnostic gas sensors,” *Journal of the Chemical Society, Faraday Transactions*, vol. 91, no. 18, pp. 3307–3308, 1995.
- [86] A. Vergara, S. Vembu, T. Ayhan, M. A. Ryan, M. L. Homer, and R. Huerta, “Chemical gas sensor drift compensation using classifier ensembles,” *Sensors and Actuators B: Chemical*, vol. 166, pp. 320–329, 2012.
- [87] M. Schüler, T. Sauerwald, and A. Schütze, “A novel approach for detecting  $\text{H}_2\text{SO}_4$  poisoning of metal oxide gas sensors and improving their stability by temperature cycled operation,” *Journal of Sensors and Sensor Systems*, vol. 4, no. 2, pp. 305–311, 2015.
- [88] P. Reimann, A. Dausend, and A. Schütze, “A self-monitoring and self-diagnosis strategy for semiconductor gas sensor systems,” in *SENSORS, 2008 IEEE*. IEEE, 2008, pp. 192–195.
- [89] V. K. Ojha, P. Dutta, H. Saha, and S. Ghosh, “Detection of proportion of different gas components present in manhole gas mixture using backpropagation neural network,” *Technology*, vol. 37, pp. 11–15, 2012.

- [90] M. A. Djeziri, O. Djedidi, N. Morati, J.-L. Seguin, M. Bendahan, and T. Contaret, "A temporal-based svm approach for the detection and identification of pollutant gases in a gas mixture," *Applied Intelligence*, pp. 1–14, 2021.
- [91] V. K. Ojha, P. Dutta, and A. Chaudhuri, "Identifying hazardousness of sewer pipeline gas mixture using classification methods: a comparative study," *Neural Computing and Applications*, vol. 28, no. 6, pp. 1343–1354, 2017.
- [92] M. Penza, R. Rossi, M. Alvisi, M. Signore, and E. Serra, "Effects of reducing interferers in a binary gas mixture on no<sub>2</sub> gas adsorption using carbon nanotube networked films based chemiresistors," *Journal of Physics D: Applied Physics*, vol. 42, no. 7, p. 072002, 2009.
- [93] S. M. Mujtaba, T. A. Lemma, S. A. A. Taqvi, T. N. Ofei, and S. K. Vandrangi, "Leak detection in gas mixture pipelines under transient conditions using hammerstein model and adaptive thresholds," *Processes*, vol. 8, no. 4, p. 474, 2020.
- [94] S. Moore, J. Gardner, E. Hines, W. Göpel, and U. Weimar, "A modified multilayer perceptron model for gas mixture analysis," *Sensors and Actuators B: Chemical*, vol. 16, no. 1-3, pp. 344–348, 1993.
- [95] Y. Wang, Y. Wei, T. Liu, T. Sun, and K. T. Grattan, "Tdlas detection of propane/butane gas mixture by using reference gas absorption cells and partial least square approach," *IEEE Sensors Journal*, vol. 18, no. 20, pp. 8587–8596, 2018.
- [96] W. Pan, N. Li, and P. Liu, "Application of electronic nose in gas mixture quantitative detection," in *2009 IEEE International Conference on Network Infrastructure and Digital Content*. IEEE, 2009, pp. 976–980.

- [97] G. Neri, “First fifty years of chemoresistive gas sensors,” *Chemosensors*, vol. 3, no. 1, pp. 1–20, 2015.
- [98] H. Shurmer, “Basic limitations for an electronic nose,” *Sensors and Actuators B: Chemical*, vol. 1, no. 1-6, pp. 48–53, 1990.
- [99] B. Hoffheins and R. Lauf, “Use of chemical sensor arrays for food and fragrance analysis,” *Journal of sensory studies*, vol. 5, no. 2, pp. 129–144, 1990.
- [100] S. Ciptohadijoyo, W. Litananda, M. Rivai, M. Purnomo *et al.*, “Electronic nose based on partition column integrated with gas sensor for fruit identification and classification,” *Computers and Electronics in Agriculture*, vol. 121, pp. 429–435, 2016.
- [101] T. Itoh, Y. Koyama, W. Shin, T. Akamatsu, A. Tsuruta, Y. Masuda, and K. Uchiyama, “Selective detection of target volatile organic compounds in contaminated air using sensor array with machine learning: Aging notes and mold smells in simulated automobile interior contaminant gases,” *Sensors*, vol. 20, no. 9, p. 2687, 2020.
- [102] J. Rajagukguk, R. A. Pratiwi, and E. Kaewnuam, “Emission gas detector (egd) for detecting vehicle exhaust based on combined gas sensors,” in *Journal of Physics: Conference Series*, vol. 1120, no. 1. IOP Publishing, 2018, p. 012020.
- [103] C. Salinas Alvarez, D. Sierra-Sosa, B. Garcia-Zapirain, D. Yoder-Himes, and A. Elmaghraby, “Detection of volatile compounds emitted by bacteria in wounds using gas sensors,” *Sensors*, vol. 19, no. 7, p. 1523, 2019.
- [104] T. Liu, W. Zhang, M. Yuwono, M. Zhang, M. Ueland, S. L. Forbes, and S. W. Su, “A data-driven meat freshness monitoring and evaluation method using

- rapid centroid estimation and hidden markov models,” *Sensors and Actuators B: Chemical*, vol. 311, p. 127868, 2020.
- [105] M. Barriault, I. Alexander, N. Tasnim, A. O’Brien, H. Najjaran, and M. Hoorfar, “Classification and regression of binary hydrocarbon mixtures using single metal oxide semiconductor sensor with application to natural gas detection,” *Sensors and Actuators B: Chemical*, vol. 326, p. 129012, 2021.
- [106] J. Qian, F. Tian, Y. Luo, M. Lu, and A. Zhang, “A novel multi-sensor detection system design for low concentrations of volatile organic compounds,” *IEEE Transactions on Industrial Electronics*, 2021.
- [107] B. Bak, J. Szkola, J. Wilk, P. Artiemjew, and J. Wilde, “In-field detection of american fowlbrood (afb) by electric nose using classical classification techniques and sequential neural networks,” *Sensors*, vol. 22, no. 3, p. 1148, 2022.
- [108] A. P. Turner and N. Magan, “Electronic noses and disease diagnostics,” *Nature Reviews Microbiology*, vol. 2, no. 2, pp. 161–166, 2004.
- [109] N. S. Ramgir, “Electronic nose based on nanomaterials: Issues, challenges, and prospects,” *International Scholarly Research Notices*, vol. 2013, 2013.
- [110] M. Roy and B. Yadav, “Electronic nose for detection of food adulteration: A review,” *Journal of Food Science and Technology*, pp. 1–13, 2021.
- [111] J. W. Gardner and P. N. Bartlett, “A brief history of electronic noses,” *Sensors and Actuators B: Chemical*, vol. 18, no. 1-3, pp. 210–211, 1994.
- [112] B. Hoffheins, “Using sensor arrays and pattern recognition to identify organic compounds,” Oak Ridge National Lab.(ORNL), Oak Ridge, TN (United States), Tech. Rep., 1990.

- [113] J. W. Gardner, "Detection of vapours and odours from a multisensor array using pattern recognition part 1. principal component and cluster analysis," *Sensors and Actuators B: Chemical*, vol. 4, no. 1-2, pp. 109–115, 1991.
- [114] C. Di Natale, F. Davide, and A. D'Amico, "Pattern recognition in gas sensing: well-stated techniques and advances," *Sensors and Actuators B: Chemical*, vol. 23, no. 2-3, pp. 111–118, 1995.
- [115] E. L. Hines, E. Llobet, and J. Gardner, "Electronic noses: a review of signal processing techniques," *IEE Proceedings-Circuits, Devices and Systems*, vol. 146, no. 6, pp. 297–310, 1999.
- [116] T. Aishima, "Discrimination of liquor aromas by pattern recognition analysis of responses from a gas sensor array," *Analytica chimica acta*, vol. 243, pp. 293–300, 1991.
- [117] C. Di Natale, F. A. Davide, A. D'Amico, G. Sberveglieri, P. Nelli, G. Faglia, and C. Perego, "Complex chemical pattern recognition with sensor array: the discrimination of vintage years of wine," *Sensors and Actuators B: Chemical*, vol. 25, no. 1-3, pp. 801–804, 1995.
- [118] D.-S. Lee, H.-Y. Jung, J.-W. Lim, M. Lee, S.-W. Ban, J.-S. Huh, and D.-D. Lee, "Explosive gas recognition system using thick film sensor array and neural network," *Sensors and Actuators B: Chemical*, vol. 71, no. 1-2, pp. 90–98, 2000.
- [119] Q. Zhang, C. Xie, S. Zhang, A. Wang, B. Zhu, L. Wang, and Z. Yang, "Identification and pattern recognition analysis of chinese liquors by doped nano zno gas sensor array," *Sensors and Actuators B: Chemical*, vol. 110, no. 2, pp. 370–376, 2005.



- [120] Y. Lu, C. Partridge, M. Meyyappan, and J. Li, "A carbon nanotube sensor array for sensitive gas discrimination using principal component analysis," *Journal of Electroanalytical Chemistry*, vol. 593, no. 1-2, pp. 105–110, 2006.
- [121] S. Brahim-Belhouari, A. Bermak, M. Shi, and P. C. Chan, "Fast and robust gas identification system using an integrated gas sensor technology and gaussian mixture models," *IEEE Sensors Journal*, vol. 5, no. 6, pp. 1433–1444, 2005.
- [122] I. Moret, G. Scarponi, and P. Cescon, "Aroma components as discriminating parameters in the chemometric classification of venetian white wines," *Journal of the Science of Food and Agriculture*, vol. 35, no. 9, pp. 1004–1011, 1984.
- [123] H. Abe, S. Kanaya, Y. Takahashi, and S.-I. Sasaki, "Extended studies of the automated odor-sensing system based on plural semiconductor gas sensors with computerized pattern recognition techniques," *Analytica chimica acta*, vol. 215, pp. 155–168, 1988.
- [124] S. Güney and A. Atasoy, "Multiclass classification of n-butanol concentrations with k-nearest neighbor algorithm and support vector machine in an electronic nose," *Sensors and Actuators B: Chemical*, vol. 166, pp. 721–725, 2012.
- [125] Z. Xiao-bo, Z. Jiewen, and W. Shou-yi, "The study of gas sensor array signal processing with new genetic algorithms," *Sensors and Actuators B: Chemical*, vol. 87, no. 3, pp. 437–441, 2002.
- [126] T. Liu, W. Zhang, P. McLean, M. Ueland, S. L. Forbes, and S. W. Su, "Electronic nose-based odor classification using genetic algorithms and fuzzy support vector machines," *International Journal of Fuzzy Systems*, vol. 20, no. 4, pp. 1309–1320, 2018.

- 
- [127] S. GÜNEY, A. Atasoy, and R. Burget, “Electronic nose odor classification with advanced decision tree structures.” *Radioengineering*, vol. 22, no. 3, 2013.
- [128] M. Hassan and A. Bermak, “Gas classification using binary decision tree classifier,” in *2014 IEEE International Symposium on Circuits and Systems (IS-CAS)*. IEEE, 2014, pp. 2579–2582.
- [129] J. H. Cho and P. U. Kurup, “Decision tree approach for classification and dimensionality reduction of electronic nose data,” *Sensors and Actuators B: Chemical*, vol. 160, no. 1, pp. 542–548, 2011.
- [130] Q. Li and A. Bermak, “A low-power hardware-friendly binary decision tree classifier for gas identification,” *Journal of Low Power Electronics and Applications*, vol. 1, no. 1, pp. 45–58, 2011.
- [131] C. Li, R. Gitaitis, B. Tollner, P. Sumner, and D. MacLean, “Onion sour skin detection using a gas sensor array and support vector machine,” *Sensing and Instrumentation for Food Quality and Safety*, vol. 3, no. 4, pp. 193–202, 2009.
- [132] X. Sun, L. Liu, Z. Wang, J. Miao, Y. Wang, Z. Luo, and G. Li, “An optimized multi-classifiers ensemble learning for identification of ginsengs based on electronic nose,” *Sensors and Actuators A: Physical*, vol. 266, pp. 135–144, 2017.
- [133] K. Ema, M. Yokoyama, T. Nakamoto, and T. Moriizumi, “Odour-sensing system using a quartz-resonator sensor array and neural-network pattern recognition,” *Sensors and Actuators*, vol. 18, no. 3-4, pp. 291–296, 1989.
- [134] J. Gardner, E. Hines, and M. Wilkinson, “Application of artificial neural networks to an electronic olfactory system,” *Measurement Science and Technology*, vol. 1, no. 5, p. 446, 1990.

- [135] J. Stetter, M. Findlay Jr, K. Schroeder, C. Yue, and W. Penrose, "Quality classification of grain using a sensor array and pattern recognition," *Analytica chimica acta*, vol. 284, no. 1, pp. 1–11, 1993.
- [136] T. Albrecht, G. Matz, T. Hunte, and J. Hildemann, "An intelligent gas sensor system for the identification of hazardous airborne compounds using an array of semiconductor gas sensors and kohonen feature map neural networks," 1994.
- [137] J. Gardner, E. Hines, and C. Pang, "Detection of vapours and odours from a multisensor array using pattern recognition: self-organising adaptive resonance techniques," *Measurement and control*, vol. 29, no. 6, pp. 172–178, 1996.
- [138] B. Yang, M. Carotta, G. Faglia, M. Ferroni, V. Guidi, G. Martinelli, and G. Sberveglieri, "Quantification of h2s and no2 using gas sensor arrays and an artificial neural network," *Sensors and Actuators B: Chemical*, vol. 43, no. 1-3, pp. 235–238, 1997.
- [139] B. G. Kermani, S. S. Schiffman, and H. T. Nagle, "Using neural networks and genetic algorithms to enhance performance in an electronic nose," *IEEE Transactions on Biomedical engineering*, vol. 46, no. 4, pp. 429–439, 1999.
- [140] H.-K. Hong, C. H. Kwon, S.-R. Kim, D. H. Yun, K. Lee, and Y. K. Sung, "Portable electronic nose system with gas sensor array and artificial neural network," *Sensors and Actuators B: Chemical*, vol. 66, no. 1-3, pp. 49–52, 2000.
- [141] D.-S. Lee, H.-Y. Jung, J.-W. Lim, M. Lee, S.-W. Ban, J.-S. Huh, and D.-D. Lee, "Explosive gas recognition system using thick film sensor array and neural network," *Sensors and Actuators B: Chemical*, vol. 71, no. 1-2, pp. 90–98, 2000.

- [142] A. Yamazaki, T. Ludermir, and M. De Souto, "Classification of vintages of wine by artificial nose using time delay neural networks," *Electronics Letters*, vol. 37, no. 24, pp. 1466–1467, 2001.
- [143] Z. Xiaobo, Z. Jiewen, W. Shouyi, and H. Xingyi, "Vinegar classification based on feature extraction and selection from tin oxide gas sensor array data," *Sensors*, vol. 3, no. 4, pp. 101–109, 2003.
- [144] P. Gwizdź, A. Brudnik, and K. Zakrzewska, "Hydrogen detection with a gas sensor array—processing and recognition of dynamic responses using neural networks," *Metrology and Measurement Systems*, vol. 22, no. 1, pp. 3–12, 2015.
- [145] H. Sato, T. Minami, S. Takata, and T. Yamada, "Transparent conducting p-type nio thin films prepared by magnetron sputtering," *Thin solid films*, vol. 236, no. 1-2, pp. 27–31, 1993.
- [146] H. He, "Metal oxide semiconductors and conductors," in *Solution Processed Metal Oxide Thin Films for Electronic Applications*. Elsevier, 2020, pp. 7–30.
- [147] N. Kaur, M. Singh, and E. Comini, "One-dimensional nanostructured oxide chemoresistive sensors," *Langmuir*, vol. 36, no. 23, pp. 6326–6344, 2020.
- [148] E. Llobet, J. Brezmes, X. Vilanova, J. E. Sueiras, and X. Correig, "Qualitative and quantitative analysis of volatile organic compounds using transient and steady-state responses of a thick-film tin oxide gas sensor array," *Sensors and Actuators B: Chemical*, vol. 41, no. 1-3, pp. 13–21, 1997.
- [149] J. Fonollosa, L. Fernandez, A. Gutiérrez-Gálvez, R. Huerta, and S. Marco, "Calibration transfer and drift counteraction in chemical sensor arrays using direct standardization," *Sensors and Actuators B: Chemical*, vol. 236, pp. 1044–1053, 2016.

- 
- [150] A. Ziyatdinov, J. Fonollosa, L. Fernandez, A. Gutierrez-Galvez, S. Marco, and A. Perera, “Bioinspired early detection through gas flow modulation in chemosensory systems,” *Sensors and Actuators B: Chemical*, vol. 206, pp. 538–547, 2015.
- [151] M. Nayak, R. Dwivedi, and S. Srivastava, “Sensitivity and response times of doped tin oxide integrated gas sensors,” *Microelectronics journal*, vol. 25, no. 1, pp. 17–25, 1994.
- [152] N. Rajput, R. Das, V. Mishra, K. Singh, and R. Dwivedi, “A neural net implementation of spca pre-processor for gas/odor classification using the responses of thick film gas sensor array,” *Sensors and Actuators B: Chemical*, vol. 148, no. 2, pp. 550–558, 2010.
- [153] Y. LeCun, C. Cortes, and C. Burges, “Mnist handwritten digit database,” 2010.
- [154] K. Makantasis, K. Karantzalos, A. Doulamis, and N. Doulamis, “Deep supervised learning for hyperspectral data classification through convolutional neural networks,” in *2015 IEEE International Geoscience and Remote Sensing Symposium (IGARSS)*. IEEE, 2015, pp. 4959–4962.
- [155] S. N. Chaudhri, N. Rajput, K. Singh, and D. Singh, “Different modality based remote sensing data fusion approach for efficient classification of agriculture and urban subclasses,” in *IGARSS 2019-2019 IEEE International Geoscience and Remote Sensing Symposium*. IEEE, 2019, pp. 5710–5713.
- [156] —, “Mirror mosaicking based reduced complexity approach for the classification of hyperspectral images,” in *2021 IEEE International Geoscience and Remote Sensing Symposium IGARSS*. IEEE, 2021, pp. 3657–3660.

- [157] S. Chaudhri, N. Rajput, and K. Singh, "The novel camouflaged false color composites for the vegetation verified by novel sample level mirror mosaicking based convolutional neural network," in *2020 IEEE India Geoscience and Remote Sensing Symposium (InGARSS)*. IEEE, 2020, pp. 237–240.
- [158] S. N. Chaudhri, N. Rajput, K. Singh, and D. Singh, "Maximum membership fraction based pure pixel assessment approach for hyperspectral data analysis using deep learning," in *IGARSS 2019-2019 IEEE International Geoscience and Remote Sensing Symposium*. IEEE, 2019, pp. 5820–5823.
- [159] D. Karakaya, O. Ulucan, and M. Turkan, "Electronic nose and its applications: A survey," *International journal of Automation and Computing*, vol. 17, no. 2, pp. 179–209, 2020.
- [160] S. Marco and A. Gutierrez-Galvez, "Signal and data processing for machine olfaction and chemical sensing: A review," *IEEE Sensors Journal*, vol. 12, no. 11, pp. 3189–3214, 2012.
- [161] N. Rajput, R. Das, V. Mishra, K. Singh, and R. Dwivedi, "A fully neural implementation of unitary response model for classification of gases/odors using the responses of thick film gas sensor array," *Sensors and Actuators B: Chemical*, vol. 155, no. 2, pp. 759–767, 2011.
- [162] P. Peng, X. Zhao, X. Pan, and W. Ye, "Gas classification using deep convolutional neural networks," *Sensors*, vol. 18, no. 1, p. 157, 2018.
- [163] X. Zhao, Z. Wen, X. Pan, W. Ye, and A. Bermak, "Mixture gases classification based on multi-label one-dimensional deep convolutional neural network," *IEEE access*, vol. 7, pp. 12 630–12 637, 2019.

- [164] G. Wei, G. Li, J. Zhao, and A. He, “Development of a lenet-5 gas identification cnn structure for electronic noses,” *Sensors*, vol. 19, no. 1, p. 217, 2019.
- [165] A. Mishra, N. Rajput, and G. Han, “Ndsrt: an efficient virtual multi-sensor response transformation for classification of gases/odors,” *IEEE Sensors Journal*, vol. 17, no. 11, pp. 3416–3421, 2017.
- [166] P.-F. Qi, Q.-H. Meng, and M. Zeng, “A cnn-based simplified data processing method for electronic noses,” in *2017 ISOCS/IEEE International Symposium on Olfaction and Electronic Nose (ISOEN)*. IEEE, 2017, pp. 1–3.
- [167] Y. LeCun, L. Bottou, Y. Bengio, and P. Haffner, “Gradient-based learning applied to document recognition,” *Proceedings of the IEEE*, vol. 86, no. 11, pp. 2278–2324, 1998.
- [168] S. N. Chaudhri and N. S. Rajput, “Multidimensional multiconvolution-based feature extraction approach for drift tolerant robust classifier for gases/odors,” *IEEE Sensors Letters*, vol. 6, no. 4, pp. 1–4, 2022.
- [169] D. Dua and C. Graff, “UCI machine learning repository,” 2017. [Online]. Available: <http://archive.ics.uci.edu/ml>
- [170] I. Rodriguez-Lujan, J. Fonollosa, A. Vergara, M. Homer, and R. Huerta, “On the calibration of sensor arrays for pattern recognition using the minimal number of experiments,” *Chemometrics and Intelligent Laboratory Systems*, vol. 130, pp. 123–134, 2014.
- [171] D. P. Kingma and J. Ba, “Adam: A method for stochastic optimization,” *arXiv preprint arXiv:1412.6980*, 2014.

- [172] X. Glorot and Y. Bengio, “Understanding the difficulty of training deep feed-forward neural networks,” in *Proceedings of the thirteenth international conference on artificial intelligence and statistics*. JMLR Workshop and Conference Proceedings, 2010, pp. 249–256.
- [173] Q. Liu, X. Li, M. Ye, S. S. Ge, and X. Du, “Drift compensation for electronic nose by semi-supervised domain adaption,” *IEEE Sensors Journal*, vol. 14, no. 3, pp. 657–665, 2013.
- [174] G.-B. Huang, H. Zhou, X. Ding, and R. Zhang, “Extreme learning machine for regression and multiclass classification,” *IEEE Transactions on Systems, Man, and Cybernetics, Part B (Cybernetics)*, vol. 42, no. 2, pp. 513–529, 2011.
- [175] T. Liu, Y. Chen, D. Li, T. Yang, J. Cao, and M. Wu, “Drift compensation for an electronic nose by adaptive subspace learning,” *IEEE Sensors Journal*, vol. 20, no. 1, pp. 337–347, 2019.
- [176] L. Zhang, Y. Liu, Z. He, J. Liu, P. Deng, and X. Zhou, “Anti-drift in e-nose: A subspace projection approach with drift reduction,” *Sensors and Actuators B: Chemical*, vol. 253, pp. 407–417, 2017.
- [177] J. X. Leon-Medina, W. A. Pineda-Muñoz, and D. A. T. Burgos, “Joint distribution adaptation for drift correction in electronic nose type sensor arrays,” *IEEE Access*, vol. 8, pp. 134 413–134 421, 2020.
- [178] D. Badawi, T. Ayhan, S. Ozev, C. Yang, A. Orailoglu, and A. E. Cetin, “Detecting gas vapor leaks using uncalibrated sensors,” *IEEE Access*, vol. 7, pp. 155 701–155 710, 2019.



- 
- [179] X. Zhai, A. A. S. Ali, A. Amira, and F. Bensaali, “Mlp neural network based gas classification system on zynq soc,” *IEEE Access*, vol. 4, pp. 8138–8146, 2016.
- [180] A. Vanarse, A. Osseiran, and A. Rassau, “Real-time classification of multivariate olfaction data using spiking neural networks,” *Sensors*, vol. 19, no. 8, p. 1841, 2019.
- [181] U. Yaqoob and M. I. Younis, “Chemical gas sensors: Recent developments, challenges, and the potential of machine learning—a review,” *Sensors*, vol. 21, no. 8, p. 2877, 2021.
- [182] W. S. Al-Dayyeni, S. Al-Yousif, M. M. Taher, A. W. Al-Faouri, N. M. Tahir, M. M. Jaber, F. Ghabban, I. A. Najm, I. Alfadli, O. Ameerbakhsh *et al.*, “A review on electronic nose: Coherent taxonomy, classification, motivations, challenges, recommendations and datasets,” *IEEE Access*, 2021.
- [183] S. Lekha and M. Suchetha, “Real-time non-invasive detection and classification of diabetes using modified convolution neural network,” *IEEE journal of biomedical and health informatics*, vol. 22, no. 5, pp. 1630–1636, 2017.
- [184] S. Chaudhri and N. Rajput, “Mirror mosaicking: A novel approach to achieve high-performance classification of gases leveraging convolutional neural network.” in *SENSORNETS*, 2021, pp. 86–91.
- [185] K. A. Ngo, P. Lauque, and K. Aguir, “Identification of toxic gases using steady-state and transient responses of gas sensor array,” *Sensors and Materials*, vol. 18, no. 5, pp. 251–260, 2006.

- [186] S.-I. Choi, T. Eom, and G.-M. Jeong, “Gas classification using combined features based on a discriminant analysis for an electronic nose,” *Journal of Sensors*, vol. 2016, 2016.
- [187] H. Li, D. Luo, Y. Sun, and H. GholamHosseini, “Classification and identification of industrial gases based on electronic nose technology,” *Sensors*, vol. 19, no. 22, p. 5033, 2019.
- [188] L. Han, C. Yu, K. Xiao, and X. Zhao, “A new method of mixed gas identification based on a convolutional neural network for time series classification,” *Sensors*, vol. 19, no. 9, p. 1960, 2019.
- [189] A. U. Rehman, S. B. Belhaouari, M. Ijaz, A. Bermak, and M. Hamdi, “Multi-classifier tree with transient features for drift compensation in electronic nose,” *IEEE Sensors Journal*, vol. 21, no. 5, pp. 6564–6574, 2020.
- [190] E. Llobet, J. Brezmes, X. Vilanova, J. E. Sueiras, and X. Correig, “Qualitative and quantitative analysis of volatile organic compounds using transient and steady-state responses of a thick-film tin oxide gas sensor array,” *Sensors and Actuators B: Chemical*, vol. 41, no. 1-3, pp. 13–21, 1997.
- [191] T. Wang, M. Sun, and K. Hu, “Dilated deep residual network for image denoising,” in *2017 IEEE 29th international conference on tools with artificial intelligence (ICTAI)*. IEEE, 2017, pp. 1272–1279.
- [192] A. Wu, W.-S. Zheng, H.-X. Yu, S. Gong, and J. Lai, “Rgb-infrared cross-modality person re-identification,” in *Proceedings of the IEEE international conference on computer vision*, 2017, pp. 5380–5389.
- [193] K. O’Shea and R. Nash, “An introduction to convolutional neural networks,” *arXiv preprint arXiv:1511.08458*, 2015.

- 
- [194] A.-D. Nguyen, S. Choi, W. Kim, S. Ahn, J. Kim, and S. Lee, "Distribution padding in convolutional neural networks," in *2019 IEEE International Conference on Image Processing (ICIP)*. IEEE, 2019, pp. 4275–4279.
- [195] Y. Zhang, C. Zhang, Y. Zhao, and S. Gao, "Wind speed prediction with rbf neural network based on pca and ica," *Journal of Electrical Engineering*, vol. 69, no. 2, pp. 148–155, 2018.
- [196] P. Galkin, L. Golovkina, and I. Klyuchnyk, "Analysis of single-board computers for iot and iiot solutions in embedded control systems," in *2018 International Scientific-Practical Conference Problems of Infocommunications. Science and Technology (PIC S&T)*. IEEE, 2018, pp. 297–302.
- [197] J. Henkel, S. Pagani, H. Amrouch, L. Bauer, and F. Samie, "Ultra-low power and dependability for iot devices (invited paper for iot technologies)," in *Design, Automation & Test in Europe Conference & Exhibition (DATE), 2017*. IEEE, 2017, pp. 954–959.
- [198] D. C. Nguyen, M. Ding, P. N. Pathirana, A. Seneviratne, J. Li, D. Niyato, O. Dobre, and H. V. Poor, "6g internet of things: A comprehensive survey," *IEEE Internet of Things Journal*, 2021.
- [199] S. H. Alsamhi, F. A. Almalki, F. Afghah, A. Hawbani, A. V. Shvetsov, B. Lee, and H. Song, "Drones' edge intelligence over smart environments in b5g: Blockchain and federated learning synergy," *IEEE Transactions on Green Communications and Networking*, 2021.
- [200] S. H. Alsamhi, F. A. Almalki, H. Al-Dois, S. Ben Othman, J. Hassan, A. Hawbani, R. Sahal, B. Lee, and H. Saleh, "Machine learning for smart environments in b5g networks: connectivity and qos," *Computational Intelligence and Neuroscience*, vol. 2021, 2021.

- 
- [201] A. H. Sodhro, S. Pirbhulal, Z. Luo, K. Muhammad, and N. Z. Zahid, “Toward 6g architecture for energy-efficient communication in iot-enabled smart automation systems,” *IEEE Internet of Things Journal*, vol. 8, no. 7, pp. 5141–5148, 2020.
- [202] S. Deshmukh, R. Bandyopadhyay, N. Bhattacharyya, R. Pandey, and A. Jana, “Application of electronic nose for industrial odors and gaseous emissions measurement and monitoring—an overview,” *Talanta*, vol. 144, pp. 329–340, 2015.
- [203] A. D. Wilson, “Application of electronic-nose technologies and voc-biomarkers for the noninvasive early diagnosis of gastrointestinal diseases,” *Sensors*, vol. 18, no. 8, p. 2613, 2018.
- [204] —, “Diverse applications of electronic-nose technologies in agriculture and forestry,” *Sensors*, vol. 13, no. 2, pp. 2295–2348, 2013.
- [205] H. Shi, M. Zhang, and B. Adhikari, “Advances of electronic nose and its application in fresh foods: A review,” *Critical reviews in food science and nutrition*, vol. 58, no. 16, pp. 2700–2710, 2018.
- [206] M. Mamat, S. A. Samad, and M. A. Hannan, “An electronic nose for reliable measurement and correct classification of beverages,” *Sensors*, vol. 11, no. 6, pp. 6435–6453, 2011.
- [207] A. Somov, A. Baranov, D. Spirjakin, and R. Passerone, “Circuit design and power consumption analysis of wireless gas sensor nodes: one-sensor versus two-sensor approach,” *IEEE Sensors Journal*, vol. 14, no. 6, pp. 2056–2063, 2014.
- [208] M. Amarlingam, K. D. Prasad, P. Rajalakshmi, S. S. Channappayya, and C. S. Sastry, “A novel low-complexity compressed data aggregation method

- for energy-constrained iot networks,” *IEEE Transactions on Green Communications and Networking*, vol. 4, no. 3, pp. 717–730, 2020.
- [209] D. Jeyabharathi, D. Kesavaraja, and D. Sasireka, “Gas leakage detection from drainage to offer safety for sanitary workers,” *Design and Development of Efficient Energy Systems*, pp. 31–42, 2022.
- [210] S.-O. Baek, L. N. Suvarapu, and Y.-K. Seo, “Occurrence and concentrations of toxic vocs in the ambient air of gumi, an electronics-industrial city in korea,” *Sensors*, vol. 15, no. 8, pp. 19 102–19 123, 2015.
- [211] A. D. Wilson, “Review of electronic-nose technologies and algorithms to detect hazardous chemicals in the environment,” *Procedia Technology*, vol. 1, pp. 453–463, 2012.
- [212] H. Fan, V. Hernandez Bennetts, E. Schaffernicht, and A. J. Lilienthal, “Towards gas discrimination and mapping in emergency response scenarios using a mobile robot with an electronic nose,” *Sensors*, vol. 19, no. 3, p. 685, 2019.
- [213] J. Zhang, Y. Xue, Q. Sun, T. Zhang, Y. Chen, W. Yu, Y. Xiong, X. Wei, G. Yu, H. Wan *et al.*, “A miniaturized electronic nose with artificial neural network for anti-interference detection of mixed indoor hazardous gases,” *Sensors and Actuators B: Chemical*, vol. 326, p. 128822, 2021.
- [214] H. Li, K. Ota, and M. Dong, “Learning iot in edge: Deep learning for the internet of things with edge computing,” *IEEE network*, vol. 32, no. 1, pp. 96–101, 2018.
- [215] M. Merenda, C. Porcaro, and D. Iero, “Edge machine learning for ai-enabled iot devices: A review,” *Sensors*, vol. 20, no. 9, p. 2533, 2020.

- 
- [216] B. Chatterjee, N. Cao, A. Raychowdhury, and S. Sen, “Context-aware intelligence in resource-constrained iot nodes: Opportunities and challenges,” *IEEE Design & Test*, vol. 36, no. 2, pp. 7–40, 2019.
- [217] S. N. Chaudhri, N. S. Rajput, and A. Mishra, “A novel principal component-based virtual sensor approach for efficient classification of gases/odors,” *Journal of Electrical Engineering*, vol. 73, no. 2, pp. 108–115, 2022.
- [218] T. Wang, M. Sun, and K. Hu, “Dilated deep residual network for image denoising,” in *2017 IEEE 29th international conference on tools with artificial intelligence (ICTAI)*. IEEE, 2017, pp. 1272–1279.
- [219] A. Lopez-del Rio, M. Martin, A. Perera-Lluna, and R. Saidi, “Effect of sequence padding on the performance of deep learning models in archaeal protein functional prediction,” *Scientific reports*, vol. 10, no. 1, pp. 1–14, 2020.