

# Content

<b>Title</b>	<b>Page No.</b>
Acknowledgement.....	i
Content .....	iii
List of Figures .....	Vi
List of Tables .....	xi
Preface.....	xii
<b>1. INTRODUCTION.....</b>	<b>1</b>
1.1 INTRODUCTION.....	1
1.2 DEFINITION OF THE BADLANDS.....	2
1.3 FORMATION OF THE BADLANDS.....	2
1.4 RESEARCH OBJECTIVES.....	6
1.5 THE BENEFIT TO THE SOCIETY.....	6
<b>2. LITERATURE REVIEW.....</b>	<b>8</b>
2.1 PREVIOUS WORK.....	8
2.2 RESEARCH GAP.....	20
<b>3. ABOUT THE STUDY AREA.....</b>	<b>22</b>
3.1 LOCATION.....	22
3.2 CLIMATIC CONDITIONS.....	22
3.3 GEOMORPHOLOGY OF THE AREA.....	23
3.4 GEOLOGY OF THE AREA.....	24
3.5 LAND USE AND LAND COVER.....	25
<b>4. MATERIALS AND METHODS.....</b>	<b>29</b>
4.1 MATERIALS AND METHODOLOGY .....	29
4.2 FIELD VISIT.....	31
<b>5. MORPHOMETRIC CHARACTERISATION OF THE BADLANDS....</b>	<b>35</b>
5.1 INTRODUCTION.....	35
5.2 METHODOLOGY.....	36
5.2.1 Delineation of the Watershed.....	36
5.2.2 Description of the Morphometric Parameters.....	37
5.2.3 Statistical Methods.....	40
5.3 RESULTS.....	41
5.3.1 Determination of the Morphometric Parameters.....	47
5.3.2 Statistical Analysis.....	60
5.3.2a Pearson's Correlation Coefficient.....	60
5.3.2b Hierarchical Clustering Dendrogram.....	64
5.4 DISCUSSIONS.....	67
5.5 CONCLUSIONS.....	70

<b>6. MORPHOTECTONIC SIGNATURES OF THE NEOTECTONIC CONTROL ON THE BADLAND FORMATION.....</b>	<b>73</b>
6.1 INTRODUCTION.....	73
6.2 TECTONIC AND DEPOSITIONAL HISTORY OF THE AREA.....	74
6.3 METHODOLOGY.....	78
6.4 RESULTS.....	79
6.4.1 Tectonic Parameters/Factors.....	79
6.4.1a Elongation Ratio (Re).....	79
6.4.1b Hypsometric Integral (HI).....	80
6.4.1c Channel Sinuosity(S).....	81
6.4.1d Basin Asymmetry Factor (AF - index).....	82
6.4.1 e Basin Shape Index (Bs).....	83
6.4.2 Neo-tectonic Features in the Study Area.....	87
6.4.3 Morphotectonic Events Sequencing.....	92
6.4.4 Interpretations.....	94
6.5 DISCUSSIONS.....	96
6.6 CONCLUSIONS.....	97
<b>7. INTERDEPENDENCE AND MUTUAL IMPACT OF THE PHYSICO-CHEMICAL PROPERTIES OF THE SOILS AND THE BADLAND PROCESSES.....</b>	<b>100</b>
7.1 INTRODUCTION.....	100
7.2 METHODOLOGY.....	100
7.2.1 Sampling.....	100
7.2.2 Description of the Methods.....	101
7.2.3 Statistical Methods.....	102
7.3 RESULTS.....	105
7.3.1 Grain Size Analysis.....	105
7.3.2 Clay Mineralogy.....	109
7.3.3 Bulk Density and Total Porosity.....	111
7.3.4 Atterberg Limits.....	112
7.3.5 Chemical Properties.....	114
7.3.5 a Nutrients.....	117
7.3.6 Overlay Analysis.....	118
7.3.7 Statistical Analysis.....	120
7.3.7 a Principal Component Analysis.....	120
7.3.8 Comparison of Key Parameters of Soils of Different LULC Sites.....	123
7.4 DISCUSSION.....	126
7.5 CONCLUSIONS.....	129
<b>8. MULTIFRACTAL ANALYSIS OF THE BADLAND FORMATION...131</b>	
8.1 INTRODUCTION.....	131

8.2 METHODOLOGY.....	132
8.2.1 Description of the Multifractal Parameters.....	134
8.2.2 Description of the Lacunarity.....	137
8.3 RESULTS.....	138
8.3.1 Multifractal Analysis of the Badlands Sites.....	138
8.3.2 Lacunarity Analysis of the Badlands Sites.....	141
8.4 DISCUSSIONS.....	142
8.5 CONCLUSIONS.....	149
<b>9. ECO-RESTORATION OF THE BADLANDS.....</b>	<b>151</b>
9.1 INTRODUCTION.....	151
9.2 SYSTEMS APPROACH FOR RESTORATION.....	153
9.3 VEGETATIONAL AND BIOLOGICAL APPROACHES.....	155
9.4 ENGINEERING APPROACHES.....	157
9.5 RECLAMATION PLAN.....	158
9.6 GEOTOURISM.....	161
<b>10. SUMMARY AND CONCLUSIONS.....</b>	<b>164</b>
10.1 SUMMARY AND CONCLUSIONS OF THE WORK.....	164
10.2 FUTURE PROSPECTS.....	170
Reference List.....	172
List of Appendix.....	203
List of Publication.....	211

## List of Figures

---

---

<b>Figure No.</b>	<b>Title</b>	<b>Page No.</b>
<b>Figure 3. 1</b>	Location map of the study area.....	23
<b>Figure 3. 2</b>	(a) Digital Elevation Model (b) Geomorphological map (c) Geological map (d) Land use and land cover of the study area.....	26
<b>Figure 3. 3</b>	Field photographs showing network of rill, gully and channels in badland topography .....	27
<b>Figure 3. 4</b>	Field photographs showing (a) Shallow gully with 1m depth (b) headward erosion showing the advancement of the gully in badland area .....	27
<b>Figure 3. 5</b>	Field photographs showing piping features in the badland area .....	28
<b>Figure 4. 1</b>	Flow chart of the methodology of the present study.....	29
<b>Figure 4. 2</b>	Field photographs showing badland topography.....	31
<b>Figure 4. 3</b>	Field photographs showing various stages of Badland formation (a) Shallow gully; (b)Headward erosion; (c) Shallow holes; (d) and (e) Piping .....	32
<b>Figure 4. 4</b>	Field photographs showing measurement of gully in the area .....	33
<b>Figure 4. 5</b>	Field photography showing eroded road due to the rejuvenation of a gully.....	33
<b>Figure 5. 1</b>	Drainage extraction and watershed delineation methodology.....	37
<b>Figure 5. 2</b>	Map of (a) Third order sub-watershed; (b) Fourth order sub- watershed .....	37

<b>Figure 5. 3</b> (a) Semi-log plot of stream order and stream number; (b) Semi-log plot of stream order and total stream length .....	48
<b>Figure 5. 4</b> Distribution of bifurcation ratio ( $R_b$ 1&2) in the third and fourth-order subwatersheds; f- frequency; rcp- cumulative relative frequency percent.....	49
<b>Figure 5. 5</b> Distribution of drainage density ( $D_d$ ) in the third and fourth-order sub-watersheds; f-frequency; rcp- cumulative relative frequency percent .....	50
<b>Figure 5. 6</b> Spatial map of the drainage frequency ( $F_s$ ) .....	51
<b>Figure 5. 7</b> Distribution of drainage frequency ( $F_s$ ) in the third and fourth order sub-watersheds;f- frequency; rcp- cumulative relative frequency percent .....	52
<b>Figure 5. 8</b> Distribution of constant of channel maintenance (C) in the third and fourth-order sub-watersheds; f- frequency; rcp- cumulative relative frequency percent .....	55
<b>Figure 5. 9</b> Distribution of elongation ratio ( $R_e$ ) in the third and fourth-order sub-watersheds; f-frequency; rcp- cumulative relative frequency percent .....	57
<b>Figure 5. 10</b> Distribution of form factor ( $R_f$ ) in the third and fourth-order sub-watersheds; f-frequency; rcp- cumulative relative frequency percent .....	58
<b>Figure 5. 11</b> Distribution of ruggedness number ( $R_n$ ) in the third and fourth-order sub-watersheds; f- frequency; rcp- cumulative relative frequency percent .....	59
<b>Figure 5. 12</b> Distribution of dissection index ( $D_i$ ) in the third and fourth-order sub-watersheds; f-frequency; rcp- cumulative relative frequency percent .....	60
<b>Figure 5. 13</b> Hierarchical clustering dendrogram of morphometric parameters of third-order sub- watershed of the study area .....	65
<b>Figure 5. 14</b> Hierarchical clustering dendrogram of morphometric parameters of fourth-order sub-watershed of the study area.....	66

<b>Figure 6. 1</b> (a) Sub-surface ridge, depression in the Gangetic basin and their surface massif (after:Valdiya, 1976); (b) Location of study area over the Faizabad ridge.....	76
<b>Figure 6. 2</b> Structural map of the Vindhyan Sedimentary basin (after Srivastava et al., 2009)adjoining to the study area .....	77
<b>Figure 6. 3</b> Lineament map of the study area .....	78
<b>Figure 6. 4</b> Hypsometric curve of the Mandakini River in the study area.....	81
<b>Figure 6. 5</b> Spatial map of (a) Elongation ratio (Re); (b) Hypsometric Integral (HI); (c) Basin Shapeindex (Bs); (d) Basin Asymmetry Factor (AF); (e) Channel Sinuosity (S) in the study area .....	86
<b>Figure 6. 6</b> (a) DEM (Digital elevation model) of the river course; (b) The slope along the river course (width of the river course varies from 300-600m).....	88
<b>Figure 6. 7</b> Different River profiles along the Mandakini River (master stream) in the study area .....	89
<b>Figure 6. 8</b> Field photographs (a) (b) (c) showing high cliff in the study area ....	90
<b>Figure 6. 9</b> Field photographs (a) (b) (c) showing undulation in topography (drumlin shapestructure) in the study area.....	91
<b>Figure 6. 10</b> 3-D DEM model of the study area, manifesting undulating topography .....	91
<b>Figure 6. 11</b> Spatial map showing assigned classes for overlay analysis of (a) Elongation ratio (Re); .....	94
<b>Figure 7. 1</b> Methodological flow chart of spatial mapping.....	105
<b>Figure 7. 2</b> Soil textural classifications (Soil Survey Staff, 1951, USDA) of the	

soils of the studyarea.....	109
<b>Figure 7. 3</b> XRD data of (a) soil sample L-1; (b) L-9; (c) L-9.1;FTIR data of (d) L-1 and L-9; (e)L-23 and L-24 .....	110
<b>Figure 7. 4</b> (a) Calcrete nodules; (b) Calcrete horizon; (c) and (d) Microscopic fibre of calcite .....	111
<b>Figure 7. 5</b> Spatial distribution map of (a) Bulk density (b) Total porosity (c) Plastic limit (d)Liquid limit and (e) Plasticity index .....	113
<b>Figure 7. 6</b> Plasticity chart of the soil samples of the study area (after Casagrande, 1948) .....	113
<b>Figure 7. 7</b> Box plot of (a) Electric conductivity (b) Soil organic matter (SOM) (c) pH (d) SAR .....	116
<b>Figure 7. 8</b> Box plot of nutrient value of soil (a) Ca, Mg; (b) Na, K, N, P .....	118
<b>Figure 7. 9</b> Spatial map showing assigned classes for overlay analysis of (a) Liquid limit (b)Plasticity index (c) Bulk density (d) Drainage frequency .....	119
<b>Figure 7. 10</b> Spatial map of the badlands prone areas.....	120
<b>Figure 7. 11</b> Component plots of PC1 and PC2.....	123
<b>Figure 7. 12</b> Field photographs showing (a) and (b) Levelling of land by cut and fill method; (c)and (d) Rejuvenation of rills and gully in freshly reclaimed land by cut and fill method .....	125
<b>Figure 7. 13</b> Comparison of (a) Bulk Density; (b) Total Porosity; (c) Available Calcium; (d) pH ofsoil at various land use classes .....	126
<b>Figure 8. 1</b> Map of the study area showing the gully sites S1, S2, S3 and S4.....	133
<b>Figure 8. 2</b> Multifractal and fractal spectral curve of gully site S1, S2, S3, and S4 .....	140

<b>Figure 8. 3</b> Histogram of $\Delta\alpha$ (a-c), $\Delta f(\alpha)$ (d-f), $Dq$ (g-i) and $\Lambda g$ (j-l).....	142
<b>Figure 8. 4</b> Precipitation history from 2000 to 2018 of the study area (Source: India MeterologicalDepartment).....	146
<b>Figure 8. 5</b> Representation of SPI at different time scale of 3, 6, 9 and 12 months .....	146
<b>Figure 9. 1</b> Interdependence and influence of the various components of the badland system.....	152
<b>Figure 9. 2</b> Field photographs showing (a) and (b) Scarp-headed gully, native vegetation, lacking vegetational diversity in terms of variety of plants and trees. (c) and (d) Tall trees with huge canopy are completely missing in most of the badlands in the study area. ....	157
<b>Figure 9. 3</b> Identified locations for the constructions of various check-dams in the study area.....	160
<b>Figure 9. 4</b> Eco-restoration plan of the badlands area .....	163

## List of Tables

---

---

<b>Table No.</b>	<b>Title</b>	<b>Page No.</b>
<b>Table 3. 1</b>	Lithostratigraphy of the Chitrakoot area (after Singh and Pal, 1970; Anbarasu, 2001).....	25
<b>Table 4. 1</b>	Showing different parameters of the soil samples and their reasons for measurements.....	34
<b>Table 5. 1</b>	Table showing primary and derived morphometric parameters .....	38
<b>Table 5. 2</b>	Primary and derived morphometric parameters of the study area ....	43
<b>Table 5. 3</b>	Primary and derived parameters of the third-order sub-watershed ...	43
<b>Table 5. 4</b>	Primary and derived parameters of the fourth-order sub-watershed .	46
<b>Table 5. 5</b>	Pearson's Correlation Coefficient (= $r \times 100$ ) for 55 third-order sub-watersheds of the study area .....	62
<b>Table 5. 6</b>	Pearson's Correlation Coefficient (= $r \times 100$ ) for 9 fourth-order sub-watersheds of the study area .....	63
<b>Table 6. 1</b>	Derived values of morphotectonic parameters of the third order sub-watershed .....	84
<b>Table 6. 2</b>	Summary of morphotectonic analysis of the study area.....	86
<b>Table 7. 1</b>	Grain size distribution and physico-chemical property of the studied soil samples.....	107
<b>Table 7. 2</b>	Carbon-Oxygen isotopic distribution in the calcrete samples of the study area .....	116
<b>Table 7. 3</b>	Principal component analysis (PCA) of the physico-chemical parameters of soil .....	122
<b>Table 8. 1</b>	Multifractal parameters of the multifractal spectra and lacunarity values of the gulliesites S1, S2, S3, S4 .....	139