

Contents

	Page No.
Contents	viii
List of figures	xiv
List of tables	xviii
List of abbreviations	xx
Preface	xi
Chapter-1 Introduction	1-14
1.1 General introduction	3
1.2 Advanced oxidation processes (AOPs)	4
1.3 Photocatalysis: Basic principle and its type	6
1.3.1 Homogeneous photocatalysis	6
1.3.1.1 UV/Hydrogen peroxide (UV/H ₂ O ₂)	7
1.3.1.2 UV/Ozone (UV/O ₃)	7
1.3.1.3 UV/Ozone/Hydrogen peroxide (UV/O ₃ /H ₂ O ₂)	8
1.3.1.4 Photo-Fenton system (UV/F ²⁺ / H ₂ O ₂)	8
1.3.2 Heterogeneous Photocatalysis	9
1.4 Sonolysis	10
1.5 Objectives	14

Chapter-2 Literature reviews	15-44
2.1 Photocatalytic degradation of water pollutants: Fundamentals	17
2.1.1 Key parameters that affect dye degradation	21
2.1.1.1 Effect of catalyst concentration	21
2.1.1.2 Effect of concentration of water pollutants	21
2.1.1.3 Adsorption of pollutants on the surface of photocatalyst	22
2.1.1.4 Dissolve oxygen	22
2.1.1.5 Light intensity	23
2.1.1.6 Effect of pH	23
2.2 Semiconductor properties for photocatalysis	24
2.2.1 Energy gap	25
2.2.2 Electro-hole pair recombination	25
2.3 Bismuth ferrite (BiFeO_3): A perovskite material	26
2.4 Modification of BFO to improve photocatalytic efficiency	27
2.4.1 Rare earth doping	27
2.4.2 Surface modification	29
2.4.3 Heterojunction with other materials	30
2.5 Graphene and its derivatives	35
2.5.1 Graphene based heterojunctions	37
2.6 Sonophotocatalytic process: Ultrasound assisted photocatalysis	41
Chapter-3 Experimental	47-63
3.1 Synthesis of supports	49
3.1.1 Graphene oxide (GO)	49

3.1.2 Reduced graphene oxide	49
3.1.3 Nitrogen doped reduced graphene oxide	50
3.2 Synthesis of photocatalysts	50
3.2.1 Bismuth ferrite (BFO)	50
3.2.2 Gadolinium doped bismuth ferrite (BGFO)	50
3.3 Synthesis of heterojunctions	51
3.3.1 rGO supported bismuth ferrite (BFO/rGO)	51
3.3.2 N-rGO supported bismuth ferrite (BFO/N-rGO)	51
3.3.3 N-rGO supported gadolinium doped bismuth ferrite (BGFO/N- rGO)	51
3.4 Experimental setup and activity measurements	52
3.5 Contamination source: Rhodamine B	53
3.6 Materials	54
3.7 Characterization tools	54
3.7.1 X-ray diffraction (XRD)	56
3.7.2 Fourier transform infrared spectroscopy (FTIR)	57
3.7.3 Diffused reflectance spectroscopy (DRS)	58
3.7.4 Photoluminescence spectroscopy (PL)	58
3.7.5 Scanning electron microscope (SEM)	59
3.7.6 Energy dispersive X-ray (EDX)	59
3.7.7 Transmission electron microscope (TEM) and selected area electron diffraction (SAED)	59
3.7.8 X-ray photoelectron spectroscopy (XPS)	60

3.7.9	Electrochemical impedance spectroscopy (EIS)	61
3.7.10	Mott-Schottky (MS)	62
3.7.11	Brunauer–Emmett–Teller (BET) surface area	62
Chapter-4	Result and discussion	65-134
4.1	Selection of suitable graphene oxide-based support for bismuth ferrite in photocatalytic degradation process	68
4.1.1	XRD studies	69
4.1.2	FTIR studies	71
4.1.3	UV-DRS analysis	74
4.1.4	TEM analysis	77
4.1.5	XPS studies	78
4.1.6	Photoluminescence studies	85
4.1.7	Electrochemical impedance spectroscopy (EIS) Studies	86
4.1.8	Mott-Schottky analysis	87
4.1.9	Photocatalytic performance	89
4.1.9.1	Effect of catalyst concentration	89
4.1.9.2	Effect of dye concentration	90
4.1.9.3	Effect of pH	91
4.1.9.4	Photocatalytic degradation kinetics	92
4.1.9.5	Reactive species in photocatalytic degradation of RhB	94
4.1.9.6	Plausible mechanism of degradation of RhB	95
4.1.9.7	Stability of photocatalyst	97
4.1.10	Summary	98

4.2 Synergistic effect of N-rGO supported Gd-doped bismuth ferrite on photocatalytic degradation of Rhodamine B	99
4.2.1 XRD studies	99
4.2.2 FTIR studies	101
4.2.3 Diffused reflectance spectroscopy and Photoluminescence spectroscopy studies	103
4.2.4 Morphological analysis	106
4.2.5 XPS studies	108
4.2.6 BET surface area analysis	113
4.2.7 Electrochemical impedance spectroscopy and Mott-Schottky analysis	114
4.2.8 Photocatalytic performance	117
4.2.8.1 Activity and kinetic studies	117
4.2.8.2 Effect of reactive species in degradation process and plausible mechanism	118
4.2.9 Stability of the catalyst	121
4.2.10 Summary	122
4.3 Sono-photocatalytic degradation of Rhodamine B over N-rGO supported Gd-doped bismuth ferrite heterojunction.	124
4.3.1 Sonophotocatalytic performances	124
4.3.1.1 Effect of catalyst loading	124
4.3.1.2 Effect of dye concentration	125
4.3.1.3 Effect of pH	126

4.3.1.4	Effect of ultrasonic power	128
4.3.1.5	Sonophotocatalytic activity	129
4.3.1.6	Plausible mechanism of sono-photocatalytic degradation of RhB	131
4.3.2	Summary	134
Chapter-5	Conclusions and future scopes	135-136
5.1	Conclusions	137
5.2	Future scopes	139
References		141

List of Figures

Fig. No.	Caption of the Figure	Page No.
1.1	Bubble growth and implosion phenomena.	11
1.2	Reaction zones in cavitation process.	12
2.1	Microscopic phenomena of photocatalytic process.	17
2.2	Band edge positions of some semiconductors.	24
3.1	Experimental setup.	52
3.2	A diagrammatic representation of (a) Photocatalytic process; (b) Sonophotocatalytic process.	53
3.3	Chemical structure of Rhodamine B (RhB).	54
4.1.1	XRD patterns of GO, rGO, and N-rGO.	69
4.1.2	XRD patterns of BFO, BFO/rGO, and BFO/N-rGO; Inset shows the enlarge version around 2-theta equal to 51 degrees.	70
4.1.3	FTIR Spectra of GO, rGO, and N-rGO.	71
4.1.4	FTIR Spectra of BFO, BFO/rGO, and BFO/N-rGO.	72
4.1.5	DRS of BFO, BFO/rGO, and BFO/N-rGO.	75
4.1.6	Tauc's Plot of BFO, BFO/rGO, and BFO/N-rGO.	76
4.1.7	TEM images of (a) BFO, (b) BFO/rGO, and (c) BFO/N-rGO; HR-TEM of (d) BFO, (e) BFO/rGO, and (f) BFO/N-rGO.	77
4.1.8	XPS spectra of C 1s (a) rGO, (b) NrGO, (c) BFO/rGO, (d) BFO/N-rGO.	78
4.1.9	XPS spectrum of N1s (a) NrGO (b) BFO/N-rGO.	79

4.1.10	XPS spectra of O 1s (a) rGO, (b) NrGO, (c) BFO, (d) BFO/rGO, (e) BFO/N-rGO.	81
4.1.11	XPS spectra of Bi 4f in (a) BFO, (b) BFO/rGO, (c) BFO/N-rGO; Fe 2p in (d) BFO, (e) BFO/rGO, (f) BFO/N-rGO.	82
4.1.12	PL Spectra of BFO, BFO/rGO and BFO/N-rGO.	85
4.1.13	Nyquist plot of BFO, BFO/rGO and BFO/N-rGO.	86
4.1.14	Mott-Schottky plot of BFO, BFO/rGO and BFO/N-rGO.	87
4.1.15	Effect of catalyst loading.	89
4.1.16	Effect of dye concentration (Catalyst loading 120 mg.L ⁻¹ , pH=4.3).	90
4.1.17	Effect of pH on photocatalytic degradation of RhB.	92
4.1.18	(a)Photocatalytic activity of different materials for the degradation of RhB dye; (b) Reaction kinetics.	93
4.1.19	Reactive traping experiment for photocatalytic degradation of RhB.	95
4.1.20	Reusability test.	97
4.2.1	XRD patterns of N-rGO, BFO, BGFO, and BGFO/N-rGO (enlarge sections around at 2-theta of 31 and 51 degree).	100
4.2.2	FTIR Spectra of BFO, BGFO, BGFO/N-rGO, and N-rGO (enlarge sections between 510-700 cm ⁻¹ and 1000-1800 cm ⁻¹).	101
4.2.3	(a) DRS absorbance, (b) Tauc's Plot, (c) PL Spectra of BFO, BGFO and BGFO/N-rGO.	104

4.2.4	SEM image of (a) BFO, (b) BGFO, and (c) BGFO/N-rGO; TEM image of (d) BFO, (e) BGFO, and (f) BGFO/N-rGO.	106
4.2.5	EDX of (a) BFO, (b) BGFO, and (c) BGFO/N-rGO.	107
4.2.6	Survey spectra of BFO, BGFO, and BGFO/N-rGO.	108
4.2.7	XPS spectra of N1s in (a) NrGO, (b) BGFO/N-rGO; XPS spectra of O 1s in (c) NrGO, (d) BFO, (e) BGFO, (f) BGFO/N- rGO.	109
4.2.8	XPS spectra of Bi 4f in (a) BFO, (b) BGFO, (c) BGFO/N-rGO.	111
4.2.9	XPS spectra of Gd 3d in (a) BGFO, (b) BGFO/N-rGO.	112
4.2.10	XPS spectra of Fe 2p in (a) BFO, (b) BGFO, and (c) BGFO/N- rGO.	112
4.2.11	Nitrogen adsorption- desorption isotherm of BFO, BGFO, and BGFO/N-rGO.	114
4.2.12	Nyquist plots of BFO, BGFO, and BGFO/N-rGO; (b) Mott- Schottky Plots.	116
4.2.13	(a) Photocatalytic activity (Catalyst loading =120 mg.L-1, pH =4.3); (b) Reaction kinetics	117
4.2.14	Reactive traping experiment for photocatalytic degradation of RhB.	119
4.2.15	(a) Schematic illustration of photocatalytic degradation of RhB; (b) Magnified illustration of multiple charge transfer occurring in photocatalytic process.	121

4.2.16	(a) The reusability of BGFO/N-rGO composite; (b)XRD spectra of BGFO/N-rGO before and after experiment.	122
4.3.1	Effect of catalyst loading.	125
4.3.2	Effect of RhB concentration.	126
4.3.3	Effect of pH on (a) Photocatalytic degradation; (b) Sono-photocatalytic degradation.	127
4.3.4	Comparative study of rate constant vs. pH between photocatalytic and sono-photocatalytic process.	128
4.3.5	(a)Effect of ultrasonic power density in sono-photocatalytic degradation of RhB. (b) Reaction kinetic plot.	129
4.3.6	(a) Sono-, photo- and sono-photocatalytic degradation of RhB, and (b) corresponding rate constant.	130

List of tables

Table No.	Caption of the table	Page No.
2.1	Rare-earth metal doping in BFO for water pollutants.	28
2.2	BiFeO ₃ based heterojunctions for wastewater treatment.	32
2.3	Graphene-based composites for degradation of water pollutants.	38
2.4	Sonophotocatalytic processes for wastewater treatment.	43
3.1	Instruments used in present study.	55
4.1.1	Observed functional groups by FTIR Spectroscopy	73
4.1.2	Band gap, average crystallite size and particle size of BFO, BFO/rGO, and BFO/N-rGO.	76
4.1.3	Binding energy of C 1s and O 1s electrons in rGO, N-rGO, BFO, BFO/rGO, and BFO/N-rGO.	80
4.1.4	Binding energy of Bi ⁺³ and Fe ⁺³ electrons in BFO, BFO/rGO, and BFO/N-rGO.	84
4.1.5	Flat band positions and carrier concentrations for BFO, BFO/rGO, and BFO/N-rGO.	88
4.1.6	Rate constant (k, g ⁻¹ h ⁻¹) for BFO, BFO/rGO, and BFO/N-rGO.	94
4.2.1	Observed functional groups by FTIR Spectroscopy.	102
4.2.2	Bandgap, surface area, average crystallite size and particle size of BFO, BGFO, and BGFO/N-rGO.	105

4.2.3	Binding energies of O1s and N 1s.	110
4.2.4	Binding energies of Bi 4f, Fe 2p, and Gd 3d.	113
4.2.5	Flat band positions, carrier concentrations of BFO, BGFO, and BGFO/N-rGO.	116
4.2.6	Rate constants of BFO, BGFO, and BGFO/N-rGO.	118
4.3.1	Rate constants and synergy index.	131