

TABLE OF CONTENTS

Certificate	
Acknowledgements	
Table of contents	i
List of figures	v
List of tables	xi
List of symbols	xiii
Preface	xvii

CHAPTER 1: INTRODUCTION 1

1.1 Background 3

1.2 Objectives of the current research work 9

1.3 Format of the thesis 10

CHAPTER 2: LITERATURE REVIEW 13

2.1 Introduction 15

2.2 Stainless steel 15

2.3 History of stainless steel 16

2.4 Types of stainless steel 17

2.4.1 Martensitic stainless steel 18

2.4.2 Duplex stainless steel 19

2.4.3 Precipitation hardened stainless steel 19

2.4.4	Austenitic stainless steel.....	20
2.4.5	Ferritic stainless steel	21
2.5	Mechanical and physical properties.....	28
2.5.1	Crystal structure	28
2.5.2	Physical properties	28
2.5.3	Mechanical properties	29
2.6	Welding of ferritic grades	29
2.6.1	Electric resistance welding.....	29
2.6.2	Electron beam welding	31
2.6.3	Laser beam welding	32
2.6.4	Friction welding	32
2.6.5	Electric arc welding.....	34
2.7	Welding of ferritic stainless steel AISI 409 (SS409).....	36
2.7.1	Gas tungsten arc welding of SS409.....	37
2.7.2	Friction stir welding of SS409.....	40
2.7.3	Gas metal arc welding of SS409	42
2.8	Friction stir processing.....	45
2.8.1	Friction stir processing of aluminium and its alloys.....	47
2.8.2	Friction stir processing of magnesium and its alloys.....	49
2.8.3	Friction stir processing of carbon steels	51
2.8.4	Friction stir processing of stainless steels	53
2.9	Literature gap	55
 CHAPTER 3: EXPERIMENTATION		 57
3.1	Gas metal arc welding of ferritic stainless steel	59
3.1.1	Introduction	61

3.1.2	Selection of base material and welding process.....	61
3.1.3	Selection of electrodes	62
3.1.4	Selection of backing plate.....	63
3.1.5	Joint configuration	65
3.1.6	Equipment used for experimentation	67
3.1.7	Welding trial runs for gas metal arc welding of SS 409L.....	75
3.1.8	Final welding runs at the selected parameters.....	86
3.1.9	Characterisation of welds.....	89
3.2	Friction stir processing of gas metal arc welded ferritic stainless steel ...	109
3.2.1	Introduction.....	111
3.2.2	Friction stir processing equipment.....	112
3.2.3	Selection of friction stir processing tool material	115
3.2.4	Tool grinder	118
3.2.5	Selection of tool profile	119
3.2.6	Processing trial runs on gas metal arc welded plate.....	120
3.2.7	Outcome of the trial runs	123
3.2.8	Final runs	124
3.2.9	Characterisation of the processed plates	126
CHAPTER 4: RESULTS AND DISCUSSION.....		131
4.1	Gas metal arc welding of ferritic stainless steel	133
4.1.1	Introduction.....	135
4.1.2	Visual examination of the weld	136
4.1.3	X-ray radiography of the welds	137
4.1.4	Calculation of percentage dilution	139
4.1.5	Relation between heat input and percentage dilution.....	141
4.1.6	Variation of percentage dilution with the welding current.....	142
4.1.7	Variation of percentage dilution with the welding voltage	143
4.1.8	Variation of percentage dilution with the welding speed.....	145

4.1.9	Chemical composition of welds	146
4.1.10	Metallography study.....	151
4.1.11	X-ray diffraction analysis	159
4.1.12	Hardness of weld metal zone and heat affected zone	161
4.1.13	Tensile testing	163
4.1.14	Charpy impact testing.....	169
4.1.15	Residual stress measurement of the welded plate	171
4.1.16	Micro-magnetic characterisation of welds	172
4.2	Friction stir processing of gas metal arc welded ferritic stainless steel ...	211
4.2.1	Introduction	213
4.2.2	Visual examination of the processed plate	214
4.2.3	X-ray radiography of the processed plates	215
4.2.4	Metallography	216
4.2.5	Microhardness testing	228
4.2.6	Tensile testing	231
4.2.7	Charpy impact testing.....	233
4.2.8	Residual stress measurement of the processed plate	237
4.2.9	Micro-magnetic characterisation of processed plates	239
CHAPTER 5: CONCLUSIONS		249
CHAPTER 6: SCOPE FOR FUTURE WORK.....		255

List of figures

Figure 2.1 Types of stainless steel.....	18
Figure 2.2 Different grades of ferritic stainless steel.....	22
Figure 2.3 Terminology used in FSP.....	46
Figure 3.1 Copper backing plate.	64
Figure 3.2 Different types of joints: (a) butt joint, (b) lap joint, (c) corner joint, (d) edge joint, and (e) tee joint.	65
Figure 3.3 Types of the butt joint.	66
Figure 3.4 GMAW machine setup along with its components: (a) shielding gas cylinder, wire feed rate controller, power source, and (b) welding gun, wire feeder, welding trolley, welding rail, welded plate.	67
Figure 3.5 Welding trolley: (a) controller components, (b) attachments to the welding trolley.....	72
Figure 3.6 Welding rail.	73
Figure 3.7 Job clamping setup.....	74
Figure 3.8 Schematic diagram of (a) stick out and electrode extension, (b) nozzle to workpiece distance and contact tip to workpiece distance.....	81
Figure 3.9 Trial runs with different root gaps.	83
Figure 3.10 Schematic diagram of root gap.	84
Figure 3.11 Trial runs at different rates of the shielding gas.....	85
Figure 3.12 Photographs of a few welded plates obtained at different welding process parameters.	88
Figure 3.13 X-ray radiography of welded plate.	90
Figure 3.14 Schematic diagram of extraction of different specimens for characterisations from the welded plates.	91
Figure 3.15 Transverse section of the welded plate (a) actual weld bead, and (b) schematic diagram.	95
Figure 3.16 Schematic diagram of locations for hardness measurement.	98

Figure 3.17 Schematic diagram of transverse tensile sample.	100
Figure 3.18 Schematic diagram of reduced section transverse tensile sample.	100
Figure 3.19 Steps followed to tensile sample preparation and performing the tensile testing operation.	101
Figure 3.20 Schematic diagram of Charpy impact testing sample.	102
Figure 3.21 Charpy impact testing process: (a) testing machine, (b) magnified view of the sample holding location, (c) testing sample and (d) fractured sample after performing testing.	103
Figure 3.22 Schematic diagram showing residual stress measurement points in the welded plates.	104
Figure 3.23 MBN analyser setup.	106
Figure 3.24 Schematic diagram of MBN analyser.	106
Figure 3.25 FSP machine setup.	112
Figure 3.26 Photographs of FSP tool profile preparation (a) tool grinding machine, (b) closure view of tool and grinding wheel, and (c) prepared FSP tool.	118
Figure 3.27 Photographs of the sequence of FSP of the welded plate: (a) welded plate after shaping operation, (b) performing FSP operation on the welded plate, and (c) FSPed welded plate.	120
Figure 3.28 Profile of FSP tool: (a) schematic diagram of FSP tool, and (b) actual FSP tool.	124
Figure 3.29 FSP of gas metal arc welded plate S7 at different processing parameters.	126
Figure 3.30 Schematic diagram of extraction of different specimens for characterisations from the processed plates.	127
Figure 3.31 Fractured transverse tensile sample after performing tensile testing.	129
Figure 3.32 Fractured reduced section tensile sample after performing tensile testing.	129
Figure 3.33 Schematic diagram showing residual stress measurement points in the processed plates.	130
Figure 4.1 Image of the trial run weld sample: (a) top surface, and (b) bottom surface.	136
Figure 4.2 Image of the final weld sample: (a) top surface, and (b) bottom surface.	137
Figure 4.3 X-ray radiography of welded plate.	138
Figure 4.4 Variation of percentage dilution at different heat input.	141

Figure 4.5 Plot of percentage dilution versus welding current at different values of welding speed.	142
Figure 4.6 Plot of percentage dilution versus welding voltage at different values of welding speed.....	144
Figure 4.7 Plot of percentage dilution versus welding speed at different values of welding voltage.....	145
Figure 4.8 Variation of (Cr_{eq}/Ni_{eq}) ratio with the heat input.	150
Figure 4.9 Macrograph of the weld sample.....	151
Figure 4.10 Microstructure of different regions: (a)BMZ, (b) WMZ, (c) HTHAZ, (d) interface between HTHAZ and WMZ, (e) interface between LTHAZ and HTHAZ, (f) LTHAZ, and (g) interface between LTHAZ and BMZ.	152
Figure 4.11 Schaeffler diagram.	154
Figure 4.12 13% Cr pseudobinary phase diagram.....	156
Figure 4.13 Variation in the grain size of HAZ and WMZ with the heat input.....	158
Figure 4.14 XRD analysis of weld metal.	160
Figure 4.15 Variation of the average hardness of WMZ and HAZ at different heat input.....	161
Figure 4.16 Transverse tensile test specimen after testing: (a) base metal, and (b) welded plate.	163
Figure 4.17 Tensile stress-strain curve for (a) base metal SS409L, and (b) welded plate S7.	164
Figure 4.18 Fractographic surfaces of the transverse tensile sample of (a,b) base metal and (c,d) welded plate S7.....	165
Figure 4.19 Fractographic surfaces of reduced section tensile sample of (a,b) base metal and (c,d) welded plate S7.....	168
Figure 4.20 Charpy impact toughness test specimen after testing.....	169
Figure 4.21 Variation of Impact toughness of WMZ and HAZ at different heat input.....	169
Figure 4.22 Longitudinal residual stress measurements in the welded plate.....	171
Figure 4.23 Variation of AMFD.	175
Figure 4.24 Variation of AMFD in (a) low frequency range, and (b) high frequency range.	177
Figure 4.25 Magnetisation curve at the magnified view.	181

Figure 4.26 Variation of coreloss.	182
Figure 4.27 Variation of core loss in (a) low-frequency range, and (b) high-frequency range.....	185
Figure 4.28 Variation of average permeability.	188
Figure 4.29 Variation of average permeability in (a) low-frequency range, and (b) high-frequency range.	190
Figure 4.30 Variation of remanence.	192
Figure 4.31 Variation of remanence in (a) low-frequency range, and (b) high-frequency range.	195
Figure 4.32 Variation of coercivity.....	198
Figure 4.33 Variation of coercivity in (a) low-frequency range, and (b) high-frequency range.....	200
Figure 4.34 Variation of the number of pulses with magnetizing frequency.	204
Figure 4.35 Variation of the number of pulses with MFI.	206
Figure 4.36 Variation of the RMS value with magnetizing frequency.	207
Figure 4.37 Variation of the RMS value with the MFI.....	209
Figure 4.38 Photographs of some of the processed plates.	214
Figure 4.39 X-ray radiography of processed plate.....	215
Figure 4.40 (a) Metallographic sample, (b) Macrostructure of processed plate, (c) Microstructure of PR, (d) Microstructure at the interface of PR and WMZ, and (e) microstructure showing PR, TMAZ and HAZ (FSP).....	217
Figure 4.41 XRD analysis of the processed plate.	221
Figure 4.42 Microstructure of different regions of friction stir processed plate taken by scanning electron microscope: (a) PR, (b) TMAZ and (c) HAZ (FSP).	223
Figure 4.43 Grain size of different zones of friction stir processed plate: (a) PR, (b) TMAZ and (c) HAZ (FSP).....	224
Figure 4.44 Comparative hardness profile of different regions of friction stir processed plate and gas metal arc welded plate.	229

Figure 4.45 Hardness of different zones of friction stir processed plate: (a) PR, (b) TMAZ and (c) HAZ (FSP).	230
Figure 4.46 Charpy impact toughness test specimen after testing.....	234
Figure 4.47 Variation of impact toughness I_1 with the RS to PS ratio.	236
Figure 4.48 Variation of impact toughness I_2 with the RS to PS ratio.	236
Figure 4.49 Longitudinal residual stress measurements in the processed plate.	237
Figure 4.50 Average permeability of various zones.	240
Figure 4.51 AMFD of various zones.....	241
Figure 4.52 Remanence of various zones.....	242
Figure 4.53 Coercivity of various zones.	244
Figure 4.54 Coreloss of various zones.	245
Figure 4.55 Number of pulses of various zones.	246
Figure 4.56 RMS value of various zones.	247

List of Tables

Table 3.1 Chemical compositions of base metal (weight %)	62
Table 3.2 Chemical compositions of electrode wire (weight %).....	63
Table 3.3 Specifications of the power source.....	68
Table 3.4 Specification of the GMAW machine.....	75
Table 3.5 Different combinations of welding process parameters.....	86
Table 3.6 Specification of the FSP machine.....	115
Table 3.7 Process parameters of FSP on welded SS409L plate.....	125
Table 4.1 Results of the radiographic testing.....	138
Table 4.2 Percentage dilution calculated for welds produced using GMAW	140
Table 4.3 Chemical composition (weight %) of WMZ.....	147
Table 4.4 Reduced section tensile properties	167
Table 4.5 MBN response of different zones with different MFI at the constant magnetizing frequency (25 Hz).....	202
Table 4.6 MBN response of different zones with different magnetizing frequency at constant MFI (800 Oe).....	202
Table 4.7 Results of the radiographic testing.....	216
Table 4.8 Tensile properties of the processed region	232
Table 4.9 Charpy impact toughness of different regions of sample S7.....	234
Table 4.10 Charpy impact toughness of processed plates.....	234