

Table of Contents

		Page Number
List of Figures		i-vi
List of Tables		vii
List of Acronyms/Abbreviations		viii-xi
Preface		xii-xiv
Chapter 1	Introduction and Literature Survey	1-50
	1.1 g-C ₃ N ₄ : brief historical background and synthesis process	2-9
	1.2 Structural, Optical and Morphological features	
	1.2.1 Structural features of bulk g-C ₃ N ₄	10-12
	1.2.2 Optical features of g-C ₃ N ₄ and band gap	13
	1.2.3 Morphological features of g-C ₃ N ₄ and Dimensionality	14-15
	1.3 Carbon composites and g-C ₃ N ₄ as substitute of N doped carbon	16
	1.4 Potential application area of g-C ₃ N ₄ and its Composites	17-18
	1.4.1 Limitation of bulk g-C ₃ N ₄ for practical application	19
	1.4.2 Functionalization of g-C ₃ N ₄ : heterostructures/heterojunction	20
	1.4.3 Renewable energy and role of g-C ₃ N ₄ as an electrocatalyst	21
	1.4.3.1 Hydrogen (H ₂) as an energy carrier	22
	1.4.3.2 g-C ₃ N ₄ and its composites as HER electrocatalyst	23-24
	1.4.3.3 Figures of Merit for electrocatalyst	
	1.4.3.3 (a) Onset potential and over potential	
	1.4.3.3 (b) Exchange current density (<i>j₀</i>)	
	1.4.3.3 (c) Tafel equation and Tafel slope	
	1.4.3.3 (d) Gibbs free energy of adsorption and Volcano plot	25-32
	1.4.3.3 (e) Stability	
	1.4.3.3 (f) Faradic efficiency	
	1.4.3.3 (g) Turnover frequency (ToF)	
	1.4.3.4 Mechanism of HER	
	1.4.3.5 OER and its mechanism	
	1.4.3.6 Oxygen Reduction Reaction (ORR)	33
	1.4.4 Carbon nitride as the next generation of carbon-based supercapacitors	34-36
	1.4.4 (a) Role of different bonding state of nitrogen in catalytic activity	37

	<p>1.4.4 (b) Electrolyte selection in energy conversion and energy storage</p> <p>1.4.5 g-C₃N₄ as photocatalyst materials</p> <p>1.4.5.1 g-C₃N₄ for photocatalytic organic dye degradation</p> <p>1.4.5.1 (a) Z-scheme photocatalysis</p> <p>1.4.5.1 (b) Semiconductor heterojunctions: types</p> <p>1.4.5.1 (c) Ternary photocatalytic heterostructures</p> <p>1.4.5.2 g-C₃N₄ as sensing material</p> <p>1.4.5.2 (a) Fluorescent sensing by CNQDs</p> <p>1.4.5.2 (b) Lifetime of fluorescent material</p> <p>1.4.5.2 (c) Fluorescent quantum yield (QY)</p> <p>1.4.5.2 (d) Limit of detection (LOD)</p> <p>1.4.6 g-CN as catalyst support</p>	<p>38</p> <p>39-42</p> <p>43-47</p> <p>47</p>
	1.5 Scope of the work and objective of the thesis	48-50
Chapter 2	Characterization Techniques	51-73
	<p>2.1 Structural Characterization</p> <p>2.1.1 X-ray diffraction</p> <p>2.1.2 Raman Spectroscopy</p> <p>2.1.3 Fourier transform infrared spectroscopy</p> <p>2.1.4 UV visible spectroscopy</p> <p>2.1.5 Fluorescence spectroscopy</p>	<p>53</p> <p>54</p> <p>55-56</p> <p>57-58</p> <p>59</p>
	<p>2.2 Morphological Characterization</p> <p>2.2.1 Scanning electron microscopy (SEM) and Field-emission scanning electron microscopy (FE-SEM)</p> <p>2.2.1 (a) Secondary electron detector (SE2)</p> <p>2.2.1 (b) Secondary electron In-lens detector</p> <p>2.2.1 (c) Backscattered electron detector (AsB)</p> <p>2.2.1 (d) Backscattered electron In-lens detector (EsB)</p> <p>2.2.1 (e) An X-Ray dispersive energy detector</p> <p>2.2.2 Transmission electron microscopy (TEM) and high-resolution TEM (HR-TEM)</p>	<p>59-60</p> <p>61</p> <p>62-63</p>
	<p>2.3 Elemental analysis</p> <p>2.3.1 X-ray photoelectron spectroscopy (XPS)</p> <p>2.3.2 Energy dispersive x-ray analysis (EDX)</p>	<p>64</p> <p>65</p>
	2.4 Surface area analysis: Brunauer–Emmett–Teller (BET) Theory	66-67
	<p>2.5 Electrochemical workstation: CHI7044 and electrochemical methods</p> <p>2.5.1 Working electrode</p> <p>2.5.2 Reference electrode</p> <p>2.5.3 Counter (Auxiliary) electrode</p> <p>2.5.4 Cyclic voltammetry and linear sweep voltammetry</p> <p>2.5.5 Amperometry, chronoamperometry and</p>	68-73

	chronopotentiometry 2.5.6 Faradic and capacitive current	
Chapter 3	Ternary Nanocomposite of red P, reduced Graphene Oxide and graphitic Carbon Nitride (red P-rGO-g-C ₃ N ₄) as Metal-Free Electro-catalysts for Hydrogen Evolution Reaction	74-100
	3.1 Introduction	75-77
	3.2 Experimental Section 3.2.1 Materials 3.2.2 Synthesis of g-C ₃ N ₄ 3.2.3 Synthesis of Graphene Oxide (GO) 3.2.4 Synthesis of red P-rGO-g-C ₃ N ₄ composite 3.2.5 Preparation of composite ink and electrode modification 3.2.6 Instrumentations	78-81
	3.3 Results and discussion 3.3.1 Structural characterization of prepared ternary nanocomposites 3.3.2 Morphological Analysis 3.3.3 Elemental Analysis 3.3.4 Surface Area Analysis 3.3.5 Electrocatalytic HER study	82-99
	3.4 Concluding remarks	100
Chapter 4	Iron-Iron carbide (Fe/Fe ₃ C) encapsulated in S, N co-doped graphitic carbon as robust HER electrocatalyst	101-122
	4.1 Introduction	102-103
	4.2 Experimental Section 4.2.1 Materials 4.2.2 Synthesis of S, N co-doped iron/iron carbide 4.2.3 Instrumentations	104-106
	4.3 Results and discussion 4.3.1 Structural and morphological Study of as-prepared samples 4.3.2 Elemental Analysis 4.3.3 Raman Study and surface area analysis 4.3.4 Electrochemical measurements	107-120
	4.4 Conclusions	121-122
Chapter 5	Facile Synthesis of Doped C _x N _y QDs as Photoluminescent Matrix for Direct Detection of Hydroquinone	123-145
	5.1 Introduction	124-125
	5.2 Experimental Section 5.2.1 Materials 5.2.2 Synthesis of O-and S-doped C _x N _y QDs 5.2.3 Instrumentations	126-129
	5.3 Results and Discussion 5.3.1 Morphological and structural characterization 5.3.2 Elemental Analysis in the as-prepared C _x N _y QD 5.3.3 Optimization of PL activity	130-143

	<p>5.3.3.1 Excitation dependent PL intensity of QDs</p> <p>5.3.3.2 pH dependence of PL intensity of QDs</p> <p>5.3.3.3 Control experiment</p> <p>5.3.4 H₂Q detection by PL quenching</p> <p>5.3.4.1 H₂Q detection</p> <p>5.3.4.2 Selectivity of O- and S- doped C_xN_y QDs and real sample analysis</p> <p>5.3.4.3 Possible detection mechanism</p>	
	5.4 Conclusion	144-145
Chapter 6	Comparative study of enhanced photodegradation of azo dye by ternary nanocomposite Ag ₂ O/SnO ₂ @g-C ₃ N ₄ under natural and artificial light sources	146-183
	6.1 Introduction	147-149
	<p>6.2 Experimental Section</p> <p>6.2.1 Materials</p> <p>6.2.2 Synthesis of pure g-C₃N₄</p> <p>6.2.3 Synthesis of binary Ag₂O@g-C₃N₄ and SnO₂@g-C₃N₄ nanocomposites</p> <p>6.2.4 Synthesis of Ag₂O/SnO₂@g-C₃N₄ nanocomposite</p> <p>6.2.5 Characterization tools</p>	150-153
	<p>6.3 Results and discussion</p> <p>6.3.1 Structural analysis</p> <p>6.3.2 Elemental analysis of ternary composites</p> <p>6.3.3 Optical analysis</p> <p>6.3.4 Morphological analysis</p> <p>6.3.5 Photocatalytic degradation study under different light sources</p> <p>6.3.6 Scavenger test and stability of the ternary nanocomposite</p> <p>6.3.7 Degradation study of real samples discharged in industrial effluent</p> <p>6.3.8 Mechanism of dye degradation</p>	154-182
	6.4 Conclusion	183
Chapter 7	Conclusions	
	7.1 Summary	184-187
	7.2 Spaces for future work	
Appendix-A		188-198
Appendix-B	Morphology control synthesis of g-C ₃ N ₄ and doping with alkali metal ions for greater charge storage	199-212
	B.1 Introduction	199-201
	<p>B.2 Experimental Section</p> <p>B.2.1 Materials</p> <p>B.2.2 Synthesis of porous g-C₃N₄ (pCN)</p> <p>B.2.3 Synthesis of Alkali Metals Doped Porous g-C₃N₄</p> <p>B.2.4 Characterization Tools</p>	202-204

	B.3 Results and discussion	
	B.3.1 Characterization of porous g-C ₃ N ₄ (p-CN) and alkali metals doped porous g-C ₃ N ₄	205-211
	B.3.2 Electrochemical measurements	
	B.4 Conclusions	212
References		213-237
List of Publications		238-239
List of Conferences/Workshop/Symposium Attended		240-241

List of Figures

Figure No.	Figure Caption	Page Number
Figure 1.1	Heptazine (tri-s-triazine) and Melon ($C_6N_9H_3$) _n .	2
Figure 1.2	Triazine and tri-s-triazine (heptazine) based g- C_3N_4 . The circled part shows the repeating unit of the respective structures.	3
Figure 1.3	Various Precursors for the synthesis of g- C_3N_4 and reaction pathway for the synthesis of graphitic carbon nitride.	4
Figure 1.4	Two different reaction pathways for the synthesis of triazine based graphitic carbon nitride and tri-s-triazine based graphitic carbon nitride.	5
Figure 1.5	Proposed Tautomeric forms of melam.	6
Figure 1.6	Calculated energy diagram for the synthesis of carbon nitride.	7
Figure 1.7	The top-down and bottom-up synthesis strategies for carbon nitride nano sheets (CNNSs).	9
Figure 1.8	Same weight amount of g- C_3N_4 prepared from two different precursors.	11
Figure 1.9	XRD pattern of the polymeric carbon nitride, revealing a graphitic structure with 3.26 Å of an interplanar stacking distance of aromatic units and the distance from one nitride pore to another nitride pore (size of one tri-s-triazine unit).	12
Figure 1.10	Ultraviolet–visible diffuse reflectance spectrum of the polymeric carbon nitride. Inset is the g- C_3N_4 prepared at 550 °C in our lab and corresponding Tauc plot.	14
Figure 1.11	Different bonding states of nitrogen atoms into the carbon (graphene) atmosphere.	17
Figure 1.12	Schematic illustration of the applications domains of g- C_3N_4 based heterojunction/heterostructure.	18
Figure 1.13	Schematic illustration of the various functionalization techniques deployed for the carbon nitride for the task specific application.	20
Figure 1.14	Sustainable pathways from solar energy to Hydrogen (H_2).	21
Figure 1.15	A volcano plot of experimentally measured exchange current density as a function of the DFT-calculated Gibbs free energy of adsorbed atomic hydrogen.	29
Figure 1.16	The mechanism of hydrogen evolution on the surface of an electrode in acidic solutions.	31
Figure 1.17	The OER mechanism for acid (blue line) and alkaline (red line) conditions.	32
Figure 1.18	Direct Z-scheme photocatalysts.	41
Figure 1.19	Three kinds of semiconductor heterojunctions based on band alignment.	42
Figure 1.20	Jablonski Diagram for Fluorescence and Phosphorescence.	44

Figure 2.1	Diffraction pattern of X-ray into the sample and Photograph of the Diffractometer.	53
Figure 2.2	Rayleigh and Raman scattering by molecule upon irradiating with laser of wavelength λ .	54
Figure 2.3	Block-diagram and Photograph of FTIR Spectrophotometer.	56
Figure 2.4	Schematic diagram of the UV-visible spectrophotometer and Photograph of the Spectrophotometer.	57
Figure 2.5	Schematic diagram of the components of SEM microscope and Photograph of the SEM instruments.	60
Figure 2.6	Photograph of the FESEM instruments.	62
Figure 2.7	Schematic diagram of the components of TEM microscope and Photograph of the TEM instruments.	63
Figure 2.8	Photoelectron effect in XPS and Photograph of the XPS spectrophotometer.	65
Figure 2.9	Photograph of the Surface area measurement instrument.	66
Figure 2.10	Block Diagram of the CHI7044 instrument.	68
Figure 2.11	A representative electrochemical cell.	69
Figure 2.12	LSV waveform, CV waveform and Cyclic Voltammogram.	70
Figure 2.13	Variation of peak current in cyclic voltammogram as a function of scan rate.	71
Figure 3.1	Schematic diagram representing the synthesis of metal free ternary nano-composite P-rGO-g-C ₃ N ₄ .	80
Figure 3.2	XRD patterns of g-C ₃ N ₄ , rGO, rGO-g-C ₃ N ₄ , Red P, 10-20-30-40P-rGO-g-C ₃ N ₄ respectively and FT-IR spectrum of g-C ₃ N ₄ , rGO, rGO-g-C ₃ N ₄ , 10-20-30-40P-rGO-g-C ₃ N ₄ respectively.	83
Figure 3.3	FESEM images of g-C ₃ N ₄ , rGO, Red P, rGO-g-C ₃ N ₄ , 10P-rGO-g-C ₃ N ₄ , 20P-rGO-g-C ₃ N ₄ , 30P-rGO-g-C ₃ N ₄ and 40P-rGO-g-C ₃ N ₄ .	86
Figure 3.4	EDX Elemental mapping of 10P-rGO-g-C ₃ N ₄ , 20P-rGO-g-C ₃ N ₄ , 30P-rGO-g-C ₃ N ₄ and 40P-rGO-g-C ₃ N ₄ composites.	87
Figure 3.5	TEM images of g-C ₃ N ₄ , rGO-g-C ₃ N ₄ and 30P-rGO-g-C ₃ N ₄ respectively.	88
Figure 3.6	Deconvoluted XPS peaks of C1s, N1s, O1s, and P2p in 10P-rGO-g-C ₃ N ₄ , 20P-rGO-g-C ₃ N ₄ , and 30P-rGO-g-C ₃ N ₄ respectively.	89
Figure 3.7	Nitrogen adsorption desorption isotherm and corresponding pore volume distribution curves of g-C ₃ N ₄ , rGO-g-C ₃ N ₄ and 30P-rGO-g-C ₃ N ₄ respectively.	91
Figure 3.8	(A) Polarization curves of g-C ₃ N ₄ , rGO, rGO-g-C ₃ N ₄ , 30P-rGO-g-C ₃ N ₄ and 20% Pt/C in 0.5 M H ₂ SO ₄ at scan rate of 5 mV sec ⁻¹ (B) Polarization curves of 10/20/30/40P-rGO-g-C ₃ N ₄ along with 20% Pt/C (C) Tafel plots of g-C ₃ N ₄ , rGO-g-C ₃ N ₄ and 30P-rGO-g-C ₃ N ₄ , in inset 20% Pt/C (D) Tafel plots of 10/20/30/40P-rGO-g-C ₃ N ₄ (E) polarization curves of 30P-rGO-g-C ₃ N ₄ at different scan rates and (F) Polarization curves of 30P-rGO-g-C ₃ N ₄ initially, after 300 sweeps and after 500 sweeps at scan rate of 5 mV sec ⁻¹ .	93

Figure 3.9	Polarization curves of 30P-rGO-g-C ₃ N ₄ prepared by sonication method (physical mixing) and by hydrothermal treatment; and B. Polarization curve of 30P-rGO-g-C ₃ N ₄ in neutral, alkali and acidic media.	95
Figure 3.10	FESEM image of 30P-rGO-g-C ₃ N ₄ before (A) and after (B) performing CVs (300 and 500 sweeps).	96
Figure 3.11	A. Comparative cyclic voltammetry of g-C ₃ N ₄ , rGO-g-C ₃ N ₄ and 30P-rGO-g-C ₃ N ₄ at scan rate of 100 mV sec ⁻¹ ; B. CVs of 30P-rGO-g-C ₃ N ₄ at various scan rates; C. electrochemical double layer capacitance (C _{dl}) of g-C ₃ N ₄ , rGO-g-C ₃ N ₄ and 30P-rGO-g-C ₃ N ₄ and D. Stability test of 30P-rGO-g-C ₃ N ₄ modified Toray paper electrode at static over potential of -670 mV vs. Ag/AgCl for 2 h (7200 s) in 0.5 M H ₂ SO ₄ .	99
Figure 4.1	Synthesis protocol of doped carbon encapsulated iron-iron carbide (Fe/Fe ₃ C).	105
Figure 4.2	XRD spectra of iron carbide and its doped variants and zoomed-in XRD pattern of Fe@C-SN/25 from 2θ = 35 to 55° range.	107
Figure 4.3	SEM images of Fe@C, Fe@C-SN/25, Fe@C-SN/50 and Fe@C-SN/75.	108
Figure 4.4	SEM EDX spectra of the as-prepared samples.	109
Figure 4.5	TEM and HRTEM images of Fe@C-SN/50 along with SAED pattern.	110
Figure 4.6	High resolution deconvoluted Fe2p, C1s, N1s and S2p peaks of doped Fe@C-SN/25, Fe@C-SN/50 and Fe@C-SN/75 samples.	112
Figure 4.7	Raman spectrum of the synthesized samples.	114
Figure 4.8	N ₂ adsorption-desorption isotherm of equal HER performing catalysts; Fe@C-SN/50 and Fe@C-SN/25.	115
Figure 4.9	(a) LSV polarization curves (scan rate 5 mV/sec) of Fe@C along with its doped variants; (b) Corresponding Tafel slopes; (c) Calculation of double layer capacitance (C _{dl}) of doped variants of Fe@C; (d) CVs of doped variants at scan rate of 100 mV sec ⁻¹ ; (e) Stability LSVs of Fe@C-SN/25 and (f) Fe@C-SN/50 after multiple CV sweeps at scans rate of 5 mV/sec.	117
Figure 4.10	LSV polarization curves of (a) Fe@C-SN/25 and (b) Fe@C-SN/50 at various scan rates.	120
Figure 5.1	Schematic diagram for synthesis of O- and S-doped C _x N _y QDs. Inset shows aqueous dispersion of as-prepared C _x N _y QDs.	127
Figure 5.2	TEM image and the corresponding particle size distribution histogram of CM61.	130

Figure 5.3	FE-SEM image of as prepared C_xN_y QDs and adjacent EDS shows presence of all four elements O, S, C and N in the prepared quantum dots.	131
Figure 5.4	UV-vis absorbance (blue line) and PL spectra (red line); FT-IR spectrum, zeta potential curve and Tauc's plot of as-prepared CM61 QDs.	132
Figure 5.5	XPS survey spectrum and deconvoluted individual elemental peaks of as-prepared CM61 QD for C_{1s} , N_{1s} , O_{1s} and S_{2p} .	134
Figure 5.6	Emission spectra of CM61 at excitation wavelengths from 280 nm to 420 nm; plot of emission peak position corresponding to excitation wavelength; PL intensity of CM61 at various pHs and variation of PL intensity with pH value.	136
Figure 5.7	PL emission intensity of prepared sample under continuous irradiation of UV light (365nm).	137
Figure 5.8	PL emission spectrum of CM61 upon addition of various concentrations of H_2Q solution and relationship between $(F_0 - F)/F_0$ and concentration of H_2Q .	138
Figure 5.9	Selectivity of the CM61 for 8 μM H_2Q detection in presence of various interfering agents.	141
Figure 5.10	Plausible mechanism of H_2Q detection using CM61 QDs.	144
Figure 6.1	Synthesis protocol of ternary nanocomposite ($Ag_2O/SnO_2@g-C_3N_4$).	152
Figure 6.2	XRD pattern of $g-C_3N_4$, Ag_2O , SnO_2 , 33 % $SnO_2@g-C_3N_4$, 33 % $Ag_2O@g-C_3N_4$ and 33 % $Ag_2O/SnO_2@g-C_3N_4$ and FTIR spectra of bulk $g-C_3N_4$ and other composite materials.	155
Figure 6.3	XPS (A) survey analysis, (B) C_{1s} , (C) N_{1s} , (D) O_{1s} for 25% $Ag_2O/SnO_2@g-C_3N_4-11$ and comparative analysis of (E) Sn_{3d} and (F) Ag_{3d} for 25% $Ag_2O/SnO_2@g-C_3N_4-11$ with pure SnO_2 and Ag_2O respectively.	157
Figure 6.4	(A). UV-vis DRS spectra of (a) $g-C_3N_4$, (b) 33% $SnO_2@g-C_3N_4$, (c) 33% $Ag_2O@g-C_3N_4$ and (d) 33% $Ag_2O/SnO_2@g-C_3N_4$; (B). Plot of $(\alpha hv)^{1/2}$ vs hv for band gap energy of (a) $g-C_3N_4$ and $(\alpha hv)^2$ vs hv for bandgap energy of (b) Ag_2O and (c) SnO_2 ; and (C). Photoluminescence spectra (PL) of (a) $g-C_3N_4$, (b) 33% $Ag_2O@g-C_3N_4$, (c) 33% $SnO_2@g-C_3N_4$ and (d) 33% $Ag_2O/SnO_2@g-C_3N_4$ composites.	160
Figure 6.5	Time resolved PL decay spectra for the charge carrier in the $g-C_3N_4$ and 33% $Ag_2O/SnO_2@g-C_3N_4-11$.	162
Figure 6.6	TEM images of (a) 33% $Ag_2O@g-C_3N_4$, (b) 33% $SnO_2@g-C_3N_4$, (c) 33% $Ag_2O/SnO_2@g-C_3N_4$, (d) HRTEM image of 33% $Ag_2O/SnO_2@g-C_3N_4$, and corresponding (e) SAED pattern of 33% $Ag_2O/SnO_2@g-C_3N_4$.	163
Figure 6.7	TEM elemental mapping of 33% $Ag_2O/SnO_2@g-C_3N_4$ and corresponding EDX spectrum.	164
Figure 6.8	FE-SEM image of 25% $Ag_2O/SnO_2@g-C_3N_4$ along with elemental mapping and EDX spectrum.	165

Figure 6.9	N ₂ adsorption-desorption isotherm of nanocomposites and corresponding pore volume distribution plot.	167
Figure 6.10	A. Photocatalyst assisted degradation of Rh B over various composites; B. Absorption spectra of Rh B in presence of Ag ₂ O/SnO ₂ @g-C ₃ N ₄ composite under various sunlight irradiation times; C. First-order kinetic plots over various composites and D. comparison of rate constant values of (a) g-C ₃ N ₄ , (b) 25% SnO ₂ @g-C ₃ N ₄ , (c) 33% SnO ₂ @g-C ₃ N ₄ , (d) 25% Ag ₂ O@g-C ₃ N ₄ , (e) 33% Ag ₂ O@g-C ₃ N ₄ , (f) 33% Ag ₂ O/SnO ₂ @g-C ₃ N ₄ , and (g) 25% Ag ₂ O/SnO ₂ @g-C ₃ N ₄ -11.	169
Figure 6.11	Photocatalytic dye degradation under (A). sunlight exposure and (B). white LED light by different ratios of metal oxide loaded g-C ₃ N ₄ .	171
Figure 6.12	Rh B dye solution irradiation under sunlight in absence of photocatalyst.	171
Figure 6.13	A. Photocatalyst assisted degradation of Rh B over various composites under white light LED irradiation; B. Absorption spectra of Rh B in presence of 33% Ag ₂ O/SnO ₂ @g-C ₃ N ₄ composite; C. First-order kinetic plots over various composites and D. comparison of rate constant values of (a) g-C ₃ N ₄ , (b) 25% SnO ₂ @g-C ₃ N ₄ , (c) 25% Ag ₂ O@g-C ₃ N ₄ , (d) 33% SnO ₂ @g-C ₃ N ₄ , (e) 33% Ag ₂ O@g-C ₃ N ₄ , (f) 25% Ag ₂ O/SnO ₂ @g-C ₃ N ₄ , and (g) 33% Ag ₂ O/SnO ₂ @g-C ₃ N ₄ -11.	173
Figure 6.14	Comparison of dye degradation efficiency under two different light sources and their corresponding rate constant plot; (a and c denotes 33 % Ag ₂ O/SnO ₂ @g-C ₃ N ₄ -11; b and d denotes 25 % Ag ₂ O/SnO ₂ @g-C ₃ N ₄ -11).	175
Figure 6.15	(A) Rh B dye degradation in presence of (a) p-benzoquinone, (b) EDTA, (c) DMSO (c) methanol and (e) no scavengers; (B) reuse-recycle 2 nd and 3 rd run of 25% Ag ₂ O/SnO ₂ @g-C ₃ N ₄ composite.	176
Figure 6.16	(A) TOC evaluation and mineralization efficiency under sunlight and LED for 25% Ag ₂ O/SnO ₂ @g-C ₃ N ₄ and 33% Ag ₂ O/SnO ₂ @g-C ₃ N ₄ respectively and (B) UV-vis absorption spectra of industrial effluent before the exposure to the sunlight and after complete degradation of dye using 25% Ag ₂ O/SnO ₂ @g-C ₃ N ₄ -11.	178
Figure 6.17	Proposed plausible dye degradation mechanism over the prepared catalyst.	180
Figure A.1	XRD pattern and FTIR spectra of graphene oxide (GO) and reduced graphene oxide (rGO) after their individual hydrothermal treatment at 200°C for 16 hours.	189
Figure A.2	EDX spectrum of 10/20/30/40P-rGO-g-C ₃ N ₄ composites	189
Figure A.3	XPS survey spectrum of g-C ₃ N ₄ , rGO-g-C ₃ N ₄ , 10P-rGO-g-C ₃ N ₄ , 20P-rGO-g-C ₃ N ₄ and 30P-rGO-g-C ₃ N ₄ .	190
Figure A.4	Images of electrochemical set up for testing HER stability in 0.5M H ₂ SO ₄ .	190

Figure A.5	Full scan XPS survey spectrum of all doped species and undoped Fe@C.	191
Figure A.6	High resolution C1s and Fe2p XPS peaks of undoped Fe@C.	191
Figure A.7	UV-Visible absorption spectrum of H ₂ Q and emission spectrum of as-prepared CNQDs.	192
Figure A.8	Quenching of PL intensity of C _x N _y QDs by H ₂ Q in 7.4 pH phosphate buffer solution (PBS) and in N ₂ saturated PBS solution.	192
Figure A.9	Vibration spectra of (a) SnO ₂ and (b) Ag ₂ O nanoparticles.	193
Figure A.10	UV-visible DRS spectra of Ag ₂ O and SnO ₂ nanoparticles.	193
Figure A.11	XRD pattern of ternary composites 25% Ag ₂ O/SnO ₂ @g-C ₃ N ₄ before use and after 3 rd photocatalytic run.	194
Figure B.1	Schematic diagram of the synthesis of alkali metal-doped porous g-C ₃ N ₄ (pCN-3M).	203
Figure B.2	Photograph of the acid-treated melamine (dispersed in ethylene glycol) and the as-prepared alkali metal-doped porous g-C ₃ N ₄ .	205
Figure B.3	X-ray diffraction pattern of different alkali metal-doped porous g-C ₃ N ₄ (pCN) along with g-C ₃ N ₄ and X-ray diffraction pattern of 3/5/7 wt. % Li doped pCN materials.	206
Figure B.4	SEM images of (a) g-C ₃ N ₄ , (b) pCN, (c) pCN-3Li, (d) pCN-3Na and (e) pCN-3K.	207
Figure B.5	SEM images of (a) pCN-3Li, (b) pCN-5Li and (c) pCN-7Li	208
Figure B.6	(a) GCD curves of pCN, pCN-3Li, pCN-3Na and pCN-3K at current density of 0.2 A/g, (b) GCD curves of 3/5/7 wt. % Li added pCN at 0.1 A/g, (c) comparison plot of specific capacitance at 0.1, 0.2 and 0.5 A/g for g-C ₃ N ₄ , pCN, pCN-3Li, pCN-3Na and pCN-3K and (d) comparison plot of specific capacitance at 0.1, 0.2 and 0.5 A/g for 3/5/7 wt. % Li added pCN.	209
Figure B.7	GCD curves of pCN-3Li at current density 0.1, 0.2 and 0.5 A/g.	211
Figure B.8	Cyclic voltammograms of g-C ₃ N ₄ , pCN, pCN-3Li, pCN-3Na and pCN-3K and pCN and 3/5/7 wt. % Li doped pCN at a scan rate of 100 mV/sec.	212

List of Tables

Table No.	Table Caption	Page No.
Table 3.1	EDAX data for % atomic phosphorous present in different P-rGO-g-C ₃ N ₄ composites.	87
Table 4.1	Atomic % of elements present at the surface of the samples analyzed from XPS analysis.	113
Table 4.2	ECASA, Roughness factor (RF) and specific current density (J_s) at 0.45 V over potential (η) of all electrocatalysts.	119
Table 5.1	Quantum yields of C _x N _y QDs prepared by various molar ratios of precursors.	128
Table 5.2	A comparison of quantum yield of doped C _x N _y with others reported C-dots and carbon nitride dots.	129
Table 5.3	Comparison of different methods for detection of H ₂ Q.	140
Table 5.4	Determination of H ₂ Q in real samples.	142
Table 6.1	Binding states and peak positions of constituting elements of ternary nanocomposites.	158
Table 6.2	Specific surface area and average pore volume of the nanocomposites and g-C ₃ N ₄ .	167
Table 6.3	Rate constants of various catalysts dispersed in dye solution under irradiation from Sunlight and White light LED.	174
Table 6.4	Comparison of the photocatalytic performance of the as-proposed nanocomposite with earlier research works.	182
Table A.1	Correlative assignments of all the major vibrational peaks in individuals and composites.	195
Table A.2	Binding energy of various binding states of elements present in the as-prepared samples from XPS analysis.	196
Table A.3	Peak assignment of various peaks obtained along with area and FWHM values from Raman analysis.	197
Table A.4	Electrochemical analysis of doped and undoped Fe@C species.	198