

REFERENCES

Alfano M, Furgiuele F, Leonardi A, Maletta C, Paulino GH. Mode I fracture of adhesive joints using tailored cohesive zone models. *Int. J. Fract.*, 2009, 157, 193-204.

Altenbach H, Ochsner A. *Plasticity of Pressure Sensitive Materials*. Springer-Verlag, Berlin, Heidelberg, 2014, 173-174.

Amazigo JC, Hutchinson JW. Crack tip fields in steady crack-growth with linear strain hardening. *J. Mech. Phys. Solids*, 1977, 25, 81-97.

Anderson TL. *Fracture Mechanics: Fundamentals and Applications*, Taylor and Francis, USA, 2005.

Aoki S, Kishimoto K, Takeya A, Sakata M. Effects of microvoids on crack blunting and initiation in ductile materials. *Int J Fracture*, 1984, 24(4), 267–278.

Aoki S, Kishimoto K, Takeya A, Sakata M. Elastic-plastic fracture behavior of an aluminum alloy under mixed mode loading. *J. Mech. Phys. Solids*, 1987, 38, 195-213.

Arruda EM and Boyce MC. A three-dimensional constitutive model for large stretch behavior of rubber materials. *J. Mech. Phys. Solids*, 1993, 41, 389-412.

Bakker A. Elastic Plastic Fracture Mechanics Analysis of a SENB Specimen, *Int. J. Press. Vess. Piping*, 1982, 10, 431-449.

Bakker A. An Analysis of the Numerical Path Dependence of the J Integral. *Int. J. Press. Vess. Piping*, 1983, 14, 153-179.

Banerjee PK. *The Boundary Element Methods in Engineering*, McGraw Hill, England, 1981.

Barenblatt GI. The Mathematical Theory of Equilibrium Cracks in Brittle Fracture, *Adv. Appl. Mech.*, 1962, 7, 55-129.

Barenblatt GI. The formation of equilibrium cracks during brittle fracture. General ideas and hypotheses. Axially-symmetric cracks. *Journal of Applied Mathematics and Mechanics*, 1959, 23(3), 622-636.

Barsoum RS. On the Use of Isoparametric Finite Elements in Linear Fracture Mechanics, *Int. J. Num. Met. Engg.*, 1976, 10, 25-37.

Basu S, Narasimhan R. Finite element simulation of mode I dynamic, ductile fracture initiation , *Int. J. Solids Structures*, 1996, 33 (8), 1191-1207.

Basu S, Narasimhan R. A comparative study of dynamic, ductile fracture initiation in two specimen configurations. *Int. J. Fracture*, 2000, 102, 393-410.

Basu S, Van der Giessen E. A thermo-mechanical study of mode I, small scale yielding crack-tip fields in glassy polymer, *Int. J. Plasticity*, 2002, 18, 1395-1423.

Becker AA. *The Boundary Element Method in Engineering*, McGraw-Hill, Singapore, 1992.

Belytschko T, Gu L, Lu YY. Fracture and Crack Growth by Element Free Galerkin Methods. *Mod. Sim. Mat. Sc. Engg.*, 1994a, 2, 519-534.

Belytschko T, Gu L, Lu YY. Element Free Galerkin Methods. *Int. J. Num. Met. Engg.*, 1994b,37, 229-256.

Belytschko T, Black T. Elastic crack growth in finite elements with minimal remeshing. *International journal for numerical methods in engineering*. 1999, 45(5), 601-20.

Bigoni D, Radi E. Mode I crack propagation in elastic-plastic pressure-sensitive materials. *Int J. Solid Structures*, 1993, 30(7), 899-919.

Boesel LF, Greiner C, Arzt E, del Campo A. Gecko-inspired surfaces: a path to strong and reversible dry adhesives. *Advanced Materials*, 2010, 22, 2125–2137.

Bower AF. *Applied Mechanics of Solids*, CRC Press, Taylor and Francis Group, USA, 2009.

Boyce MC, Parks DM, Argon AS. Large inelastic deformation of glassy polymers, Part I: rate dependent constitutive model. *Mech. Mater.*, 1988, 7, 15-33.

Broek D. *Elementary Engineering Fracture Mechanics*, Martinus Nijhoff, London, 1982.

Byskov E. The Calculation of Stress Intensity Factors using the Finite Element Method with Cracked Elements. *Int. J. Fract. Mech.*, 1970, 6, 159-167.

Calvetti F, Viggiani G, Tamagnini C. A numerical investigation of the incremental behavior of granular soils. *Rivista Italiana di Geotecnica*, 2003, 37(3), 11–29.

Cao AY, Dickrell PL, Sawyer WG, Ghasemi-Nejhad MN, Ajayan PM. Super-compressible foamlike carbon nanotube films. *Science*, 2005, 310, 1307–1310.

Carapellucci LM, Yee AF. The biaxial deformation and yield behavior of bisphenol-a polycarbonate: Effect of anisotropy. *Polymer Engg. & Science*, 1986, 26 (13), 920-930.

Castaneda, Ponte P. Plastic Stress Intensity Factors in Steady Crack Growth. *Journal of Applied Mechanics*, 1987, 59, 379-387.

Chang WJ, Kim M, Pan J. Quasi-statically growing crack-tip fields in elastic perfectly plastic pressure-sensitive materials under plane strain conditions. *Int. J. Fract.*, 1997, 84, 203–228.

Charalambides PG, McMeeking RM. Finite Element method simulation of crack propagation in a brittle micro-cracking solid. *Mech. Mater.*, 1987, 6, 71-87.

Chen IW, Reyes Morel PE. Implications of Transformation Plasticity in ZrO₂-Containing Ceramics: I, Shear and Dilatation Effects. *Journal of the American Ceramic Society*, 1986, 69(3), 181-189.

Chen C, Fleck NA, Lu TJ. The mode I crack growth resistance of metallic foams. *Journal of the Mechanics and Physics of Solids*, 2001, 49, 231-259.

Choi KS, Pan J. Effects of pressure-sensitive yielding on stress distributions in crankshaft sections under fillet rolling and bending fatigue tests. *International Journal of Fatigue*, 2009, 31 (10), 1588-1597.

Cola BA, Xu J, Fisher T. Contact mechanics and thermal conductance of carbon nanotube array interfaces. *International Journal of Heat and Mass Transfer*, 2009, 52, 3490–3503.

Damani R, Gstrein R, Danzer R. Critical notch-root radius effect in SENB-S fracture toughness testing. *Journal of the European Ceramic Society*, 1996, 16(7), 695–702.

Deshpande, V.A., Fleck, N.A.: Isotropic constitutive models for metallic foams. *J. Mech. Phys. Solids*, 2000, 48, 1253–1283.

Dolbow J, Moes N, Belytschko T. An extended finite element method for modeling crack growth with frictional contact. *Comput. Methods Appl. Mech. Eng.*, 2001, 190, 6825–6846.

Dong P, Pan J. Elastic-Plastic Analysis of Cracks in Pressure-Sensitive Materials. *Int J. Solid Structures*, 1991, 28(9), 1113-1127.

Drucker DC, Prager W. Soil mechanics and plastic analysis of limit design. *Quarterly of Applied Mathematics*, 1952, 10, 157-165.

Drucker DC, Gibson RE, Henckel DJ. Soil mechanics and workhardening theories of plasticity. *Trans ASCE*, 1957, 122, 338– 46.

Dugdale DS. Yielding of Steel Sheets Containing Slits. *J. Mech. Phys. Solids*, 1960, 8, 100-104.

Elices M, Guinea GV, Gomez J, Planas J. The cohesive zone model: advantages, limitations and challenges. *Eng. Fract. Mech.*, 2001, 69, 137-163.

Ellyin F, Wu J. Elastic-plastic analysis of a stationary crack under cyclic loading and effect of overload. *International Journal of Fracture*, 1992, 56, 189-208.

Eshelby JD. *The Continuum Theory of Lattice Defects, Solid State Phy.*, Academic Press, New York, 1956, 3, 79-144.

Fleck NA. Finite element analysis of plasticity-induced crack closure under plane strain conditions. *Engineering Fracture Mechanics*, 1986, 25, 441-449.

Flourirot S, Forest S, Remy L. Strain localization phenomena under cyclic loading: application to fatigue of single crystals. *Computational Materials Science*, 2003, 26, 61-70.

Freund LB, Rosakis AJ. The Structure of the Near Tip-field Solution during Transient Elasto-Dynamic Crack Growth, *J. Mech. Phys. Solids*, 1992, 40, 699–719.

Freund LB. *Dynamic Fracture Mechanics*. Cambridge University Press, New York, New York 10011, 1998.

Gearing BP, Anand L. Notch-sensitive fracture of polycarbonate. *Int. J. Solids Struct.*, 2004, 41, 827–845.

Gogotsi Y. High-temperature rubber made from carbon nanotubes. *Science*, 2010, 330, 1332–1333.

Griffith AA. The Phenomena of Rupture and Flow in Solids. *Phil. Trans., R. Soc. Lond., Ser. A*, 1920, 221, 165-198.

Gu I, Ritchie RO. On the crack-tip blunting model for fatigue crack propagation in ductile materials. In: Panoutin T.L., et al. (Eds.), *Fatigue and Fracture Mechanics*, 1999, 29. ASTM STP 1332, West Conshohocken, PA, 552-564.

Gurson AL. Continuum theory of ductile rupture by void nucleation and growth-I. Yield criteria and flow rules for porous ductile media-I. *Engg. Materials Technology*, 1977, 99, 2T15.

Hellen TK, Blackburn WS. The Calculation of Stress Intensity Factors for Combined Tensile and Shear Loading, *Int. J. Fract.*, 1975, 11, 605-617.

Hertzberg RW. *Deformation and Fracture Mechanics of Engineering Materials*. John Wiley and Sons, New York, 1989.

Hunnell JM, Kujawski D. Numerical simulation of fatigue crack growth behavior by crack-tip blunting. *Engg. Fract. Mec.*, 2009, 76, 2056 – 2064.

Hutchens SB, Needleman A, Greer JR. A microstructurally motivated description of the deformation of vertically aligned carbon nanotube structures. *Appl. Phys. Lett.*, 2012, 100, 121910.

Hutchens SB, Needleman A, Greer JR. Analysis of uniaxial compression of vertically aligned carbon nanotubes. *J. Mech. Phys. Solids*, 2011, 59, 2227–2237.

Hutchens SB, Hall LJ, Greer JR. In situ mechanical testing reveals periodic buckle nucleation and propagation in carbon nanotube bundles. *Advanced Functional Materials*, 2010, 20, 2338–2346.

Hutchinson JW. Fundamentals of the Phenomenological Theory of Nonlinear Fracture Mechanics, *J. Appl. Mech.*, 1983, 50, 1042-1051.

Hutchinson JW. Plastic Stress and Strain Fields at a Crack Tip, *J. Mech. Phys. Solids*, 1968, 16, 337-347.

Hutchinson JW. Singular behavior at the end of a tensile crack in a hardening material. *J. Mech. Phys. Solids*, 1968, 16, 337–347.

Hwang KC, Luo XF. Near-tip fields for cracks growing steadily in elastic-perfectly-plastic compressible material. *IUTAM Symposium on Recent Advances in Nonlinear Fracture Mechanics*, Pasadena, CA, USA, 1988.

Inglis CE. Stresses in a Plate due to the Presence of Cracks and Sharp Corners. Trans. Inst. Nav. Arch., 1913, 55, 219-241.

Irwin GR. Analysis of Stresses and Strains Near the End of a Crack Traversing a Plate. J. Appl. Mech., ASME, 1957, 24, 361-364.

Irwin GR. Fracture Mode Transition for a Crack Traversing a Plate. J. Basic Engg., 1960, 82, 417-425.

Irwin GR. Crack Extension Force for a Part-through Crack in a Plate. J. Appl. Mech., ASME, 1962, 29, 651-654.

Ishikawa, M., Narisawa, I. and Ogawa, H. J. Polymer Science., Polymer Physics. Edn 1977, 51,9771.

Jog CS. *Continuum Mechanics: Foundations and Applications of Mechanics*, Cambridge University Press, 2015.

Kanninen MF, Popelar CH. *Advanced Fracture Mechanics*. Oxford University Press, New York, 1985.

Khan D, Singh S, Needleman A. Finite deformation analysis of crack tip fields in plastically compressible hardening-softening-hardening solids. *Acta Mechanica Sinica*, 2017, 33(1), 148-158.

Kim YT, Oh HC, Lee BC. Efficient Crack Propagation Simulation Using the Superimposed Finite Element Method and Cohesive Zone Model. *Design and Analysis of Materials and Engineering Structures*, 2012, 63-75.

Lai J, Van der Giessen E. A numerical study of crack-tip plasticity in glassy polymers. *Mech. Mater.*, 1997, 25, 183–197.

Laird C, Smith GC. Crack propagation in high stress fatigue. *Philosophical Magazine*, 1962, 8, 847-857.

Lazzarin P, Zappalorto M, Berto F. Generalized stress intensity factors for rounded notches in plates under in-plane shear loading. *International Journal of Fracture*, 2011, vol,170, 123-144.

Leroy Y, Ortiz M. Finite element analysis of transient strain localization phenomena in frictional solids. *International Journal of Numerical and Analytical Methods in Geomechanics*, 1989, 14,53-74.

Levkovitch V, Sievert R, Svendsen B. Simulation of fatigue crack propagation in ductile metals by blunting and re-sharpening. *International Journal of Fracture*, 2005, 136, 207-220.

Li FZ. The analytic solution of near-tip stress fields for perfectly plastic pressure-sensitive material under plane stress condition. *International Journal of Fracture*, 1992, 53 (4), 325-336.

Li C, Chou TW. A Structural Mechanics Approach for the Analysis of Carbon Nanotubes, *Int. J. Solids Struct.*, 2003, 40, 2487-2499.

Li FZ, Pan J. Plane-strain crack-tip fields for pressure-sensitive dilatant materials. *J. Appl. Mech.*, 1990, 57, 40–49.

Li HM, Wang GF, Wang TJ. Effect of crack-tip shape on the near-tip field in glassy polymer. *International Journal of Solids and Structures*, 2008, 45, 1087-1100.

Mandel, J. Conditions de stability et postulate de Drucker. In *Rheology and soil mechanics*. Edited by J. Kravtchenko and P.M. Sirieys, Springer Berlin, 1966, 58-68.

Marcal PV, King IP. Elastic Plastic Analysis of Two-Dimensional Stress System by Finite Element Method. *Int. J. Mech. Sci.*, 1969, 9, 143-155.

McCarter CM, Richard RF, Mesarovic SD, Richards CD, Bahr DF, McClain D, Jiao J. Mechanical compliance of photolithographically defined vertically aligned carbon nanotube turf. *Journal of Materials Science*, 2006, 41, 7872–7878.

McMeeking RM. Finite deformation analysis of crack tip opening in elastic-plastic materials and implications for fracture. *J. Mech. Phys. Solids*, 1977, 25, 357–381.

McClintock FA. Plasticity aspects of fracture. In: Liebowitz, H. (Ed.), *Fracture: An Advanced Treatise*, 1971, Academic Press, New York, pp. 47–225.

McClung RC, Crack closure and plastic zone sizes in fatigue. *Fatigue and Fracture of Engineering Materials and Structures*, 1991, 14, 455-468.

McClung RC, Davidson DL. High resolution numerical and experimental studies of fatigue cracks. *Engineering Fracture Mechanics*, 1991, 39, 113-130.

McClung RC, Sehitoglu H. On the finite element analysis of fatigue crack closure. —1. Basic modeling issues. —2. Numerical results. *Engineering Fracture Mechanics*, 1989, 33, 237-272.

Meo M, Rossi M. Tensile Failure Prediction of Single Wall Carbon Nanotube. *Engg. Fract. Mech.*, 2006, 73, 2589-2599.

Moes N, Dolbow J, Belytschko T. A finite element method for crack growth without remeshing. *Int. J. Numer. Method Eng.*, 1999, 46, 131-150.

Mohan N, Cheng J, Greer JR, Needleman A. Uniaxial tension of a class of compressible solids with plastic non-normality. *J. Appl. Mech.*, 2013, 80, 040912.

Morze Z. Non- Associative Flow laws in plasticity. *Journal de mecanique*, 1963, II(1) 21-42.

Moran B, Shih CF. A General Treatment of Crack Tip Contour Integrals, *Int. J. Fract.*, 1987, 35, 295-310.

Misra A, Greer JR, Daraio C. Strain rate effects in the mechanical response of polymer-anchored carbon nanotube foams. *Advanced Materials*, 2009, 21, 334–338.

Mukhelishvili NI. Some Basic Problems of the Mathematical Theory of Elasticity. *Engg. Trans.*, J. R. M. Radok, Noordhoff, 1953.

Narasimhan R, Basu S. Numerical simulation of fracture initiation in ductile solids under mode I, dynamics loading. *Bull. Mater. Sci.*, 1999, 22 (5), 891-900.

Narisawa I, Yee AF. Craze and fracture in polymers, *Structure and Properties of Polymers. Materials science and technology, a comprehensive treatment*, 1993, 12, 699.

Needleman A. Non-normality and bifurcation in plane strain tension and compression. *Journal of Mechanics and Physics of Solids*, 1979, 27, 231-254.

Needleman A. On Finite Element Formulations for Large Elastic-Plastic Deformations. *Computers & Structures*, 1985, 20, 247-257.

Needleman A, Tvergaard V. An analysis of ductile rupture modes at a crack tip, *Journal of Mechanics and Physics of Solids*, 1987, 35, 151-183.

Needleman A, Tvergaard V. Analysis of plastic flow localization in metals. *Appl. Mech. Rev.*, 1992, 45, S3-S18.

Needleman A, Hutchens SB, Mohan N, Greer JR. Deformation of plastically compressible hardening-softening-hardening solids. *Acta Mech. Sin.*, 2012, 28, 1115–1124.

Needleman A, Tvergaard V, van der Giessen E. Indentation of elastically soft and plastically compressible solids. *Acta Mech. Sin.*, 2015, 31, 473–480.

Nemat-Nasser S, Obata M. Some basic issues in dynamic crack growth in elastic-plastic solids. *Int. J. Fract.*, 1990, 42, 287-300.

Nimmer RP, Woods JT. An investigation of brittle failure in ductile, notch-sensitive thermoplastics. *Polymer Engg. & Science*, 1992, 32(16), 1126-1137.

Nishida T, Hanaki Y, Pezzotti G. Effect of notch root radius on the fracture toughness of a fine grained alumina. *Journal of the American Ceramic Society*, 1994, 77, 606–8.

Nova R, Wood DM. An experimental programme to define the yield function for sand. *Soils and Foundations*, 1978, 18, 77– 86.

Nova R. The role of non-normality in soil mechanics and some of its mathematical consequences. *Computers and Ceotecnic*, 2004, 31, 185-191.

Orowan E. Fracture and Strength of Solids. Reports on Progress in Physics, 1949, 12, 185-212.

Pan J, Shih CF. Plane-strain crack-tip fields for power-law hardening orthotropic materials. Mech. Mater. 1986, 5, 299-316.

Parks DM. A Stiffness Derivation Finite Element Techniques for Determination of Crack Tip Stress Intensity Factors. Int. J. Fract., 1974, 10, 487-502.

Parks DM, Argon AS, Bagepalli B. Large elastic-plastic deformation of glassy polymers. MIT Program in Polymer Science and Technology Report, 1984,, Massachusetts Institute of Technology.

Pathak S, Cambaz ZG, Kalidindi SR, Swadener JG, Gogotsi Y. Viscoelasticity and high buckling stress of dense carbon nanotube brushes. Carbon, 2009, 47, 1969–1976.

Pathak S, Mohan N, Pour Shahid Saeed Abadia P, Graham S, Cola BA, Greer JR. Compressive Response of Vertically Aligned Carbon Nanotube Films Gleaned From In Situ Flat-Punch Indentations. J. Mater. Res., 2013, 28(7), 984–997.

Peirce D, Shih CF, Needleman A. A tangent modulus method for rate dependent solids. Compos. Struct., 1984, 18, 875–887.

Rahman S. Probabilistic Fracture Mechanics: *J* Estimation and Finite Element Methods. Engg. Fract. Mech., 2001, 68, 107-125.

Rahman S, Kim JS. Probabilistic Fracture Mechanics for Non-linear Structures. Int. J. Press. Vess. Piping, 2001, 78, 261-269.

Reddy JN. *An Introduction to Continuum mechanics*. Cambridge University Press, 2013.

Reyes Morel PE, Chen IW. Transformation Plasticity of CeO₂-Stabilized Tetragonal Zirconia Polycrystals: I, Stress Assistance and Autocatalysis. *Journal of the American Ceramic Society*, 1988, 71(5), 343-353.

Rice JR. The localization of plastic deformation. In: Koiter, W. T. (ed.) *Proceedings of the 14th international congress of theoretical and applied mechanics*, 1977, North Holland, 207–220.

Rice JR. Plasticity and Soil Mechanics. *Proceedings of the Symposium on the Role of Plasticity in Soil Mechanics*. Cambridge. September 1973, (edited by PALMER, A. C.), 1973. p. 263. Cambridge University Engineering Department, Cambridge, England.

Rice JR, Johnson MA. The role of large crack tip geometry changes in plane strain fracture; in *Inelastic Behavior of Solids*. eds. M.F. Kanninen et al., McGrawHill, 1970, 641-672,

Rice JR. A path independent integral and the approximate analysis of strain concentration by notches and cracks. *J. Appl. Mech.*, 1968, 90, 379–386.

Rice JR, Rosengren GF. Plane strain deformation near a crack tip in a power law hardening material. *J. Mech. Phys. Solids*, 1968, 16, 1–12.

Rice JR. Mechanics of crack tip deformation and extension by fatigue. In: *Fatigue Crack Propagation*. ASTM STP 415, American Society for Testing and Materials, 1967, 247-309.

Rice JR, Tracey DMO. The ductile enlargement of voids in triaxial stress fields. *J. Mech. Phys. Solids*, 1969, 17, 201-217.

Robinson JN, Tetelman AS. Comparison of Various Methods of Measuring K_{IC} , on Small Precracked Bend Specimens that Fracture After General Yield. Technical Report No. 13, 1974, UCLA-ENG7409.

Roscoe KH, Schofield AN, Wroth CP. "On the yielding of soils". *Geotechnique*, 1958, 8, 22-53.

Roy YA, Narasimhan R. A finite element investigation of the effect of crack tip constraint on hole growth under mode I and mixed mode loading. *International Journal of Solids and Structures*, 1999, 36, 1427-1447.

Rudnicki JW, Rice JR. Conditions for the localization of deformation in pressure-sensitive dilatant material. *Journal of the Mechanics and Physics of Solids*, 1975, 23, 371–394.

Shih CF. Relationships between the J-integral and the crack opening displacement for stationary and extending cracks. *J. Mech. Phys. Solids*, 1981, 29, 305–326.

Shih CF, German MD. Requirements for a One Parameter Characterization of Crack Tip Fields by the HRR Singularity. *Int. J. of Fract.*, 1981, 17, 27-43.

Singh S, Khan D. Quasi-statically Growing Crack Tip Fields in Plastically Compressible Hardening-Softening-Hardening Solid. *International Journal of Structural Integrity*, 2018, 9(4) (In press).

Smith E. A Comparison of Mode I and Mode III Results for the Elastic Stress Distribution in the Immediate Vicinity of a Blunt Notch. *International Journal of Engineering Science*, 2004, 42, 473-481.

Sneddon IN. The Distribution of Stress in the Neighborhood of a Crack in an Elastic Solid. Proc., R. Soc. Lon., 1946, A-187, 229–260.

Spitzig WA, Richmond O. Effect of hydrostatic pressure on the deformation behavior of polyethylene and polycarbonate in tension and compression. Polymer Engineering and Science, 1979, 19 (16), 1129-1139.

Stoughton TB, Yoon JW. A pressure-sensitive yield criterion under a non-associated flow rule for sheet metal forming. International Journal of Plasticity, 2004, 20 (4-5), 705-731.

Sue HJ, Yee Albert F. Toughening mechanisms in a multi-phase alloy of nylon 6,6 polyphenylene oxide. Journal of Material Science, 1989, 24(4), 1447-1457.

Sumelka W, Nowak N. Non-normality and induced plastic anisotropy under fractional plastic flow rule: a numerical study. International Journal of Numerical and Analytical Methods in Geomechanics, 2016, 40, 651-675.

Sumpter JDJ, Turner CE. Use of the J Contour Integral in Elastic Plastic Fracture Studies by Finite Element Methods. J. Mech. Engg. Sci., 1976, 18, 97-112.

Sun X, Zhao W. Prediction of Stiffness and Strength Single Wall Carbon Nanotubes by Molecular Mechanics based Finite Element Approach. Mat. Sci. Engg. A, 2005, 390, 366-371.

Suresh S. *Fatigue of Materials*. Cambridge University Press, Cambridge, 1991.

Swedlow JL, Williams ML, Yang WH. Elastic Plastic Stress and Strains in Cracked Plates. Proc. of First Int. Conf. Fract., (1965) Sendai.

Toribio J, Kharin V. High-resolution numerical modelling of stress-strain fields in the vicinity of a crack tip subjected to fatigue. In: Fracture from Defects (ECF12), 1998, 2. EMAS, 1059-1064.

Toribio J, Kharin V, Numerical modelling of cyclic stress-strain fields near a crack tip: the role of strain hardening. In: Fracture Mechanics: Applications and Challenges (ECF13), Elsevier, 2000, 8 (on CD).

Toribio J, Kharin V. Localized plasticity near a crack tip in a strain hardening material subjected to mode I loading. Materials Science and Engineering, 2001, A319-321, 535-539.

Toribio J, Kharin V. Comments on simulations of fatigue crack propagation by blunting and resharping: the mesh sensitivity. International Journal of Fracture, 2006, 140, 285-292.

Toribio J, Kharin V. Large crack-tip deformations and plastic crack advance during fatigue. Materials Letters, 2007, 61, 964-967.

Toribio J, Kharin V. Finite deformation analysis of crack tip fields under cyclic loading. International Journal of Solids and Structures, 2009, 46 (9), 1937-1952.

Tracey DM. Finite Element Solutions for Crack-Tip Behavior in Small-Scale Yielding. Journal of Engineering Materials and Technology, 1976, 98 (2), 146-151

Tvergaard V. On fatigue crack growth in ductile materials by crack-tip blunting. Journal of the Mechanics and Physics of Solids, 2004. 52, 2149–2166.

Tvergaard V, Hutchinson JW. Crack growth per cycle by blunting and void growth. In: Blom A.F., (Ed.), *Fatigue 2002*, 1/5. EMAS, UK, 107-116.

Wells AA. Unstable crack propagation in metals: cleavage and fast fracture, *Proceedings of crack propagation symposium, Cranfield*, 1961, 1, 210-230.

Wen JF, Srivastava A, Benzerga A, Tu ST, Needleman A. Creep crack growth by grain boundary cavitation under monotonic and cyclic loading. *Journal of the mechanics and physics of solids*, 2017, 108, 68-84.

Westergaard HM. On the Stress Distribution at the base of a Stationary Crack. *J. Appl. Mech. ASME*, 1959, 24, 109–114.

Williams ML. Bearing Pressures and Cracks. *J. Appl. Mech. ASME*, 1939, 6, 49–53.

Wu J, Ellyin F. A study of fatigue crack closure by elastic-plastic finite element analysis for constant amplitude loading. *International Journal of Fracture*, 1996, 82, 43-65.

Wu PD, Van der Giessen E. On improved network models for rubber elasticity and their applications to orientation hardening in glassy polymers. *J. Mech. Phys. Solids*, 1993, 41, 427-456.

Yuan H, Lin G. Elastoplastic crack analysis for pressure sensitive dilatant materials, part I: higher-order solutions and two-parameter characterization. *Int. J. Fract.*, 1993, 61, 295–330.

Yuan H. Elastoplastic crack analysis for pressure-sensitive dilatant materials, part II: interface cracks. *Int. J. Fract.*, (1994/1995), 69, 167–187

Zbib AA, Mesarovic SD, Lilleodden ET, McClain D, Jiao J, Bahr DF. The coordinated buckling of carbon nanotube turfs under uniform compression. *Nanotechnology*, 2008. 19, 175704.

Zhang Q, Lu YC, Du F, Dai L, Baur J, Foster, DC. Viscoelastic creep of vertically aligned carbon nanotubes. *Journal of Physics D: Applied Physics*, 2010, 43, 315401.

Zienkiewicz OC. *The Finite Element Method in Engineering*, Tata-McGraw Hill, New Delhi, 1979.

