

LIST OF TABLES

Table No.	Table Caption	Page No.
Table 1.1:	Typical diesel exhaust composition [Jelles 1999]	16
Table 1.2:	Euro emission standards for diesel vehicles	17
Table 1.3:	Bharat Stage emission standards for diesel vehicles	18
Table 1.4:	Typical Filtration Efficiency of Diesel oxidation catalysts [Source: DCL International Inc.]	21
Table 1.5:	Typical Filtration Efficiency of Diesel Particulate Filters (PM Mass) [Germany BMA 2001], [US non-coal mines MSHA 2001]	25
Table 2.1:	The applications of perovskites catalysts in diesel soot emission control	54
Table 3.1:	Techniques used for characterization of catalyst	74
Table 4.1:	Proximate analysis of soot	93
Table 4.2:	Data obtained from bomb calorimeter	94
Table 5.1:	Textural characterization of perovskite catalyst samples	105
Table 5.2:	Crystallite size of LaCoO_3 samples prepared by various methods	107
Table 5.3:	Binding energy and spin-orbit splitting values for Co2p and O1s	110
Table 5.4:	Effect of preparation methods and calcination temperature for soot oxidation over LaCoO_3	113
Table 5.5:	Stability test of catalyst A-750 and B-750 for soot combustion under tight contact	116
Table 6.1:	Textural characterization of perovskite catalyst samples	125
Table 6.2:	The crystallite size of all the catalysts	127
Table 6.3:	Light off characteristics temperatures of perovskite-type catalysts	140
Table 6.4:	Light off characteristics temperatures of single Sr-substituted Perovskite-Type Catalysts	141
Table 6.5:	Stability test of catalyst $\text{La}_{0.9}\text{Sr}_{0.1}\text{CoO}_3$ for soot combustion under tight contact	141
Table 6.6:	Characteristic lights off temperature for soot oxidation over perovskite catalysts	142
Table 6.7:	Characteristic temperature of soot oxidation over $\text{La}_{0.9}\text{Sr}_{0.1}\text{Co}_{0.5}\text{Fe}_{0.5}\text{O}_3$ at different gas hourly space velocities	144
Table 6.8:	Effect of contact type on soot oxidation on $\text{La}_{0.9}\text{Sr}_{0.1}\text{Co}_{0.5}\text{Fe}_{0.5}\text{O}_3$ catalyst	145
Table 6.9:	Characteristic lights off temperature for soot oxidation over perovskite catalysts	146

Table 7.1:	Nomenclature of the Catalysts	150
Table 7.2:	Textural Characterization of Perovskite Catalyst samples	153
Table 7.3:	Atomic % data of Cat-CC and Cat-RC	158
Table 7.4:	Characteristic light off temperature for soot oxidation over perovskite catalysts	162
Table 7.5:	Characteristic light off temperature for soot oxidation over Cat-RC with different cat soot ratio	162
Table 7.6:	Light off temperatures on $\text{La}_{0.9}\text{Sr}_{0.1}\text{Co}_{0.5}\text{Fe}_{0.5}\text{O}_3$ -RC under different catalyst-soot contacts	162
Table 7.7:	Stability test of catalyst Cat-RC for soot combustion under tight contact	163
Table 8.1:	Nomenclature of the Catalysts	165
Table 8.2:	Surface area, pore volume, average pore diameter and crystallite size data	168
Table 8.3:	Atomic % data of Cat-CC and Cat-RGA	174
Table 8.4:	Characteristics temperatures of different catalyst samples for soot Oxidation	175
Table 8.5:	Light off characteristics temperatures on Cat-RGA under different Catalyst-Soot Contacts	176
Table 8.6:	Stability test of catalyst Cat-RGA for Soot Combustion under Tight Contact	177
Table 9.1:	Reported activation energy for catalytic soot oxidation at a glance	180
Table 9.2:	Characteristic light off temperature for soot oxidation over perovskite catalysts	186
