Copyright © Indian Institute of Technology, Banaras Hindu University, Varanasi, INDIA, 2015 All rights are reserved.

### **UNDERTAKING FROM THE CANDIDATE**

I, Monika, declare that the work embodied in this Ph.D. thesis, is my own work carried out by me under the supervision of **Prof. Nira Misra** for a period of 5 years from August 2010 to September 2015 at School of Biomedical Engineering, Indian Institute of Technology, Banaras Hindu University, Varanasi. The matter embodied in this thesis has not been submitted for the any other degree/diploma.

Date:

Place: IIT (BHU), Varanasi

(Monika)

### **CANDIDATE'S DECLARATION**

I, Monika, declare that this written submission represents my idea in my own words and where others' ideas or words have been included, I have adequately cited and referenced the original sources. I also declare that I have adhered to all principles of academic honesty and integrity and have not misrepresented or fabricated or falsified my idea/data/fact/source in my submission. I understand that any violation of the above will be cause for disciplinary action by the institute and can also evoke penal action from the sources which have thus not been properly cited or from whom proper permission has not been taken when added.

#### Date:

**Place: Varanasi** 

(Monika)

#### **CERTIFICATE FROM THE SUPERVISOR**

This is to certify the above statement made by the candidate is correct to the best of my/our knowledge. The work embodied in this Ph.D. thesis has not been submitted for the award of any other degree/diploma.

Supervisor's signature

(Prof. Nira Misra)

Signature of the Coordinator School of Biomedical Engineering IIT (BHU), Varanasi

## <u>COURSE WORK/ COMPREHENSIVE</u> EXAMINATION/ COMPLETION CERTIFICATE

This is to certify that *Ms. Monika*, a bonafide research scholar of this School, has successfully completed the course work/comprehensive examination requirement, which is a part of his Ph.D. programme.

Date:

(Signature of the Coordinator of the School)

Place: IIT (BHU), Varanasi

## PRE SUBMISSION SEMINAR COMPLETION CERTIFICATE

This is to certify that Ms. Monika, a bonafide research scholar of School of Biomedical Engineering, Indian Institute of Technology, Banaras Hindu University, Varanasi, has successfully completed the pre-submission seminar requirement on the topic "Evaluation of polymeric ionomers composite and its exposure with mouse mesenchymal stem cells" on dated 31-03-2015 which is a part of this Ph.D. programme.

Date:

(Signature of the Coordinator of the School)

Place: IIT (BHU), Varanasi

## **COPY RIGHT TRANSFER CERTIFICATE**

Title of Thesis: ""Evaluation of polymeric ionomers composite and its exposure with mouse mesenchymal stem cells"

Candidate's Name: Ms. Monika

#### **Copyright Transfer**

This undersigned hereby assigns to the Indian Institute of Technology, Banaras Hindu University all rights under copyright that may exist in and for the above thesis submitted for the award of the Ph.D. degree.

Date:

#### Signature of the Candidate

**Note:** However, the author may reproduce material extracted verbatim from the thesis or derivatives of the thesis for author's personal use provided that the source and the Institute's copyright notice are indicated.

## <u>ACKNOWLEDGEMENT</u>

It has been an honour and privilege for me to have worked with **Prof. Nira Misra**, School of Biomedical Engineering, Indian Institute of Technology (BHU), Varanasi, one of the most revered and illustrious personality in the research community. I express my irredeemable depth of gratitude, indebtedness and obligation for her critical and enthusiastic guidance, inspiration and inexhaustible encouragement throughout my Ph.D tenure.

It would have been nearly infelicitous to compile this research without her who consecrated me with her keen attributes and scientific approach, valuble suggestions and helped me all the time of research and writing of this thesis. I had successfully overcome many difficulties and learned a lot. Whenever, I was in hard time, I found her with me. Her unflinching courage and conviction will always inspire me and I hope to continue to work with her noble thoughts.

I am also extremely indebted to the Coordinator Prof. Amit Kumar Ray, School of Biomedical Engineering, Indian Institute of Technology (BHU), Varanasi for providing necessary infrastructure and resources to accomplish my research work. I warmly thank Dr. Sanjeev Kumar Mahto for his valuble advice, constructive criticism and his extensive discussion around my work. I extend my sincere gratitude to Prof. Ranjana Patnaik. Dr. Neeraj Sharma, Dr. Shiru Sharma, Dr. Sanjay Kumar Rai and Dr. Somdeb Bose Dasgupta for their excellent support and constant encouragement during this doctoral work.

Most of the result described in this thesis would not have been obtained without the collaboration with some laboratories. I owe a great deal of appreciation and gratitude to Prof. Pralay Maiti, School of Material Science & Technology IIT-(BHU), for FTIR, TGA and UTM studies. I am highly obliged to Dr. Partha Roy, Department of Biotechnology, IIT Roorkee for helping me to perform in vitro cell culture studies. I am also thankful to Prof. Biswajit Ray, Department of Chemistry, Faculty of Science, BHU, for NMR studies. I express my sincere thanks to Senior Research Officer, Dr. Santosh Kumar Singh, Centre for Experimental Studies and Medicine, Institute of Medical Science, BHU for performing blood biocompatibility facility. I am indebted to Dr. Mukul Gupta, UGC-DAE Consortium for Scientific Research, Indore for my XRD studies.

I express my thanks to office and technical staff of School of Biomedical Engineering, IIT-(BHU), especially Mr. Bharat Vishwakarma, Mr. Anuj Kumar, Mr. Kishori Lal, Mr. Parmatma, Mr. S.P, Sharma, M. Sanjay Mishra, Mr. Suresh, Mr. Ajay and Mr. Sharan.

I heartily acknowledge the invaluable cooperation and timely suggestions of my seniors Dr. Shilpa Jaiswal and Dr. Govinda Kapusetti for providing me a conducive environment to carry out my research work.

My Acknowledgement will remain incomplete without recognizing admirable support of Ms. Divya Somvanshi, my friend cum roommate for her voluble discussion, friendly co-operation, help and warm companionship and giving me sweet memories in hostel, personal front as well as research area. I could not forget that wonderful time when we were together, her suggestion regarding paper writing, conferences and developing research ideas. I am indebted to some of my other hostel mates Ms. Punita Mouraya, Ms. Anupama Mishra and Mrs. Sarita Yadav for their valuable help and support.

I owe my sincere thanks to all my colleagues and juniors Mr. Kalyan Ramesh, Mr. Koushik, Dr. Subodh, Mr. Sanjay, Mr. Nishant, Ms. Anuranjeeta, Mr. Ankit, Mr. Vignesh, Mr. Koushal, Ms. Hemlata, Mr. Jitendra, Ms. Priya, Mr. Ritic, Mr. Arun, Mr. Amit, Mr. Rajesh and Mr. Snehashis.

I want to acknowledge my younger brother's friend Er. Anupam Singh, Who firstly introduce the Varanasi to bring the Ph.D. form in short period of time.

I take this opportunity to sincerely acknowledge the MHRD, Govt. of India, New Delhi for providing teaching assistantship in the form of Senior Research Fellowship which buttressed me to perform my work comfortably.

The people, who instilled inspiring in my life are those who bought me up, nurtured and imparted me the real virtues of humanities, empathy and kindness. They are my real motivators who sacrifice in order to bring me to the present position and blessed me with their grace and affection. These people are none other than my beloved parents Sh. Karan Singh and Smt. Pushpa and paternal grandparents Sh. Sukhan Singh and Smt. Murty Devi, and maternal grandparents Sh. Raghuvar Dayal and Smt. Sona Devi. I pay my sincerest obeisance to them. I am invariably full short of words for the support, love and encouragement rendered by my younger brothers **Er. Hitesh Singh and Er. Vivek Singh**, younger sister **Er. Astha Singh.** My family has allowed me to realize my own potential. All the support they have provided me over the years was the greatest gift anyone has ever given me. Who taught me the value of hard work and an education. Without them, I may never have reached to where I am today.

#### Special thanks-

It's my fortune to gratefully acknowledge the support of a special individual. Words fail me to express my appreciation for my dear husband, **Mr. Sangarsh**, for his continued, and enduring love, support and for believing in me long after I had lost belief in myself, and for sharing my wish to reach the goal of completing this task, but caring enough to love me even if I never achieved it. A journey is easier when you travel together. Interdependence is certainly more valuable than independence. He was always beside me during my happy and hard moments to push me and motivate me. Thank you doesn't seem sufficient but it is said with appreciation and respect to my husband for his support, encouragement, care, understanding and precious friendship.

This acknowledgement would be incomplete if the name of great visionary Bharat ratna Pt. Madan Mohan Malviyaji, is not mentioned, who made this divine centre of knowledge. Deepest regards to him.

Last not least, I thank from the inner heart of my soul to lord almighty, the merciful and gracious "Kashi Vishvanath" who always bestowed upon me their kind blessing and showed me the path of right virtues.

Monika

# CONTENTS

1. ( CT 11			Page No.
List of Tables			V
List of Scheme	S		vi
List of Figures			vii
List of Abbrevi	iations		xi
Preface			xii
Chapter-1		Introduction	0-45
1.1		Biomaterial	1
	1.1.1	Polymeric Biomaterial	2
	1.1.2	Poly(vinyl chloride) (PVC)	5
	1.1.3	Biomedical Application of Poly(vinyl chloride)	6
	1.1.4	Merits and demerits of Poly(vinyl chloride)	7
	1.1.5	Functionalization of Poly(vinyl chloride)	8
	1.1.6	Methods for modification of PVC	9
		1.1.6.1 Surface Modification	9
		a) Physical Method	10
		<b>b</b> ) Physiochemical modification (Grafting)	10
		c) Surface Chemical Modification	12
		<b>1.1.6.2</b> Modification by atom transfer radical	13
		polymerization	
		<b>1.1.6.3</b> Chemical modification of PVC	14
1.2		Composites	16
	1.2.1	Types of reinforcement in polymer composite	17
		<b>1.2.1.1</b> Layered silicates	18
		a) Kaolinite	19
		<b>b</b> ) Phyllosilicates	19
		c) Montmorillonite (MMT)	19
		<b>1.2.1.2</b> Modified layered silicates	20
		<b>1.2.1.3</b> Graphene	21
		<b>1.2.1.4</b> Carbon nano tube (CNT)	22
	1.2.2	Polymer nanocomposites structure	23

		<b>1.2.2.1</b> Immiscible	24
		1.2.2.2 Intercalated	25
		<b>1.2.2.3</b> Exfoliated	25
1.3		Layered double hydroxides (LDH)	25
	1.3.1	Properties of LDHs	27
	1.3.2	LDHs in biology and medicine	28
	1.3.1	LDHs as additives in polymers	31
1.4		PVC/LDHs composites	31
	1.4.1	Thermal stability	34
	1.4.2	Mechanical Properties	38
1.5		Anti bacterial activity	41
1.6		Biocompatibility	41
	1.6.1	Blood Biocompatibility	42
		<b>1.6.1.1</b> Haemolysis	43
	1.6.2	Cell adhesion and cell viability	44
1.7		Objectives	45
Chanter-2		Methodology and Characterization Techniques	46-71
2.1		Synthesis of functionalized polymer nanocomposites	47
2.1	2.1.1	Synthesis of functionalized polymer nanocomposites Chemical modification of Poly (vinyl chloride) (PVC)	47 48
2.1	2.1.1	Synthesis of functionalized polymer nanocomposites Chemical modification of Poly (vinyl chloride) (PVC) <b>2.1.1.1</b> Synthesis of thiosulphate-PVC	47 48 49
2.1	2.1.1	<ul> <li>Synthesis of functionalized polymer nanocomposites</li> <li>Chemical modification of Poly (vinyl chloride) (PVC)</li> <li>2.1.1.1 Synthesis of thiosulphate-PVC</li> <li>2.1.1.2 Synthesis of Thiourea – PVC</li> </ul>	47 48 49 49
2.1	2.1.1	<ul> <li>Synthesis of functionalized polymer nanocomposites</li> <li>Chemical modification of Poly (vinyl chloride) (PVC)</li> <li>2.1.1.1 Synthesis of thiosulphate-PVC</li> <li>2.1.1.2 Synthesis of Thiourea – PVC</li> <li>2.1.1.3 Synthesis of sulphate-PVC</li> </ul>	47 48 49 49 50
2.1	<ul><li>2.1.1</li><li>2.1.2</li></ul>	<ul> <li>Synthesis of functionalized polymer nanocomposites</li> <li>Chemical modification of Poly (vinyl chloride) (PVC)</li> <li>2.1.1.1 Synthesis of thiosulphate-PVC</li> <li>2.1.1.2 Synthesis of Thiourea – PVC</li> <li>2.1.1.3 Synthesis of sulphate- PVC</li> <li>Synthesis of Layered double Hydroxide</li> </ul>	47 48 49 49 50 50
2.1	<ul><li>2.1.1</li><li>2.1.2</li><li>2.1.3</li></ul>	<ul> <li>Synthesis of functionalized polymer nanocomposites</li> <li>Chemical modification of Poly (vinyl chloride) (PVC)</li> <li>2.1.1.1 Synthesis of thiosulphate-PVC</li> <li>2.1.1.2 Synthesis of Thiourea – PVC</li> <li>2.1.1.3 Synthesis of sulphate- PVC</li> <li>Synthesis of Layered double Hydroxide</li> <li>Preparation of functionalized PVC/LDH nanocomposite</li> </ul>	47 48 49 49 50 50 51
2.1 2.2	<ul><li>2.1.1</li><li>2.1.2</li><li>2.1.3</li></ul>	<ul> <li>Synthesis of functionalized polymer nanocomposites</li> <li>Chemical modification of Poly (vinyl chloride) (PVC)</li> <li>2.1.1.1 Synthesis of thiosulphate-PVC</li> <li>2.1.1.2 Synthesis of Thiourea – PVC</li> <li>2.1.1.3 Synthesis of sulphate- PVC</li> <li>Synthesis of Layered double Hydroxide</li> <li>Preparation of functionalized PVC/LDH nanocomposite</li> <li>Characterization techniques for prepared materials</li> </ul>	47 48 49 49 50 50 51 53
2.1 2.2	<ul><li>2.1.1</li><li>2.1.2</li><li>2.1.3</li><li>2.2.1</li></ul>	<ul> <li>Synthesis of functionalized polymer nanocomposites</li> <li>Chemical modification of Poly (vinyl chloride) (PVC)</li> <li>2.1.1.1 Synthesis of thiosulphate-PVC</li> <li>2.1.1.2 Synthesis of Thiourea – PVC</li> <li>2.1.1.3 Synthesis of sulphate- PVC</li> <li>Synthesis of Layered double Hydroxide</li> <li>Preparation of functionalized PVC/LDH nanocomposite</li> <li>Characterization techniques for prepared materials</li> <li>Proton Nuclear Magnetic Rasonance (<sup>1</sup>H NMR) of the functionalized PVC resins</li> </ul>	47 48 49 49 50 50 51 53 53
2.1 2.2	<ul> <li>2.1.1</li> <li>2.1.2</li> <li>2.1.3</li> <li>2.2.1</li> <li>2.2.2</li> </ul>	<ul> <li>Synthesis of functionalized polymer nanocomposites</li> <li>Chemical modification of Poly (vinyl chloride) (PVC)</li> <li>2.1.1.1 Synthesis of thiosulphate-PVC</li> <li>2.1.1.2 Synthesis of Thiourea – PVC</li> <li>2.1.1.3 Synthesis of sulphate- PVC</li> <li>Synthesis of Layered double Hydroxide</li> <li>Preparation of functionalized PVC/LDH nanocomposite</li> <li>Characterization techniques for prepared materials</li> <li>Proton Nuclear Magnetic Rasonance (<sup>1</sup>H NMR) of the functionalized PVC resins</li> <li>Fourier transform infrared spectroscopy</li> </ul>	47 48 49 49 50 50 51 53 53 53
2.1 2.2	<ul> <li>2.1.1</li> <li>2.1.2</li> <li>2.1.3</li> <li>2.2.1</li> <li>2.2.2</li> <li>2.2.2</li> <li>2.2.3</li> </ul>	<ul> <li>Synthesis of functionalized polymer nanocomposites</li> <li>Chemical modification of Poly (vinyl chloride) (PVC)</li> <li>2.1.1.1 Synthesis of thiosulphate-PVC</li> <li>2.1.1.2 Synthesis of Thiourea – PVC</li> <li>2.1.1.3 Synthesis of sulphate- PVC</li> <li>Synthesis of Layered double Hydroxide</li> <li>Preparation of functionalized PVC/LDH nanocomposite</li> <li>Characterization techniques for prepared materials</li> <li>Proton Nuclear Magnetic Rasonance (<sup>1</sup>H NMR) of the functionalized PVC resins</li> <li>Fourier transform infrared spectroscopy</li> <li>UV-visible spectroscopy</li> </ul>	47 48 49 49 50 50 51 53 53 53
2.1 2.2	<ul> <li>2.1.1</li> <li>2.1.2</li> <li>2.1.3</li> <li>2.2.1</li> <li>2.2.2</li> <li>2.2.3</li> <li>2.2.4</li> </ul>	<ul> <li>Synthesis of functionalized polymer nanocomposites</li> <li>Chemical modification of Poly (vinyl chloride) (PVC)</li> <li>2.1.1.1 Synthesis of thiosulphate-PVC</li> <li>2.1.1.2 Synthesis of Thiourea – PVC</li> <li>2.1.1.3 Synthesis of sulphate- PVC</li> <li>Synthesis of Layered double Hydroxide</li> <li>Preparation of functionalized PVC/LDH nanocomposite</li> <li>Characterization techniques for prepared materials</li> <li>Proton Nuclear Magnetic Rasonance (<sup>1</sup>H NMR) of the functionalized PVC resins</li> <li>Fourier transform infrared spectroscopy</li> <li>UV-visible spectroscopy</li> <li>X-ray diffraction</li> </ul>	47 48 49 49 50 50 51 53 53 53 53
2.1 2.2	<ul> <li>2.1.1</li> <li>2.1.2</li> <li>2.1.3</li> <li>2.2.1</li> <li>2.2.2</li> <li>2.2.3</li> <li>2.2.4</li> <li>2.2.5</li> </ul>	<ul> <li>Synthesis of functionalized polymer nanocomposites</li> <li>Chemical modification of Poly (vinyl chloride) (PVC)</li> <li>2.1.1.1 Synthesis of thiosulphate-PVC</li> <li>2.1.1.2 Synthesis of Thiourea – PVC</li> <li>2.1.1.3 Synthesis of sulphate- PVC</li> <li>Synthesis of Layered double Hydroxide</li> <li>Preparation of functionalized PVC/LDH nanocomposite</li> <li>Characterization techniques for prepared materials</li> <li>Proton Nuclear Magnetic Rasonance (<sup>1</sup>H NMR) of the functionalized PVC resins</li> <li>Fourier transform infrared spectroscopy</li> <li>UV-visible spectroscopy</li> <li>X-ray diffraction</li> <li>Thermal analysis</li> </ul>	47 48 49 49 50 50 51 53 53 53 54 56 58 60
2.1 2.2	<ul> <li>2.1.1</li> <li>2.1.2</li> <li>2.1.3</li> <li>2.2.1</li> <li>2.2.2</li> <li>2.2.3</li> <li>2.2.4</li> <li>2.2.5</li> <li>2.2.6</li> </ul>	<ul> <li>Synthesis of functionalized polymer nanocomposites</li> <li>Chemical modification of Poly (vinyl chloride) (PVC)</li> <li>2.1.1.1 Synthesis of thiosulphate-PVC</li> <li>2.1.1.2 Synthesis of Thiourea – PVC</li> <li>2.1.1.3 Synthesis of sulphate- PVC</li> <li>Synthesis of Layered double Hydroxide</li> <li>Preparation of functionalized PVC/LDH nanocomposite</li> <li>Characterization techniques for prepared materials</li> <li>Proton Nuclear Magnetic Rasonance (<sup>1</sup>H NMR) of the functionalized PVC resins</li> <li>Fourier transform infrared spectroscopy</li> <li>UV-visible spectroscopy</li> <li>X-ray diffraction</li> <li>Thermal analysis</li> <li>Contact angle</li> </ul>	47 48 49 49 50 50 51 53 53 53 54 56 58 60 62
2.1 2.2	<ul> <li>2.1.1</li> <li>2.1.2</li> <li>2.1.3</li> <li>2.2.1</li> <li>2.2.2</li> <li>2.2.3</li> <li>2.2.4</li> <li>2.2.5</li> <li>2.2.6</li> <li>2.2.7</li> </ul>	Synthesis of functionalized polymer nanocompositesChemical modification of Poly (vinyl chloride) (PVC)2.1.1.1 Synthesis of thiosulphate-PVC2.1.1.2 Synthesis of Thiourea – PVC2.1.1.3 Synthesis of sulphate- PVCSynthesis of Layered double HydroxidePreparation of functionalized PVC/LDH nanocompositeCharacterization techniques for prepared materialsProton Nuclear Magnetic Rasonance ( <sup>1</sup> H NMR) of the functionalized PVC resinsFourier transform infrared spectroscopyUV-visible spectroscopyX-ray diffractionThermal analysisContact angleScanning Electron Microscopy	47 48 49 49 50 50 51 53 53 53 54 56 58 60 62 63
2.1 2.2	<ul> <li>2.1.1</li> <li>2.1.2</li> <li>2.1.3</li> <li>2.2.1</li> <li>2.2.2</li> <li>2.2.3</li> <li>2.2.4</li> <li>2.2.5</li> <li>2.2.6</li> <li>2.2.7</li> <li>2.2.8</li> </ul>	Synthesis of functionalized polymer nanocompositesChemical modification of Poly (vinyl chloride) (PVC)2.1.1.1 Synthesis of thiosulphate-PVC2.1.1.2 Synthesis of Thiourea – PVC2.1.1.3 Synthesis of sulphate- PVCSynthesis of Layered double HydroxidePreparation of functionalized PVC/LDH nanocompositeCharacterization techniques for prepared materialsProton Nuclear Magnetic Rasonance ( <sup>1</sup> H NMR) of the functionalized PVC resinsFourier transform infrared spectroscopyUV-visible spectroscopyX-ray diffractionThermal analysisContact angleScanning Electron MicroscopyTransmission Electron Microscopy	47 48 49 49 50 50 51 53 53 53 54 56 58 60 62 63 65

2.3		Bacterial assay	67
2.4		Blood Biocompatibility	68
	2.4.1	Hemolysis assay	68
	2.4.2	Thrombogenicity assay	68
2.5		Cellular Biocompatibility	69
	2.5.1	Cell culture studies	69
	2.5.2	Specimen for cell culture studies	69
	2.5.3	Cell adhesion	69
	2.5.4	Cell viability	70
	2.5.5	Nuclear Staining	71
	2.5.6	Statistical analysis	71
	2.5.7	Microscopic Fluorescence image system	71

### **RESULT AND DISCUSSIONS**

Chapter-3		Chemical Modification of Poly(vinyl chloride) for 72- Blood and Cellular Biocompatibilty	
3.1		Introduction	73
3.2		Result and Discussion	74
	3.2.1	Nuclear magnetic resonance spectroscopy	74
	3.2.2	FTIR analysis	76
	3.2.3	UV-visible analysis	77
	3.2.4	Thermal analysis	78
	3.2.5	Contact angle	<b>79</b>
	3.2.6	Scanning Electron Microscopy	81
	3.2.7	Antibacterial activity	82
	3.2.8	Hemolysis	82
	3.2.9	Thrombogenicity evaluation	82
	3.2.10	Cell adhesion	83
	3.2.11	Cell viability	85
	3.2.12	Nuclear Staining	86
3.3		Summary	87

Chapter-4		Thermal and Mechanical Properties of Functionalized Poly(vinyl chloride)/Layered double hydroxide Nanocomposites	88-105
4.1		Introduction	89
4.2		Result and discussion	91
	4.2.1	Nanostructure of LDH	91
	4.2.2	Fourier Transform Infrared spectroscopy	92
	4.2.3	UV-visible spectroscopy	93
	4.2.4	X-ray diffraction	95
	4.2.5	Contact angle	96
	4.2.6	Transmission Electron Microscopy	97
	4.2.7	Thermal analysis	<b>98</b>
	4.2.8	Mechanical properties	100
4.3		Summary	105
Chapter-5		Blood and Cellular Biocompatibility of Functionalized Poly(vinyl chloride)/Layered double hydroxides Nanocomposites	106-119
5.1		Introduction	107
5.2		Result and Discussions	109
	5.2.1	Determination of Hemolysis activity of functionalized PVC/LDH composites	109
	5.2.2	Determination of clot formation on functionalized PVC/LDH composites	110
	5.2.3	Cell adhesion on functionalized PVC/LDH composites	112
	5.2.4	Cell proliferation on functionalized PVC/LDH composites	113
	5.2.5	Nuclear Staining on functionalized PVC/LDH composites	117
5.3		Summary	119
Chapter-6		Conclusion and future scope	120-123
		Conclusions	121
		Future scope	123
		References	124
		Publications	
		Biography	

# **List of Tabels**

		Page No.
Table 1.1	Required properties in polymer for use as implant	3
Table 1.2	Different type of polymers used in medical field	4
Table 1.3	Chemical formal of 2:1 phyllosilicates (layered silicates)	20
Table 2.1	Different types of process can be studied by TGA	61
Table 4.1	Mechanical properties of PVC and different functionalized PVC	101
Table 4.2	Mechanical properties of PVC and its nanocomposite	102
Table 4.3	Mechanical properties of PVC –TS and its different wt% nanocomposites	102
Table 4.4	Mechanical properties of PVC –TU and its different wt% nanocomposites	104
Table 4.5	Mechanical properties of PVC -S and its different wt% nanocomposites	104
Table 5.1	Weight (mg) of clot formation on the surface of PVC and its different composites with LDH	111
Table 5.2	Weight (mg) of clot formation on the surface of PVC-TS and its different composite with LDH	111
Table 5.3	Weight (mg) of clot formation on the surface of PVC-TU and its different composites with LDH	111
Table 5.4	Weight (mg) of clot formation on the surface of PVC-S and its different composite with LDH	111

# **List of Schemes**

		Page No.
Scheme 1.1	Schematic representation of polymerization of PVC	6
Scheme 1.2	Schematic representation of the mechanism involves in chemical modification of PVC	14
Scheme 1.3	Schematic representation of possible reaction site in PVC	15
Scheme 1.4	Schematic representation of various type of nanofiller with nanoscale dimension	17
Scheme 1.5	Schematic representation of different states dispersion of organoclay in polymers	24
Scheme 2.1	Schematic representation of chemical modification of PVC	48
Scheme 2.2	A photograph shows reaction setup of chemical modification of PVC with different nucleophiles and their film preparation technique. (a) Reaction setup; (b) Functionalized PVC; (c) Film preparation of functionalized PVC	49
Scheme 2.3	A photograph of LDH reaction setup in Laboratory; (a) Starting phase of experimental setup of LDH; (b) after continuous stirring for overnight; (c) before the centrifugation of LDH	51
Scheme 2.4	Schematic flow chart representation of functionalization of PVC and their different weight percentage polymer composites with LDH	52

# **List of Figures**

		Page No.
Figure 1.1	Schematic representation of novel photo-induced living graft polymerization method	11
Figure 1.2	Schematic representation for multistep strategy for deposition of antibacterial agent on PVC surface in physiochemical approach (a), carboxyl group activation mechanism by EDAC (b), and enamine formation following secondary amine and glutaraldehyde reaction	12
Figure 1.3	Modification of PVC by atom transfer radical polymerization	13
Figure 1.4	The structure of a 2:1 layered silicates	18
Figure 1.5	Schematic picture of ion-exchange reaction in layer structured silicates	21
Figure 1.6	Different types of CNT structure	22
Figure 1.7	Atomic structure of layered double hydroxides (LDH)	26
Figure 1.8	Diagrammatically model of anion exchange for layered compounds	28
Figure 1.9	Various biomolecule–LDH hybrids obtained by intercalation reaction (a) the pristine MgAl–LDH, (b) CMP–LDH hybrid, (c) AMP–LDH hybrid, (d) GMP–LDH hybrid, and (e) DNA– LDH hybrid	29
Figure 1.10	Hybridization of bio-LDH molecule and their expected transfer mechanism	30
Figure 1.11	Thermal behaviour of PVC and its nanocomposites	35
Figure 1.12	Thermal behaviour of PVC and its nanocomposites	37
Figure 1.13	SEM micrographs of PVC surface after being contacted with fresh platelet enriched plasma: (a) control PVC, (b) CTAB/Hep/(Fe3+ /Hep)7coated PVC and (c) CTAB/DS/Fe3+/Hep(Fe3+/DS/Fe3+/Hep)3coated PVC	43
Figure 2.1	Photograph of FTIR used in material analysis	55
Figure 2.2	Photograph of UV-Visble used in material analysis (Shimadzu (UV-1700), Pharma Speck)	57
Figure 2.3 Figure 2.4	Geometrical derivation of Bragg's law Photograph of XRD used in material analysis (Brucker D8 Advance with Cu Ka radiation and a graphite monochromator)	59 60

Figure 2.5	Photograph of TGA used in material analysis	61
Figure 2.6	Contact angles formed by sessile liquid drops on a smooth homogeneoussolid surface	62
Figure 2.7	Photograph of Tensiometer used in identified wettability of different material analysis (Kruss F-100 tensiometer system)	63
Figure 2.8	Photograph of SEM used in identified morphology of different polymer analysis	65
Figure 2.9	Photograph of TEM used in identified morphology of different polymer composites analysis	66
Figure 3.1	<sup>1</sup> H-NMR spectra of PVC and functionalized PVC with thiosulphate (PVC- TS), thiourea (PVC-TU) and sulphite (PVC-S)	75
Figure 3.2	FTIR spectra of pure and functionalized forms of PVC	76
Figure 3.3	UV-Vis spectra of PVC and its derivatives	78
Figure 3.4	Thermogram of pure and functionalized PVC analyzed in a nitrogen atmosphere	79
Figure 3.5	(a) Contact angle measurements of pure PVC and functionalized PVC resins and (b) Hemolysis percentage of pure PVC and functionalized PVC polymers	80
Figure 3.6	Scanning Electron Micrographs of PVC and the derivatives of PVC resin after the chemical modification. (a) & (b) PVC, (c) &(d) PVC-TS, (e) & (f) PVC-TU and (g) & (h) PVC-S	81
Figure 3.7	Antibacterial activity of PVC and its functionalized polymer; colonies of E. coli grown on (a) PVC, (b) PVC-TS, (c) PVC-TU and (d) PVC-S	83
Figure 3.8:	Biocompatibility evolution of PVC and its derivatives. (a) The percentage value of mesenchymal stem cell adhesion on PVC and its functionalized forms was evaluated using crystal violet. The absorption values were taken at the wavelength of 544nm	84
Figure 3.9:	Cell viability of mouse mesenchymal stem cell seeded on PVC, PVC-TS, PVC-TU and PVC-S surface. Cells were plated directly on the polymeric biomaterial surface and cultured for 1, 3 and 5 days in a growth medium	85
Figure 3.10	Nuclear morphology of mMSC cells grown on different polymeric surfaces for 24 h. Cells were cultured in direct contact with various samples and analyzed with a fluorescence microscopy. (a) PVC; (b) PVC-TS; (c) PVC-TU; (d) PVC-S	86

Figure 4.1	(a) FTIR and (b) XRD patterns of MgAl-CO <sub>3</sub> LDH with Mg/Al Molar ratio 2:1	91
Figure 4.2	(a) FTIR spectra of PVC, PVC-TS, PVC-TS and PVC-S functionalized PVC, (b) PVC-1, 1.5 & 2%, (c) PVC-TS-1, 1.5 & 2%,(d) PVC-TU-1, 1.5 & 2% and (e) PVC-S-1, 1.5 & 2%	93
Figure 4.3	a) UV-visible spectra of PVC and its nanocomposites, (b) PVC-TS and its nanocomposites, (c) PVC-TU and its nanocomposites, (e) PVC-S and its nanocomposites	94
Figure 4.4	(a) XRD of PVC-1, 1.5 & 2%, (b) PVC-TS-1, 1.5 & 2%,(c) PVC-TU-1, 1.5 & 2% and (d) PVC-S-1, 1.5 & 2%	95
Figure 4.5	Wettability graph of different polymer composite (a) PVC-1, 1.5 & 2%, (b) PVC-TS-1, 1.5 & 2%,(c) PVC-TU-1, 1.5 & 2% and (d) PVC-S-1, 1.5 & 2%	96
Figure 4.6	TEM images of different polymer composite (a) PVC - 2%, (b) PVC-TU- 2%	97
Figure 4.7:	Thermograph of polymer composite (a) PVC-1%, PVC-1.5% & PVC-2% (b) PVC-TS-1, PVC-TS-1.5 & PVC-TS-2% (c) PVC-TU-1, 1.5 & 2% (d) PVC-S-1, 1.5 & 2%	99
Figure 4.8	Stress strain curve of PVC with functionalized PVC with thiosulphate (PVC-TS), thiourea (PVC-TU) and sulphite (PVC-S)	100
Figure 4.9	Stress strain curve of (a) PVC and its different wt% of LDH nanocomposites; (b) PVC-TS and its different wt% of LDH nanocomposite	101
Figure 4.10	Stress strain curve of (a) PVC-TU and its different wt% of LDH nanocomposites; (b) PVC-S and its different wt% of LDH nanocomposite	103
Figure 5.1	Hemolysis activities of different polymer functionalized PVC composites, (a) PVC and its composites with different wt% of LDH; (b) PVC-TS and its composites with different wt% of LDH; (c) PVC-TU and its composites with different wt% of LDH; (d) PVC-S and its composites with different wt% of LDH	110
Figure 5.2	Cell adhesions of different polymer ionomers composites on mMSCs, (a) PVC and its composites with different wt% of LDH; (b) PVC-TS and its composites with different wt% of LDH; (c) PVC-TU and its composites with different wt% of LDH; (d) PVC-S and its composites with different wt% of LDH	112
Figure 5.3	Cell Proliferation of PVC and its composites with different	114

wt% of LDH on mMSCs

- Figure 5.4Cell Proliferation of PVC-TS and its composites with different115wt% of LDH on mMSCs
- Figure 5. 5Cell Proliferation of PVC-TU and its composites with different115wt% of LDH on mMSCs
- Figure 5.6Cell Proliferation of PVC-S and its composites with different116wt% of LDH on mMSCs
- Figure 5.7 Morphological observation of mMSCs grown on different 117 functionalized polymer nanocomposites surface for 24h. Cells were cultured direct in contact with various samples and analyzed with fluorescence microscope. (a) PVC; (b) PVC-1%; (c) PVC-1.5%; (d) PVC-2%
- **Figure 5.8** Morphological observation of mMSCs grown on different functionalized polymer nanocomposites surface for 24h. Cells were cultured direct in contact with various samples and analyzed with fluorescence microscope. (a) PVC-TS; (b) PVC-TS-1%; (c) PVC-TS-1.5%; (d) PVC-TS-2%
- **Figure 5.9** Morphological observation of mMSCs grown on different 118 functionalized polymer nanocomposites surface for 24h. Cells were cultured direct in contact with various samples and analyzed with fluorescence microscope. (a) PVC-TU; (b) PVC-TU-1%; (c) PVC-TU-1.5%; (d) PVC-TU-2%
- **Figure 5.10** Morphological observation of mMSCs grown on different functionalized polymer nanocomposites surface for 24h. Cells were cultured direct in contact with various samples and analyzed with fluorescence microscope. (a) PVC-S; (b) PVC-S-1%; (c) PVC-S-1.5%; (d) PVC-S-2%

# Abbreviation

PVC	:Poly vinyl chloride
PVC-TS	:Thiosulphated- poly vinyl chloride
PVC-TU	:Thioureated-poly vinyl chloride
PVC-S	:Sulphate-poly vinyl chloride
TBHAS	:Tetrabutylammonium hydrogen sulphide
LDH	:Layered Double Hydroxide
FTIR	:Fourier transform infrared
NMR	:Nuclear magnetic resonance
XRD	:X-ray Diffraction
THF	:Tetra hydrofuron
MTT	:3-(4,5-dimethylthiazol-2-yl)-2,5- diphenyltetrazolium
ACD	:Acid Citrate Dextrose
mMSCs	:Mouse Mesenchymal Stem Cells
OD	:Optical Density
PBS	:Phosphate Buffer Solution
RBC	:Red Blood Cell
SEM	:Scanning Electron Microscopy
TGA	:Thermo Gravimetric Analyzer
TEM	:Transmission Electron Microscopy
UV-VIS	:Ultra Violet-Visible
$T_{g}$	:Glass transition temperature
Mg-Al	:Magnesium Aluminium

### Preface

One of the important class of biomaterials is polymeric materials. They are extensively used in biomedical field. These polymeric systems include acrylics, polyurethane, polyester, polyethylene, acrylics, polyamides, polyester, polyethylene, polysiloxanes, polyurethane and a number of biological materials. Some example of polymeric materials having biomedical applications are bone cement, catheters, contact lenses, heart valves, implantable pumps, joint replacement, artificial skin and sutures.

Among some frequently used polymers, Poly(vinyl chloride) (PVC) finds its special place because of its widespread applications in medical field. In long term use of PVC, it causes some health problems due to leaching out of plasticizer. To eradicate this problem, it was planned to functionalize polymer with different functional groups. Further polymer composites were made with incorporation of nanoclay. Modified polymers were exposed to different characterization techniques to study the altered properties of polymers. The present thesis has been divided into following chapters according to work.

*Chapter 1* starts with general introduction briefly describing PVC and its biomedical applications. Absolute description has been given for PVC, its applications, shortcomings and possible solutions. A small prologue has been given for synthetic and natural, layered nanoparticles and its importance in biomedical applications. A review of literature has been studied and included in each section for understanding of different crucial properties of PVC, nanoparticles, nanocomposites, and earlier studies done on them. The scope and objectives of the present investigation has been highlighted at the end of this chapter.

*Chapter* 2 covers the specification of materials used in present investigation, experimental procedures including functionalization of PVC, synthesis of nanoparticles and preparation of functionalized polymer nanocomposites. Nuclear Magnetic Resonance (NMR), Fourier Transform Infrared (FTIR) spectroscopy and UV-Vis (UV-Vis) spectroscopy technique has been used to study the presence of functional groups in polymer chain and their interactions with

nanoparticles and polymer composites. Wettability of polymer identify through contact angle. Scanning Electron Microscopy and Transmission Electron Microscopy has been performed to understand the morphology and structure of the polymer, nanoparticles, and polymer nanocomposites. Thermal properties of pure PVC and functionalized PVC with their composites have been examined through Thermo Gravimetric Analysis. Studies of Mechanical properties of pure PVC and functionalized PVC with their composites have been carried out. Bacterial viability assay was done on modified and unmodified polymer films. Blood biocompatibility that was performed through haemolysis assay and thrombogenicity assay. Cellular biocompatibility was done on samples through cell culture studies via cell adhesion, cell viability, nuclear staining etc. All the data obtained were subjected to statistical analysis using one way and two way analysis of variance.

*Chapter 3* deals with the chemical modification of PVC with thiosulphate, thiourea and sulphate for blood and cellular biocompatibility. All functionalized PVC was prepared by the nucleophilic substitution reaction using a phase transfer catalyst method. Here, the results obtained via Nuclear Magnetic Resonance (NMR), Fourier Transform Infrared (FTIR) spectroscopy, UV-Vis (UV-Vis) spectroscopy, Thermal analysis (TGA), Contact angle, Scanning electron microscopy (SEM) and biological assays including antibacterial activity, haemolysis with thrombogenicity, cell adhesion, cell cytotoxicity have been reported and discussed.

*Chapter 4* consists about the details of functionalized PVC/LDH nanocomposite - functionalized poly(vinyl chloride) / layered double hydroxides was prepared by solution intercalation method. The prepared product were confirmed and characterized by X-ray diffraction (XRD); Fourier transformed infrared spectroscopy (FT-IR). Incorporation of LDHs in functionalized PVC matrix has been confirmed through FTIR, UV-visible, XRD and TEM. The effects of LDHs on thermal stability of synthesized polymer compopsites analyzed by thermogravimetric analysis (TGA) and results showed that although all functional groups decrease the dehydrochlorination temperature of PVC, incorporation of LDH tend to increase the temperature, thereby stabilizing as well. Tensile testing was performed and obtains the Young modulus was obtained revealing enhanced Mechanical properties of the synthesized polymer composites had mechanical properties that need to be enhanced.

*Chapter 5* illustrates about the blood compatibility along with hemolysis and thrombogenicity of functionalized polymer composites. The biocompatibility has been confirmed using cell adhesion, cell viability and fluorescence image to understand the cell health on different polymer.

*Chapter 6* describes and summarizes all the results obtained in the present work with its biomedical applications. It also covers the future work on the basis of the present results.