

REFERENCES

References

- Adeli, H., Zhou, Z., Dadmehr, N., (2003) ‘Analysis of EEG records in an epileptic patient using wavelet transform’, *J. Neurosci. Methods*: vol 123, pp 69—87.
- Akin, M., and Kemal Kiymik, M., (2000) ‘Application of Periodogram and AR Spectral Analysis to EEG signals’, *Journal of Medical Systems*: vol. 24. pp. 247-256.
- Alkan, A., Koklukaya, E., Subasi, A. (2005) ‘Automatic seizure detection in EEG using logistic regression and artificial neural networks’. *J Neurosci Methods*: vol 148, pp 167-76.
- Andrews, R. J., (1991) ‘Transhemispheric diaschisis. A review and comment’, *Stroke*: vol 22, pp 943-9.
- Babloyantz, A., Destexhe, A., (1986) ‘Low-dimensional chaos in an instance of epilepsy (chaotic attractors/electroencephalogram/Lyapunov exponents/phase space)’. *Proc. Nail. Acad. Sci. USA, Neurobiology*: vol. 83, pp. 3513-3517.
- Becker, K., Kindrick, D., Relton, J., Harlan, J., and Winn, R., (2001) ‘Antibody to the alpha4 integrin decreases infarct size in transient focal cerebral ischemia in rats’. *Stroke*: vol. 32, pp 206-211.
- Bhattacharya, P., Pandey, A. K., Paul, S., Patnaik, R. (2013). ‘Does Piroxicam really protect ischemic neurons and influence neuronal firing in cerebral ischemia? An exploration towards therapeutics’. *Medical Hypotheses*: vol 81, pp 429-435.
- Bhattacharya P., Pandey A. K., Paul S. (2011). Minocycline and magnesium in combination attenuates oxidative stress and decreases ischemic neuronal damage in vivo. *Thai Journal of Pharmaceutical Science.* 35 (3): 131-142.
- Bhattacharya, P., Pandey, A. K., Paul, S., Patnaik, R., Yavagal, D. (2013). ‘Aquaporin-4 inhibition mediates Piroxicam-induced neuroprotection against focal cerebral ischemia/reperfusion injury in rodents’. *PLOS ONE*: vol 8(9), pp e73481 (1-13).

References

- Biernaskie, J. and Corbett, D., (2001) 'Enriched rehabilitative training promotes improved forelimb motor function and enhanced dendritic growth after focal ischemic injury', *The Journal of Neuroscience*: vol 21(14), pp 5272–5280.
- Brazier, M. A., Barlow, J. S. (1956) 'Some applications of correlation analysis to clinical problems in electroencephalography'. *Electroencephalogr. Clin. Neurophysiol. Suppl.*: vol 8, pp 325-331.
- Brazier, M. A., Casby, J. U. (1952) 'Cross-correlation and autocorrelation studies of electroencephalographic potentials'. *Electroencephalogr. Clin. Neurophysiol. Suppl.*: vol 4, pp 201-211.
- Bullock, T.H., Buzsaki, G., McClune, M.C., (1990) 'Coherence of compound field potentials reveals discontinuities in the CA1-subiculum of the hippocampus in freely-moving rats'. *Neuroscience*: vol 38, pp 609–619.
- Cao Y, D'Olhaberriague L, Vikingstad EM, Levine SR and Welch KM., (1998) 'Pilot study of functional MRI to assess cerebral activation of motor function after poststroke hemiparesis', *Stroke*: vol 29, pp 112-22.
- Cendelin, J., Korelusova, I., Vozeh, F., (2008) 'The Effect of Repeated Rota Rod Training on motor skills and spatial learning ability in Lurcher Mutant mice', *Behav Brain Res*: vol 189, pp 65-74.
- Chan, P. H., (1996) 'Role of oxidants in ischemic brain damage', *Stroke*: vol 27, pp 1124-1129.
- Clive P. Page, Michael J. Curtis, Morley Sutter, Michael Walker, Brian Hoffman. (1998) 'Farmacología integrada' (in Spanish). Published by Elsevier España, ISBN 84-8174-340-2.
- Corbett D and Nurse S., (1998) 'The problem of assessing effective neuroprotection in experimental cerebral ischemia', *Progress in Neurobiology*: vol 54(5), pp 531–548.

References

- Crack, P.J and Taylor, J.M., (2005) ‘Reactive oxygen species and the modulation of stroke’, Free Radic Biol Med: vol 38, pp 1433-44.
- Cramer SC, Nelles G, Benson RR, Kaplan JD, Parker RA, Kwong KK, Kennedy DN, Finklestein SP and Rosen BR., (1997) ‘A functional MRI study of subjects recovered from hemiparetic stroke’, Stroke: vol28, pp 2518-27.
- Crisostomo EA, Duncan PW, Propst M, Dawson DV and Davis JN., (1988) ‘Evidence that amphetamine with physical therapy promotes recovery of motor function in stroke patients’, Ann Neurol: vol 23, pp 94-7.
- Danton H. G. and Dietrich D., (2004) ‘The search for neuroprotective strategies in stroke’, Am J Neuroradiol: vol 25, pp 181-194.
- Del Zoppo GJ and Hallenbeck JM., (2000) ‘Advances in the vascular pathophysiology of ischemic stroke’, Thromb Res: vol 98(3), pp 73-81.
- Dirangle, U., Iadecola, C.,and Moskowitz, M. A., (1999) ‘Pathobiology of ischemic stroke: an integrated view’. Trends Neurosci: vol 22(9), pp 391-397.
- Donnan GA, Bladin PF, Berkovic SF, Longley WA and Saling MM., (1991) ‘The stroke syndrome of striatocapsular infarction’, Brain: vol 114 (Pt 1A), pp 51-70.
- Donnan GA, Fisher M, Macleod M, & Davis SM., (2008) Stroke. Lancet: 371, pp 1612-1623.
- Duff, J., (2004) ‘The usefulness of quantitative EEG (QEEG) and neurotherapy in the assessment and treatment of post-concussion syndrome’, Clinical EEG Neuroscience: vol 35(4), pp 198-209.
- Dunham NW and Miya TS., (1957) ‘A note on a simple apparatus for detecting neurological deficit in rats and mice’, J Am Pharm Assoc Am Pharm Assoc (Baltim): vol 46, pp 208-209.
- Ercelebi, E., (2004) ‘Electrocardiogram signals de-noising using lifting-based discrete wavelet transform’, Comput. Biol. Med: vol34 (6), pp 479—493.

References

- Ernesto Pereda, Rodrigo Quian Quiroga, Joydeep Bhattacharya, (2005) ‘Nonlinear Multivariate Analysis of Neurophysiological Signals’ Progress in Neurobiology: vol 77 (1–2), pp 1–37.
- Folkers, A., Mosch, F., Malina, T., Hofmann, U. G., (2003) ‘Realtime bioelectrical data acquisition and processing from 128 channels utilizing the wavelet-transformation’, Neurocomputing: vol 52-54, pp 247—254.
- Fox S E, Wolfson S, Ranck JB Jr. (1986) ‘Hippocampal theta rhythm and the firing of neurons in walking and urethane anesthetized rats’. Exp Brain Res: vol 62, pp 495–508.
- Frigola, C.J., Colombo P.A. and Pares C.J. (1987), Eur. Pat., EP 242, 289, pp 6.
- Geets, W., and Louette, N, (1985) ‘Early EEG in 300 cerebral concussions’, EEG and Clinical Neurophysiology: vol 14(4), pp 333-338.
- Gevins, A. S., Schaffer, R. E. (1980) ‘A critical-review of electroencephalographic (EEG) correlates of higher cortical functions’. CRC Crit. Rev. Bioeng: vol 4, pp 113-164.
- Gilligan AK, Thrift AG, Sturm JW, Dewey HM, Macdonell RA, & Donnan GA (2005). ‘Stroke units, tissue plasminogen activator, aspirin and neuroprotection: which stroke intervention could provide the greatest community benefit?’ Cerebrovasc Dis: vol 20, pp 239-244.
- Ginsberg, M.D., (2008) ‘Neuroprotection for ischemic stroke: past, present and future’, Neuropharmacology: vol 55, pp 363-389.
- Grassberger, P., Procaccia, I. (1983). ‘Characterization of Strange Attractors’. Phys. Rev. Lett: vol. 50, pp 346-349.
- Gu’ler, N.F., (1995) ‘Comparison of FFT and AR-based sonogram outputs of 20 MHz pulsed Doppler Data in real Time’. J. Computers Biol. Med: vol 25, pp 383–391.

References

- Guler, I., M.K. Kiymik, M. Akin, A. Alkan, (2001) ‘AR spectral analysis of EEG signals by using maximum likelihood estimation’, Comput. Biol. Med: vol 31, pp 441- 450.
- Guyot, L.L., Diaz, F.G., O'Regan, M.H., Mcleod, S., Park H. and Phillis, J.W., (2001) ‘Real-time measurement of glutamate release from the ischemic penumbra of the rat cerebral cortex using a focal middle cerebral artery occlusion mode’, Neurosci. Lett: vol 299, pp 37–40.
- Haselsteiner, E., Pfurtscheller, G., (2000) ‘Using time-dependent neural Networks for EEG classification’, IEEE Trans. Rehab. Eng: vol 8, pp 457—463.
- Hinterberger, T., Weiskopf, N., Veit, R., Wilhelm, B., Betta, E., Birbaumer, N., (2004) ‘An EEG-driven brain-computer interface combined with functional magnetic resonance imaging (fMRI)’. IEEE Trans. Biomed. Engg: vol 51, pp 971–974.
- Hong, J.T., Ryu, S.R., Kim, H.J., Lee, J.K., Lee, S.H., Kim, D.B., Yun, Y.P., Ryu, J.H., Lee, B.M and Kim, P.Y., (2000) ‘Neuroprotective effect of green tea extract in experimental ischemia-reperfusion brain injury’, Brain Res Bull: vol 53, pp 743-9.
- Hong, J.T., Ryu, S.R., Kim, H.J., Lee, J.K., Lee, S.H., Yun, Y.P., Lee, B.M and Kim, P.Y., (2001) ‘Protective effect of green tea extract on ischemia/reperfusion-induced brain injury in Mongolian gerbils’, Brain Res: vol 888, pp 11-18.
- Horn J and Limburg M, (2001a) ‘Calcium antagonists for ischemic stroke: A systematic review’, Stroke: vol 32, pp 570-576.
- Ikeda, M., Suzuki, C., Umegaki, K., Saito, K., Tabuchi, M and Tomita, T., (2007) ‘Preventive effects of green tea catechins on spontaneous stroke in rats’, Med Sci Monit: vol 13, pp BR40-5.
- Jarchi, D., Boostani, R., Taheri, M., Sanei, S. (2009) ‘Seizure source localization using a hybrid second order blind identification and extended rival penalized competitive learning algorithm’. Biomed. Signal Process. Control: vol 4, pp 108–117.

References

- Jasper, H.H., (1958) 'The ten-twenty electrode system of the International Federation', EEG Clinical Neurophysiology: vol 10, pp 371-375.
- Jennifer K. Callaway, Melissa J. Knight, Dianne J. Watkins and Philip M. Beart., (1999) 'Delayed Treatment With AM-36, a Novel Neuroprotective Agent, Reduces Neuronal Damage After Endothelin-1-Induced Middle Cerebral Artery Occlusion in Conscious Rats', Stroke: vol 30, pp 2704-2712.
- John O'Keefe, Neil Burgess. (2005) 'Dual phase and rate coding in hippocampal place cells: theoretical significance and relationship to entorhinal grid cells', Hippocampus: vol 15(7), pp 853–866.
- Kay M. Tye, Karl Deisseroth, (2012) 'Optogenetic investigation of neural circuits underlying brain disease in animal models'. NATURE REVIEWS: vol 13, pp 251-266.
- Kumar Y., Dewal M. L., Anand R. S., (2012) 'Epileptic seizures detection in EEG using DWT-based ApEn and artificial neural network'. SIViP, DOI 10.1007/s11760-012-0362-9.
- Kwon, S.K., Park, M.S., Sin, Y.S. and Nam, Y.J. (1996), Korean Pat., KR 9,C 04,829.
- Laban, G., Guenther, W. and Lohmann, D. (1987), Ger. Pat., DD 247,674, pp 4.
- Lee RG, van Donkelaar P., (1995) 'Mechanisms underlying functional recovery following stroke', Can J Neurol Sci: vol 22, pp 257-63.
- Lipton, P., (1999) 'Ischemic cell death in brain neurons'. Physiol Rev: vol 79, pp 1431-1568.
- Lloyd-Jones, D., Adams, R., Carnethon, M., De Simone, and Kessels, A., (2006) 'Diazepam to improve acute stroke outcome: results of the early GABA-Ergic activation study in stroke trial. a randomized double-blind placebo-controlled trial', Cerebrovasc Dis: vol 21, pp 120-127.

References

- Longa, E. Z., Weinstein, P.R., Carlson, S. and Cummins,R., (1989) ‘Reversible middle cerebral artery occlusion without craniectomy in rats’, Stroke: vol 20, pp 84-91.
- Lopes da Silva, F., (1991) ‘Neural mechanisms underlying brain waves: From neural membranes to networks’, Electroencephalography and Clinical Neurophysiology: vol 79, pp 81-93.
- Lutzenberger, W., Elbert, T., and Rockstroh, B., (1987) ‘A brief tutorial on the implications of volume conduction for the interpretation of the EEG’, Journal of Psychophysiology: vol 1, pp 81-89.
- Maan M. Shaker, (2007) ‘EEG Waves Classifier using Wavelet Transform and Fourier Transform’, International Journal of Medical, Pharmaceutical Science and Engineering: vol: 1(3), pp 166-171.
- Mergenthaler, P., Dirnagl, U., Meisel, A., (2004) ‘Pathophysiology of stroke: lessons from animal models’, Metab Brain Dis: vol 19(3-4), pp 151-67.
- Mohanasundari M, Srinivasan MS and Sethupathy S, (2006) ‘Enhanced neuroprotective effect by combination of bromocriptine and Hypericum perforatum extract against MPTP-induced neurotoxicity in mice’, J Neurol Sci: vol 249, pp 140-44.
- Muir KW and Grosset DG, (1999) ‘Neuroprotection for acute stroke: making clinical trials work’, Stroke: vol 30, pp 180-182.
- Murray CJ & Lopez AD (1997). ‘Mortality by cause for eight regions of the world: Global Burden of Disease Study’. Lancet. vol 349, pp 1269-1276.
- Nagata K, (1988) ‘Topographic EEG in brain ischemia: correlation with blood flow and metabolism’, Brain Topogr: vol 1, pp 97–106.
- Nuwer, M., Novda, D., Schrader and L., Vespa., (2005) ‘Routine and quantitative EEG in mild traumatic brain injury’, Clinical Neurophysiology: vol 116(9), pp 2001-2025.
- Ocak H. (2009) ‘Automatic detection of epileptic seizures in EEG using discrete wavelet transform and approximate entropy’. Expert Sys Appl: vol 36, pp 2027-36.

References

- Orhan, H and Sahin, G., (2001) Experimental and Toxicologic Pathology: vol 53 (2-3), pp 133-40.
- Pandit, Sudhakar M. and Wu, Shien-Ming. (1983) 'Time Series and System Analysis with Applications'. John Wiley & Sons.
- Paul S., Bhattacharya P., Pandey A. K., Patnaik R. (2014). 'Application of mathematical modeling as a tool to analyze the EEG signals in rat model of focal cerebral ischemia'. Journal of the Institution of Engineers. Springer: vol 95(1), pp 23-27.
- Paul S., Sinha T. K., Patnaik R. (2015). EEG Time Series data analysis in Focal Cerebral ischemic rat model. International journal of Biomedical Engineering and Science. 2(1): 1-10.
- Paul S., Sinha T. K., Bhattacharya P., Patnaik R. (2014). Neural Network based classification of EEG Signal in induced focal cerebral ischemic rat brain. International Journal of Advanced Information Science and Technology (IJAIST). 32(32): 49-54.
- Paul S., Bhattacharya P., Pandey A. K., Sharma N., Tiwari J. P., Patnaik R. (2012). 'A Strategic Application of Fast Fourier Transform as a Novel Tool to Evaluate the Extent of Neuronal Insult in Rat Model of Focal Cerebral Ischemia'. Bangladesh Journal of Medical Physics: vol 5 (1), pp 29-36.
- Percival, Donald B. and Andrew T. Walden. (1993) 'Spectral Analysis for Physical Applications'. Cambridge University Press.
- Peters, B. O., Pfurtscheller, G., Flyvbjerg, H., (2001) 'Automatic differentiation of multichannel EEG signals', IEEE Trans. Biomed. Eng: vol 48, pp 111—116.
- Petrosian, A., Prokhorov, D., Homan, R., Dashei, R., Wunsch, D., (2000) 'Recurrent neural network based prediction of epileptic seizures in intra- and extracranial EEG', Neurocomputing: vol 30. pp 201-218.

- Pignataro, G., Tortiglione, A., Scorziello, A., Giaccio, L., Secondo, A., Severino, B., Santagada, V., Caliendo, G., Amoroso, S., Di Renzo, G., and Annunziato, L., (2004b) ‘Evidence for a protective role played by the Na⁺/Ca²⁺ exchanger in cerebral ischemia induced by middle cerebral artery occlusion in male rats’, *Neuropharmacology*: vol 46, pp 439–448.
- Piotr Suffczynski, Fernando H. Lopes da Silva, Jaime Parra, Demetrios N. Velis, Brigitte M. (Gitte) Bouwman, Clementina M. van Rijn, Peter van Hese, Paul Boon, Houman Khosravani, Miron Derchansky, Peter Carlen, and Stiliyan Kalitzin., (2006) ‘Dynamics of Epileptic Phenomena Determined From Statistics of Ictal Transitions’. *IEEE Transactions on Biomedical Engineering*: vol. 53.
- Pointinger, H., Sarahrudi, K., Poeschl, G. and Munk, P., (2002) ‘Electroencephalography in primary diagnosis of mild head trauma’, *Brain Injury*: vol 16(9), pp 799-805.
- Pradhan, N., Sadasivan, P. K., Arunodaya, G. R. (1996) ‘Detection of seizure activity in EEG by an artificial neural network: a preliminary study’, *Comput. Biomed. Res*: vol 29, pp 303—313.
- Proakis, J., and Manolakis, D., (1996) ‘Digital Signal Processing Principles, Algorithms, and Applications’. Prentice Hall, NJ.
- Qu, H., Gotman, J., (1997) ‘A Patient-specific algorithm for the detection of seizure onset in long-term EEG monitoring: possible use as a warning device’, *IEEE Trans. Biomed. Eng*: vol 44, pp 115—122.
- Rafael, F.A.; Ortiz, H. and Alfonso, (1982), J. Span Pat., ES 508,671, pp 10.
- Rosamond, W., Flegal, K., Friday, G., Furie, K., Go, A., and Hong, Y., (2007). ‘Heart disease and stroke statistics--2007 update: a report from the American Heart Association Statistics Committee and Stroke Statistics Subcommittee’, *Circulation*: vol 115, pp 69- 171.

References

- Ross. R., (1999) 'Atherosclerosis-an inflammatory disease'. Review New Engl. J. Med: vol 340(2), pp. 115-126.
- Satoskar, R.S.; Bhandarkar, S.D. and Ainapure, S.S., (2003) 'Pharmacology and Pharmacotherapy', 18th edn. Popular Prakashan, Mumbai, pp 25-26.
- Schacter, D.L., (1977) 'EEG theta waves and psychological phenomena: A review and analysis', Biological Psychology: vol 5, pp 47-82.
- Schallert T, Hernandez TD and Barth TM, (1986) 'Recovery of function after brain damage: severe and chronic disruption by diazepam', Brain Res: vol 379, pp 104-11.
- Schallert T., (1988) 'Aging-dependent emergence of sensorimotor dysfunction in rats recovered from dopamine depletion sustained early in life', Ann N Y Acad Sci: vol 515 pp 108-20.
- Shafir E. (1993) 'Paul Ehrlich--pioneer in chemotherapy, histology and immunology', Isr J Med Sci: vol 29(5), pp 327.
- Sharma, V.N., (1999) 'Essentials of pharmacology', 1st edn. CBS Pub. & Distrs., ND, India, pp 91-97.
- Shaw, J. C., Ongley, C. (1972) 'The measurement of synchronization. In: Synchronization of EEG activity in epilepsies', Eds. H. Petsche, M. A. B. Brazier. Springer-Verlag: pp. 204-216.
- Shin, H.S.; Park, M.S and Kwon, S.K., (2000) 'Yakhak Hoechi', EJP: vol 44(3), pp 272-278.
- Shin, S.C.; Shin, E.Y. and Cho, C.W., (2000) 'Enhancing effects of fatty acids on permeation through rat skins', Drug Dev. Ind. Pharm: vol 26(5), pp 563-566.
- Siesjo, B.K., (1992a) 'Pathophysiology and treatment of focal cerebral ischemia. Part II: Mechanisms of damage and treatment', J Neurosurg: vol 77, pp 337-54.

References

- Siesjo, B.K., (1992b) 'Pathophysiology and treatment of focal cerebral ischemia. Part I: Pathophysiology', *J Neurosurg*: vol 77, pp 169-84.
- Sigl J C and Chamoun N G, (1994) 'An introduction to bispectral analysis for the EEG', *J. Clin. Monit*: vol 10, pp 392-404.
- Simard JM, Kent TA and Chen M, (2007) 'Brain oedema in focal ischaemia: molecular pathophysiology and theoretical implications', *Lancet Neurol*: vol 6, pp 258-268.
- Smith, A.D. and Bolam, J.P. (1990) 'The neuronal network of the basal ganglia as revealed by the study of synaptic connections of identified neurons', *Trends. Neurosci*: vol 13, pp 259-265.
- Smith, W.S. (2004) 'Pathophysiology of focal cerebral ischemia: a therapeutic perspective', *J. Vasc. Interv. Radiol*: vol 15, pp S3-S12.
- STAIR - Stroke Therapy Academic Industry Roundtable, (1999) 'Recommendations for standards regarding preclinical neuroprotective and restorative drug development', *Stroke*: vol 30, pp 2752-2758.
- Stenzel-Poore MP, Stevens SL and King JS, (2007) 'Preconditioning reprograms the response to ischemic injury and primes the emergence of unique endogenous neuroprotective phenotypes: a speculative synthesis', *Stroke*: vol 38, pp 680-5.
- Stroemer RP, Kent TA and Hulsebosch CE., (1995) 'Neocortical neural sprouting, synaptogenesis, and behavioral recovery after neocortical infarction in rats', *Stroke*: vol 26, pp 2135-44.
- Subasi A. (2005) 'Epileptic seizure detection using dynamic wavelet network'. *Expert Sys Appl*: vol 29, pp 343-55.
- Subasia A., Erc E.(2005) 'Classification of EEG signals using neural network and logistic regression', *Computer Methods and Programs in Biomedicine*: vol. 78, pp. 87—99, 2005.

References

- Sun H, Dai H, Shaik N and Elmquist WF, (2003) ‘Drug efflux transporters in the CNS’, Adv Drug Deliv Rev: vol 55, pp 83-105.
- Sweeney, M. I., Yager, J. Y., Walz, W and Juurlink, B.H., (1995) ‘Cellular mechanisms involved in brain ischemia’, Can.J.Physiol. Pharmacol: vol 73, pp 1525-1535.
- Sykova E, Svoboda J, Polak J and Chvatal A., (1994) ‘Extracellular volume fraction and diffusion characteristics during progressive ischemia and terminal anoxia in the spinal cord of the rat’, J Cereb Blood Flow Metab: vol 14(2), pp 301-11.
- Tallon-Baudry, C., Bertrand, O., Delpuech, C., and Pernier, J., (1997) ‘Oscillatory gamma-band (30-70 Hz) activity induced by a visual search task in humans’, Journal of Neuroscience: vol 17, pp 722-734.
- Tanahashi N and Fukuuchi Y, (2002) ‘Treatment of acute ischemic stroke: recent progress’, Intern Med: vol 41(5), pp 337-344.
- Tang, X.N., Wang, Q., Koike, M.A., Cheng, D., Goris, M.L., Blankenberg, F.G. and Yenari, M.A., (2007) ‘Monitoring the protective effects of minocycline treatment with radiolabeled annexin V in an experimental model of focal cerebral ischemia’, J Nucl Med: vol 48, pp 1822-8.
- Tebano, T. M., Cameroni, M., Gallozzi, G., Loizzo, A., Palazzino, G., Pessizi, G., and Ricci, G. F., (1988). ‘EEG spectral analysis after minor head injury in man’, EEG and Clinical Neurophysiology: vol 70, pp 185-189.
- Tewari, Vishnoi and Mehrotra. (2003) ‘A Text Book of Organic Chemistry’, 2nd edn. Vikas Publication. House Pvt. Ltd., ND, (India).
- Thatcher, R. W., (1998) ‘Normative EEG databases and EEG biofeedback’, Journal of Neurotherapy: vol 2(4), pp 8 – 39.
- Thatcher, R. W., Walker, R. A., Gerson, I., and Geisler, F. H., (1989) ‘EEG discriminant analyses of mild head injury’, EEG and Clinical Neurophysiology: vol 73, pp 94-106.

References

- Thom, T., Haase, N., Rosamond, W., Howard, V.J., Rumsfeld, J., Manolio, T., Zheng, Z.J., Flegal, K., O'Donnell, C., Kittner, S., Lloyd-Jones, D., Goff, D.C., Jr., Hong, Y., Adams, R., Friday, G., Furie, K., Gorelick, P., Kissela, B., Marler, J., Meigs, J., Roger, V., Sidney, S., Sorlie, P., Steinberger, J., Wasserthiel-Smoller, S., Wilson, M. and Wolf, P., (2006) 'Heart disease and stroke statistics--2006 update: a report from the American Heart Association Statistics Committee and Stroke Statistics Subcommittee', *Circulation*: vol 113, pp 85-151.
- Thompson, J., Sebastianelli, W. and Slobounov, S., (2004) 'EEG correlates of traumatic brain injury in athletes', *NASPSPA Abstracts*: pp S188.
- Thornton, K. E., (1999) 'Exploratory investigation into mild brain injury and discriminant analysis with high frequency bands (32-64 Hz)', *Brain Injury*: vol 13(7), pp 477-488.
- Tolonen, U, Ahonen A, Sulg I A, Kuikka J, Kallanranta T, Koskinen M and Hokkanen E, (1981) 'Serial measurements of quantitative EEG and cerebral blood flow and circulation time after brain infarction', *Acta Neurol. Scand*: vol 63, pp 145–55.
- Traystman, R.J., (2003) 'Animal models of focal and global cerebral ischemia', *ILAR J*: vol 44, pp 85-95.
- Übeyli, ED., (2010) 'Lyapunov exponents/probabilistic neural networks for analysis of EEG signals'. *Expert Sys Appl*: vol 37, pp 985-92.
- Unterberg AW, Stover J, Kress B and Kiening KL, (2004) 'Edema and brain trauma', *Neuroscience*: vol 129, pp 1019–1027.
- Valle, K.; Diaz, C.A.; Avila, E.; Guinzberg, R and Pina, E., (2001) *J. Vet. Pharmacol. Ther*: vol 24(4), pp. 291-93.
- Vespa P M, Nuwer M R, Juhasz C, Alexander M, Nenov V, Martin N and Becker D P, (1997) 'Early detection of vasospasm after acute subarachnoid hemorrhage using

- continuous EEG ICU monitoring Electroencephalogr', Clin. Neurophysiol: vol 103, pp 607–15.
- Vespa P M, Nenov V and Nuwer, M R (1999) 'Continuous EEG monitoring in the intensive care unit: early findings and clinical efficacy', J. Clin. Neurophysiol: vol 16, pp 1–13.
- Vogel, W., Broverman, D.M., and Klaiber, E.L., (1968) 'EEG and mental abilities', *Electroencephalography and Clinical Neurophysiology*: vol 24, pp 166-175.
- Walker-Batson, D., Smith P., Curtis S., Unwin H. and Greenlee R., (1995) 'Amphetamine paired with physical therapy accelerates motor recovery after stroke. Further evidence', *Stroke*: vol 26, pp 2254-9.
- Walter, W.G., (1953) 'The living brain', New York: W.W. Norton.
- Wang Y, (2005) 'Visualizing the mechanical activation of Src', *Nature*: vol 434, pp 1040-1045.
- Ward NS., (2004) 'Functional reorganization of the cerebral motor system after stroke', *Curr Opin Neurol*: vol 17, pp 725-30.
- Weng, W., Khorasani, K., (1996) 'An adaptive structure neural network with application to EEG automatic seizure detection', *Neural Netw*: vol 9, pp 1223—1240.
- Whishaw, I. Q., (2000) 'Loss of the innate cortical engram for action patterns used in skilled reaching and the development of behavioral compensation following motor cortex lesions in the rat', *Neuropharmacology*: vol 39, pp 788-805.
- Zhang J-W, Zheng C-X and Xie A (2000) 'Bispectrum analysis of focal ischemic cerebral EEG signal using third-order recursion method IEEE Trans'. *Biomed. Eng*: vol 47, pp 352–9.
- Zhang, Y., Deng, P., Li, Y., and Xu, Z.C., (2006) 'Enhancement of excitatory synaptic transmission in spiny neurons after transient forebrain ischemia', *J Neurophysiol*: vol 95, pp 1537-1544.