

REFERENCES

- "Dietary Supplement Fact Sheet: Folate", Office of Dietary Supplements, National Institutes of Health.
- Ahire, JJ, Mokashe, NU, Patil, HJ, Chaudhari, BL, Antioxidative potential of folate producing probiotic *Lactobacillus helveticus* CD6, *Journal of Food Science and Technology*, 50, 26–34, 2013.
- Ahn, YT, Kim, GB, Lim, KS, Baek, YJ and Kim, HU, Deconjugation of bile salts by *Lactobacillus acidophilus* isolates, *International Dairy Journal*, 13 (4), 303–311, 2003.
- Alm, L, Effect of fermentation on B-vitamin content of milk in Sweden, *J Dairy Sci*, 65, 353–359, 1982.
- Ames, BN, Micronutrient deficiencies cause DNA damage and cancer, *Food Science and Agricultural Chemistry*, 1(1), 1-15, 1999.
- Angier, RB, Boothe, JH, Hutchings, BL, Mowat, JH, Semb, J, Stokstad, ELR, SubraRow, Y, Waller, CW, Cosulich, DB, Fahrenbach, MJ, Hultquist, ME, Kuh, E, Northey, EH, Seeger, DR, Sickels, JP and Smith, Jr, JM, "Synthesis of a Compound Identical with the *L. Casei* Factor Isolated from Liver", *Science*, 102 (2644), 227–8, 1945.
- Annex D—A procedure for estimating feasible fortification levels for a mass fortification programme. In *Guidelines on Food Fortification with Micronutrients*, 1st ed.; Allen, L, de Benoist, B, Dary, O, Hurrell, R, Eds. World Health Organization: Portland, OR, USA, 294–312, 2006.
- Aswathy, RG, Ismail, B, John, RP and Nampoothiri, KM, Evaluation of the probiotic characteristics of newly isolated Lactic acid bacteria, *Appl Biochem Biotechnol.*, 151, 244-255, 2008.
- Basset, GJC, Quinlivan, EP, Ziemak, MJ, Diaz de la Garza, R, Fischer, M, Schiffmann, S, Bacher, A, Gregory, JF and Hanson, AD, Folate synthesis in

- plants: the first step of the pterin branch is mediated by a unique bimodular GTP cyclohydrolase I, *Proc. Natl. Acad. Sci. USA*, 99, 12489–12494, 2002.
- Basset, GJC, Quinlivan, EP, Ravanel, S, Rebeille, F, Nichols, BP, Shinozaki, K, Seki, M, Adams-Phillips, LC, Giovannoni, JJ, Gregory, JF and Hanson, AD, Folate synthesis in plants: the p-aminobenzoate branch is initiated by a bifunctional PabA–PabB protein that is targeted to plastids, *Proc. Natl. Acad. Sci. USA*, 101, 1496– 1501, 2004a.
- Basset, GJC, Ravanel, S, Quinlivan, EP, White, R, Giovannoni, JJ, Rebeille, F, Nichols, BP, Shinozaki, K, Seki, M, Gregory, JF and Hanson, AD, Folate synthesis in plants: the last step of the p-aminobenzoate branch is catalyzed by a plastidial aminodeoxychorismate lyase, *Plant J.*, 40, 453–461, 2004b.
- Bassett, MN and Samman, NC, Folate content and retention in selected raw and processed foods, *Archivos Latino americanos de Nutricion*, 60, 298–305, 2010.
- Bauer, AW, Kirby, WM, Sherris, JC and Turck, M, Antibiotic susceptibility testing by a standardized single disk method, *Am J Clin Pathol*, 45, 493-6, 1966.
- Bekaert, S, Storozhenko, S, Mershahi, P, Bennet, MJ, Lambert, W, Gregory, JF, Schubert, K, Hugenholtz, J, Van Der Straeten, D and Hanson, AD, Folate biofortification in food plants, *Trends Plant Sci.*, 13(1), 28–35, 2007.
- Binkley, SB, Bird, OD, Bloom, ES, Brown, RA, Calkins, DG, Campbell, CJ, Emmett, AD, Pfiffner, JJ, On the vitamin Bc conjugate in yeast, *Science*, 100, 36–37, 1944.
- Blakley, RL, IUPAC-IUB joint commission on biochemical nomenclature (JCBN) Nomenclature and symbols for folic acid and related compounds recommendations 1986, *The Journal of Biological Chemistry*, 263, 605-607, 1988.
- Breithaupt, DE, Determination of folic acid by ion-pair RP-HPLC in vitamin-fortified fruit juices after solid phase extraction, *Food Chemistry*, 74, 521-525, 2001.

- Brown, GM, Weisman, RA and Molner, DA, The biosynthesis of folic acid: I. Substrate and co-factor requirement for enzymatic synthesis by cell free extracts of *Escherichia coli*, *J. Biol. Chem.*, 236, 2534–2543, 1961.
- Carmichael, J, DeGraff, WG and Gardar, AF, Evaluation of a tetrazolium-based semiautomated colorimetric assay: assessment of chemosensitivity testing, *Cancer Research*, 47, 936-939, 1987.
- Centers for Disease Control and Prevention. Recommendations for the use of folic acid to reduce the number of cases of spina bifida and other neural tube defects. *MMWR Recomm. Rep.*, 41, 1–7, 1992.
- Centers for Disease Control and Prevention. Use of folic acid for prevention of spina bifida and other neural tube defects—1983–1991, *MMWR Morb. Mortal. Wkly. Rep.*, 40, 513–516, 1991.
- Challem, J, "The Past, Present and Future of Vitamins, 1997.
- Chanarin, I, *The Megaloblastic Anaemias*, 3rd edn. Blackwell Scientific, Oxford, 1990.
- Charteris, WP, Kelly, PM, Morelli, L and Collins, JK, Antibiotic susceptibility of potentially probiotic *Lactobacillus* species, *J. Food Prot.*, 61, 1636–1643, 1998a.
- Charteris, WP, Kelly, PM, Morelli, L and Collins, JK, Development and application of an *in vitro* methodology to determine the transit tolerance of potentially probiotic *Lactobacillus* and *Bifidobacterium* species in the upper human gastrointestinal tract, *Journal of Applied Microbiology*, 84, 759–768, 1998b.
- Chick, H, Shin, HS and Ustunol, Z, Growth and acid production by lactic acid bacteria and bifidobacteria grown in skim milk containing honey, *Journal of Food Science*, 66, 478-481, 2001.
- Clark, PA, Cotton, LN and Martin, JH, Selection of *bifidobacteria* for use as delivery adjuncts in cultured dairy foods. II. Tolerance to stimulated pH of human stomachs, *Cultured Dairy Products Journal*, 28(4), 11–14, 1997.

- Crandall, BF, Corson, VL, Evans, MI, Goldberg, JD, Knight, G and Salafsky, IS, "American College of Medical Genetics statement on folic acid: fortification and supplementation", *Am. J. Med. Genet.*, 78 (4), 381, 1998.
- Crider, KS, Bailey, LB and Berry, RJ, Folic acid food fortification—its history, effect, concerns, and future directions, *Nutrients*, 3, 370-384, 2011.
- Crittenden, RG, Martinez, NR and Playne, MJ, Synthesis and utilisation of folate by yoghurt starter cultures and probiotic bacteria, *International Journal of Food Microbiology*, 80, 217–222, 2002.
- Crouch, GD and Helman, LJ, All-trans-retinoic acid inhibits the growth of human rhabdomyosarcoma cell lines, *Cancer Research*, 51, 4882-4886, 1991.
- Daly, S, Mills, JL, Molloy, AM, *et al.*, "Minimum effective dose of folic acid for food fortification to prevent neural-tube defects", *Lancet*, 350 (9092), 1666–9, 1997.
- Dana, MG, HatefSalmanian, A, Yakhchali, B and RastegarJazi, F, High folate production by naturally occurring *Lactobacillus* sp. with probiotics potential isolated from dairy products in Ilam and Lorestan provinces of Iran, *Afr. J. Biotechnol.*, 9, 5383-5391, 2010.
- Daneshi, M, Ehsani, MR, Razavi, SH and Labbafi, M, Effect of refrigerated storage on the probiotic survival and sensory properties of milk/carrot juice mix drink, *Electron J Biotechnol.*, 16(5), 1-12, 2013.
- Dashkevicz, MP and Feighner, SD, Development of a differential medium for bile salt hydrolase-active *Lactobacillus* sp., *Applied and Environmental Microbiology*, 55, 11–16, 1989.
- Day, PL, Langston, WC and Darby, WJ, Failure of nicotinic acid to prevent nutritional cytopenia in the monkey, *Proceedings of the Society of Experimental Biology and Medicine*, 38, 860–863, 1938.

- Day, PL, Mimms, V, Totter, JR, Stokstad, ELR, Hutchings, BL and Sloan, NH, The successful treatment of vitamin M deficiency in the monkey with highly purified *L. casei* factor, *Journal of Biological Chemistry*, 157, 423–424, 1945.
- De Man, JC, Rogosa, M and Sharpe, ME, Cultivation medium for lactobacilli, *J. Appl. Bacteriol.*, 23, 130–135, 1960.
- De Smet, I, Van Hoorde, L, Vande Woestyne, M, Christiaens, H and Verstraete, W, Significance of bile salt hydrolytic activities of lactobacilli, *Journal of Applied Bacteriology*, 79(3), 292–301, 1995.
- Deep, S and Kundu, S, Assessment of preliminary *in vitro* probiotic characteristics of the folate producing yogurt starter culture *Streptococcus* and *Lactobacillus* species, *IOSR Journal of Pharmacy and Biological Sciences*, 10 (3), 26-31, 2015.
- Deep, S and Kundu, S, Comparative studies on folate production and parameter optimization in fermented milk from Yoghurt starter culture, *International Journal of Engineering Sciences & Research Technology*, 5(12), 653-660, 2014.
- Denkova, Z, Krastanov, A and Murgov, I, Immobilized lactic acid bacteria for application as dairy starters and probiotic preparations, *The Journal of General and Applied Microbiology*, 50, 107-114, 2004.
- Dietrich, M, Brown, CJ and Block, G, "The effect of folate fortification of cereal-grain products on blood folate status, dietary folate intake, and dietary folate sources among adult non-supplement users in the United States", *J Am Coll Nutr.*, 24 (4), 266–274, 2005.
- Divya, J, Varsha, K, and Nampoothiri, K, Newly isolated lactic acid bacteria with probiotic features for potential application in food industry, *Applied Biochemistry and Biotechnology*, 167 (5), 1314–1324, 2012.
- Divya, JB and Nampoothiri, KM, Folate fortification of skim milk by a probiotic *Lactococcus lactis* CM28 and evaluation of its stability in fermented

milk on cold storage, J. Food Sci. Technol., 2014. (<http://dx.doi.org/10.1007/s13197-014-1406-7>).

Divya, JB and Nampoothiri, KM, Encapsulated *Lactococcus lactis* with enhanced gastrointestinal survival for the development of folate enriched functional foods, Bioresource Technology, 188, 226-230, 2015.

Doleyres, Y, Paquin, C, LeRoy, M and Lacroix, C, *Bifidobacterium longum* ATCC 15707 cell production during free- and immobilized-cell cultures in MRS-whey permeate medium, Appl. Microbiol. Biotechnol., 60, 168-173, 2002.

Drabkin, DL and Austin, JM, Spectrophotometric constants for common haemoglobin derivatives in human, dog and rabbit blood, J Biol Chem., 98, 719–33, 1932.

Dunne, C, O'Mahony, L, Murphy, L, Thornton, G, Morrissey, D, O'Halloran, S, Feeney, M, Flynn, S, Fitzgerald, G, Daly, C, Kiely, BC, O'Sullivan, G, Shanahan, F and Collins, JK, *In vitro* selection criteria for probiotic bacteria of human origin: Correlation with *in vivo* findings, Am J Clin Nutr., 73, 386-392, 2001.

Duthie, SJ, Folic acid deficiency and cancer: mechanisms of DNA instability, British Medical Bulletin, 55 (3), 578-592, 1999.

Efiuvwevwere, BJO, Gorris, LGM, Smid, EJ, and Kets, EPW, Mannitol enhanced survival of *Lactococcus lactis* subjected to drying, Applied Microbial Biotechnology, 51, 100-104, 1999.

Eitenmiller, RR, Landen, WO Jr, Vitamin Analysis for the Health and Food Science, CRC Press LLC, London, 1999.

FAO/WHO, Guidelines for the evaluation of probiotics in food, London, 2002.

Ferone, R and Webb, SR, Kinetic studies of *Escherichia coli* dihydropteroate synthetase, in: W. Pfeleiderer (Ed.), Chemistry and Biology of Pterines, Walter de Gruyter, Berlin, 61–71, 1975.

- Finglas, PM, Wigertz, K, Vahteristo, L, Witthoft, C, Southon, S and de Froidmont-Gortz I, Standardisation of HPLC techniques for the determination of naturally-occurring folates in food, *Food Chemistry*, 64, 245–255, 1999.
- Flint, SH, Brooks, JD and Bremer, PJ, The influence of cell surface properties of thermophilic streptococci on attachment to stainless steel, *Journal of Applied Microbiology*, 83, 508–517, 1997.
- Flynn, LM, Williams, VB, O'Dell, BL and Hogan, AG, Medium for assay of vitamins with lactic acid bacteria, *Anal. Chem.*, 23 (1), 180-185, 1951.
- Fullerton, HW, Macrocytic anaemia of pregnancy and the puerperium, *British Medical Journal*, 1, 158–160, 1943.
- Galia, W, Perrin, C, Genay, M and Dary, A, Variability and molecular typing of *Streptococcus thermophilus* strains displaying different proteolytic and acidifying properties, *International Dairy Journal*, 19(2), 89-95, 2009.
- Gangadharan, D, Nampoothiri, KM, Sivaramakrishnan, S and Pandey, A, Folate-producing lactic acid bacteria from cow's milk with probiotic characteristics, *International Journal of Dairy Technology*, 63, 339–348, 2010.
- Gangadharan, D, Nampoothiri, KM, Folate production using *Lactococcus lactis ssp cremoris* with implications for fortification of skim milk and fruit juices, *LWT-Food Sci Technol.*, 44,1859–64, 2011.
- Ganguly, NK, Bhattacharya, SK, Sesikeran, B, Nair, GB, Ramakrishna, BS, Sachdev, HPS, Batish, VK, Kanagasabapathy, AS, Muthuswamy, V, Kathuria, SC, *et al.*, ICMR-DBT guidelines for evaluation of probiotics in food, *Indian J. Med. Res.*, 134, 22–25, 2011.
- Gibney, MJ, Vorster, HH and Kok, FJ, *Introduction to Human Nutrition* Edited on behalf of The Nutrition Society, Blackwell Publishing, 2002.
- Gilliland, SE, Staley, TE and Bush, LJ, Importance of bile tolerance of *Lactobacillus acidophilus* used as dietary adjunct, *Journal of Dairy Science*, 67, 3045–3051, 1984.

- Green, JC, Nichols, BP and Matthews RG, Folate biosynthesis, reduction, and polyglutamylation, in: F.C. Neidhardt (Ed.), *Escherichia coli and Salmonella, Cellular and Molecular Biology* vol. 1, ASM Press, Washington, DC., 665–673, 1996.
- Green, JM, Merkel, WK and Nichols, BP, Characterization and sequence of *Escherichia coli* pabC, the gene encoding aminodeoxychorismate lyase, a pyridoxal phosphate-containing enzyme, *J. Bacteriol.*, 174, 5317–5323, 1992.
- Green, TJ, Skeaff, CM, Rockell, JE, Venn, BJ, Folic acid fortified milk increases blood folate and lowers homocysteine concentration in women of childbearing age, *Asia Pac J Clin Nutr.*, 14, 173-8, 2005.
- Gregory, JF, Folate, *Food Chemistry*, O. R. Fennema (Ed.), New York, Marcel & Dekker, (590-616), 1996.
- Gregory, ME, Water-soluble vitamins in milk and milk products, *J. Dairy Res.*, 42,197, 1975.
- Griffin, MJ and Brown, GM, The biosynthesis of folic acid: III. Enzymic formation of dihydrofolic acid from dihydroptericoic acid and of tetrahydropteroylpolyglutamic acid compounds from tetrahydrofolic acid, *J. Biol. Chem.*, 239, 310–316, 1964.
- Hanson, AD and Gregory, JF, Synthesis and turnover of folates in plants, *Curr. Opin. Plant Biol.*, 5, 244–249, 2002.
- Havenaar, R, Ten Brink, B and Huis in't Veld, JHJ, Selection of strains for Probiotic use, in: R. Fuller (Ed), *Probiotics. The Scientific Basis*, London, Chapman and Hall, 209-221, 1992.
- Herranen, M, Kariluoto, S, Edelmann, M, Piironen, V, Ahvenniemi, K, Iivonen, V, Salovaara, H, Korhola, M, Isolation and characterization of folate-producing bacteria from oat bran and rye flakes, *International Journal of Food Microbiology*, 142, 277–285, 2010.

- Hjortmo S, Patring J and Andlid T, Growth rate and medium composition strongly affect folate content in *Saccharomyces cerevisiae*, Int J Food Microbiol., 123(1–2), 93–100, 2008a.
- Hjortmo, S, Patring, J, Jastrebova, J and Andlid, T, Biofortification of folates in white wheat bread by selection of yeast strain and process, Int. J. Food Microbiol., 127, 32–36, 2008b.
- Hoffbrand, AV, Weir, DG, "The history of folic acid".Br. J. Haematol., 113 (3), 579–89, 2001.
- Hogan, AG and Parrott, EM, Anaemia in chicks caused by a vitamin deficiency, Journal of Biological Chemistry, 132, 507–517, 1940.
- Holasova, M , Fiedlerova, V, Roubal, P and Pechacova, M, Possibility of increasing natural folate content in fermented milk products by fermentation and fruit component addition, Czech Journal of Food Sciences, 23 (5), 196–201, 2005.
- Holasova, M, Fiedlerova, V, Roubal, P and Pechacova, M, Biosynthesis of folates by lactic acid bacteria and propionibacteria in fermented milk, Czech J Food Sci., 22, 175–181, 2004.
- Horne, DW, and Patterson, D, *Lactobacillus casei* microbiological assay of folic acid derivatives in 96-well microtiter plates, Clinical Chemistry, 34(11), 2357-2359, 1988.
- Hugenholtz, J, Hunik, J, Santos, H and Smid, E, Nutraceutical production by propionibacteria, Lait, 82, 103-112, 2002.
- Hugenschmidt, S, Miescher Schwenninger, S and Lacroix, C, Concurrent high production of natural folate and vitamin B₁₂ using a co-culture process with *Lactobacillus plantarum* SM39 and *Propionibacterium freudenreichii* DF13, Process Biochem., 46, 1063–1070, 2011.
- Hugenschmidt, S, Miescher Schwenninger, S, Gnehm, N and Lacroix, C, Screening of a natural biodiversity of lactic and propionic acid bacteria for folate and

- vitamin B₁₂ production in supplemented whey permeate, *Int Dairy J.*, 20, 852–857, 2010.
- Huskisson, E, Maggini, S, Ruf, M, The role of vitamins and minerals in energy metabolism and well-being, *J Int Med Res.*, 35, 277–289, 2007.
- Hydrominus, B, Le Marrec, C, Hadj Sassi, AH and Deschamps, A, Acid and bile tolerance of spore forming lactic acid bacteria, *Int J Food Microbiol.*, 61, 193–197, 2000.
- Institute of Medicine. Folate. In *Dietary Reference Intakes for Thiamin, Riboflavin, Niacin, Vitamin B6, Folate, Vitamin B12, Pantothenic Acid, Biotin, and Choline*; National Academy Press: Washington, DC, USA, 196–305, 1998.
- Iwai, K and Kobashi, M, The biosynthesis of folic acid and pteridine cofactor(s) and its regulation, in: W. Pfeleiderer (Ed.), *Chemistry and Biology of Pterines*, Walter de Gruyter, Berlin, 341–357, 1975.
- Iyer, R and Tomar, SK, Determination of folate/folic acid level in milk by microbiological assay, immuno assay and high performance liquid chromatography, *Journal of Dairy Research*, 80, 233-239, 2013.
- Iyer, R and Tomar, SK, Dietary effect of folate-rich fermented milk produced by *Streptococcus thermophilus* strains on hemoglobin level, *Nutrition*, 27(10), 994–997, 2011.
- Iyer, R, Tomar, SK and Singh AK, Response surface optimization of the cultivation conditions and medium components for the production of folate by *Streptococcus thermophilus*, *Journal of Dairy Research*, 77, 350–356, 2010a.
- Iyer, R, Tomar, SK, Kapila, S, Mani, J and Singh, R, Probiotic properties of folate producing *Streptococcus thermophilus* strains, *Food Research International*, 43, 103–110, 2010b.

- Iyer, R, Tomar, SK, Mohanty, AK, Singh, P, Singh, R, Bioprospecting of strains of *Streptococcus thermophilus* from Indian fermented milk products for folate production, Dairy science & technology, 91 (2), 237-246, 2011.
- Iyer, R, Tomar, SK, Singh, R and Sharma, R, Estimation of folate in milk by microbiological assay using trienzyme extraction method, Milchwissenschaft, 64, 125–127, 2009.
- Kailasapathy, K, Survival of free and encapsulated probiotic bacteria and their effect on the sensory properties of yoghurt, LWT Food Sci. Technol., 39, 1221–1227, 2006.
- Kariluoto, S, Aittamaa, M, Korhola, M, Salovaara, H, Vahteristo, L and Piironen, V, Effects of yeasts and bacteria on the levels of folates in rye sourdoughs, International Journal of Food Microbiology, 106, 137–143, 2006.
- Kariluoto, S, Edelmann, M, Herranen, M, Lampi, AM, Shmelev, A, Salovaara, H, Korhola, M and Piironen, V, Production of folate by bacteria isolated from oat bran, Int. J. Food Microbiol., 143, 41–47, 2010.
- Keagy, PM, Folacin-microbiological and animal assay. In Methods of Vitamin Assay. (Eds J Augustin, BP Klein, D Becker & PB Venugopal), New York, Wiley, 445–463, 1985.
- Khalil, RK, Evidence for probiotic potential of a capsular producing *Streptococcus thermophilus* CHCC 3534 strain, Afr. J. Microbiol. Res., 3(1), 027-034, 2009.
- Klaus, SMJ, Wegkamp, A, Sybesma, W, Hugenholtz, J, Gregory, JF and Hanson, AD, A nudix enzyme removes pyrophosphate from dihydroneopterin triphosphate in the folate synthesis pathway of bacteria and plants, J. Biol. Chem., 280, 5274–5280, 2005.
- Kodi, C, Gothandam, KM and Prabakaran, G, Identification and characterization of folic acid producing potential starter for curd fermentation, Int. J. Curr. Microbio. App. Sci., 4 (6), 118-130, 2015.

- Kourkoutas, Y, Xolias, V, Kallis, M, Bezirtzoglou, E and Kanellaki, M, *Lactobacillus casei* cell immobilization on fruit pieces for probiotic additive, fermented milk and lactic acid production, *Process. Biochem.*, 40, 411–416, 2005.
- Krasaekoopt, W, Bhandari, B and Deeth, H, Survival of probiotics encapsulated in chitosan-coated alginate beads in yoghurt from UHT and conventionally treated milk during storage, *Lebenson. Wiss. Technol.*, 39, 177–183, 2006.
- Laino, JE, Juarez del Valle, M, Savoy de Giori, G and LeBlanc, JG, Development of a high folate concentration yogurt naturally bio-enriched using selected lactic acid bacteria, *LWT Food Sci. Technol.*, 54, 1–5, 2013.
- Laino, JE, Juarez del Valle, M, Savoy de Giori, G and LeBlanc, JG, Applicability of a *Lactobacillus amylovorus* strain as co-culture for natural folate bio-enrichment of fermented milk, *Int. J. Food Microbiol.*, 191, 10–16, 2014.
- Lanska, DJ, "Chapter 30 Historical aspects of the major neurological vitamin deficiency disorders: the water-soluble B vitamins", *Handbook of Clinical Neurology*, 95, 445–76, 2009.
- Lebiedzinska, A, Dabrowska, M, Szefer, P and Marszall, M, High-performance liquid chromatography method for the determination of folic acid in fortified food products, *Toxicology Mechanisms and Methods*, 18, 463–467, 2008.
- LeBlanc, JG, Laino, JE, del Valle, MJ, Vannini, V, van Sinderen, D, Taranto, MP, de Valdez, GF, de Giori, GS and Sesma, F, B-group vitamin production by lactic acid bacteria-current knowledge and potential applications, *J Appl Microbiol.*, 111, 1297–1309, 2011.
- LeBlanc, JG, Savoy de Giori, G, Smid, EJ, Hugenholtz, J and Sesma, F, Folate production by lactic acid bacteria and other food-grade microorganisms, In *Communicating Current Research and Educational Topics and Trends in Applied Microbiology* ed. Méndez-Vilas, A., Badajoz, Spain: Formatex Research Center, 329–339, 2007.

- Lick, S, Keller, M, Bockelmann, W and Heller, K, Rapid identification of *Streptococcus thermophilus* by primer-specific PCR amplification based on its lacZ gene, *Syst Appl Microbiol.*, 19, 74–77, 1996.
- Lin, MY and Young, CM, Biosynthesis of folates by *Streptococcus thermophilus* and *Lactobacillus delbrueckii ssp. Bulgaricus*, *Journal of Food and Drug Analysis*, 8, 195–199, 2000a.
- Lin, MY and Young, CM, Folate levels in cultures of lactic acid bacteria, *Int. Dairy J.*, 10, 409–413, 2000b.
- Masuda, M, Ide, M, Utsumi, H, Niuro, T, Shimamura, Y and Murata, M, Production potency of folate, vitamin B (12), and thiamine by lactic acid bacteria isolated from Japanese pickles, *Biosci. Biotechnol. Biochem.*, 76(11), 2061-2067, 2012.
- Mitchell, HK, Snell, EE and Williams, RJ, "The concentration of "folic acid"", *J Am Chem Soc.*, 63 (8), 2284, 1941.
- Morata De Ambrosini, V, Gonzalez, S, Pesce De Ruiz Holgando, A and Oliver, G, Study of morphology of cell walls of some strains of lactic acid bacteria and related species, *Journal of Food Protection*, 61, 557–562, 1998.
- Mosmann, T, Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays, *J. Immunol. Methods*, 65, 55-63, 1983.
- Mousavi, SS, Moeini, H, Mohamad, R, Dinarvand, M, Ariff, A, Ling, FH and Raha, AR, Effects of medium and culture conditions on folate production by *Streptococcus thermophilus* BAA-250, *Research in Biotechnology*, 4, 21–29, 2013.
- Nor, MN, Rosfarizan, M, Hooi, LF and Raha, A, Improvement of folate biosynthesis by lactic acid bacteria using response surface methodology, *Food Technology and Biotechnology*, 48, 243–250, 2010.
- Ouwehand, AC, and Salminen, SJ, The health effects of cultured milk products with viable and nonviable bacteria, *Int Dairy J.*, 8, 749–758, 1998.

- Padalino, M, Perez-Conesa, D, Lopez-Nicolas, R, Frontela-Saseta, C and Berruezo, G, Effect of fructooligosaccharides and galactooligosaccharides on the folate production of some folate-producing bacteria in media cultures or milk, *Int. Dairy J.*, 27, 27–33, 2012.
- Passmore, R, Nicol, BM and Rao, MN, *Handbook on Human Nutritional Requirements*, Geneva: World Health Organ. Monogr. Ser. 61, 1974.
- Patring, J, Development and validation of chromatographic methods to study folate derivatives produced by yeasts, Diss. Uppsala:Swedish agricultural university, 2007.
- Performance Standards for Antimicrobial Disk Susceptibility tests. Clinical and Laboratory Standards Institute (CLSI), 27(1), 2007.
- Pfeiffer, CM, Rogers, LM and Gregory, JF, III, Determination of folate in cereal-grain food products using trienzyme extraction and combined affinity and reversed-phase liquid chromatography, *Journal of Agricultural and Food Chemistry*, 5, 407–413, 1997.
- Pfiffner, JJ, Calkins, DG, Bloom. ES, O'Dell, BL, On the peptide nature of vitamin Bc conjugate from yeast (Letter), *Journal of the American Chemical Society*, 68, 1392, 1946.
- Plackett, RL and Burman, JP, "The Design of Optimum Multifactorial Experiments", *Biometrika*, 33 (4), 305-25, 1946.
- Pompei, A, Cordisco, L, Amaretti, A, Zanoni, S, Matteuzzi, D and Rossi, m, Folate production by bifidobacteria as a potential probiotic property, *Appl Environ Microbiol*, 73, 179–185, 2007.
- Prevost, H and Divies, C, Cream fermentations by a mixed culture of *Lactococci* entrapped in two- layer calcium alginate gel beads, *Biotechnol. Lett.* 14, 583-588, 1992.
- Quinlivan, EP, Hanson, AD and Gregory JF, The analysis of folate and its metabolic precursors in biological samples, *Anal. Biochem.* 348, 163-184, 2006.

- Rao, DR, Reddy, AV, Pulusani, SR and Cornwell, PE, Biosynthesis and utilization of folic acid and vitamin B₁₂ by Lactic cultures in skim milk, *Journal of Dairy Science*, 67, 1169–1174, 1984.
- Rebeille, F and Douce, R, Folate synthesis and compartmentation in higher plants, in: N.J. Kruger, S.A. Hill, R.G. Ratcliffe (Eds.), *Regulation of Primary Metabolic Pathways in Plants*, Kluwer, Dordrecht, Netherlands, 53–99, 1999.
- Roe, DA, Lucy Wills (1888–1964): a biographical sketch, *Journal of Nutrition*, 108, 1379–1383, 1978.
- Rosenberg, M, Gutnick, D, and Rosenberg, E, Adherence of bacteria to hydrocarbons: A simple method for measuring cell-surface hydrophobicity, *FEMS Microbiology Letters*, 9, 29–33, 1980.
- Sarma, JD, and Duttagupta, C, Improved microbiological assay for folic acid based on microtiter plating with *Streptococcus faecalis*, *Food Biological Contaminants*, 78(5), 1173-1176, 1995.
- Schillinger, U and Lucke, F, Antimicrobial activity of *Lactobacillus* sake isolated from meat, *Applied and Environmental Microbiology*, 55, 1901-1906, 1989.
- Schillinger, U, Guigas, C and Holzapfel, WH, *In vitro* adherence and other properties of *lactobacilli* used in probiotic yoghurt-like products, *Int Dairy J.*, 15, 1289–1297, 2005.
- Scott, J, Rebeille, F and Fletcher, J, Folic acid and folates: the feasibility for nutritional enhancement in plant foods, *Journal of the Science of Food and Agriculture*, 80, 795-824, 2000.
- Semba, RD, The discovery of the vitamins, *Int J Vitam Nutr Res.*, 82, 310–315, 2012.
- Senthuran, A, Senthuran, V, Hatti-Kaul, R and Mattiasson B, Lactic acid production by immobilized *Lactobacillus casei* in recycle batch reactor: a step towards optimization, *J. Biotechnol.*, 73, 61–70, 1999.

- Shrestha, AK, Arcot, J and Paterson J, Folate assay of foods by traditional and tri-enzyme treatments using cryoprotected *Lactobacillus casei*, Food Chemistry, 71, 545-552, 2000.
- Snell, EE and Peterson, WH, Growth factors for bacteria. X. Additional factors required by certain lactic acid bacteria, Journal of Bacteriology, 39, 273–285, 1940.
- Stokstad, ELR and Manning, PDV, Evidence of a new growth factor required by chicks, Journal of Biological Chemistry, 125, 687–697, 1938.
- Stokstad, ELR, Some properties of a growth factor for *Lactobacillus casei*, Journal of Biological Chemistry, 149, 573–575, 1943.
- Stokstad, ELR, Early work with folic acid, Federation Proceedings, 38, 2696–2698, 1979.
- Sugahara, H, Odamaki, T, Hashikura, N, Abe, F and Xiao JZ, Differences in folate production by bifidobacteria of different origins, Bioscience of Microbiota, Food and Health, 34 (4), 87-93, 2015.
- Suitor, CW and Bailey, LB, "Dietary folate equivalents: interpretation and application", J Am Diet Assoc, 100(1), 88–94, 2000.
- Sultana, K, Godward, G, Reynolds, N, Arumugaswamy, R, Peiris, P and Kailasapathy, K, Encapsulation of probiotic bacteria with alginate-starch and evaluation of survival in simulated gastrointestinal conditions and in yoghurt, Int. J. Food Microbiol., 62, 47–55, 2000.
- Sybesma, W, Starrenburg, M, Tijsseling, L, Hoefnagel, MHN and Hugenholtz, J, Effects of cultivation conditions on folate production by lactic acid bacteria, Applied and Environmental Microbiology, 69(8), 4542-4548, 2003.
- Takahashi, T and M. Morotomi, Absence of cholic acid 7- α -dehydroxylase activity in the strains of *Lactobacillus* and *Bifidobacterium*, Journal of Dairy Science, 77(11), 3275– 3286, 1994.

- Tambekar, DH and Bhutada, SA, Studies on antimicrobial activity and characteristics of bacteriocins produced by *Lactobacillus* strains isolated from milk of domestic animals, *The Internet J Microbiol.*, 8, 1-6, 2010.
- Taranto, MP, de Ruiz Holgado, AP and Valdez, GF, Bile salt hydrolase activity of *Enterococcus faecium* strains, *Microbiologie-Aliments-Nutrition*, 13, 375–379, 1995.
- Tomar, SK, Srivastava, N, Iyer, R and Singh, R, Estimation of Folate Production by *Strep. thermophilus* using Modified Microbiological Assay, *Milchwissenschaft*, 64(3), 260–263, 2009.
- Twentyman, PR and Luscombe, M, A study of some variables in a tetrazolium dye (MTT) based assay for cell growth and chemosensitivity, *British J. of Cancer*, 56, 279-285, 1987.
- U.S. Preventive Services Task Force. Folic acid for the prevention of neural tube defects: U.S. Preventive Services Task Force recommendation statement. *Ann. Intern. Med.*, 150, 626–631, 2009.
- Vahteristo, LT, Ollilainen, V, Pekka, EK and Varo, P, Improvements in the analysis of reduced folate monoglutamates and folic acid in food by high-performance liquid chromatography, *Journal of Agricultural and Food Chemistry*, 44, 477–482, 1996.
- Vakil, JR, Shahani, KM, Disc assay method for determination of folic acid content of milk, cheese, and other foods, *J Dairy Sci.*, 52, 325–328, 1968.
- Vaughan, J, Tropical macrocytic anaemia, In: *Proceedings of the Royal Society of Medicine*, (Discussion of Paper by L. Wills), 25, 122, 1932.
- Vaughan, JM, *The Anaemias*. Oxford University Press, London, 1934.
- Verwei, M, Arkbage, K, Havenaar, R, van den Berg, H, Witthoft, C and Schaafsma, G, *Nutrition Journal*, 133, 2377, 2003.

- Vinderola, CG and Reinheimer, JA, Lactic acid starters and probiotic bacteria: A comparative “in vitro” study of probiotic characteristics and biological barrier resistance, *Food Research International*, 36, 895–904, 2003.
- Viswanathan, VK , Green, JM and Nichols, BP, Kinetic characterization of 4-amino 4-deoxychorismate synthase from *Escherichia coli*, *J. Bacteriol.*, 177, 5918–5923, 1995.
- Watson, J and Castle, WB, Nutritional macrocytic anemia. Response to a substance other than the anti-pernicious anemia principle, *Proceedings of the Society of Experimental Biology and Medicine*, 58, 84–86, 1943.
- Westman, EC, "Is dietary carbohydrate essential for human nutrition?", *The American journal of clinical nutrition*, 75 (5), 951–3, 2002.
- Wills, L and Evans, BDF, Tropical macrocytic anaemia: its relation to pernicious anaemia, *Lancet*, ii, 416–421, 1938.
- Wills, L and Mehta, MM, Studies in ‘pernicious anemia’ of pregnancy, I. preliminary report, *Indian Journal of Medical Research*, 17, 777–792, 1930.
- Wills, L and Mehta, MM, Studies in ‘pernicious anemia’ of pregnancy, Part IV. The production of pernicious anemia (Bartonella anemia) in intact albino rats by deficient feeding, *Indian Journal of Medical Research*, 18, 663–683, 1931.
- Wills, L, Treatment of ‘pernicious anaemia of pregnancy’ and ‘tropical anaemia’ with special reference to yeast extract as curative agent, *British Medical Journal*, 1, 1059–1064, 1931.
- Wilson, SD and Home, DW, Use of glycerol-cryoprotected *Lactobacillus casei* for microbiological assay of folic acid, *Clin. Chem.*, 28, 1198–2001, 1982.
- Witthoft, CM, Forssen, K, Johannesson, L and Jagerstad, M, Foliates–Food sources, analyses, retention and bioavailability, *Scandinavian Journal of Nutrition*, 43, 138–146, 1999.
- Wouters, JTM, Ayad, EHE, Hugenholtz, and Smit, G, Microbes from raw milk for fermented dairy products, *Int. Dairy J.*, 12, 91–109, 2002.

Wright, LD and Welch, AD, The production of folic acid by rat liver *in vitro*, Science, 98, 179–182, 1943.

Zisu, B, and Shah, NP, Effects of pH, Temperature, Supplementation with Whey Protein Concentrate, and Adjunct Cultures on the Production of Exopolysaccharides by *Streptococcus thermophilus* 1275, Journal of Dairy Science, 86(11), 3405-3415, 2003.