

- Abramian L. and El-Rassy H., Adsorption kinetics and thermodynamics of azodye Orange II onto highly porous titania aerogel, *Chem. Eng. J.* 150, (2009) 403–410.
- Akhtar S., Khan A.A. and Husain, Q., Potential of immobilized bitter gourd (*Momordica charantia*) peroxidases in the decolorization and removal of textile dyes from polluted wastewater and dyeing effluent, *Chemosphere* 60 (2005) 291–301.
- Aksu Z. and Donmez G., Combined effects of molasses sucrose and reactive dye on the growth and dye bioaccumulation properties of *Candida tropicalis*, *Process Biochem.* 40(2005) 2443–2454.
- Aksu Z. and Balibek E., Effect of salinity on metal-complex dye biosorption by *Rhizopus arrhizus*, *J. Environ. Manage.* 91 (2010) 1546–1555.
- Alaton I.A., Balcioglu I.A. and Bahnemann, D.W., Advanced oxidation of a reactive dye bath effluent: Comparison of O₃, H₂O₂ /UV-C and TiO₂/UV- A process, *Water Res.* 36 (2002) 1143–1154.
- Al-Kdasi A., Idris A., Saed K. and Guan C.T., Treatment of textile wastewater by advanced oxidation processes— A Review, *Global Nest Int. J.* 6 (2004) 222–230.
- Alves de Lima R.O., Bazo A.P., Salvadori D.M.F., Rech C.M., de Palma Oliveira D. and Umbuzeiro G.A., Mutagenic and carcinogenic potential of a textile azo dye processing plant effluent that impacts a drinking water source, *Mutat. Res.* 626 (2007) 53-60.

Anjaneya O., Santosh kumar M., Anand S.N. and Karegoudar T.B., Biosorption of Acid Violet dye from aqueous solutions using native biomass of a new isolate of *Penicillium* sp., *Int. Biodeter. Biodegr.* 63 (2009) 782–785.

Anjaneya O., Yogesh S.S., Santoskumar M. and Karegoudar T.B., Decolourization of sulfonated azo dye metanil yellow by newly isolated bacterial strains: *Bacillus* sp. Strain AK1 and *Lysinibacillus* sp. Strain AK2, *J. Hazard. Mater.* 190 (2011) 351–358.

APHA., Standard methods for the examination of water and wastewater, 20th ed. American Public Health Association/American Water Works Association/Water Environment Federation, Washington DC, USA, (1998).

Asad S., Amoozegar M.A., Pourbabae A.A., Sarbolouki M.N. and Dastgheib S.M.M., Decolorization of textile azo dyes by newly isolated halophilic and halotolerant bacteria, *Bioresour. Technol.* 98. (2007) 2082–2088.

Asgher M., Kamal S. and Iqbal H.M., Improvement of catalytic efficiency, Thermo-stability and dye decolorization capability of *Pleurotus ostreatus* IBL-02 laccase by hydrophobic Sol-Gel entrapment, *Chem. Cent. J.* 6 (2012) 110.

Azbar N., Yonar T. and Kestioglu K., Comparison of various advanced oxidation processes and chemical treatment methods for COD and color removal from a polyester and acetate fiber dyeing effluent, *Chemosphere* 55 (2004) 35- 43.

Azmi W., Sani R. K. and Banerjee U. C., Biodegradation of triphenylmethane dyes, *Enzyme Microb. Technol.* 22 (3) (1998) 185-191.

- Baban A., Yediler A., Avaz G. and Hostede S.S., Biological and oxidative treatment of cotton textile dye-bath effluents by fixed and fluidized bed reactors, *Bioresour. Technol.* 101 (2010) 1147–1152.
- Babu B.R., Parande A.K., Raghu S., and Kumar T.P., Cotton textile processing: waste generation and effluent treatment, *J. Cotton Sci.* 11 (2007) 141–145.
- Bafana A.K., Krishnamurthi S. D. and Chakrabarti T., Biological decolourization of C.I. direct black 38 by *E. gallinarum*, *J. Hazard. Mater.* 157 (2008) 183-193
- Bailey M.J., Adamitsch B., Rautio J., Weymarn N.V. and Saloheimo M., Use of a growth-associated control algorithm for efficient production of a heterologous laccase in *Trichoderma reesei* in fed-batch and continuous cultivation, *Enzyme Microb. Technol.* 41 (2007) 484–491.
- Barbusinski K. and Majewski J., Discoloration of Azo Dye Acid Red 18 by Fenton Reagent in the presence of Iron Powder, *Pol. J. Environ. Stud.* 12 (2003) 151-155.
- Barr D.P. and Aust S.D., Mechanisms white rot fungi use to degrade pollutants, *Environ. Sci. Technol.* 28 (1994) 320–328.
- Baughman G.L. and Perenich T.A., Fate of dyes in aquatic systems: I. Solubility and partitioning of some hydrophobic dyes and related compounds, *Environ. Toxicol.Chem.* 7 (1988) 183–199.

- Becker H.G. and Sinitsyn A.P., Mn-peroxidase from *Pleurotus ostreatus*: The action on the lignin, *Biotechnol. Lett.* 15 (1993) 289-94.
- Bhatkhande D.S., Pangarkar V.G. and Beenackers A.A.C.M., Photocatalytic degradation for environmental applications: A review, *J. Chem. Technol. Biot.* 77 (2002) 102-116.
- Bhatt N., Patel K.C., Keharia H. and Madamwar D., Decolorization of diazo-dye reactive blue 172 by *Pseudomonas aeruginosa* NBAR12. *J. Basic. Microb.* 45 (2005) 407-418.
- Bin Y., Jing Z., Jing W., Cuihong D., Hongman H., Zhiyong S. and Yongming B., Expression and characteristics of the gene encoding azoreductase from *Rhodobacter sphaeroides* AS1.1737, *FEMS Microbiol. Lett.* 236 (2004) 129-36.
- Bin Y., Jiti Z., Jing W., Cuihong D., Hongman H., Zhiyong S. and Yongming B., Expression and characteristics of the gene encoding azoreductase from *Rhodobacter sphaeroides* AS1.1737. *FEMS Microbiol. Lett.* 236 (2004) 129–136.
- Blake D.M., Webb J., Turchi C. and Magrini K., Kinetic and mechanistic overview of TiO₂- photocatalyzed oxidation reactions in aqueous solution, *Sol. Energy Mater.* 24 (1991) 584- 593.
- Blanchette R.A., Burnes T.A., Eerdmans M.M. and Akhtar M., Evaluating isolates of *Phanerochaete chrysosporium* and *Ceriporiopsis subvermispora* for use in biological pulping processes, *Holzforschung.* 46 (1992) 109–115.

- Blumel S. and Stolz A., Cloning and characterization of the gene coding for the aerobic azoreductase from *Pigmentiphaga kullae* K24. *Appl Microbiol. Biotechnol.* 62 (2003b) 186–190.
- Blumel S., Knackmuss H.J. and Stolz A., Molecular cloning and characterization of the gene coding for the aerobic azoreductase from *Xenophilus azovorans* KF46F, *Appl. Microbiol. Biotechnol.* 68 (2002a) 3948–3955.
- Bousher A., Shen X. and Edyvean R.G.J., Removal of coloured organic matter by adsorption onto low cost waste materials. *Water Res.* 31 (1997) 2084–2092.
- Bragger J.L., Lloyd A.W., Soozandehfar S.H., Bloomfield S.C., Marriott C. and Martin G. P., Investigations into the azo reducing activity of a common colonic microorganism, *Int. J. Pharmaceut.* 157 (1997) 61–71.
- Brar S.K., Verma M., Swrampalli R.Y., Mishra K., Tyagi R.D., Meunier N. and Blais J. F., Bioremediation of hazardous wastes - A Review. *Practice Periodical of Hazardous Toxic and Radioactive Waste Management.* 10 (2006) 59-72.
- Brown D. and Hamburger B., The degradation of dyestuffs: Part III-Investigations of their ultimate degradability. *Chemosphere* 16 (1987) 1539-1553.
- Brown J.P., Roehm G.W. and Brown R.J., Mutagenicity testing of certified food colours and related azo, xanthene and triphenylmethane dyes with the *Salmonella*/microsome system. *Mutat. Res.* (1978) 56 249–71.

- Burger S. and Stolz A., Characterisation of the flavin-free oxygen-tolerant azoreductase from *Xenophilus azovorans* KF46F in comparison to flavin-containing azoreductases. *Appl. Microbiol. Biotechnol.* 87 (2010) 2067–2076.
- Carliell C.M., Barclay S.J., Naidoo N., Buckley C.A., Muholland A., and Senior E., Anaerobic decolorization of reactive azo dyes in conventional sewage treatment process. *Water S.A.* 20 (1994) 341–344.
- Carliell C.M., Barclay S.J., Naidoo N., Buckley C.A., Mulholland D.A., and Senior E., Microbial decolourisation of a reactive azo dye under anaerobic conditions. *Water S.A.* 21 (1995) 61–69.
- Cartier S., Theoleyre M.A. and Decolour M., Treatment of sugar decolorizing resin regeneration waste using nanofiltration. *Desalination* 113 (1997) 7–17.
- Cerniglia C.E., Zhuo Z., Manning B.W., Federle T.W. and Heflich R.H., Mutagenic activation of the benzidine-based dye Direct Black 38 by human intestinal microflora. *Mutat. Res.* 175 (1986) 11–16.
- Cetin D. and Donmez G., Degradation of reactive dyes by mixed cultures isolated from textile effluent under anaerobic conditions *Enzyme Microb. Technol.* 38 (2006) 926–930
- Champagne P.P. and Ramsay J.A., Dye decolorization and detoxification by laccase immobilized on porous glass beads. *Bioresour. Technol.* 101 (2010) 2230–2235.

- Chandra M., Kalra A., Sangwan N.S., Gaurav S.S., Darokar M.P. and Sangwan R.S., Development of mutant of trichodermacitrinoveride for enhanced production of cellulases. *Bioresour. Technol.* 100 (2008) 1659-1662.
- Chang J. S. and Kuo T. S., Kinetics of bacterial decolorization of azo dye with *Escherichia coli* NO3. *Bioresour. Technol.* 75 (2000). 107.
- Chang J.S. and Lin C.Y., Decolorization kinetics of a recombinant *Escherichia coli* strain harboring azo-dye-decolorizing determinants from *Rhodococcus* sp. *Biotechnol. Lett.* 23 (2001b) 631-636.
- Chang J.S., Kuo T.S., Chao Y.P., Ho J.Y. and Lin P.J., Azo dye decolorization with a mutant *Escherichia coli* strain. *Biotechnol. Lett.* 22 (2000) 807–812.
- Chang J.S., Chen B.Y. and Lin Y.S., Stimulation of bacterial decolorization of an azo dye by extracellular metabolites from *Escherichia coli* strain NO3. *Bioresour. Technol.* 91 (2004) 243–248.
- Chang J.S., Chou Y.P. and Chen S.Y., Decolorization of Azo Dyes with Immobilized *Pseudomonas luteola*, *Process Biochem.* 36 (2001a) 757-763.
- Chaudhari A.U., Tapase S.R., Markad V.L. and Kodam K. M., Simultaneous decolorization of reactive Orange M2R dye and reduction of chromate by *Lysinibacillus* sp. KMK-A. *J. Hazard. Mater.* 15 (2013) 580-588.

- Chen H., Recent advances in azo dye degrading enzyme research. *Curr. Protein Pept. Sc.* 7 (2006) 101-111.
- Chen B.Y., Lin K.W., Wang Y.M. and Yen C.Y., Revealing interactive toxicity of aromatic amines to azo dye decolorizer *Aeromonas hydrophila*. *J. Hazard. Mater.* 166 (2009b) 187-194.
- Chen B.Y., Toxicity assessment of aromatic amines to *Pseudomonas luteola*: chemostat pulse technique and dose–response analysis. *Process Biochem.* 41 (2006) 1529–1538.
- Chen H., Feng J., Kweon O., Xu H. and Cerniglia C.E., Identification and molecular characterization of a novel flavinfree NADPH preferred azoreductase encoded by *azoB* in *Pigmentiphaga kullae* K24. *BMC Biochem.* 16 (2010) 11-13.
- Chen H., Hopper S.L. and Cerniglia C.E., Biochemical and molecular characterization of an azoreductase from *Staphylococcus aureus*, a tetrameric NADPH-dependent flavoprotein. *Microbiology.* 151 (2005) 1433-1441.
- Chen H., Wang R.F. and Cerniglia C.E., Molecular cloning, overexpression, purification and characterization of an aerobic FMN dependent azoreductase from *Enterococcus faecalis*. *Protein Expres. Purif.* 34 (2004) 302-310.
- Chen K.C., Wu J.Y., Liou D.J. and Hwang S.C.J., Decolorization of textile dyes by newly isolated bacterial strains. *J. Biotechnol.* 10 (2003) 57–68.

Chen K.C., Huang W.T., Wu J.Y., and Houg J. Y., Microbial decolorization of azo dyes by *Proteus mirabilis*. *J. Ind. Microbiol. Biotechnol.* 23 (1999) 686–690.

Chengalroyen M.D. and Dabbs E.R., The microbial degradation of azo dyes: minireview. *World J. Microbiol. Biotechnol.* 29 (2013) 389–399.

Chung K.T. and Cerniglia C.E., Mutagenicity of azo dyesstructure-activity relationship. *Mutat. Res.* 77 (1992) 201–220.

Chung K.T., Mutagenicity and carcinogenicity of aromatic amines metabolically produced from azo dyes. *Environ. Carcin. Eco. R.* 18 (2000) 51-74.

Churchley J.H., Removal of dye waste colour from sewage effluent: The use of a full scale ozone plant. *Water Sci. Technol.* 30 (1994) 275–284.

Coelho M.C.L.S., Coimbrao C.A., Valent G.U., Sato M.I.Z., Sanchez P.S. and Targa H., Mutagenicity evaluation of industrial effluents by Ames assay. *Environ. Mol. Mutagen.* 20 (1992) 199–211.

Combes R.D. and Haveland-Smith R.B., A review of the genotoxicity of food drug and cosmetic colors and other azo, triphenylmethane and xanthene dyes R.B. *Mutat. Res.* 98 (1982) 101–248.

Coughlin M.F, Kinkle B.K. and Bishop P.L., Degradation of azo dyes containing aminonaphthol by *Sphingomonas* sp. strain 1 CX. *J. Ind. Microbiol. Biot.* 23 (1999) 341–346.

- Coulibaly L., Gourene G. and Agathos N.S., Utilization of fungi for biotreatment of raw wastewaters. *Afr. J. Biotechnol.* 2 (2003) 620-630.
- Couto S. R. and Toca-Herrera J. L., Laccase production at reactor scale by filamentous fungi. *Biotechnol. Adv.* 25 (2007) 558-569.
- Danford N., The genetic toxicology of ortho-toluidine. *Mutat. Res.* 258 (1991) 207-36.
- Davies L.C., Carias C.C., Novais J.M. and Martins-Dias S., Phytoremediation of textile effluents containing azo dye by using *Phragmites australis* in a vertical flow intermittent feeding constructed wetland. *Ecol. Eng.* 25 (2005) 594-605.
- de Aragao Umbuzeiro G., Freeman H.S., Warren S.H., de Oliveira D.P., Terao Y., Watanabe T. and Claxton L.D., The contribution of azo dyes to the mutagenic activity of the Cristais River. *Chemosphere.* 60 (2005) 55-64.
- Devesa-Rey R., Bustos G., Cruz J.M. and Moldes A.B., Optimisation of entrapped activated carbon conditions to remove coloured compounds from winery wastewaters. *Bioresour. Technol.* 102 (2011) 6437-6442.
- Dhanve R.S., Shedbalkar U.U. and Jadhav J.P., Biodegradation of diazo reactive dye Navy Blue HE2R (Reactive Blue 172) by an isolated *Exiguobacterium* sp. RD3. *Biotechnol Bioproc E.* 13 (2008) 53-60.
- Dilek F.B., Taplamacioglu H.M. and Tarlan E., Color and AOX removal from pulping effluents by algae. *Appl. Microbiol. Biotechnol.* 52 (1999) 585-591.

- Dillon D., Combes R. and Zeiger E., Activation by caecal reduction of the azo dye D&C Red No. 9 to a bacterial mutagen. *Mutagenesis*. 9 (1994) 295–299.
- Dossantosh AM., Cervantes F.J. and Van Lier J.B., Review paper on current technologies for decolorization of textile wastewater: perspectives for anaerobic biotechnology. *Bioresour Technol*. 98 (2007) 2369-2385.
- Duckworth H.W. and Coleman J.E., Physicochemical and kinetic properties of mushroom tyrosinase. *J. Biol. Chem*. 245 (1970) 1613–1625.
- Eichlerova I., Homolka L. and Nerud F., Synthetic dye decolorization capacity of white rot fungus *Dichomitus squalens*. *Bioresour. Technol*. 97 (2006) 2153–2159.
- EPA, Profile of the textile industry. *Environmental Protection Agency, Washington USA*, (1997).
- Eriksson K. E., Kolar M. C., Ljungquist P. and Kringstad K. P., Studies on microbial and chemical conversions of chlorolignins. *Environ. Sci. Technol*. 19 (1985) 1219–1224
- Ertugrul S., Bakır M. and Donmez G., Treatment of dye-rich wastewater by an immobilized thermophilic cyanobacterial strain: *Phormidium* sp. *Ecol. Eng*. 32, (2008) 244–24.
- Forgacs E., Cserhati T. and Oros G., Removal of Synthetic Dyes from Wastewaters: A Review. *Environ. Int*. 30 (2004) 953-971.

Franciscon E., Zille A., Dias G.F., Ragagnin M.C., Durrant L.R. and Cavaco-Paulo A., Biodegradation of textile azo dyes by a facultative *Staphylococcus arlettae* strain VN-11 using a sequential microaerophilic/aerobic process. *Int. Biodeter. Biodegr.* 63 (2009a) 280–8.

Franciscon E., Zille A., Durrant L.R., Fantinatti G.F., and Cavaco-Paulo A. Microaerophilic-aerobic sequential decolourization/biodegradation of textile azo dyes by a facultative *Klebsiella* sp. Strain VN-31. *Process Biochem.* 44 (2009b) 446–52.

French C.L., Yaun S.S., Baldwin L.A., Leonard D.A., Zhao X.Q. and Calabrese E.J., Potency ranking of methemoglobin-forming agents. *J. Appl. Toxicol.* 15 (1995) 167–74.

Gao B. Y., Wang Y., Yue Q.Y., Wei J.C. and Li Q., Color removal from simulated dye water and actual textile wastewater using a composite coagulant prepared by polyferric chloride and polydimethyl diallylammonium chloride, *Sep. Purif. Technol.* 54 (2007) 157-163.

Ghodake G., Jadhav S., Dawkar V. and Govindwar S., Biodegradation of Diazo Dye Direct Brown MR by *Acinetobacter calcoaceticus* NCIM 2890. *Int. Biodeter. Biodegr.* 63 (2009b) 433.

Gill M. and Strauch R.J., Constituents of *Agaricus xanthodermus* Genevier: The first naturally endogenous azo compound and toxic phenolic metabolites. *Z. Naturforsch C.* 39 (1984) 1027-9.

- Gillam E.M.J., Human cytochrome P450 enzymes expressed in bacteria: Reagents to probe molecular interactions in toxicology. *Clin. Exp. Pharmacol. P.* 25 (1998) 877–886.
- Gingell R. and Walker R., Mechanisms of azo reduction by *Streptococcus faecalis*. II. The role of soluble flavins. *Xenobiotica*. 1 (1971) 231–239.
- Glenn J.K. and Gold M.H., Decolorization of several polymeric dyes by the lignin-degrading basidiomycete *Phanerochaete chrysosporium*. *Appl. Environ. Microbiol.* 45 (1983) 1741–1747.
- Gopinath K. P., Asan Meera Sahib H., Muthukumar K. and Velan M., Improved biodegradation of Congo red by using *Bacillus* sp. *Bioresour. Technol.* 100 (2009b) 670–675.
- Gopinath K. P., Murugesan S., Abraham J. and Muthukumar K., *Bacillus* sp. mutant for improved biodegradation of Congo red: Random mutagenesis approach. *Bioresour. Technol.* 100 (2009a) 6295-630.
- Guo X., Zhang S. and Shan X.Q., Adsorption of metal ions on lignin. *J. Hazard. Mater.* 151 (2007) 134–142.
- Hao X.L., Zho M.H. and Lei L.C., Non-thermal plasma induced photocatalytic degradation of 4-chlorophenol in water, *J. Hazard. Mater.* 141 (2007) 475–482

Harazono K. and Nakamura K., Decolorization of mixtures of different reactive textile dyes by the white-rot basidiomycete *Phanerochaete sordida* and inhibitory effect of polyvinyl alcohol, *Chemosphere* 59 (2005) 63–68.

Harrelkas F., Paulo A., Alves M.M.E., Khadir L., Zahraa O., Pons M.N. and Van der Zee F.P., Photocatalytic and combined anaerobic photocatalytic treatment of textile dyes, *Chemosphere* 72 (2008) 1816–1822.

Hatakka A., Lignin-modifying enzymes from selected white-rot fungi production and role in lignin degradation. *FEMS. Microbiol. Rev.* 13 (1994) 125–135.

Hatvani N. and Mecs I., Production of laccase and manganese peroxidase by *Lentinus edodes* on malt containing by product of the brewing process. *Process Biochem.* 37 (2001) 491–496.

Haudenschild C., Schalk M., Karp F., and Croteau R., Functional expression of regiospecific cytochrome P450 limonene hydroxylases from mint (*Mentha* spp.) in *Escherichia coli* and *Saccharomyces cerevisiae*. *Arch. Biochem. Biophys.* 379 (2000) 127–136.

Herrmann J.M., Heterogeneous photocatalysis: Fundamentals and Applications to the removal of various types of aqueous pollutants. *Catal. Today.* 53 (1999) 115-129.

Hong Y.Z., Zhou H.M., Tu X.M., Li J.F. and Xiao Y.Z., Cloning of a laccase gene from a novel basidiomycete and its heterologous expression in *Pichia pastoris*. *Curr Microbiol.* 54 (2007) 260–265.

Hosseini Koupaie E., Alavi Moghaddam M.R. and Hashemi S.H., Successful treatment of high azo dye concentration wastewater using combined anaerobic/aerobic granular activated carbon-sequencing batch biofilm reactor (GAC-SBBR): simultaneous adsorption and biodegradation processes. *Water Sci. Technol.* 67 (2013b) 1816–182.

Hosseini Koupaie E., Alavi Moghaddam M.R. and Hashemi S.H., Investigation of decolorization kinetics and biodegradation of azo dye Acid Red 18 using sequential process of anaerobic sequencing batch reactor/moving bed sequencing batch biofilm reactor. *Int. Biodeter. Biodegr.* 71 (2012) 43–49.

Hosseini Koupaie E., Alavi Moghaddam M.R. and Hashemi S.H., Evaluation of integrated anaerobic/aerobic fixed-bed sequencing batch biofilm reactor for decolorization and biodegradation of azo dye Acid Red 18: Comparison of using two types of packing media. *Bioresour. Technol.* 127 (2013a) 415–421.

Hsueh C.C. and Chen B.Y., Exploring effects of chemical structure on azo dye decolorization characteristics by *Pseudomonas luteola*, *J. Hazard. Mater.* 154 (2009) 703–710.

Hu T.L. and Wu S.C., Assessment of the effect of azo dye RP₂B on the growth of nitrogen fixing cyanobacterium-*Anabaena* sp., *Bioresour. Technol.* 77 (2001) 93–95.

Hu T.L., Degradation of azo dye RP₂B by *Pseudomonas luteola*. *Water Sci. Technol.* 38 (1998) 299–306.

Isik M. and Sponza D.T., A batch kinetic study on decolorization and inhibition of reactive black 5 and direct brown 2 in an anaerobic mixed culture. *Chemosphere* 55, (2004) 119-128

Ito K., Nakanishi M., Lee W.C., Zhi Y., Sasaki H., Zenno S., Saigo K., Kitade Y. and Tanokura M., Expansion of substrate specificity and catalytic mechanism of azoreductase by X-ray crystallography and site-directed mutagenesis. *J. Biol. Chem.* 283 (2008) 13889–13896.

Ito K., Nakanishi M., Lee W.C., Sasaki H., Zenno S., Saigo K., Kitade Y. and Tanokura M., Three-dimensional structure of AzoR from *Escherichia coli*. An oxidoreductase conserved in microorganisms. *J. Biol. Chem.* 281 (2006) 20567–20576.

Jadhav U.U., Dawkar V.V., Ghodake G.S. and Govindwar S.P., Biodegradation of Direct Red 5B, textile dye by newly isolated *Comamonas* sp. UVS. *J. Hazard. Mater.* 158 (2009). 507–516.

Jadhav J.P., Phugare S.S., Dhanve R.S. and Jadhav S.B., Rapid biodegradation and decolorization of Direct Orange 39 (Orange TGLL) by an isolated bacterium *Pseudomonas aeruginosa* strain BCH. *Biodegradation* 21 (2010) 453–463.

Jadhav S.U., Jadhav M.U., Dawkar V.V., Kagalkar A.N. and Govindwar S.P., Decolorization of Brilliant Blue G dye mediated by degradation of the microbial consortium of *Galactomyces geotrichum* and *Bacillus* sp., *J. Chin. Inst. Chem. Eng.* 39 (2008) 563–570.

- Jadhava S. B., Phugarea S. S., Patil P. S. and Jadhava J. P., Biochemical degradation pathway of textile dye Remazol red and subsequent toxicological evaluation by cytotoxicity, genotoxicity and oxidative stress studies. *Int. Biodeter. Biodegr.* 65 (2011) 733-743.
- Jain R.M., Mody K.H., Mishra A. and Jha B., Isolation and structural characterization of biosurfactant produced by an alkaliphilic bacterium *Cronobacter sakazakii* isolated from oil contaminated wastewater. *Carbohydr. Polym.* 87 (2012) 2320-2332.
- Jang M.S., Lee Y.M., Kim C.H., Lee J.H., Kang D.W. and Kim S.J., Triphenylmethane reductase from *Citrobacter* sp. Strain KCTC 18061P: Purification, Characterization, Gene Cloning, and Overexpression of Functional protein in *Escherichia coli*. *Appl. Environ. Microbiol.* 71 (2005) 7955–7960.
- Jin R., Zhou J. and Zhang A., Bioaugmentation of the decolorization rate of acid red GR by genetically engineered microorganism *Escherichia coli JM109* (pGEX-AZR). *World J. Microb. Biot.* 24 (2008) 23–29.
- Jonsson L.J., Saloheimo M. and Penttila M., Laccase from the white-rot fungus *Trametes versicolor*: cDNA cloning of *lcc1* and expression in *Pichia pastoris*. *Curr. Genet.* 32 (1997) 425-430.
- Jonstrup M., Kumar N., Murto M. and Mattiasson B., Sequential anaerobic– aerobic treatment of azo dyes: decolourisation and amine degradability. *Desalination* 280 (2011) 339–346

- Joshi S.M., Inamdar S.A., Jadhav J.P. and Govindwar S.P. Random UV Mutagenesis Approach for Enhanced Biodegradation of Sulfonated Azo Dye, Green HE4B. *Appl. Biochem. Biotech.* 169 (2012) 1467-1481.
- Joshi T., Iyengar L., Singh K. and Garg S., Isolation, identification and application of Novel bacterial consortium TJ-1 for the decolourization of structurally different azo dyes. *Bioresour. Technol.* 99 (2008) 7115–7121.
- Junnarkar N., Murty D.S., Bhatt N.S. and Madamwar D., Decolorization of diazo dye direct red 81 by a novel bacterial consortium. *World J. Microb. Biot.* 22 (2006) 163–168.
- Kalme S.D., Parshetti G.K., Jadhav S.U. and Govindwar S.P., Biodegradation of benzidine based dye Direct Blue-6 by *Pseudomonas desmolyticum* NCIM 2112. *Bioresour. Technol.* 98 (2007) 1405–1410.
- Kalyani D.C., Patil P.S., Jadhav J.P. and Govindwar S.P. Biodegradation of reactive textile dye Red BLI by an isolated bacterium *Pseudomonas* sp. SUK1. *Bioresour. Technol.* 99 (2008) 4635–4641.
- Kalyani D.C., Telke A.A., Dhanve R.S. and Jadhav J.P., Ecofriendly biodegradation and detoxification of Reactive Red 2 textile dye by newly isolated *Pseudomonas* sp. SUK1. *J. Hazard. Mater.* 163 (2009) 735-42.

- Kapustka L.A. and Reporter M., Terrestrial primary producers, in: P. Calow (Ed.), Handbook of Ecotoxicology, vol. 1, Blackwell Scientific Publications, Oxford, (1993) 278–297.
- Karthikeyan J., A study on colour removal from textile dye waste by chemical treatment. Ph.D., thesis IIT, Kanpur (1990).
- Kaushik P. and Malik A., Fungal dye decolourization: Recent advances and future potential. *Environ. Int.* 35 (2009) 127-141.
- Khalid A., Arshad M. and Crowley D.E., Decolorization of azo dyes by *Shewanella* sp. under saline conditions. *Appl. Microbiol. Biot.* 79 (2008b) 1053–1059.
- Khatee A.R., Zarei M. and Pourhassan M., Application of microalga *Chlamydomonas* sp. for biosorptive removal of a textile dye contaminated water: Modelling by a neural network. *Environ Technol.* 30 (2009) 1615-1623.
- Khehra M.S., Saini H.S., Sharma D.K., Chadha B.S. and Chimni S.S., Biodegradation of azo dye C.I. Acid Red 88 by an anoxic-aerobic sequential bioreactor. *Dyes Pigments* 70 (2006) 1–7.
- Khehra M.S., Saini H.S., Sharma D.K., Chadha, B.S. and Chimni, S.S., Comparative studies on potential of consortium and constituent pure bacterial isolates to decolorize azo dyes. *Water Res.* 39 (2005) 5135–5141.

Kilic N.K., Nielsen J.L., Yuce M. and Donmez G., Characterization of a simple bacterial consortium for effective treatment of wastewaters with reactive dyes and Cr(VI). *Chemosphere* 67 (2007) 826–831.

Kirk T.K., Croan S., Tien M., Murtagh K.E. and Farrel R.L., Production of multiple ligninases by *Phanerochaete chrysosporium*: effect of selected growth conditions and use of a mutant strain. *Enzyme Microb. Tech.* 8 (1986) 27–32.

Kolekar M.Y., Nemade N.H., Markad L.V., Adav S.S., Patoleb S.M. and Kodam M.K., Decolorization and biodegradation of azo dye, reactive blue 59 by aerobic granules. *Bioresour. Technol.* 104 (2012) 818–822.

Kolekar Y.M., Pawar S.P., Gawai K.R., Lokhande P.D., Shouche Y.S. and Kodam K.M., Decolorization and degradation of Disperse Blue 79 and Acid Orange 10, by *Bacillus fusiformis* KMK5 isolated from the textile dye contaminated soil. *Bioresour. Technol.* 99 (2008) 8999–9003.

Kolekar Y.M., Konde P.D., Markad V.L., Kulkarni S.V., Chaudhari A.U. and Kodam K.M., Effective bioremoval and detoxification of textile dye mixture by *Alishewanella* sp. KMK6. *Appl. Microbiol. Biot.* 97 (2013) 881-9.

Kuhad R.C., Sood N., Tripathi K.K., Singh A. and Ward O.P., Developments in microbial methods for the treatment of dye effluents. *Adv. Appl. Microbiol.* 56 (2004) 185–213.

- Kumar K., Devi S.S., and Krishnamurthi K., Decolorisation and detoxification of Direct Blue-15 by a bacterial consortium. *Bioresour. Technol.* 98 (2007) 3168–3171.
- Kumari L., Mishra P.K. and Tiway D., Biodegradation of C.I. Acid Red 1 by indigenous bacteria *Stenotrophomonas* sp. BHUSSp X2 isolated from dye contaminated soil, *Environ. Sci. Pollut. R.* 23 (2016) 4054–4062.
- Lade H.S., Tatoba R.W., Avinash A.K. and Sanjay P.G., Enhanced biodegradation and detoxification of disperse azo dye Rubine GFL and textile industry effluent by defined fungal-bacterial consortium. *Int. Biodeter. Biodegr.* 72 (2012) 94–107.
- Levine W. G., Metabolism of azo dyes: Implications for detoxification and activation. *Drug Metab. Rev.* 23 (1991) 253–309.
- Li T. and Guthrie J.T., Colour removal from aqueous solutions of metal-complex azo dyes using bacterial cells of *Shewanella* strain J18 143. *Bioresour. Technol.* 101 (2010) 4291-4295.
- Liakou S., Kornaros M. and Lyberatos G., Pretreatment of azo dyes using ozone. *Water Sci. Technol.* 36 (1997) 155–163.
- Liao C.S., Hung C.H. and Chao S.L., Decolorization of azo dye Reactive Black B by *Bacillus cereus* strain HJ-1. *Chemosphere* 90 (2012) 2109–2114.

- Libra J.A., Vigelahn L., Borchert M. and Storm T., Two stage biological treatment of a diazo reactive textile dye and the fate of the dye metabolites. *Chemosphere* 56 (2004) 167–180.
- Lima R.O.A., Bazo A.P., Salvadori D.M.F., Rech C.M., Oliveira D.P. and Umbuzeiro G.A., Mutagenic and carcinogenic potential of a textile azo dye processing plant effluent that impacts a drinking water source. *Mutat. Res.* 626 (2007) 53-60.
- Lin S. H. and Liu W.Y., Continuous Treatment of Textile water by ozonation and coagulation. *J. Environ. Eng.* 120 (1994) 437.
- Linda V., Gutierrez G., Gonzalez-Alatorre G. and Escamilla-Silva E., Proposed pathways for the reduction of reactive azo dye in an anaerobic fixed bed reactor. *World J. Microb. Biot.* 25 (2009) 415–426.
- Liu Z. J., Chen H., Shaw N., Hopper S. L., Chen L. and Chen S., Crystal structure of an aerobic FMN-dependent azoreductase (AzoA) from *Enterococcus faecalis*. *Biochem. Biophys. Acta.* 463 (2007a) 68–77.
- Liu G., Zhou J., Lv H., Xiang X., Wang J., Zhou M. and Qv Y., Azoreductase from *Rhodobacter sphaeroides* AS1.1737 is a flavodoxin that also functions as nitroreductase and flavin mononucleotide reductase, *Appl. Microbiol. Biot.* 76 (2007b) 1271-1279.
- Liu Meng X., Zhou G., Fu J., Q.S. and Wang, G., Azo dye decolorization by *Shewanella aquimarina* under saline conditions. *Bioresour. Technol.* 114 (2012) 95–101.

- Liu Y. and Tay J.H., State of the art of biogranulation technology for wastewater treatment. *Biotechnol. Adv.* 22 (2004) 533-563.
- Luangdilok W. and Panswad T., Effect of chemical structures of reactive dyes on color removal by an anaerobic-aerobic process. *Water Sci. Technol.* 42 (2000) 377-382.
- Ma C., Zhou S., Lu Q., Yang G., Wang D., Zhuang L., Li F. and Lei F. Decolorization of Orange I under alkaline and anaerobic conditions by a newly isolated humus-reducing bacterium *Planococcus* sp. MC01. *Int. Biodeter. Biodegr.* 83 (2013) 17–24.
- Mabrouk M. E.M. and Yusef H. H., Decolorization of Fast Red by *Bacillus Subtilis* H.M. *J. Appl. Sci. Res.* 4 (2008) 262-269.
- Madhavi S., Revankar S., Lele S., Synthetic dye decolorization by white rot fungus, *Ganoderma* sp. WR-1, *Bioresour. Technol.* 98 (2007) 775–780.
- Mall I.D., Upadhyay S.N. and Chandra Y.C. A review on economic treatment of Wastewater and effluents by adsorption, *Int. J. Environ. Stud.* (1996) 51 77–89.
- Mansour H.B., Mosrati R., Ghedira K. and Chekir-Ghedira L., Decolorization of textile wastewater by *Pseudomonas putida*: Toxicity assessment. *Environ. Eng. Sci.* 28 (2011) 489–495.
- Marini De D., Shelton D.M. and Bell D.A., Mutation spectra of chemical fractions of a complex mixture: role of nitroarenes in the mutagenic specificity of municipal waste incinerator emissions. *Mutat. Res.* (1996). 349, 1–20.

- Marmion D. M., (1991). Handbook of U.S. Colorants: Foods, Drugs and Cosmetics, and Medical Devices. (Third Edn.). John Wiley & Sons, New York.
- Martins M.A.M., Cardos M.H., Queiroz M.J. and Ramalho M.T., Biodegradation of azo dyes by the yeast *Candida zeylanoides* in batch aerated cultures, *Chemosphere*, 38 (1999) 2455–2460.
- Mate M.S. and Pathade G., Biodegradation of C.I. Reactive Red 195 by *Enterococcus faecalis* strain YZ66, *World J. Microb. Biot.* 28 (2012) 815-26.
- McMullan G., Meehan C., Conneely A. Kirby N., Robinson T., Nigam P., Banat I. M., Marchant R. and Smyth W. F., Microbial decolourisation and degradation of textile dyes. *Appl. Microbiol. Biot.* 56 (2001) 81–87.
- Mendez-Paz D., Omil F. and Lema J.M., Anaerobic treatment of azo dye acid orange 7 under batch conditions. *Enzyme Microb. Technol.* 36 (2005) 264–272.
- Meng X., Liu G., Zhou J., Shiang Fu Q. and Wang G., Azo dye decolorization by *Shewanella aquimarina* under saline conditions. *Bioresour. Technol.* 114 (2012) 95– 101.
- Mishra A. Malik A., Metal and dye removal using fungal consortium from mixed waste stream: Optimization and validation. *Ecol. Eng.* 69 (2014a) 226–231.
- Mishra A. and Malik A., Novel fungal consortium for bioremediation of metals and dyes from mixed waste stream. *Bioresour. Technol.* 171 (2014b) 217–226.

- Modi H.A., Rajput G. and Ambasana C., Decolorization of water soluble azo dyes by bacterial cultures, isolated from dye house effluent. *Bioresour. Technol.* 101 (2010) 6580–6583.
- Mohana S.D., Desai C. and Madamwar D., Biodegradation and decolourization of anaerobically treated distillery spent wash by a novel bacterial consortium. *Bioresour. Technol.* 98 (2007) 333–339.
- Mohorcic M., Teodorovic S., Golob V. and Friedrich J., Fungal and enzymatic decolourisation of artificial textile dye baths. *Chemosphere* 63 (2006) 1709–1717.
- Mona E.M.M. and Hoda Y., Decolorization of Fast Red by *Bacillus Subtilis* H.M., *J. App. Sci. Res.* 4 (2008) 262-269.
- Mona S., Kaushik A. and Kaushik C.P., Hydrogen production and metal–dye bioremoval by a *Nostoc linckia* strain isolated from textile mill oxidation pond, *Bioresour. Technol.* 102 (2011) 3200–3205.
- Moosvi S., Kher X. Madamwar D., Isolation, characterization and decolorization of textile dyes by a mixed bacterial consortium JW-2. *Dyes Pigments.* 74 (2007) 723–729
- Moosvi S., Keharia H. and Madamwar D., Decolourization of textile dye Reactive Violet 5 by a newly isolated bacterial consortium RVM 11.1, *World J. Microb. Biot.* 21 (2005) 667–672.

Morawski B., Quan S. and Arnold F.H., Functional expression and stabilization of horseradish peroxidase by directed evolution in *Saccharomyces cerevisiae*. *Biotechnol. Bioeng.* 76 (2001) 99–10.

Murali V., Ong S.A., Ho L.N., Wong Y.S., and Hamidin N., Comprehensive review and compilation of treatment for azo dyes using microbial fuel cells. *Water Environ. Res.* 85 (2013) 270-7.

Myslak Z.W. and Bolt H. M., Tumors of the urinary bladder in painters: A case-control study. *Am. J. Ind. Med.* 19 (1991) 705–713.

Myslak Z.W., Bolt H.M. and Brockmann W., Tumors of the urinary bladder in painters: a case–control study. *Am. J. Ind. Med.* 19, (1991). 705–713.

Myung S.W., Choi I.H., Lee S.H., Kim I.C. and Lee K.H., Use of fouling resistant nanofiltration and reverse osmosis membranes for dyeing wastewater effluent treatment. *Water Sci. Technol.* 51 (2005) 159-64.

Nachiyar C.V., Vijayalakshmi K., Muralidharan D. and Rajakumar G.S., Mineralization of metanilic acid by *Pseudomonas aeruginosa* CLRI BL22. *World J. Microb. Biot.* 23 (2007) 1733–1738.

Nakanishi M., Yatome C., Ishida N. and Kitade Y., Putative ACP phosphodiesterase gene (*acpD*) encodes an azoreductase. *J. Biol. Chem.* 276 (2001) 46394-46399.

Neumann H.G., Aromatic amines: mechanisms of carcinogenesis and implications for risk assessment. *Front. Biosci.* 15 (2010) 1119–1130.

O'Neill C., Hawkes F.R., Hawkes D.L., Lourenco N.D., Pinheiro H.M. and Delee W., Color in textile effluents sources, measurement, discharge consents and simulation: A review, *J. Chem. Technol. Biot.* 74 (1999) 1009–1018.

Ogugbue C.J. and Sawidis T., Optimisation of process parameters for bioreduction of azo dyes using *Bacillus firmus* under batch anaerobic condition, *Int. J. Environ. Stud.* 58 (2011) 651-665.

Oh Y. K., Eun-Hee S. and Park S., Decolorization of synthetic dyes by *Citrobacter amalonaticus* Y19. *J Taiwan Inst. Chem. E.* 42 (2011) 492–497.

Oller S., Malato J.A. and Perez S., Combination of Advanced Oxidation Processes and biological treatments for wastewater decontamination—A review. *Sci. Total Environ.* 409 (2011) 4141–4146.

Ooi T., Shibata T., Sato R., Ohno H., Kinoshita S., Thuoc T.L. and Taguchi S., An azoreductase, aerobic NADH-dependent flavoprotein discovered from *Bacillus* sp.: functional expression and enzymatic characterization. *Appl. Microbiol. Biot.* 75 (2007) 377-386.

Osano O., Oladimeji A.A., Kraak M.H. and Admiraal W., Teratogenic effects of amitraz, 2, 4-dimethylaniline, and paraquat on developing frog (*Xenopus*) embryos. *Arch. Environ. Con. Tox.* 43 (2002) 42–9.

- Oturkar C.C., Nemade H.N., Mulik P.M., Patole M.S., Hawaldar R.R. and Gawai K.R. Mechanistic investigation of decolorization and degradation of reactive red 120 by *Bacillus lentus* BI377, *Bioresour. Technol.* 102 (2011) 758–764.
- Overney G., Ueber den aeroben Abbau von Dicarboxyazobenzol durch ein Flavobacterium sp. Ph.D. thesis ETH 6421. (1979) ETH Zurich, Zurich, Switzerland.
- Ozcan A.S., Erdem B. and Ozcan A., Adsorption of Acid Blue 193 from aqueous solutions onto Na-bentonite and DTMA-bentonite. *J Colloid Interf. Sci.* 280 (2004) 44–54.
- Ozdemir S., Cirik K., Akman D., Sahinkaya E. and Cinar O., Treatment of azo dye-containing synthetic textile dye effluent using sulfidogenic anaerobic baffled reactor. *Bioresour. Technol.* 146 (2013) 135–143.
- Padda R.S., Wang C., Hughes J.B., Kutty R., Bennett G.N., Mutagenicity of nitroaromatic degradation compounds. *Environ. Toxicol. Chem.*, 22, (2003). 2293–2297.
- Pandey A., Singh P. and Iyengar L., Bacterial decolorization and degradation of azo dyes. *Int. Biodeter. Biodegr.* 59 (2007) 73–84.
- Parshetti G.K., Telke A.A., Kalyani D.C. and Govindwar S.P., Decolorization and detoxification of sulphonated azo dye methyl orange by *Kocuria rosea* MTCC 1532. *J. Hazard. Mater.* 176 (2010) 503–509.

Pasti-Grigsby M.B., Paszczynski A., Gosczynski S., Crawford D.L. and Crawford R.L., Influence of aromatic substitution patterns on azo dye degradability by *Streptomyces* sp. and *Phanerochaete chrysosporium*. *Appl. Environ. Microb.* 58 (1992) 3605–3613.

Paszczynski A., Pastri-Grisby M., Goszeeynski S., Crawford R. and Crawford D.L., Mineralization of sulfonated azo dyes and sulfanilic acid by *Phanerochaete chrysosporium* and *Streptomyces chromofuscus*. *Appl. Environ. Microb.* 58 (1992) 3598–3604.

Pathak H., Patel S., Rathod M. and Chauhan K., In vitro studies on degradation of synthetic dye mixture by *Comamonas* sp. VSMH2 and evaluation of its efficacy using simulated microcosm. *Bioresour. Technol.* 102 (2011) 10391–10400.

Patil P.S., Shedbalkar U.U., Kalyani D.C. and Jadhav J.P., Biodegradation of Reactive Blue 59 by isolated bacterial consortium PMB11. *J. Ind. Microbiol. Biot.* 35 (2008) 1181–1190.

Pazarlioglu N.K., Urek R.O. and Ergun F., Biodecolourization of Direct Blue 15 by immobilized *Phanerochaete chrysosporium*. *Process Biochem.* 40 (2005) 1923–1929.

Pearce C.I., Lloyd J.R. and Guthrie J.T., The removal of colour from textile wastewater using whole bacterial cell: A review. *Dyes Pigments.* 58 (2003) 179–196.

Pielesz A., Baranowska I., Rybak A. and Włochowicz A., Detection and determination of aromatic amines as products of reductive splitting from selected azo dyes. *Ecotox. Environ. Safe.* 53 (2002) 42–47.

- Pierce J., Colour in textile effluents-the origins of the problem. *Color Technol.* 110 (2008) 131-133.
- Pointing S.B., Feasibility of bioremediation by white-rot fungi, *Appl. Microbiol. Biot.* 57 (2001) 20–33.
- Pointing S.B., Bucher V.V.C. and Vrijmoed L.L.P., Dye decolorization by sub-tropical basidiomycetous fungi and the effect of metals on decolorizing ability. *World J Microb Biot.* 16, (2000). 199–205.
- Prasad A.S. and Rao K.V., Aerobic biodegradation of Azo dye by *Bacillus cohnii* MTCC 3616; An obligately alkaliphilic bacterium and toxicity evaluation of metabolites by different bioassay systems. *Appl. Microbiol. Biot.* (2013) 97 7469–7481.
- Pricelius S., Held C., Sollner S., Deller S., Murkovic M., Ullrich R.M. Hofrichter, Cavaco-Paulo A., Macheroux P. and Guebitz G.M., Enzymatic reduction and oxidation of fibre-bound azo-dyes. *Enzyme Microb. Technol.* 40 (2007) 1732-1738.
- Priya B., Uma L., Ahamed A.K., Subramanian G., and Prabakaran D., Ability to use the diazo dye, C.I. Acid Black 1 as a nitrogen source by the marine cyanobacterium *Oscillatoria curviceps* BDU92191. *Bioresour. Technol.* 102 (2011) 7218–7223.
- Qu Y., Shi S., Ma F. and Yan B., Decolorization of reactive dark Blue K-R by the synergism of fungus and bacterium using response surface methodology. *Bioresour. Technol.* 101 (2010) 8016–8023.

Rafii F., Franklin W. and Cerniglia C.E., Azoreductase activity of anaerobic bacteria isolated from human intestinal microflora. *Appl. Environ. Microbiol.* 56 (1990) 2146–2151.

Rafii F. and Coleman T., Cloning and expression in *Escherichia coli* of an azoreductase gene from *Clostridium perfringens* and comparison with azoreductase genes from other bacteria. *J. Basic Microbiol.* 39 (1999) 29-35.

Rajaguru P., Kalaiselvi K., Palanival M. and Subburam V., Biodegradation of azo dyes in a sequential anaerobic– aerobic system. *Appl. Microbiol. Biotechnol.* 54 (2000) 268–73.

Rajaguru P., Vidya L., Baskarathupathi B., Kumar P.A., Palanivel M. and Kalaiselvi K., Genotoxicity evaluation of polluted ground water in human peripheral blood lymphocytes using the comet assay. *Mutat Res.* 517 (2002) 29–37.

Rathod J. and Archana G., Molecular fingerprinting of bacterial communities in enriched azo dye (Reactive Violet 5R) decolorizing native acclimatized bacterial consortia. *Bioresour. Technol.* 142 (2013) 436-444.

Robinson T., McMullan G., Marchant R. and Nigam P., Remediation of dyes in textile effluent: a critical review on current treatment technologies with a proposed alternative. *Bioresour. Technol.* 77 (2001a) 247–55.

- Rodrigues C.S., Madeira L.M. and Boaventura R.A., Treatment of textile dye wastewaters using ferrous sulphate in a chemical coagulation/flocculation process, *Environ. Technol.* 34 (2013) 719–729.
- Rui B., Isabel M.A.F., Helena M.P. and Isolina C.G., Batch tests for assessing decolourisation of azo dyes by methanogenic and mixed cultures. *J. Biotechnol.* 89 (2001) 155–162.
- Russ R., Rau R. and Stolz A., The function of cytoplasmic flavin reductases in the reduction of azo dyes by bacteria, *Appl. Environ. Microb.* 66 (2000) 1429–1434.
- Sadettin S. and Donmez G., Bioaccumulation of reactive dyes by thermophilic cyanobacteria, *Process Biochem.* 41 (2006) 836–841.
- Sakaki T. and Inouye K., Practical application of mammalian cytochrome P450, *J. Biosci. Bioeng.* 90 (2000) 583–590.
- Sandhya S., Sarayu K., Uma B., and Swaminathan K., Decolorizing kinetics of a recombinant *Escherichia coli* SS125 strain harboring azoreductase gene from *Bacillus latrosporus* RRK1. *Bioresour. Technol.* 99 (2008) 2187-2191.
- Sani R. K., and Banerjee U.C., Decolorization of triphenylmethane dyes and textile and dye-stuff effluent by *Kurthia* sp. *Enzyme Microb. Technol.* 24 (1999) 433–437.

Sanjay P.G., Mayur B.K., Dhawal P.T., Akhil N.K., Pil J.K. and Tatoba R.W., Decolorization and degradation of xenobiotic azo dye Reactive Yellow-84A and textile effluent by *Galactomyces geotrichum*, *Chemosphere* 109 (2014) 234-238.

Santosh kumar M., Veeranagouda Y., Lee K. and Karegoudar T.B., Utilization of aliphatic nitrile by *Paracoccus* sp. SKG isolated from chemical waste samples. *Int. Biodeter. Biodegr.* 65 (2011)153–159.

Saratale R.G., Gandhi S.S., Purankar M.V., Kurade M.B., Govindwar S.P., Oh S.E. and Saratale G.D., Decolorization and detoxification of sulfonated azo dye C.I. Remazol Red and textile effluent by isolated *Lysinibacillus* sp. RGS. *J. Biosci. Bioeng.* 115 (2013) 658–667.

Saratale R.G., Saratale G.D., Kalyani D.C., Chang J.S. and Govindwar S.P., Enhanced decolorization and biodegradation of textile azo dye Scarlet R by using developed microbial consortium-GR. *Bioresource. Technol.* 100 (2009) 2493–2500.

Saratale R.G., Saratale G.D., Chang J.S. and Govindwar S.P., Bacterial decolorization and degradation of azo dyes: A review. *J. Taiwan Inst. Chem. Eng.* 42 (2011) 138–157.

Sarnaik S., and Kanekar P., Biodegradation of methyl violet by *Pseudomonas mendocina* MCM B-402. *Appl. Microbiol. Biot.* 52 (1999) 251–254.

Scheibner K., Hofrichter M. and Fritsche W., Mineralization of 2-amino-4, 6-dinitrotoluene by manganese peroxidase of the white rot fungus *Nematoloma frowardii*. *Biotechnol. Lett.* 19 (1997) 835–839.

Schneider P., Caspersen M.B., Mondorf K., Halkier T., Skov L.K. and Ostergaard P.R., Characterization of a *Coprinus cinereus* laccase. *Enzyme Microb. Tech.* 25 (1999) 502 – 5088.

Sen S., and Demirer G.N., Anaerobic treatment of real textile wastewater with a fluidized bed reactor. *Water Res.* 37 (2003) 1868-1878.

Senan R.C. and Abraham T.E., Bioremediation of textile azo dyes by aerobic bacterial consortium aerobic degradation of selected azo dyes by bacterial consortium. *Biodegradation* 15 (2004) 275–280.

Shah P. D. Shailesh R. D. and Rao M.S., Enzymatic degradation of textile dye Reactive Orange 13 by newly isolated bacterial strain *Alcaligenes faecalis* PMS-1. *Int. Biodeter. Biodegr.* 69 (2012) 41-50.

Sharma M., Kaushik A. and Kaushik C.P., Biosorption of reactive dye by waste biomass of *Nostoc linckia*. *Ecol. Eng.* 37 (2011) 1589–1594.

Sharma P. and Singh L., Application of response surface analysis for biodegradation of azo reactive textile dye using *Aspergillus foetidus*. *J. Basic. Microb.* 51 (2011) 1–10.

Shukla S.P., Kumar A., Tiwari D.N., Mishra B.P. and Gupta G.S., Assessment of the effect of the toxicity of a textile dye on *Nostoc muscorum* ISU, a diazotrophic cyanobacterium, *Environ. Pollut.* 84 (1994) 23–25.

Singh K. and Arora S., Removal of synthetic textile dyes from wastewaters: a critical review on present treatment technologies. *Crit. Rev. Environ. Sci. Technol.* 41 (2011) 807–878.

Singh L. and Singh V.P., Textile Dyes Degradation: A microbial approach for biodegradation of pollutants, In microbial degradation of synthetic dyes in wastewaters. 23 (2015) 187-204.

Singh P. and Thakur I.S., Removal of color and detoxification of pulp and paper mill effluent by microorganisms by two step bioreactor, *J Sci. Ind. Res. India* (2004) 63994-63998.

Slokar Y.M. and Marechal L. A.M., Methods of decoloration of textile wastewater. *Dyes Pigments* 37 (1998) 335–56.

Solis M., Solis A., Perez H. I., Manjarrezb N. and Floresa M., Microbial decolouration of azo dyes: A review. *Process Biochem.* 47 (2012) 1723-1748.

Song Z.Y., Zhou J.T., Wang J., Yan B. and Du C.H., Decolorization of azo dyes by *Rhodobacter sphaeroides*. *Biotechnol. Lett.* 25 (2003) 1815-1818.

Spadaro J.T., Isabelle L. and Renganathan V., Hydroxyl radical mediate degradation of azo dyes: evidence for benzene generation. *Environ. Sci. Technol.* 28 (1994) 1389–1393.

Spadaro J.T., Gold M.H. and Renganathan V., Degradation of azo dyes by the lignin-degrading fungus *Phanerochaete chrysosporium*. *Appl. Environ. Microbiol.* 58, (1992). 2397–2401.

Spagni A., Casu S., Crispino N.A., Farina R. and Mattioli D., Filterability in a submerged anaerobic membrane bioreactor. *Desalination* 250 (2010) 787–792.

Sponza D.T. and Isik M., Reactor performances and fate of aromatic amines through decolorization of Direct black 38 dye under anaerobic/aerobic sequential. *Process Biochem.* 40 (2005) 35–44.

Sponza D.T. and Isik M., Decolorization and azo dye degradation by anaerobic/aerobic sequential process. *Enzyme Microb. Tech.* 31 (2002)102–110.

Stiborova M., Martinek V., Schmeiser H. and Frei E., Modulation of CYP1A1-mediated oxidation of carcinogenic azo dye Sudan I and its binding to DNA by cytochrome b5. *Neuro. Endocrinol. Lett.* 27 (2006) 35–39.

Stiborova M., Martinek V., Rydlova H., Hodek P. and Frei E., Sudan I is a potential carcinogen for humans: evidence for its metabolic activation and detoxication by human recombinant Cytochrome P450 1A1 and liver microsomes. *Cancer Res.* 62 (2002) 5678–5684.

Stiborova M., Martinek V., Rydlova H., Koblas T. and Hodek P., Expression of cytochrome P450 1A1 and its contribution to oxidation of a potential human carcinogen 1-phenylazo-2-naphthol (Sudan I) in human livers. *Cancer Lett.* 220 (2005)145–154.

Stolz A., Basic and applied aspects in the microbial degradation of azo dyes. *Appl. Microbiol. Biotechnol.* 56, (2001). 69–80.

Strickland A.F. and Perkins W.S., Decolorization of continuous dyeing wastewater by ozonation. *Text. Chem. Color.* 27, (1995). (5), 11–15.

Strycharz S., and Shetty K., Effect of *Agrobacterium rhizogenes* on phenolic content of *Mentha pulegium elite* clonal line for phytoremediation applications, *Process Biochem.* 38 (2002) 287–293.

Suzuki Y., Yoda T., Ruhul A. and Sugiura W., Molecular cloning and characterization of the gene coding for azoreductase from *Bacillus* sp. OY1-2 isolated from soil. *J. Biol. Chem.* 276 (2001) 9059-9065.

Tan N.C.G., Lettinga G. and Field J.A., Reduction of the azo dye Mordant Orange 1 by methanogenic granular sludge exposed to oxygen. *Bioresour. Technol.* 67 (1999) 35-

Tan N.C.G., Van Leeuwen A., Van Voorthuizen E.M., Slenders P., Prenafeta-Boldu F.X., Temmink H., Lettinga G. and Field J.A., Fate and biodegradability of sulfonated aromatic amines, *Biodegradation* 16 (2005) 527–537.

Telke A., Kalyani D., Jadhav J. and Govindwar S., Kinetics and mechanism of Reactive Red 141 degradation by a bacterial isolate *Rhizobium radiobacter* MTCC8161, *Acta Chim. Slov.* 55 (2008) 320–329.

- Telke A.A., Kalyani D.C., Jadhav U.U., Parshetti G.K. and Govindwar S.P., Purification and characterization of an extra cellular laccase from a *Pseudomonas* sp. LBC1 and its application for the removal of bisphenol A. *J. Mol. Catal. B-Enzym.* 61, (2009) 252–26.
- Tobin J. M., White C. and Gadd G. M., Metal accumulation by Fungi: Applications in Environmental Biotechnology, *J. Ind. Microbiol.* 13 (1994) 126-130.
- Toh Y.C., Yen J.J.L., Obbard J.P. and Ting Y.P., Decolourisation of azo dyes by white-rot fungi (WRF) isolated in Singapore, *Enzyme Microb. Tech.* 33 (2003) 569–575.
- Tokiwa H. and Ohnishi Y., Mutagenicity and carcinogenicity of nitroarenes and their sources in the environment, *Crit. Rev. Toxicol.* 17 (1986) 23–60.
- Tony B.D., Goyal D. and Khanna S., Degradation of textile azo dyes by aerobic bacterial consortium, *Int. Biodeter. Biodegr.* 63 (2009) 462–469.
- Toor A.P., Verma A., Jotshi C.K., Bajpai P.K. and Singh V., Photocatalytic degradation of Direct Yellow 12 Dye using UV/TiO₂ in shallow pond slurry reactor, *Dyes Pigments.* 68 (2006) 53-60.
- Tripathi A. and Srivastava S.K., Ecofriendly treatment of azo dyes: Biodecolorization using bacterial strains, *Int. J. Biosci. Biochem. Bioinfor.* 1 (2011) 37–40.
- Umbuzeiro G.A., Freeman H., Warren S.H, Oliveira D.P., Terao Y., Watanabe T. and Claxton L.D., The contribution of azo dyes to the mutagenic activity of the Cristais River. *Chemosphere*, 60 (2005), 55–64.

Vandevivere P.C, Bianchi R., and Verstraete W., Treatment and Reuse of Wastewater from the Textile Wet-Processing Industry: Review of Emerging Technologies, *J. Chem. Technol. Biotechnol.* 72 (1998) 289-302.

Vecino X., Devesa-Re R., Cruz J.M., Moldes A.B., Entrapped peat in alginate beads as green adsorbent for the elimination of dye compounds from vinasses. *Water Air Soil Poll.* 224 (2013)1448–1458.

Venkata Mohan S., Chandrasekhara Rao N., Prasad K.K., Madhavi B.T.V., and Sarma P.N., Treatment of complex chemical effluents by sequencing batch reactor (SBR) with aerobic suspended growth configuration. *Process Biochem.* 40 (2005b). 1501–1508.

Venkata Mohan S., Suresh P. and Srikanth S., Azo dye remediation in periodic discontinuous batch mode operation: evaluation of metabolic shifts of the biocatalyst under aerobic, anaerobic and anoxic conditions. *Sep. Purf. Technol.* 118 (2013a)196-208.

Venkata Mohan S., Babu P.S., Naresh K., Velvizhi G. and Madamwar D., Acid azo dye remediation in anoxiceaerobiceanoxic microenvironment under periodic discontinuous batch operation: bio-electro kinetics and microbial inventory. *Bioresour. Technol.* 119 (2012). 362-377.

Venkata Mohan S., Chandrasekhar Rao N. and Karthikeyan J., Adsorption removal of direct azo dye from aqueous phase onto coal based sorbents – a kinetic and mechanistic study. *J. Hazard. Mater.* 90 (2002) 189–204.

- Venkata Mohan S., Nagendranatha Reddy C., Naresh Kumar A., Annie Modestra J., Relative performance of biofilm configuration over suspended growth operation on azo dye based wastewater treatment in periodic discontinuous batch mode operation. *Bioresour. Technol.* 147 (2013b) 424-433.
- Verma P. and Madamwar D., Decolorization of Azo dyes using Basidiomycete strain PV 002. *World J. Microbiol. Biotechnol.* 45 (2005) 481– 485.
- Verma P., Baldrian P., and Nerud F., Decolourization of structurally different synthetic dyes using cobalt (II)/ascorbic acid/hydrogen peroxide system. *Chemosphere.* 50 (2003) 975–979.
- Vijaykumar M.H., Parag A., Vaishampayan Yogesh S.S. and Karegoudar T.B., Decolorization of naphthalene-containing sulfonated azo dyes by *Kerstersia* sp. Strain VKY1, *Enzyme Microb. Tech.* 40 (2007) 204–211.
- Vimonses V., Jin B., Chow C.W. and Saint C., An adsorption photocatalysis hybrid process using multi-functional nanoporous materials for wastewater reclamation. *Water Res.* 44 (2010) 5385–5397
- Vitor V. and Corso C.R., Decolorization of textile dye by *Candida albicans* isolated from industrial effluents. *J. Ind. Microbiol. Bio.* 35 (2008) 1353-7.
- Waghmode T.R., Kurade M.B., Kabra A.N. and Govindwar S.P., Degradation of remazol red dye by *Galactomyces geotrichum* MTCC 1360 leading to increased iron

- uptake in *Sorghum vulgare* and *Phaseolus mungo* from soil. *Biotechnol. Bioproc. E.* 17 (2012) 117–126.
- Wang Z.W., Liang J.S. and Liang Y., Decolorization of Reactive Black 5 by a newly isolated bacterium *Bacillus* sp. YZU1. *Int. Biodeter. Biodegr.* 76 (2013) 41–48.
- Wang C.J., Hagemeyer C., Rahman N., Lowe E., Noble M., Coughtrie M., Sim E. and Westwood I., Molecular cloning, characterisation and ligand-bound structure of an azoreductase from *Pseudomonas aeruginosa*. *J. Mol. Biol.* 373 (2007) 1213-1228.
- Wang H., Zhen X.W., Su J.Q., Tian Y., Xiong X.J. and Zheng T.L., Biological decolorization of the reactive dyes Reactive Black 5 by a novel isolated bacterial strain *Enterobacter* sp. EC3. *J. Hazard.Mater.* 171 (2009) 654–65.
- Wang Y., Zhao D., Ma W., Chen C. and Zhao J., Enhanced sonocatalytic degradation of azo dyes by Au/TiO₂. *Environ. Sci. Technol.* 42 (2008) 6173–6178.
- Watabe T., Ozawa N. and Kobayashi F., Reduction of sulphonated water-soluble azo dyes by micro-organisms from human faeces. *Food Cosmet. Toxicol.* 18 (1980) 349–352.
- Weber E. and Wolfe N.L., Kinetics studies of reduction of aromatic azo compounds in anaerobic sediment/water systems. *Environ. Toxicol. Chem.* 6 (1987) 911–920.
- Weisburger J.H., Comments on the history and importance of aromatic and heterocyclic amines in public health. *Mutat. Res.* 506 (2002) 9–20.

- Wesenberg D., Kyriakides I. and Agathos S.N., White-rot fungi and their enzymes for the treatment of industrial dye effluents. *Biotechnol. Adv.* 22 (2003) 161–187.
- Wijetunga S., Li X.F. and Jian C., Effect of organic load on decolourization of textile wastewater containing acid dyes in upflow anaerobic sludge blanket reactor. *J. Hazard. Mater.* 177 (2010) 792–798.
- Xu M., Guo J. and Sun G., Biodegradation of textile azo dye by *Shewanella decolorationis* S12 under microaerophilic conditions. *Appl. Microbiol. Biotechnol.* 76 (2007) 719–726.
- Yawalkar A.A., Bhatkhande D.S., Pangarkar V.G. and Beenackers A.A.C.M. Solar assisted photochemical and photocatalytic degradation of phenol. *J. Chem. Technol. Biot.* 76 (4) (2001) 363-370.
- Yeh M.S. and Chang J.S., Bacterial decolorization of an azo dye with a natural isolate of *Pseudomonas luteola* and genetically modified *Escherichia coli*. *J. Chem. Technol. Biot.* 79 (2004)1354-1360.
- Yoshitake A., Katayama Y., Nakamura M., Iimura Y., Kawai S. and Morohoshi N., N-linked carbohydrate chains protect laccase III from proteolysis in *Coriolus versicolor*. *J. Gen. Microbiol.* 139 (1993) 179–185.
- Zahid W.M. and El-Shafai S.A. Use of cloth-media filters for membrane bioreactor treating municipal wastewater, *Bioresour. Technol.* 102 (2011) 2193–2198.

Zaidi A., Buisson H., Sourirajan S. and Wood H., Ultra-and nano-filtration in advanced effluent treatment schemes for pollution control in the pulp and paper industry. *Water Sci. Technol.* 25 (1992) 263-276.

Zainal Z., Hui L.K., Hussein M.Z., Taufiq-Yap Y.H., Abdullah A.H., and Ramli I., Removal of dyes using immobilized titanium dioxide illuminated by fluorescent lamps. *J Hazard. Mater.* 125 (2005) 113–120.

Zbaida S., Brewer C. F. and Levine W.G., Hepatic microsomal azoreductase activity Reactivity of azo dye substrates is determined by their electron densities and redox potentials. *Drug Metab. Dispos.* 22 (1994) 412–418.

Zhang F., Yediler A., Liang X. and Kettrup A., Effects of dye additives on the ozonation process and oxidation by-products: A comparative study using hydrolyzed CI Reactive Red 120, *Dyes Pigments* 60 (2004) 1–7.

Zhao Zollinger H., Color Chemistry, 2nd Edition VCH, Weinheim, (1991).

Zhau L., Jia J.Y. and Chen J., Biodecolorization of Acid Red GR by a newly isolated *Dyella ginsengisoli* LA-4 using response surface methodology. *J. Hazard. Mater.* 181 (2010) 602–608.

Zheng Z., Levin R.E., Pinkham J.L. and Shetty K., Decolorization of polymeric dyes by a novel *Penicillium* isolate. *Process Biochem.* 34 (1999) 31–37.

Zimmermann T., Gasser F., Kulla H.G. and Leisinger T., Comparison of two azoreductases acquired during adaptation to growth on azo dyes. *Arch. Microbiol.* 138 (1984) 37-43.

Zimmermann T., Kulla H. G. and Leisinger T., Properties of purified Orange II azoreductase, the enzyme initiating azo dye degradation by *Pseudomonas* KF46. *Eur. J. Biochem.* 129 (1982) 197–203.