LIST OF TABLES

Table1.1.Production of L-glutaminase from different bacteria, fungi and yeast

 Table2.1.Biochemical properties of glutaminase produced from different bacteria,

 yeast and fungi

- Table2.2. Extractive fermentative production of different biomolecules using ATPS
- Table3.1.Optimization of assay parameters of L-glutaminase from Bacillus cereus

 MTCC 1305 using RSM and ANN methodologies
- Table3.2. Estimation of L-glutaminase activity among different bacterial strains
- Table3.3.Central composite design for five variables with actual experimental and predicted activity of L-glutaminase using RSM and ANN methodologies
- Table3.4. Regression analysis of central composite design showing model coefficients

 and significance of regression coefficient for glutaminase activity
- Table3.5.Results of Analysis of Variance (ANOVA) for analyzing model fitness of Lglutaminase activity
- **Table3.6.**Weight and bias values of nonlinear function at optimum assay parameters to

 estimate glutaminase activity in ANN methodology
- **Table4.1.**Optimization of cultural conditions using statistical tools like response

 surface methodology and artificial neural network
- Table4.2.Optimization of media components using response surface methodology and artificial neural network statistical tools
- **Table4.3**.Central composite design for six variables and experimentally determined actual data, predicted data by RSM and ANN for L-glutaminase production
- Table4.4.Regression analysis of central composite design showing model coefficients

 and significance of regression coefficient
- Table4.5.Analysis of Variance (ANOVA) for analyzing model fitness for Lglutaminase production at optimum cultural parameters
- Table4.6.Weight and bias values of nonlinear function of cultural parameters for

 prediction of glutaminase activity using ANN methodology
- **Table4.7.**Plackett Burman design matrix for eight factors with the experimental and predicted activity of L- Glutaminase

- **Table4.8.** Statistical analysis of the Plackett Burman design showing coefficient, test value (T), and Probability (P) for each variable
- Table4.9.Experimental design matrix for five significant media components with actual and predicted activity of L-glutaminase using BBD and ANN tools
- Table4.10.Model
 coefficients
 estimated
 by
 multiple
 linear
 regressions
 for
 L

 glutaminase
 production
- Table4.11.ANOVA analysis for model fitness for production of L-glutaminase at optimum media components

Table4.12. Weight and bias values of nonlinear function at optimum media components

- **Table6.1.**Partitioning of L-glutaminase from *Bacillus cereus* in different PEG2000/saltand PEG2000/dextran system
- **Table6.2**.Partitioning of L-glutaminase from *Bacillus cereus* in PEG4000/salt andPEG4000/dextran system
- **Table6.3.**Partitioning of L-Glutaminase from *Bacillus cereus* in PEG6000/salt andPEG6000/dextran system
- **Table6.4.**Effect of phase volume ratio (V_t/V_b) on partitioning of L-glutaminase inPEG4000/DextranT500 system
- **Table6.5.**Comparative analysis for production of L-glutaminase from *Bacillus cereus*MTCC 1305 in homogeneous fermentation and PEG4000/dextranT500

Table7.1. Purification of L-glutaminase from Bacillus cereus MTCC 1305

- **Table7.2.** Effect of metal ions, chelator, reducing agents, and thiol-binding agents on activity of purified L-glutaminase from *Bacillus cereus* MTCC 1305
- **Table7.3.**Substrate specificity of purified L-glutaminase from *Bacillus cereus* MTCC1305
- **Table7.4.**Deactivation kinetics parameters enthalpy (Δ H), free energy (Δ G), Entropy (Δ S) and t_{1/2} (half life) of the purified L-glutaminase from *Bacillus cereus* MTCC 1305
- **Table8.1.**Total peptide sequences of purified L-glutaminase from Bacillus cereusMTCC 1305 after MALDI-TOF analysis
- **Table8.2.**Peptide sequences for six peaks of L-glutaminase from *Bacillus cereus*MTCC 1305 with their expected molecular weight

Table8.3. Multiple Multiple sequence alignments of L-glutaminase from different

Bacillus spp. using clustal W 2.0.12 software tool

- **Table8.4.** Alignment of L-glutaminase sequences from *Bacillus cereus* MTCC 1305 with template sequences of *Bacillus subtilis (PDB:*1MKI_A). The conserved residues were represented by "h" and semi conserved substitution was represented by "s" in sequence alignment
- **Table8.5.** Physicochemical properties of predicted model structure of L-glutaminasefrom *Bacillus cereus* MTCC 1305 after using ExPASY's Protparam tool
- Table8.6.Amino acid composition for predicted model structure of L-glutaminase from

 Bacillus cereus MTCC 1305
- **Table8.7.**Z score analysis of protein structure in term of pseudo energies level andQMEAN 4 with respect to raw score obtained for high resolutionexperimental structure of similar size solved by X-Ray crystallography