

References:

- Perovski** L. A. (1792-1856):<http://webmineral.com/data/perovskite.shtml>.
- Zener** C., “Interaction between the d-Shells in the Transition Metals. II. Ferromagnetic Compounds of Manganese with Perovskite Structure”, Phys. Rev., 82, 403–405, (1951).
- Wollan** E. O. and Koehler, W. C., “Neutron Diffraction Study of the Magnetic Properties of the Series of Perovskite-Type Compounds $[(1-x)\text{La}, x\text{Ca}]\text{MnO}_3$ ” Phys. Rev., 100, 545–563, (1955).
- Dzyaloshinskii** I. E., “Thermodynamic theory of weak ferromagnetism in antiferromagnetic substances,” Sov. Phys. JETP 5, 1259-1272(1957).
- Caglioti**, G., Paoletti, A. and Ricci, F. P., “Choice of collimators for a crystal spectrometer for neutron diffraction,” Nucl. Instrum. Methods, 3, 223-228, (1958).
- Landau** L. D. and Lifshitz, E. M., Statistical Physics (Oxford: Pergamon), (1958).
- Smolenskii** G. A., Agranovskaia A. I., Popov S. N. and Isupov V. A., Sov. Phys.: Tech. Phys. 3, 1981(1958A).
- Smolenskii** G. A. and Ioffe V. A., Communication No. 71 Colloque International du Magnetisme, Grenoble (1958B).
- Moriya**, T., “Anisotropic superexchange interaction and weak ferromagnetism”, Phys. Rev., 120, 91–98, (1960).
- Bertaut**, E. F., “Lattice Theory of Spin Configuration”, J. Appl. Phys., 33, 1138, (1962).
- Bokov** V. A., Mylnokova I. E. and Smolenskii G. A., “Ferroelectric antiferromagnetics” Sov. Phys. JETP 15, 447-449, (1962).
- Buhrer** C. F., “Some properties of bismuth perovskites”, Journal of Chemical Phys. 36, 798-803(1962).

Bertaut E. F., Pauthenet R. and Mercier M., “Properties magnetiques et structures du manganite D’ Yttrium”, Phys. Rev. Lett. 7, 110-111(**1963**).

Dzyaloshinskii I., “Theory of helical structure in antiferromagnets”, Sov. Phys. JETP 19, 960-971(**1964**).

Smolenskii G. A. and Yudin V. M., “Weak ferromagnetism of some BiFeO₃-Pb(Fe_{0.5}Nb_{0.5})O₃ perovskite”, Soviet Physics-Solid State 6, 2936(**1965**) translated from Fizika Tverdogo Tela 3668, 6-12(**1964**).

Hamilton W. C., “Significance tests on the crystallographic R factor” Acta Cryst. 18, 502-510 (**1965**).

Ismailzade I. G., Izvestiya, “High temperature x-ray study of the BiFeO₃-Pb(Fe_{0.5}Nb_{0.5})O₃ system”, Seriya Fizicheskaya 29(6), 1032-1036 (**1965**).

Krainik N. N., Khuchua N. P., Berezhnol A. A., Tutow A. G., “Nature of phase transitions in BiFeO₃-Pb(Fe_{0.5}Nb_{0.5})O₃ solid solutions” Fizika Tverdogo Tela 7(1), 132-142(**1965**).

Zhdanova V. V., “Dilatometric study of solid solutions in the BiFeO₃-Pb(Fe_{0.5}Nb_{0.5})O₃ system”, Fizika Tverdogo Tela (Sankt-Peterburg) 7(1), 143-150(**1965**).

Roginskaya, Y. E., Tomashpol'skii, Y. Y., Venevtsev, Y. N., Petrov, V.M., and Zhdanov, G. S., “The nature of the dielectric and magnetic properties of BiFeO₃”, Sov. Phys. JETP, **23**, 47-53, (**1966**).

Eibschutz M., Shtrikman S. and Treves D., “Mössbauer studies of ⁵⁷Fe in orthoferrites”, Phys. Rev. 156, 562-577(**1967**).

Rietveld, H. M., “Line profiles of neutron powder-diffraction peaks for structure refinement,” Acta. Crystallogr., 22, 151-2, (**1967**).

Bertaut, E. F., “Representation analysis of magnetic structures”, Acta Cryst. A, 24, 217-231, (**1968**).

Kiselev, S.V., Ozerov, R.P., Ozhevskii, O. P. A., Yamzin, I. I. and Kocharov, A. G., “Nature of the spontaneous magnetic moment of the solid solution 0.92BiFeO₃-0.08Pb(Fe_{1/2}Nb_{1/2})O₃”. Sov. Phys. Sol. State, 11, 446-47, (1969).

Rietveld, H. M., “A profile refinement method for nuclear and magnetic Structures,” J. Appl. Crystallogr., 2, 65-71, (1969).

Plantov G. L., Drobyshev L. A., Tomashpolskii Y. Y. and Venevtsev Y. N., Sov. Phys.-Crystallogr., 14, 692, (1970).

Teague J. R., Gerson, R. and James, W. J., “Dielectric hysteresis in single crystal BiFeO₃”, Solid State Commun., 8, 1073-1074, (1970).

Cullity, B. D., “Introduction to Magnetic Materials”, Addison-Wesley Publishing Company, Inc. Philippines, (1972).

Glazer A. M., “The classification of tilted octahedral in perovskites” Acta Cryst. B 28, 3384(1972).

Blaauw C. and Vander Woude F., “Magnetic and structural properties of BiFeO₃” J. Phys. C: Solid State Phys. 6, 1422 (1973).

Hewat A. M., “Soft modes and the structure, spontaneous polarization and Curie constants of perovskite ferroelectrics: tetragonal potassium niobate”, J. Phys. C: Solid State Phys., 6, 1074 (1973).

Holakovský, J., “A New Type of the Ferroelectric Phase Transition”, Phys. Status Solidi B, 56, 615–619, (1973).

Schmid H., “On a magnetoelectric classification of materials,” Int. J. Magn. 4, 337 (1973).

Bhat K. C., H. Keer V. and Biswas A. B., “Thermal studies of magnetic ferroelectrics in the system lead iron niobium oxide (Pb(Fe_{1/2}Nb_{1/2})O₃)-bismuth iron oxide (BiFeO₃)”, J. Phys. D: Appl. Phys. 2077, 7(1974).

Blinc, R. and Zeks, B. “Soft modes in Ferroelectrics and Antiferroelectrics” North Holand Publishing Co., Amsterdam, Oxford (1974).

Levanyuk, A. P. and Sannikov, D. G., “Improper ferroelectrics”, Sov. Phys. Usp., 17, 199–214, (1974).

Darlington C. N. W., “Phenomenology of ferroelectrics with rotated octahedra” Philosophical Magazine 31, 1159-1175 (1975).

Glazer, A. M., “Simple ways of determining perovskite structures”, Acta Cryst. A, 31, 756-762, (1975).

Jacobson, A. J. and Fender, B. E. F., “A neutron diffraction study of the nuclear and magnetic structure of BiFeO_3 ”, J. Phys. C: Solid State Phys., 8, 844-850,(1975).

Kaczmarek,W. and Pajak, Z., “Differential thermal analysis of phase transitions in $(\text{Bi}_{1-x}\text{La}_x)\text{FeO}_3$ solid solution,” Solid State Comm., 17, 807–810, (1975).

Megaw, H. D. and Darlington, C. N. W., “Geometrical and structural relations in the rhombohedral perovskites”, Acta Cryst. A, 31, 161-173,(1975).

Lines, M. E. and Glass, A. M., “Principles and Applications of Ferroelectrics and Related Materials, Clarendon Press, Oxford”, (1977).

Fischer, P., Polomska, M., Sosnowska, I. and Szymanski, M., “Temperature dependence of the crystal and magnetic structures of BiFeO_3 ”, J. Phys. C: Solid State Phys., 13, 1931-1940, (1980).

Pietrzak J., Maryanowska A. and Leciejewicz J., “Magnetic ordering in $\text{Pb}(\text{Fe}_{0.5}\text{Nb}_{0.5})\text{O}_3$ at 4.2 K” J. Phys. Status Solidi a 65, K79 (1981).

Lejeune and Boilot J. P., “Formation mechanism and ceramic process of the ferroelectric perovskite: $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ and $\text{Pb}(\text{Fe}_{1/2}\text{Nb}_{1/2})\text{O}_3$,” Ceramic Int. 8, 99-103(1982).

Sosnowska, I., Neumaier, T. P. and Steichele, E., “Spiral magnetic ordering in bismuth ferrite”, J. Phys. C: Solid State Phys., 15, 4835-4846, (1982).

Swartz S. L., and Shrout T. R., “Fabrication of perovskite lead magnesium niobate,” Mat. Res. Bull. 17,1245(1982).

- Mabud** S. A., “X-ray and neutron diffraction studies of lead iron niobate ceramics and single crystal” Phase Transitions 4, 183-200, (**1984**).
- Tabares-Munoz**, C., Rivera, J. P., Bezinges, A., Monnier, A. and Schmid, H., Measurement of the quadratic magnetoelectric effect on single crystalline BiFeO₃, Jpn. J. Appl. Phys, 24, 1051-1053, (**1985**).
- Yasuda** N., and Ueda Y., “The diffuse phase transition in Pb(Fe_{0.5}Nb_{0.5})O₃ ceramics synthesized through the of alkoxides”, J. Phys.: Condens. Matter 1, 497-500 (**1989**)
- Kubel**, F. and Schmid, H., “Structure of a Ferroelectric and Ferroelastic Monodomain Crystal of the Perovskite BiFeO₃” Acta Cryst. B, 46, 698-702, (**1990**).
- Bokov** A. A., and Emelyanov S. M., “Electrical properties of Pb(Fe_{0.5}Nb_{0.5})O₃ crystals” Phys. Status Solidi 164, K109, (**1991**).
- Mathan** N. D., Husson E., Calvarin G., Gavarri J. R., Hewat A. W., and Morell A., “A structural model for the relaxor Pb(Mg_{1/3}Nb_{2/3})O₃ at 5 K” J. Phys.: Condens. Matter 3, 8159 (**1991**).
- Cohen**, R. E., “Origin of ferroelectricity in perovskite oxides, Nature”, 358, 136-138, (**1992**).
- Popov**, Yu. F., Zvezdin, A. K., Vorob’ev, G. P., Kadomtseva, A. M., Murashev, V. A. and Rakov, D. N., “Linear magnetoelectric effect and phase transitions in bismuth ferrite, BiFeO₃”, JETP. Lett., 57, 69-73, (**1993**).
- Schmid**, H., “Multi-ferroic magnetoelectrics, Ferroelectrics” 162, 665-685, (**1994**).
- Portengen** T., Ostreich T. and Sham L. J., “Theory of electronic ferroelectricity”, Phys. Rev. B 54, 17452-17463, (**1996**).
- Sosnowska**, I., Przenioslo, R., Fischer, P. and Murashov, V.A., “Neutron diffraction studies of the crystal and magnetic structures of BiFeO₃ and Bi_{0.93}La_{0.07}FeO₃”, J. Magn. Magn. Mater, 160, 384—385, (**1996**).
- Young**, R. A., “The Rietveld Method, Oxford University Press,” (**1996**).

Anderson, P. W., “Basic Notions of Condensed Matter Physics,” Westview Press, Reading, MA, (1997).

Bonny V., Bomin M., Sciau P., Schenk K. J., and Chapuis G., “Phase transition in disorder lead iron niobate: X-ray and synchrotron radiation diffraction experiments”, Solid State Commn. 102, 347-352, (1997).

Huang, J., Cao, Y., Sun, Y.Y., Xue , Y. Y., Chu, C. W., “Coupling between the ferroelectric and antiferromagnetic orders in YMnO₃”, Phys. Rev. B, 56, 2623–26, (1997).

Malibert C., Dkhil B., Kiat J. M., Durand D., Berar J. F. and Bire A. S.-D., “Order and disorder in the relaxor ferroelectric perovskite PbSc_{1/2}Nb_{1/2}O₃ (PSN): Comparison with simple perovskites BaTiO₃ and PbTiO₃,” J. Phys.: Condens. Matter 9, 7485-7500 (1997).

Jenhi M., Ghadraoui E. H., Bali H., Aatmani M. and Rafiq M, “Reaction mechanism in formation of perovskite Pb(Fe_{1/2}Nb_{1/2})O₃ by calcining of mixed oxide (CMO)”, Eur. J. Solid State Inorg. Chem. 35, 221-230(1998).

Hill, N. A., and Rabe, K. M., “First-principles investigation of ferromagnetism and ferroelectricity in bismuth manganite”, Phys. Rev. B, 59, 8759-8769, (1999).

Lampis N., Sciau and Lehmann A. G., “Rietveld refinements of the paraelectric and ferroelectric structures of PbFe_{0.5}Nb_{0.5}O₃” J. Phys. Condense. Matter. 11, 3489 (1999).

Noheda B., Gonzalo J. A., Cross L. E., Guo R., Park S.-E., Cox D. E. and Shirane G., “Tetragonal to monoclinic phase transition in a ferroelectric perovskite: The structure of PbZr_{0.52}Ti_{0.48}O₃,” Phys. Rev. B 61, 8687-8695(1999).

Stephen’s P. W., “Phenomenological model of anisotropic peak broadening in powder diffraction”, J. App. Cryst. 32, 281-289 (1999).

Thomas N. W., Ivanov S. A., Ananta S., Tellgren R. and Rundlof H, “New evidence for rhombohedral symmetry in the relaxor ferroelectric $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$,” J. Eur. Ceramic Society 19, 2667-2675(**1999**).

Hill N. A., “Why are there so few magnetic ferroelectrics?”, J. Phys. Chem. B 104, 6694-6706 (**2000**).

Ivanov S. A., Tellgren R., Rundlof H., Thomas N. W. and Ananta S., “Investigation of the structure of the relaxor ferroelectric $\text{Pb}(\text{Fe}_{0.5}\text{Nb}_{0.5})\text{O}_3$ by neutron powder diffraction”, J. Phys.: Condens. Matter 12, 2392-240, (**2000**).

Kumar, M. M., Palkar, V. R., Srinivas, K. and Suryanarayana, S. V., “Ferroelectricity in a pure BiFeO_3 ceramic,” Appl. Phys. Lett., **76**, 2764, (**2000**).

Kumar, M. M., Srinivas, A. and Suryanarayana, S.V., “Structure property relations in $\text{BiFeO}_3/\text{BaTiO}_3$ solid solutions”, J. Appl. Phys., 87, 855-962, (**2000**).

Noheda, B., Gonzalo, J. A., Cross, L. E., Guo, R., Park, S.-E., Cox, D. E. and Shirane, G., “Tetragonal-to-monoclinic phase transition in a ferroelectric perovskite: The structure of $\text{PbZr}_{0.52}\text{Ti}_{0.48}\text{O}_3$ ”, 61, 8687-8695, (**2000**).

Wills, A. S., Physica B, 276, 680 (**2000**). SARAh representational analysis software available at <http://www.ftp.ill.fr/pub/dif/sarah/> site.

Wills, A., “A new protocol for the determination of magnetic structures using simulated annealing and representational analysis (SARAh)”, Physica B, 276–278, 680–681,(**2000**).

[http://www.ucl.ac.uk/chemistry/staff/academic_pages/andrew_wills/research].

Zalessky, A. V., Frolov, A. A., Khimich, T. A., Bush, A. A., Pokatilov, V. S. and Zvezdin, A. K., “ ^{57}Fe NMR study of spin-modulated magnetic structure in BiFeO_3 ”, Europhys. Lett., 50, 547–551, (**2000**).

Dkhil B., Kiat J. M., Calvarin G, Baldinozzi G., Vkhrushev S. B. and Surad E., “Local and long range polar order in the relaxor-ferroelectric compounds

Pb(Mg_{1/3}Nb_{2/3})O₃ and PbMg_{0.3}Nb_{0.6}Ti_{0.1}O₃,” Phys. Rev. B 65, 024104-024111(**2001**).

Kanai T., Ohkoshi S.-I., Nakajima A., Watanabe T. and Hashimoto K., “A ferroelectric ferromagnet composed of (PLZT)_x(BiFeO₃)_{1-x} solid solution”, Adv. Mater. 13(7), 487-490(**2001**).

Nishibori, E., Takata, Kato, M., Sakta, M., Kubota, Y., Aoyagi, S., Kuroiwa, Y., Yamakata, M. and Ikeda, N., “The large Debye–Scherrer camera installed at SPring-8 BL02B2 for charge density studies”, Nucl. Instrum. Methods Phys. Res. Sec. A, **467-468**, 1045–1048, (**2001**).

Vanderbilt D. and Cohen M. H., “Monoclinic and triclinic phases in higher-order devonshire theory”, Phys. Rev. B 63, 094108-094116 (**2001**).

Lee S. B., Lee K. H. and Kim H., “The role of the grain boundary on the room temperature resistivity of the Pb(Fe_{0.5}Nb_{0.5})O₃” Jpn. J. Appl. Phys. 41, 5266-5271 (**2002**).

Liou Y-C., Shih C-Yu and Yu C-H., “Pb(Fe_{1/2}Nb_{1/2})O₃ perovskite ceramics produced by simplified wolframite route,” Jpn. J. Appl. Phys. 41, 3829(**2002**).

Ragini, Ranjan R., Mishra S. K., and Pandey Dhananjai, “Room temperature structure of Pb(Zr_xTi_{1-x})O₃ around the morphotropic phase boundary region: A Rietveld study”, J. Appl. Phys. 3266-3274(**2002**).

Sosnowska, I., Schfer, W., Kockelmann, W., Andersen, K. H. and Troyanchuk, I.O., “Crystal structure and spiral magnetic ordering of BiFeO₃ doped with manganese”, Appl. Phys. A: Mater. Sci. Process., 74, S1040-S1042, (**2002**).

Kimura T., Goto T., Shintani H., Ishizaka K., Arima T. and Tokura Y., “Magnetic control of ferroelectric polarization” Nature (London) 426, 55-58 (**2003**).

Kozheev, D. F., Zalessky, A. V., Gippius, A. A., Morozova, E. N. and Bush, A. A., “Spin modulation of ⁵⁷Fe NMR frequency and relaxation in BiFeO₃”, Physica B, 329, 848–849, (**2003**).

Wang, J., Neaton, J. B., Zheng, H., Nagarajan, V., Ogale, S. B., Liu, B., Viehland, D., Vaithyanathan, V., Schlom, D. G., Waghmare, U. V., Spaldin, N. A., Rabe, K. M., Wuttig, M. and Ramesh, R., “Epitaxial BiFeO₃ multiferroic thin film heterostructures”, *Science*, 299, 1719-1722, (2003).

Aken B. V., Palstra T. T. M., Filippetti A. and Spaldin N. A., “The origin of ferroelectricity in magnetoelectric YMnO₃”, *Nature Mater.* 3, 164-170, (2004).

Bhatt V. V., Ramanujacharya K. V., Lofland S. E. and Umarji A. M., “Tuning the multiferroic properties of Pb(Fe_{1/2}Nb_{1/2})O₃ by cationic substitution” *J. Magn. Magn. Mater.* 280, 221-226(2004).

Goto T., Lawes G., Ramirez A. P. and Tokura Y., “Ferroelectricity and giant magnetocapacitance in perovskite rare-earth manganites”, *Phys. Rev. Lett.* 92, 257201-257204(2004).

Hur, N., Park, S., Sharma, P.A., Ahn, J.S., Guha, S. and Cheong, S. W., “Electric polarization reversal and memory in a multiferroic material induced by magnetic Fields”, *Nature*, 429, 392–95, (2004).

Kadomtseva, A. M., Zvezdin, A. K., Popov, Yu. F., Pyatyakov, A. P. and Vorobiev, G. P., “Space-time parity violation and magnetoelectric interactions in antiferrornagnets”, *JETP Lett.*, 79, 571–581, (2004).

Maitre, A., Francois, M. and Gachon, J. C., “Experimental study of the Bi₂O₃-Fe₂O₃ pseudo-binary system”, *J. Phase Equil. Diff.*, 25, 59, (2004).

Ruette, B., Zvyagin, S., Pyatakov, A. P., Bush, A., Li, J. F., Belotelov, V. I., Zvezdin, A. K. and Viehland, D. “Magnetic-field-induced phase transition in BiFeO₃ observed by high-field electron spin resonance: Cycloidal to homogeneous spin order”, *Phys. Rev. B*, 69, 064114, (2004).

Yang Y., Liu J. M., Huang H. B., Zou W. Q., Bao P. and Liu Z. G., “Magnetolectric coupling in ferroelectromagnet Pb(Fe_{0.5}Nb_{0.5})O₃ single crystal” *Phys. Rev. B* 70, 132101 (2004).

Yun K. Y., Ricinschi D., Kanashima T., Noda M. and Okuyama M., “Giant ferroelectric polarization beyond 150 μC/cm² in BiFeO₃ thin film”, *Jpn. J. Appl. Phys.* 43, L647 (2004).

- Bai**, F., Wang, J., Wuttig, M., Li, J. F., Wang, N., Pyatakov, A. P., Zvezdin, A. K., Cross, L. E. and Viehland, D., “Destruction of spin cycloid in (111)c-oriented BiFeO₃ thin films by epitaxial constraint: Enhanced polarization and release of latent magnetization”, *Appl. Phys. Lett.*, 86, 032511, (2005).
- Bhat** V. V., Umarji A. M., Shenoy V. B. and Waghmare U. V., “Diffuse ferroelectric phase transition in Pb-substituted Pb(Fe_{1/2}Nb_{1/2})O₃,” *Phys. Rev. B* 72, 014104(2005).
- Ederer**, C. and Spaldin, N. A., “Weak ferromagnetism and magnetoelectric coupling in bismuth ferrite”, *Phys. Rev. B*, 71, 060401, (2005).
- Eerenstein**, W., Morrison, F. D., Dho, J., Blamire, M. G., Scott, J. F., Mathur, N. D., Comment on “Eitaxial BiFeO₃ multiferroic thin film heterostructures”, *Science*, 307, 1203, (2005).
- Fennie** C. J., and Rabe K. M., “Ferroelectric transition in YMnO₃ from first principles” *Phys. Rev. B* 72, 100103(1-4), (2005).
- Fiebig** M., “Revival of the magnetoelectric effect” *J. Phys. D: Appl. Phys.* 38, R123-R152(2005).
- Ikeda** N., Ohsumi H., Ohweda K., Ishii K., Inami T., Kakurai K., Murakami Y., Mori S., Horibe Y., and Kilo H., “Ferroelectricity from iron valence ordering in the charge-frustrated system LuFe₂O₄”, *Nature* 436, 1136-1138, (2005).
- Jun**, Y. K., Moon, W. T., Chang, C. M., Kim, H. S., Ryu, H. S., Kim, J. W., K. H Kim. And Hong, S. H., “Effects of Nb-doping on electric and magnetic properties in multiferroic BiFeO₃ ceramics”, *Solid State Comm.*, 135, 133-137, (2005).
- Kang** J.-S., Han S.W., Park J.-G., Wi S. C., Lee S. S., Kim G., Song H. J., Shim H. J., Jo W., and Min B.I., “Photoemission and x-ray absorption of the electronic structure of multiferroic RMnO₃ (R = Y, Er)”, *Phys. Rev. B* 71, 092405(1-4), (2005).
- Kuroiwa** Y., Terado Y., Kim S. J., Sawada A., Yamamura Y., Aoyagi S., Nishibori E., Sakata M. and Takata M., “High-energy SR powder diffraction

- evidence of multisite disorder of Pb atom in cubic phase of $\text{PbZr}_{1-x}\text{Ti}_x\text{O}_3$ ”, Jp. J. Appl. Phys. 44, 7151-7155(**2005**).
- Lawes** G., Harris A. B., Kimura T., Rogado N., Cava R. J., Aharony A., Wohlman O. E., Yildrim T. Kenzelmann M., Broholm C. and Ramirez A. P., “Magnetically driven ferroelectric order in $\text{Ni}_3\text{V}_2\text{O}_8$,” Phys. Rev. Lett. 95, 087205-087209(**2005**).
- Lee** S., Pirogov A., Han J. H., Park J.-G., Hoshikawa A., and Kamiyama T., “Direct observation of a coupling between spin, lattice and electric dipole moment in multiferroic YMnO_3 ”, Phys. 71, 180413(R) (1-4), (**2005**).
- Martienssen**, W. and Warlimont, H., “Springer Handbook of Condensed Matter and Materials Data XVIII”, 904, (**2005**).
- Neaton**, J. B., Ederer, C., Waghmare, U. V., Spaldin, N. A. and Rabe K. M., “First-principles study of spontaneous polarization in multiferroic BiFeO_3 ”. Phys. Rev. B, 71, 014113, (**2005**).
- Pradhan**, A. K., Zhang, K., Hunter, D., Dadson, J. B., Loitutts, G. B., Bhattacharya, P., Katiyar, R., Zhang, J., Sellmyer, D. J., Roy, U. N., Cui, Y., and Burger, A., Magnetic and electrical properties of single-phase multiferroic BiFeO_3 , J. Appl. Phys., 97, 093903, (**2005**).
- Serrao**, C. R., Kundu, A. K., Krupanidhi, S. B., Waghmare, U. V. and Rao, C. N. R. “Biferroic YCrO_3 ”, Phys. Rev. B, 72, 220101, (**2005**).
- Wang**, N., Cheng, J., Pyatakov, A., Zvezdin, A. K., Li, J. F., Cross, L. E., and Viehland D., “Multiferroic properties of modified $\text{BiFeO}_3\text{-PbTiO}_3$ -based ceramics: Random-field induced release of latent magnetization and polarization”, Phys. Rev. B, 72, 104434, (**2005**).
- Zhang**, S. T., Lu, M. H., Wu, D., Chen, Y. F. and Ming, N. B., “Larger polarization and weak ferromagnetism in quenched BiFeO_3 ceramics with a distorted rhombohedral crystal structure”, Appl. Phys. Lett., 87, 262907, (**2005**).

Eerenstein W., Mathur N. D. and Scott J. F., “Multiferroic and magnetoelectric materials”, Nature (London) 442, 759-765 (2006).

Haumont, R., Kreisel, J., Bouvier, P. and Hippert, F., “Phonon anomalies and the ferroelectric phase transition in multiferroic BiFeO₃”, Phys. Rev. B, 73, 132101, (2006).

Khomskii D. I. “Multiferroics: different ways to combine magnetism and ferroelectricity” J. Magn. Magn. Mater. 306, 1-8(2006).

Noheda, B. and Cox, D. E., “Bridging phases at the morphotropic boundaries of lead oxide solid solutions, Phase Transit.”, 79, 5–20, (2006).

Ravindran, P., Vidya, R., Kjekshus, A. and Fjellvåg, H. “Theoretical investigation of magnetoelectric behavior in BiFeO₃”, Phys. Rev. B, 74, 224412, (2006).

Sergienko I. A. & Dagotto E. “Role of the Dzyaloshinskii-Moriya interaction in multiferroic perovskite”, Phys. Rev. B 73, 094434 (2006).

Subramanian M. A., He T. and Chen J. Z., “Giant room-temperature magnetodielectric response in the electronic ferroelectric LuFe₂O₄”, Adv. Mater. 18, 1737-1739, (2006).

Taniguchi K., Abe N., Takenobu T., Iwasa Y. and Arima T., “Ferroelectric polarization flop in a frustrated magnet MnWO₄ induced by a magnetic field” Phys. Rev. Lett. 97, 097203 (2006).

Tokura Y., Multiferroics as quantum electromagnets”, Science 312, 1481-1482(2006).

Zhao, T., Scholl, A., Zavaliche, F., Lee , K., Barry, M., Doran, A., Cruz, M. P., Chu, Y. H., Ederer, C., Spaldin, N. A., Das, R. R., Kim, D. M., Baek, S. H., Eom, C. B. and R. Ramesh, “Electrical control of antiferromagnetic domains inmultiferroic BiFeO₃ films at room temperature”, Nat. Mater. 5, 823-829, (2006).

Blinic R., Cevc P., Zorko A., Holc J., Kosec M., Trontelj Z., Pirnat J., Dalal N., Ramachandran V. and Krzystek J., “Electron paramagnetic resonance of

magnetoelectric Pb(Fe_{1/2}Nb_{1/2})O₃,” J. Appl. Physics 101, 033901-033906 (2007).

Cheong, S. W. and Mostovoy, M., “Multiferroics: a magnetic twist for ferroelectricity, Nature Materials”, 6, 13-20, (2007).

Cho D.-Y., Kim J.-Y., Park B.-G. Rho K.-J., Park J.-H., Noh H.-J., Kim B.J., Oh S.-J., Park H.-M., Ahn J.-S., Ishibashi H., Cheong S.-W., Lee J. H., Murugavel P., Noh T. W., Tanaka A., and Jo T., “Ferroelectricity driven by Y d⁰-ness with rehybridization in YMnO₃”, Phys. Rev. Lett. 98, 217601(1-4), (2007).

Hoelzel, M., Senyshyn, A., Gilles, R., Boysen, H. and Fuess, H., “Scientific Review: The Structure Powder Diffractometer SPODI,” Neutron News, 18(4), 23,(2007).

Kornev, I. A., Lisenkov, S., Haumont, R., Dkhil, B. and Bellaiche, L., “Finite-Temperature Properties of Multiferroic BiFeO₃”, Phys. Rev. Lett., 99, 227602, (2007).

Lebeugle, D., Colson, D., Forget, A., Viret, M., Bonville, P., Marucco, J. F. and Fusil, S., “Room-temperature coexistence of large electric polarization and magnetic order in BiFeO₃ single crystals”, Phys. Rev. B, 76, 024116, (2007A).

Lebeugle, D., Colson, D., Forget, A. and Viret, M., “Very large spontaneous electric polarization in BiFeO₃ single crystals at room temperature and its evolution under cycling fields”, Appl. Phys. Lett., 91,022907, (2007B).

Nagano A., Naka M., Nasu J. and Ishihara J., ‘Electric polarization, magnetoelectric effect and orbital state of a layered iron oxide with frustrated geometry”, Phys. Rev. Lett. 99, 217202(1-4)(2007).

Mazumder, R., Devi, P. S., Bhattacharya, D., Choudhury, P., Sen, A. and Raja, M., “Ferromagnetism in nanoscale BiFeO₃”, Appl. Phys. Lett. 91, 062510, (2007).

Palewicz, A., Przeniosło, R., Sosnowska, I. and Hewat, A. W., “Atomic displacements in BiFeO₃ as a function of temperature: neutron diffraction study”, Acta Cryst. B, 63, 537–544, (2007).

Park, T. J., Papaefthymiou, G. C., Viescas A. J., Moodenbaugh, A. R. and Wong, S. S., “Size-Dependent Magnetic Properties of Single-Crystalline Multiferroic BiFeO₃, Nanoparticles, Nano Lett.”, 7 (3), 766–772, (2007).

Prokhnенко O., Feyerherm R., Dudzik E., Landsgesell S., Aliouane N., Chapon L. C. and Argyriou D. N., “Enhanced ferroelectric polarization by induced Dy spin order in multiferroic DyMnO₃”, Phys. Rev. Lett. 98, 057206 (2007).

Ramesh R. and Spaldin N. A., “Multiferroics: progress and prospects in thin films”, Nature Mater. 6, 21-29 (2007).

Reyes, Vega, A. C. D., Fuentes, M. E. and Fuentes, L., “BiFeO₃: Synchrotron radiation structure refinement and magnetoelectric geometry,” J. Europ. Ceram. Soc., 27, 3709–3711, (2007).

Scott J. F., “Multiferrics memories”, Nature Materials 6, 256-257 (2007).

Singh A. K., Pandey D., Yoon S., Baik S., Sin N., “High-resolution synchrotron x-ray diffraction study of Zr-rich compositions of Pb(Zr_xTi_{1-x})O₃(0.525≤ x≤ 0.60): Evidence for the absence of the rhombohedral phase” Appl. Phys. Lett. 91, 192904-192907(2007).

Singh S. P., Pandey D., Yoon S., Baik S., Sin N., “Evidence for monoclinic crystal structure and negative thermal expansion below magnetic transition temperature in Pb(Fe_{0.5}Nb_{0.5})O₃” Appl. Phys. Lett. 90, 242915-242917(2007A).

Xiang H. J., and Whangbo M.-H., “Charge order and the origin of giant magnetocapacitance in LuFe₂O₄”, Phys. Rev. Lett. 98, 246403 (1-4),(2007).

Zhang Y., Yang H. X., Tian H. F., Luo J. L. and Li J. Q., “Structure charge ordering and physical properties of LuFe₂O₄”, Phys. Rev. B 76, 184105(1-7), (2007).

Christianson A. D., Lumsden M. D., Angst M., Yamani Z., Tian W., Jin R., Payzant E. A., Nagler S. E., Sales B. C. and Mandrus D., “Three-dimensional

magnetic correlations in multiferroic LuFe₂O₄”, Phys. Rev. Lett. 100, 107601(1-4), (2008).

Comyn, T. P., Stevenson, T., Jawad, M. A., Turner, S. L., Smith, R. I., Marshall, W. G., Bell, A. J. and Cywinski R., “Phase-specific magnetic ordering in BiFeO₃–PbTiO₃”, Appl. Phys. Lett., 93, 232901, (2008).
Hill A. H., Jiao F., Bruce P. G., Harrison A., Kockemann W. and Ritter C., “Neutron diffraction study of mesoporous and bulk hematite α-Fe₂O₃,” Chem. Mater. 20, 4891-4899 (2008).

Haumont, R., Kornev, I. A., Lisenkov, S., Bellaiche, L., Kreisel, J. and Dkhil, B., “Phase stability and structural temperature dependence in powdered multiferroic BiFeO₃”, Phys. Rev. B, 78, 134108, (2008).

Ivanov, S. A., Nordblad, P. and Tellgren, R., “Influence of PbZrO₃ Doping on the Structural and Magnetic Properties of BiFeO₃”, Solid State Sci., 10, 1875-1885, (2008).

Khomchenko, V. A., Kiselev, D. A., Vieira, J. M., Jian, Li, Kholkin, A. L., Lopes, A. M. L., Pogorelov, Y. G., Araujo, J. P. and Maglione, M., “Effect of diamagnetic Ca, Sr, Pb, and Ba substitution on the crystal structure and multiferroic properties of the BiFeO₃ perovskite”, J. Appl. Phys., 103, 024105, (2008).

Kimura T. and Tokura Y., “Magnetoelectric phase control in a magnetic system showing cycloidal/conical spin order,” J. Phys.: Condens. Matter 20, 434204 (2008).

Kumar A., Katiyar R. S., Rinaldi C., Lushnikov S. G. and Shaplygina T. A., “Glass like state in Pb(Fe_{1/2}Nb_{1/2})O₃ single crystal,” Appl. Phys. Lett. 93, 232902-232905(2008).

Lee S., Choi T., Ratcliff II, Erwin W. R., Cheong S.-W., and Kiryukhin V., “Single ferroelectric and chiral magnetic domain of single-crystalline BiFeO₃ in an electric field” Phys. Rev. B 78, 100101(R)(1-4) (2008).

- Lee**, S., Ratcliff, W., Cheong, S. W. and Kiryukhin, V., “Electric field control of the magnetic state in BiFeO₃ single crystals”, Appl. Phys. Lett., 92, 192906, (2008).
- Lebeugle**, D., Colson, D., Forget, A., Viret, M., Bataille, A. M. and Gukasov, A., “Electric-Field-Induced Spin Flop in BiFeO₃ Single Crystals at Room Temperature”, Phys. Rev. Lett., 100, 227602, (2008).
- Palai**, R. , Katiyar, R. S., Schmid, H. , Tissot, P., Clark, S. J., Robertson, J., Redfern, S. A. T. , Catalan, G. and Scott, J. F., “ β phase and γ - β metal-insulator transition in multiferroic BiFeO₃”, Phys. Rev. B, 77, 014110, (2008).
- Raevski**, I. P. , Kubrin, S. P., Dellis, J. L., Raevskaya, S. I., Sarychev, D. A., Smotrakov, V. G., Eremkin, V. V. and Seredkina, M. A., “A studies of Magnetic and Ferroelectric Phase Transitions in BiFeO₃-NaNbO₃ Solid Solution Ceramics”, Ferroelectrics, 371:113–118, (2008).
- Selbach**, S. M., Tybell, T., Einarsrud, M. A. and T. Grande, “The Ferroic Phase Transitions of BiFeO₃”, Adv. Mater., 20, 3692–3696, (2008).
- Singh** A., Pandey V., Kotnala R. K. and Pandey D., “Direct evidence for multiferroic magnetoelectric coupling in 0.9BiFeO₃-0.1BaTiO₃” Phys. Rev. Lett. 101, 247602 (2008).
- Zhu**, W. M., Guo, H. Y. and Ye, Z. G., “Structural and magnetic characterization of multiferroic (BiFeO₃)_{1-x}(PbTiO₃)_x solid solutions”, Phys. Rev. B. 78, 014401, (2008).
- Arnold**, D. C., Knight, K. S., Morrison, F. D. and Lightfoot, P., “Ferroelectric-Paraelectric Transition in BiFeO₃: Crystal Structure of the Orthorhombic β Phase”, Phys. Rev. Lett., 102, 027602, (2009).
- Béa** H., Dupé B., Fusil S., Mattana R., Jacquet E., Warot-Fonrose B., Wilhelm F., Rogalev A., Petit S., Cros V., Anane A., Petroff F., Bouzehouane K., Geneste G., Dkhil B., Lisenkov S., Ponomareva I., Bellaiche L., Bibes M., and Barthelemy, “Evidence for room-temperature multiferroicity in a compound with a giant axial ratio” Phys. Rev. Lett. 102, 217603-217608 (2009).

Bhattacharjee S., Pandey V., Kotnala R. K. and Pandey D., “Unambiguous evidence for magnetoelectric coupling of multiferroic origin in 0.73BiFeO₃-0.27PbTiO₃” Appl. Phys. Lett. 94, 012906 (**2009**).

Catalan, G. and Scott, J. F., “Physics and Applications of Bismuth Ferrite”, Adv. Mater., 21, 2463–2485(**2009**).

Chen, W., Williams, A. J., Martin, L. O. S., Li, M., Sinclair, D. C., Zhou, W. and Attfield, J. P., “Robust Antiferromagnetism and Structural Disorder in Bi_xCa_{1-x}FeO₃ Perovskites”, Chem. Mater., 21(10), 2085-2093, (**2009**).

Choudhary R. N. P., Barik, Subrat K., Katiyar R. S., “Impedance spectroscopic studies of BiFeO₃-Pb(Zr_xTi_{1-x})O₃ nanocomposites”, Modern Phys. Lett. B 23, 2655-2664(**2009**).

Comyn T. P., Stevenson T., Al-Jawad M., Turner St. L., Smith R. I., Bell A. J. and Cywinski R., “High temperature neutron diffraction studies of 0.9BiFeO₃-0.1PbTiO₃” J. Appl. Phys. 105, 094108 (**2009**).

Haumont R., Bouvier P., Pashkin A., Rabia K., Frank S., Dkhil B., Crichton W. A., Kuntscher C. A. and Kreisel J., “Effect of high on multiferroic BiFeO₃” Phys. Rev. B 79, 184110-184120 (**2009**).

Jiang Q. H., Liu F. T., Nan Ce-W., Lin Y.-H., Reece M. J., Yan H. X., Ning H. P., and Shen Z. J., “High temperature ferroelectric phase transition observed in multiferroic Bi_{0.91}La_{0.5}Tb_{0.4}FeO₃” Appl. Phys. Lett. 95, 012909 (**2009**).

Korchagina, S. K., Ivanov, S. A., Proidakova, V. Y., Rush, S. N., Rybakova, L. F. and Sadovskaya, N. V., “Synthesis, Structure, and Properties of Solid Solutions Based on Bismuth Ferrite Inorganic Materials”, 45, 568–573, (**2009**).

Kornev I. A. and Bellaiche L., “Nature of the ferroelectric phase transition in multiferroic BiFeO₃ from first principles” Phys. Rev. B 79, 100105 (**2009**).

Lubk, A., Gemming, S., and Spaldin, N. A., “First-principles study of ferroelectric domain walls in multiferroic bismuth ferrite”, Phys. Rev. B, 80, 101411, (**2009**).

Paik H., Kim H.-C., No K., Kim Y.-II, Cann D. P. and Hong J., “Structural and physical properties of room temperature stable multiferroic properties of single-phase $(\text{Bi}_{0.9}\text{La}_{0.1})\text{FeO}_3\text{-Pb}(\text{Fe}_{0.5}\text{Nb}_{0.5})\text{O}_3$ solid solution system” *J. Appl. Phys.* 07D919(**2009**).

Reddy, V. R., Kothari, D., Gupta, A. and Gupta, S. M., “Study of weak ferromagnetism in polycrystalline multiferroic Eu doped bismuth ferrite”, *Appl. Phys. Lett.* 94, 082505, (**2009**).

Rotaru G. M., Roessli B., Amato A., Gvasaliya S. N., Mudry C., Lushnikov S. G. and Shaplygina T. A., “Spin-glass state and long range magnetic order in $\text{Pb}(\text{Fe}_{0.5}\text{Nb}_{0.5})\text{O}_3$ seen via neutron scattering and muon spin rotation”, *Phys. Rev. B* 79, 184430(1-5), (**2009**).

Selbach, S. M., Tybell, T., Einarsrud, M. A. and Grande, T., “High-temperature semiconducting cubic phase of $\text{BiFe}_{0.7}\text{Mn}_{0.3}\text{O}_{3+\delta}$ ”, *Phys. Rev. B*, 79, 214113, (**2009**).

Selbach, S. M., Einarsrud, M. A. and T. Grande, “On the Thermodynamic stability of BiFeO_3 ”, *Chem. Mater.*, 21, 169–173, (**2009**).

Wang, K. F., Liu, J. M., Ren, Z. F., “Multiferroicity: the coupling between magnetic and polarization orders”, *Advan. Phys.* 58, 321–448, (**2009**).

Zeches R. J., Rossell M. D., Zhang J. X., Hatt A. J., He Q., Yang C.-H., Kumar A., Wang C. H., Melville A., Adamo C., Sheng G., Chu Y.-H., Ihlefeld J. F., Erni R., Ederer C., Gopalan V., Chen L. Q., Schlom D. G., Spaldin N. A., Martin L. W., and Ramesh R., “A strain-driven morphotropic phase boundary in BiFeO_3 ” *Science* 326, 977-980 (**2009**).

Arnold, D. C., Knight, K. S., Catalan, G., Redfern. S. A. T., Scott, J. F., Lightfoot, P. and Morrison, F. D., “The β -to- γ Transition in BiFeO_3 : A Powder Neutron Diffraction Study”, *Adv. Funct. Mater.*, 20, 2116–2123, (**2010**).

Bhattacharjee, S., Senyshyn, A., Krishna, P. S. R., Fuess, H. and Pandey, D., “Simultaneous changes of nuclear and magnetic structures across the morphotropic phase boundary in $(1-x)\text{BiFeO}_3-x\text{PbTiO}_3$ ”, *Appl. Phys. Lett.*, 97, 262506, (**2010**).

Carvajal J. R. Laboratory, FULLPROF, “A Rietveld and pattern matching and analysis program”, Laboratoire Leon Brillouin, CEA-CNRS, France (**2010**).

Lee J.-H., Choi H. J., Lee D., Kim M. G., Bark C. W., Ryu S., Oak M-A and Jang H. M., “Variations of ferroelectric off-centering distortion and 3d-4p orbital mixing in La-doped BiFeO₃ multiferroics”, Phys. Rev. B 82, 045113-045121 (**2010**).

Patel J. P., Singh A., Pandey D., “Nature of ferroelectric to paraelectric phase transition in multiferroic 0.8BiFeO₃-0.2Pb(Fe_{1/2}Nb_{1/2})O₃ ceramics,” J. Appl. Phys. 107, 104115(**2010**).

Pálová, L., Chandra, P. and Rabe, K. M., “Multiferroic BiFeO₃-BiMnO₃ nanoscale checkerboard from first principles”, Phys. Rev. B, 82, 075432, (**2010**).

Chen Z., Luo Z., Huang C., Qi Y., Yang P., You L., Hu C., Wu T., Wang J., Gao C., Sritharan T., “Low-symmetry monoclinic phases and polarization rotation path mediated by epitaxial strain in multiferroic BiFeO₃ thin films” Adv. Funct. Mater., 21, 133-138 (**2011**).

Christen H. M. Nam J. H., Kim H. S., Hatt A. J. and Spaldin N. A., “Stress-induced R-M_A-M_C-T symmetry changes in BiFeO₃ films” Phys. Rev. B 83, 144107 (**2011**).

Dieguez, O. and Iniguez, J., “First-principles investigation of morphotropic transitions and phase-change functional responses in BiFeO₃-BiCoO₃ multiferroic solid solutions”, Phys. Rev. Lett., 107, 057601, (**2011**).

Ramazanoglu M., Ratcliff II W., Choi Y. J., Lee S., Cheong S.-W. and Kiryukhin V., “Temperature-dependent properties of the magnetic order in single-crystal BiFeO₃” Phys. Rev. B 83, 174434 (**2011**).

Rusakov, D. A., Abakumov, A. M., Yamaura, K., Belik, A. A., Tendeloo, G. V. and Muromachi, E. T., “Structural Evolution of the BiFeO₃-LaFeO₃ System”, Chem. Mater., 23, 285–292 285, (2011).

Singh A., Senyshyn A., Fuess H., Chatterji T. and Pandey D., “Neutron powder diffraction study of nuclear and magnetic structures of multiferroic (Bi_{0.8}Ba_{0.2})(Fe_{0.8}Ti_{0.2})O₃: Evidence for isostructural phase transition and magnetoelastic and magnetoelectric couplings” Phys. Rev. B 83, 054406 (2011).

Singh A., Senyshyn A., Fuess H., and Pandey D., “Ferroelectric and antiferrodistortive phase transition in the multiferroic (Bi_{0.8}Ba_{0.2})(Fe_{0.8}Ti_{0.2})O₃: A high temperature neutron powder diffraction study,” J. Appl. Physics 110, 024111-024117 (2010A).

Zhang N., Yokota H., Glazer A. M. and Thomas P. A., “The not so simple cubic structure of PbZr_{1-x}Ti_xO₃ (PZT): complex local structural effects in perovskites” Acta Cryst. B67, 461-466 (2011).

Hoelzel M., Senyshyn A., Juenke N., Boysen H., Schmahl W. and Fuess H., “High-resolution neutron powder diffractometer SPODI at research reactor FRM II”, Nuclear Instruments & Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors, and Associated Equipment 667, 32-37(2012).

Johnson R. D., Chapon L. C., Khalyavin D. D., Manuel P., Radaelli P. G. and Martin C., “Giant improper ferroelectricity in the ferroaxial magnet CaMn₇O₁₂”, Phys. Rev. Lett. 108, 067201 (2012).

Singh A., “Phase Transition Studies on the Multiferroic (1-x)BiFeO₃-xBaTiO₃ Solid Solutions”; Ph. D. thesis (2012), Indian Institute of Technology (BHU), Varanasi, India-221005.

Wang, Q. Q., Zhuo, W., Liu, X. Q. and Chen, X. M., “Improved structure stability and multiferroic characteristics in CaTiO₃-modified BiFeO₃ ceramics”, J. Am. Ceram. Soc., 95, 670–675, (2012).

Singh A., Moriyoshi C., Kuroiwa Y. and Pandey D., “Evidence for local monoclinic structure, polarization rotation and morphotropic phase transitions in (1-x)BiFeO₃-xBaTiO₃ solid solutions: A high energy synchrotron x-ray powder diffraction study,” Phys. Rev. B 88, 024113(2013).

Singh A., Senyshyn A., Fuess H., Kennedy S. J. and Pandey D., “Magnetic transition and site-disordered induced weak ferromagnetism in (1-x)BiFeO₃-xBaTiO₃,” Phys. Rev. B 89, 024108-024117(2014).