

Appendix A

List of Publications

- Published/ Accepted Papers

1. Shivang Agarwal, C. Ravindranath Chowdary

A-Stacking and A-Bagging: Adaptive versions of ensemble learning algorithms for spoof fingerprint detection, Expert Systems with Applications, Volume 146, 2020, 113160.

2. Shivang Agarwal, Ajita Rattani, C. Ravindranath Chowdary

A comparative study on handcrafted features v/s deep features for open-set fingerprint liveness detection, Pattern Recognition Letters, 2021 (Accepted).

- Papers Under Review/Revision

1. Shivang Agarwal, C. Ravindranath Chowdary

Combating Hate Speech using an Adaptive Ensemble Learning Model with a case study on COVID-19, Expert Systems with Applications. (Minor Revision Submitted)

2. Shivang Agarwal, Ajita Rattani, C. Ravindranath Chowdary

AILearn: An Adaptive Incremental Learning Model for Spoof Fingerprint Detection, Machine Learning with Applications. (Under Review)

- To Be Submitted

1. Shivang Agarwal, C. Ravindranath Chowdary

Multimodal Hate Speech Detection using Adaptive Ensemble Models.

2. Shivang Agarwal, Ankur Sonawane, C. Ravindranath Chowdary
Accelerating Automatic Hate Speech Detection using Parallelized Ensemble Learning Models.

Bibliography

- [1] D. Yambay, L. Ghiani, P. Denti, G. L. Marcialis, F. Roli, and S. A. C. Schuckers, “Livdet 2011 - fingerprint liveness detection competition 2011,” in *5th IAPR International Conference on Biometrics, ICB 2012, New Delhi, India, March 29 - April 1, 2012*, A. K. Jain, A. Ross, S. Prabhakar, and J. Kim, Eds. IEEE, 2012, pp. 208–215. [Online]. Available: <https://ieeexplore.ieee.org/xpl/conhome/6195082/procceeding>
- [2] L. Ghiani, D. Yambay, V. Mura, S. Tocco, G. L. Marcialis, F. Roli, and S. Schuckers, “Livdet 2013 fingerprint liveness detection competition 2013,” in *International Conference on Biometrics, ICB 2013, 4-7 June, 2013, Madrid, Spain*, J. Fiérrez, A. Kumar, M. Vatsa, R. N. J. Veldhuis, and J. Ortega-Garcia, Eds. IEEE, 2013, pp. 1–6.
- [3] V. Mura, L. Ghiani, G. L. Marcialis, F. Roli, D. A. Yambay, and S. A. C. Schuckers, “Livdet 2015 fingerprint liveness detection competition 2015,” in *IEEE 7th International Conference on Biometrics Theory, Applications and Systems, BTAS 2015, Arlington, VA, USA, September 8-11, 2015*. IEEE, 2015, pp. 1–6. [Online]. Available: <https://doi.org/10.1109/BTAS.2015.7358776>
- [4] J. B. Kho, W. Lee, H. Choi, and J. Kim, “An incremental learning method for spoof fingerprint detection,” *Expert Systems with Applications*, vol. 116, pp. 52 – 64, 2019.
- [5] A. Rattani, W. J. Scheirer, and A. Ross, “Open set fingerprint spoof detection across novel fabrication materials,” *IEEE Trans. Inf. Forensics Secur.*, vol. 10, no. 11, pp. 2447–2460, 2015. [Online]. Available: <https://doi.org/10.1109/TIFS.2015.2464772>
- [6] S. Agarwal and C. R. Chowdary, “A-stacking and a-bagging: Adaptive versions of ensemble learning algorithms for spoof fingerprint detection,”

Expert Syst. Appl., vol. 146, p. 113160, 2020. [Online]. Available: <https://doi.org/10.1016/j.eswa.2019.113160>

- [7] P. Badjatiya, S. Gupta, M. Gupta, and V. Varma, “Deep learning for hate speech detection in tweets,” in *Proceedings of the 26th International Conference on World Wide Web Companion, Perth, Australia, April 3-7, 2017*, R. Barrett, R. Cummings, E. Agichtein, and E. Gabrilovich, Eds. ACM, 2017, pp. 759–760. [Online]. Available: <https://doi.org/10.1145/3041021.3054223>
- [8] S. Agrawal and A. Awekar, “Deep learning for detecting cyberbullying across multiple social media platforms,” in *Advances in Information Retrieval*, G. Pasi, B. Piwowarski, L. Azzopardi, and A. Hanbury, Eds. Cham: Springer International Publishing, 2018, pp. 141–153.
- [9] T. M. Mitchell, *Machine learning, International Edition*, ser. McGraw-Hill Series in Computer Science. McGraw-Hill, 1997. [Online]. Available: <https://www.worldcat.org/oclc/61321007>
- [10] C.-C. Wei, “Comparing lazy and eager learning models for water level forecasting in river-reservoir basins of inundation regions,” *Environ. Model. Softw.*, vol. 63, no. C, pp. 137–155, Jan. 2015.
- [11] D. W. Aha, D. Kibler, and M. K. Albert, “Instance-based learning algorithms,” *Machine Learning*, vol. 6, no. 1, pp. 37–66, Jan 1991.
- [12] R. E. Banfield, L. O. Hall, K. W. Bowyer, and W. Kegelmeyer, “Ensemble diversity measures and their application to thinning,” *Information Fusion*, vol. 6, no. 1, pp. 49 – 62, 2005, diversity in Multiple Classifier Systems.
- [13] C.-F. Tsai, “Combining cluster analysis with classifier ensembles to predict financial distress,” *Information Fusion*, vol. 16, pp. 46 – 58, 2014, special Issue on Information Fusion in Hybrid Intelligent Fusion Systems.
- [14] M. Saqlain, B. Jargalsaikhan, and J. Y. Lee, “A voting ensemble classifier for wafer map defect patterns identification in semiconductor manufacturing,” *IEEE Transactions on Semiconductor Manufacturing*, vol. 32, no. 2, pp. 171–182, 2019.

- [15] C. R. Chowdary and P. S. Kumar, “An incremental summary generation system,” in *Proceedings of the 14th International Conference on Management of Data, December 17-19, 2008, IIT Bombay, Mumbai, India*, G. Das, N. L. Sarda, and P. K. Reddy, Eds. Computer Society of India / Allied Publishers, 2008, pp. 83–92. [Online]. Available: <http://www.cse.iitb.ac.in/\%7Ecomad/2008/PDFs/18.pdf>
- [16] R. Polikar, L. Upda, S. S. Upda, and V. Honavar, “Learn++: an incremental learning algorithm for supervised neural networks,” *IEEE Transactions on Systems, Man, and Cybernetics, Part C (Applications and Reviews)*, vol. 31, no. 4, pp. 497–508, Nov 2001.
- [17] R. Elwell and R. Polikar, “Incremental learning of concept drift in nonstationary environments,” *IEEE Transactions on Neural Networks*, vol. 22, no. 10, pp. 1517–1531, Oct 2011.
- [18] M. D. Muhlbaier, A. Topalis, and R. Polikar, “Learn⁺⁺.nc: Combining ensemble of classifiers with dynamically weighted consult-and-vote for efficient incremental learning of new classes,” *IEEE Transactions on Neural Networks*, vol. 20, no. 1, pp. 152–168, Jan 2009.
- [19] G. Ditzler and R. Polikar, “Incremental learning of concept drift from streaming imbalanced data,” *IEEE Transactions on Knowledge and Data Engineering*, vol. 25, no. 10, pp. 2283–2301, Oct 2013.
- [20] B. Gu, V. S. Sheng, and S. Li, “Bi-parameter space partition for cost-sensitive SVM,” in *Proceedings of the Twenty-Fourth International Joint Conference on Artificial Intelligence, IJCAI 2015, Buenos Aires, Argentina, July 25-31, 2015*, Q. Yang and M. J. Wooldridge, Eds. AAAI Press, 2015, pp. 3532–3539. [Online]. Available: <http://ijcai.org/proceedings/2015>
- [21] Z. Yang, S. Al-Dahidi, P. Baraldi, E. Zio, and L. Montelatici, “A novel concept drift detection method for incremental learning in nonstationary environments,” *IEEE Transactions on Neural Networks and Learning Systems*, vol. 31, no. 1, pp. 309–320, 2020.

- [22] A. Tharwat and W. Schenck, “Balancing exploration and exploitation: A novel active learner for imbalanced data,” *Knowledge-Based Systems*, vol. 210, p. 106500, 2020. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0950705120306298>
- [23] W. hui Hou, X. kang Wang, H. yu Zhang, J. qiang Wang, and L. Li, “A novel dynamic ensemble selection classifier for an imbalanced data set: An application for credit risk assessment,” *Knowledge-Based Systems*, vol. 208, p. 106462, 2020. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0950705120305918>
- [24] Y. Wu, Y. Chen, L. Wang, Y. Ye, Z. Liu, Y. Guo, and Y. Fu, “Large scale incremental learning,” in *2019 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, 2019, pp. 374–382.
- [25] J. Zhang, J. Zhang, S. Ghosh, D. Li, S. Tascli, L. P. Heck, H. Zhang, and C. J. Kuo, “Class-incremental learning via deep model consolidation,” in *IEEE Winter Conference on Applications of Computer Vision, WACV 2020, Snowmass Village, CO, USA, March 1-5, 2020*. IEEE, 2020, pp. 1120–1129. [Online]. Available: <https://doi.org/10.1109/WACV45572.2020.9093365>
- [26] Z. Li, W. Huang, Y. Xiong, S. Ren, and T. Zhu, “Incremental learning imbalanced data streams with concept drift: The dynamic updated ensemble algorithm,” *Knowledge-Based Systems*, vol. 195, p. 105694, 2020.
- [27] D. Gragnaniello, G. Poggi, C. Sansone, and L. Verdoliva, “An investigation of local descriptors for biometric spoofing detection,” *IEEE Transactions on Information Forensics and Security*, vol. 10, no. 4, pp. 849–863, April 2015.
- [28] C. Jin, S. Li, H. Kim, and E. Park, “Fingerprint liveness detection based on multiple image quality features,” in *Information Security Applications*, Y. Chung and M. Yung, Eds. Berlin, Heidelberg: Springer Berlin Heidelberg, 2011, pp. 281–291.
- [29] E. Marasco and A. Ross, “A survey on antispoofing schemes for fingerprint recognition systems,” *ACM Comput. Surv.*, vol. 47, no. 2, pp. 28:1–28:36, Nov. 2014. [Online]. Available: <http://doi.acm.org/10.1145/2617756>

- [30] R. F. Nogueira, R. de Alencar Lotufo, and R. C. Machado, “Fingerprint liveness detection using convolutional neural networks,” *IEEE Trans. Inf. Forensics Secur.*, vol. 11, no. 6, pp. 1206–1213, 2016. [Online]. Available: <https://doi.org/10.1109/TIFS.2016.2520880>
- [31] T. Chugh, K. Cao, and A. K. Jain, “Fingerprint spoof buster: Use of minutiae-centered patches,” *IEEE Transactions on Information Forensics and Security*, vol. 13, no. 9, pp. 2190–2202, Sep. 2018.
- [32] C. Yuan, Z. Xia, X. Sun, and Q. M. J. Wu, “Deep residual network with adaptive learning framework for fingerprint liveness detection,” *IEEE Transactions on Cognitive and Developmental Systems*, pp. 1–1, 2019.
- [33] K. Gupta, G. S. Walia, and K. Sharma, “Quality based adaptive score fusion approach for multimodal biometric system,” *Appl. Intell.*, vol. 50, no. 4, pp. 1086–1099, 2020.
- [34] J. J. Engelsma and A. K. Jain, “Generalizing fingerprint spoof detector: Learning a one-class classifier,” in *2019 International Conference on Biometrics, ICB 2019, Crete, Greece, June 4-7, 2019*. IEEE, 2019, pp. 1–8.
- [35] A. Tarannum, M. Z. U. Rahman, L. K. Rao, T. Srinivasulu, and A. Lay-Ekuakille, “An efficient multi-modal biometric sensing and authentication framework for distributed applications,” *IEEE Sensors Journal*, pp. 1–1, 2020.
- [36] B. V. S. Anusha, S. Banerjee, and S. Chaudhuri, “Defraudnet: End2end fingerprint spoof detection using patch level attention,” in *IEEE Winter Conference on Applications of Computer Vision, WACV 2020, Snowmass Village, CO, USA, March 1-5, 2020*. IEEE, 2020, pp. 2684–2693.
- [37] T. Chugh and A. K. Jain, “Fingerprint spoof detector generalization,” *IEEE Transactions on Information Forensics and Security*, vol. 16, pp. 42–55, 2021.
- [38] T. Chugh and A. K. Jain, “Fingerprint presentation attack detection: Generalization and efficiency,” in *2019 International Conference on Biometrics, ICB 2019, Crete, Greece, June 4-7, 2019*. IEEE, 2019, pp. 1–8.

- [39] D. Menotti, G. Chiachia, A. da Silva Pinto, W. R. Schwartz, H. Pedrini, A. X. Falcão, and A. Rocha, “Deep representations for iris, face, and fingerprint spoofing detection,” *IEEE Trans. Inf. Forensics Secur.*, vol. 10, no. 4, pp. 864–879, 2015. [Online]. Available: <https://doi.org/10.1109/TIFS.2015.2398817>
- [40] F. Pala and B. Bhanu, *Deep Triplet Embedding Representations for Liveness Detection*. Cham: Springer International Publishing, 2017, pp. 287–307. [Online]. Available: https://doi.org/10.1007/978-3-319-61657-5_12
- [41] G. Bhat, J. Johnander, M. Danelljan, F. S. Khan, and M. Felsberg, “Unveiling the power of deep tracking,” in *Proceedings of the European Conference on Computer Vision (ECCV)*, September 2018.
- [42] J. Lao, Y. Chen, Z.-C. Li, Q. Li, J. Zhang, J. Liu, and G. Zhai, “A deep learning-based radiomics model for prediction of survival in glioblastoma multiforme,” *Scientific reports*, vol. 7, no. 1, pp. 1–8, 2017.
- [43] J. Zhang, Y. Xia, Y. Xie, M. Fulham, and D. D. Feng, “Classification of medical images in the biomedical literature by jointly using deep and handcrafted visual features,” *IEEE Journal of Biomedical and Health Informatics*, vol. 22, no. 5, pp. 1521–1530, 2018.
- [44] M. Georgescu, R. T. Ionescu, and M. Popescu, “Local learning with deep and handcrafted features for facial expression recognition,” *IEEE Access*, vol. 7, pp. 64 827–64 836, 2019.
- [45] Z. Waseem and D. Hovy, “Hateful symbols or hateful people? predictive features for hate speech detection on Twitter,” in *Proceedings of the NAACL Student Research Workshop*. San Diego, California: Association for Computational Linguistics, Jun. 2016, pp. 88–93. [Online]. Available: <https://www.aclweb.org/anthology/N16-2013>
- [46] V. Basile, C. Bosco, E. Fersini, D. Nozza, V. Patti, F. M. Rangel Pardo, P. Rosso, and M. Sanguinetti, “SemEval-2019 task 5: Multilingual detection of hate speech against immigrants and women in Twitter,” in *Proceedings of the 13th International Workshop on Semantic Evaluation*. Minneapolis, Minnesota,

USA: Association for Computational Linguistics, Jun. 2019, pp. 54–63. [Online]. Available: <https://www.aclweb.org/anthology/S19-2007>

- [47] N. Ousidhoum, Z. Lin, H. Zhang, Y. Song, and D.-Y. Yeung, “Multilingual and multi-aspect hate speech analysis,” in *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP)*. Hong Kong, China: Association for Computational Linguistics, Nov. 2019, pp. 4675–4684. [Online]. Available: <https://www.aclweb.org/anthology/D19-1474>
- [48] S. Chopra, R. Sawhney, P. Mathur, and R. R. Shah, “Hindi-english hate speech detection: Author profiling, debiasing, and practical perspectives,” in *The Thirty-Fourth AAAI Conference on Artificial Intelligence, AAAI 2020, The Thirty-Second Innovative Applications of Artificial Intelligence Conference, IAAI 2020, The Tenth AAAI Symposium on Educational Advances in Artificial Intelligence, EAAI 2020, New York, NY, USA, February 7-12, 2020*. AAAI Press, 2020, pp. 386–393. [Online]. Available: <https://aaai.org/ojs/index.php/AAAI/article/view/5374>
- [49] M. Corazza, S. Menini, E. Cabrio, S. Tonelli, and S. Villata, “A multilingual evaluation for online hate speech detection,” *ACM Trans. Internet Technol.*, vol. 20, no. 2, Mar. 2020. [Online]. Available: <https://doi.org/10.1145/3377323>
- [50] J. Lilleberg, Y. Zhu, and Y. Zhang, “Support vector machines and word2vec for text classification with semantic features,” in *2015 IEEE 14th International Conference on Cognitive Informatics Cognitive Computing (ICCI*CC)*, 2015, pp. 136–140.
- [51] H. Liang, X. Sun, Y. Sun, and Y. Gao, “Text feature extraction based on deep learning: a review,” *EURASIP J. Wireless Comm. and Networking*, vol. 2017, p. 211, 2017. [Online]. Available: <https://doi.org/10.1186/s13638-017-0993-1>
- [52] J. Leng and P. Jiang, “A deep learning approach for relationship extraction from interaction context in social manufacturing paradigm,” *Knowledge-Based Systems*, vol. 100, pp. 188 – 199, 2016. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0950705116001210>

- [53] J. Ye, J.-H. Chow, J. Chen, and Z. Zheng, “Stochastic gradient boosted distributed decision trees,” in *Proceedings of the 18th ACM Conference on Information and Knowledge Management*, ser. CIKM ’09. New York, NY, USA: Association for Computing Machinery, 2009, p. 2061–2064. [Online]. Available: <https://doi.org/10.1145/1645953.1646301>
- [54] S. Hochreiter and J. Schmidhuber, “Long short-term memory,” *Neural Comput.*, vol. 9, no. 8, p. 1735–1780, Nov. 1997. [Online]. Available: <https://doi.org/10.1162/neco.1997.9.8.1735>
- [55] A. Arango, J. Pérez, and B. Poblete, “Hate speech detection is not as easy as you may think: A closer look at model validation,” in *Proceedings of the 42nd International ACM SIGIR Conference on Research and Development in Information Retrieval, SIGIR 2019, Paris, France, July 21-25, 2019*, B. Piwowarski, M. Chevalier, É. Gaussier, Y. Maarek, J. Nie, and F. Scholer, Eds. ACM, 2019, pp. 45–54. [Online]. Available: <https://doi.org/10.1145/3331184.3331262>
- [56] F. Bravo-Marquez, E. Frank, and B. Pfahringer, “Building a twitter opinion lexicon from automatically-annotated tweets,” *Knowledge-Based Systems*, vol. 108, pp. 65 – 78, 2016, new Avenues in Knowledge Bases for Natural Language Processing. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S095070511630106X>
- [57] M. A. Hassonah, R. Al-Sayyed, A. Rodan, A. M. Al-Zoubi, I. Aljarah, and H. Faris, “An efficient hybrid filter and evolutionary wrapper approach for sentiment analysis of various topics on twitter,” *Knowledge-Based Systems*, vol. 192, p. 105353, 2020. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0950705119306148>
- [58] S. Wu, Y. Xu, F. Wu, Z. Yuan, Y. Huang, and X. Li, “Aspect-based sentiment analysis via fusing multiple sources of textual knowledge,” *Knowledge-Based Systems*, vol. 183, p. 104868, 2019. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0950705119303417>
- [59] S.-U. Hassan, N. R. Aljohani, N. Idrees, R. Sarwar, R. Nawaz, E. Martínez-Cámara, S. Ventura, and F. Herrera, “Predicting literature’s early impact with sentiment

- analysis in twitter,” *Knowledge-Based Systems*, vol. 192, p. 105383, 2020. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S095070511930629X>
- [60] D. Jain, A. Kumar, and G. Garg, “Sarcasm detection in mash-up language using soft-attention based bi-directional lstm and feature-rich cnn,” *Applied Soft Computing*, vol. 91, p. 106198, 2020. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S1568494620301381>
- [61] C. Catal and M. Nangir, “A sentiment classification model based on multiple classifiers,” *Applied Soft Computing*, vol. 50, pp. 135 – 141, 2017. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S1568494616305919>
- [62] E. S. Tellez, S. Miranda-Jiménez, M. Graff, D. Moctezuma, O. S. Siordia, and E. A. Villaseñor, “A case study of spanish text transformations for twitter sentiment analysis,” *Expert Systems with Applications*, vol. 81, pp. 457 – 471, 2017. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0957417417302312>
- [63] M. Ghiassi and S. Lee, “A domain transferable lexicon set for twitter sentiment analysis using a supervised machine learning approach,” *Expert Systems with Applications*, vol. 106, pp. 197 – 216, 2018. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0957417418302306>
- [64] Z. Pan, Z. Li, H. Fan, and X. Wu, “Feature based local binary pattern for rotation invariant texture classification,” *Expert Systems with Applications*, vol. 88, pp. 238 – 248, 2017. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0957417417304761>
- [65] S. Symeonidis, D. Effrosynidis, and A. Arampatzis, “A comparative evaluation of pre-processing techniques and their interactions for twitter sentiment analysis,” *Expert Systems with Applications*, vol. 110, pp. 298 – 310, 2018. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0957417418303683>
- [66] M. del Pilar Salas-Zárate, M. A. Paredes-Valverde, M. Ángel Rodriguez-García, R. Valencia-García, and G. Alor-Hernández, “Automatic detection of satire in twitter: A psycholinguistic-based approach,” *Knowledge-Based Systems*, vol. 128,

pp. 20 – 33, 2017. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0950705117301855>

- [67] T. Davidson, D. Warmsley, M. W. Macy, and I. Weber, “Automated hate speech detection and the problem of offensive language,” in *Proceedings of the Eleventh International Conference on Web and Social Media, ICWSM 2017, Montréal, Québec, Canada, May 15-18, 2017*. AAAI Press, 2017, pp. 512–515. [Online]. Available: <https://aaai.org/ocs/index.php/ICWSM/ICWSM17/paper/view/15665>
- [68] G. I. Sigurbergsson and L. Derczynski, “Offensive language and hate speech detection for danish,” 2019.
- [69] F. Liu, G. Liu, and X. Wang, “High-accurate and robust fingerprint anti-spoofing system using optical coherence tomography,” *Expert Systems with Applications*, vol. 130, pp. 31 – 44, 2019.
- [70] K. N. Win, K. Li, J. Chen, P. F. Viger, and K. Li, “Fingerprint classification and identification algorithms for criminal investigation: A survey,” *Future Generation Computer Systems*, vol. 110, pp. 758 – 771, 2020.
- [71] J. Chaki, N. Dey, F. Shi, and R. S. Sherratt, “Pattern mining approaches used in sensor-based biometric recognition: A review,” *IEEE Sensors Journal*, vol. 19, no. 10, pp. 3569–3580, 2019.
- [72] R. Polikar, “Ensemble based systems in decision making,” *IEEE Circuits and Systems Magazine*, vol. 6, no. 3, pp. 21–45, Third 2006.
- [73] D. Yambay, L. Ghiani, P. Denti, G. L. Marcialis, F. Roli, and S. Schuckers, “Livdet 2011 — fingerprint liveness detection competition 2011,” in *2012 5th IAPR International Conference on Biometrics (ICB)*, March 2012, pp. 208–215.
- [74] L. Ghiani, G. L. Marcialis, and F. Roli, “Fingerprint liveness detection by local phase quantization,” in *Proceedings of the 21st International Conference on Pattern Recognition, ICPR 2012, Tsukuba, Japan, November 11-15, 2012*. IEEE Computer Society, 2012, pp. 537–540.

- [75] D. Yambay, L. Ghiani, G. L. Marcialis, F. Roli, and S. Schuckers, “Review of fingerprint presentation attack detection competitions,” in *Handbook of Biometric Anti-Spoofing - Presentation Attack Detection, Second Edition*, ser. Advances in Computer Vision and Pattern Recognition, S. Marcel, M. S. Nixon, J. Fiérrez, and N. W. D. Evans, Eds. Springer, 2019, pp. 109–131. [Online]. Available: <https://doi.org/10.1007/978-3-319-92627-8\5>
- [76] K. He, X. Zhang, S. Ren, and J. Sun, “Deep residual learning for image recognition,” in *2016 IEEE Conference on Computer Vision and Pattern Recognition, CVPR 2016, Las Vegas, NV, USA, June 27-30, 2016*. IEEE Computer Society, 2016, pp. 770–778.
- [77] X. Jin and J. Han, *Expectation Maximization Clustering*. Boston, MA: Springer US, 2010, pp. 382–383.
- [78] Tin Kam Ho, “The random subspace method for constructing decision forests,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 20, no. 8, pp. 832–844, 1998.
- [79] J. Platt, “Fast training of support vector machines using sequential minimal optimization,” in *Advances in Kernel Methods - Support Vector Learning*. MIT Press, January 1998, p. 185–208.
- [80] L. Breiman, “Random forests,” *Machine Learning*, vol. 45, no. 1, pp. 5–32, Oct 2001.
- [81] Y. Freund and R. E. Schapire, “A desicion-theoretic generalization of on-line learning and an application to boosting,” in *Computational Learning Theory*, P. Vitányi, Ed. Berlin, Heidelberg: Springer Berlin Heidelberg, 1995, pp. 23–37.
- [82] T. G. Dietterichl, “Ensemble learning,” in *The Handbook of Brain Theory and Neural Networks*, M. Arbib, Ed. MIT Press, 2002, pp. 405–408.
- [83] X. Yuan, R. Wang, Y. Zhuang, K. Zhu, and J. Hao, “A concept drift based ensemble incremental learning approach for intrusion detection,” in *2018 IEEE International Conference on Internet of Things (iThings) and IEEE Green Computing*

and Communications (GreenCom) and IEEE Cyber, Physical and Social Computing (CPSCom) and IEEE Smart Data (SmartData), July 2018, pp. 350–357.

- [84] A. S. Iwashita, V. H. C. de Albuquerque, and J. P. Papa, “Learning concept drift with ensembles of optimum-path forest-based classifiers,” *Future Generation Computer Systems*, vol. 95, pp. 198 – 211, 2019.
- [85] A. D. Pozzolo, O. Caelen, Y.-A. L. Borgne, S. Waterschoot, and G. Bontempi, “Learned lessons in credit card fraud detection from a practitioner perspective,” *Expert Systems with Applications*, vol. 41, no. 10, pp. 4915 – 4928, 2014.
- [86] P. K. Chan and S. J. Stolfo, “Toward scalable learning with non-uniform class and cost distributions: A case study in credit card fraud detection,” in *Proceedings of the Fourth International Conference on Knowledge Discovery and Data Mining*, ser. KDD’98. AAAI Press, 1998, pp. 164–168.
- [87] H. He and S. Chen, “Imorl: Incremental multiple-object recognition and localization,” *IEEE Transactions on Neural Networks*, vol. 19, no. 10, pp. 1727–1738, Oct 2008.
- [88] Y. Lu, K. Boukharouba, J. Boonært, A. Fleury, and S. Lecœuche, “Application of an incremental svm algorithm for on-line human recognition from video surveillance using texture and color features,” *Neurocomputing*, vol. 126, pp. 132 – 140, 2014, recent trends in Intelligent Data Analysis Online Data Processing.
- [89] M. Saveriano, S. An, and D. Lee, “Incremental kinesthetic teaching of end-effector and null-space motion primitives,” in *IEEE International Conference on Robotics and Automation, ICRA 2015, Seattle, WA, USA, 26-30 May, 2015*. IEEE, 2015, pp. 3570–3575.
- [90] A. Gepperth and B. Hammer, “Incremental learning algorithms and applications,” in *24th European Symposium on Artificial Neural Networks, ESANN 2016, Bruges, Belgium, April 27-29, 2016*, 2016.
- [91] X. Luo, Y. Xia, and Q. Zhu, “Incremental collaborative filtering recommender based on regularized matrix factorization,” *Knowledge-Based Systems*, vol. 27,

pp. 271 – 280, 2012. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0950705111002073>

- [92] D. Roy, P. Panda, and K. Roy, “Tree-cnn: A hierarchical deep convolutional neural network for incremental learning,” *Neural Networks*, vol. 121, pp. 148 – 160, 2020.
- [93] G. Shan, S. Xu, L. Yang, S. Jia, and Y. Xiang, “Learn#: A novel incremental learning method for text classification,” *Expert Systems with Applications*, vol. 147, p. 113198, 2020.
- [94] S. Stojanov, S. Mishra, N. A. Thai, N. Dhanda, A. Humayun, C. Yu, L. B. Smith, and J. M. Rehg, “Incremental object learning from contiguous views,” in *2019 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, 2019, pp. 8769–8778.
- [95] H. Peng, M. Bao, J. Li, M. Bhuiyan, Y. Liu, Y. He, and E. Yang, “Incremental term representation learning for social network analysis,” *Future Generation Computer Systems*, vol. 86, pp. 1503 – 1512, 2018.
- [96] B. A. S. Al-rimy, M. A. Maarof, and S. Z. M. Shaid, “Crypto-ransomware early detection model using novel incremental bagging with enhanced semi-random subspace selection,” *Future Generation Computer Systems*, vol. 101, pp. 476 – 491, 2019.
- [97] Y. Chen and Y. Hao, “A feature weighted support vector machine and k-nearest neighbor algorithm for stock market indices prediction,” *Expert Systems with Applications*, vol. 80, pp. 340 – 355, 2017.
- [98] B. Gu, X. Quan, Y. Gu, V. S. Sheng, and G. Zheng, “Chunk incremental learning for cost-sensitive hinge loss support vector machine,” *Pattern Recognition*, vol. 83, pp. 196 – 208, 2018.
- [99] A. Saha and V. Sindhwani, “Learning evolving and emerging topics in social media: A dynamic nmf approach with temporal regularization,” in *Proceedings of the Fifth ACM International Conference on Web Search and Data Mining*, ser. WSDM ’12. New York, NY, USA: ACM, 2012, pp. 693–702.

- [100] S. Jia, G. Guo, Z. Xu, and Q. Wang, “Face presentation attack detection in mobile scenarios: A comprehensive evaluation,” *Image and Vision Computing*, vol. 93, p. 103826, 2020. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0262885619304196>
- [101] C. Yu, C. Yao, M. Pei, and Y. Jia, “Diffusion-based kernel matrix model for face liveness detection,” *Image and Vision Computing*, vol. 89, pp. 88 – 94, 2019. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0262885619300927>
- [102] R. P. Sharma and S. Dey, “Two-stage quality adaptive fingerprint image enhancement using fuzzy c-means clustering based fingerprint quality analysis,” *Image and Vision Computing*, vol. 83-84, pp. 1 – 16, 2019. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0262885619300150>
- [103] X. Jia, X. Yang, K. Cao, Y. Zang, N. Zhang, R. Dai, X. Zhu, and J. Tian, “Multi-scale local binary pattern with filters for spoof fingerprint detection,” *Information Sciences*, vol. 268, pp. 91 – 102, 2014.
- [104] X. Wei, S. Liu, Y. Xiang, Z. Duan, C. Zhao, and Y. Lu, “Incremental learning based multi-domain adaptation for object detection,” *Knowledge-Based Systems*, vol. 210, p. 106420, 2020. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0950705120305499>
- [105] T. Ahonen, A. Hadid, and M. Pietikainen, “Face description with local binary patterns: Application to face recognition,” *IEEE Transactions on Pattern Analysis & Machine Intelligence*, vol. 28, no. 12, pp. 2037–2041, dec 2006.
- [106] V. Ojansivu and J. Heikkilä, “Blur insensitive texture classification using local phase quantization,” in *Image and Signal Processing - 3rd International Conference, ICISP 2008, Cherbourg-Octeville, France, July 1-3, 2008, Proceedings*, ser. Lecture Notes in Computer Science, A. Elmoataz, O. Lezoray, F. Nouboud, and D. Mammass, Eds., vol. 5099. Springer, 2008, pp. 236–243. [Online]. Available: https://doi.org/10.1007/978-3-540-69905-7_27
- [107] J. Kannala and E. Rahtu, “BSIF: binarized statistical image features,” in *Proceedings of the 21st International Conference on Pattern Recognition, ICPR 2012,*

Tsukuba, Japan, November 11-15, 2012. IEEE Computer Society, 2012, pp. 1363–1366.

- [108] O. Russakovsky, J. Deng, H. Su, J. Krause, S. Satheesh, S. Ma, Z. Huang, A. Karpathy, A. Khosla, M. S. Bernstein, A. C. Berg, and F. Li, “Imagenet large scale visual recognition challenge,” *Int. J. Comput. Vis.*, vol. 115, no. 3, pp. 211–252, 2015. [Online]. Available: <https://doi.org/10.1007/s11263-015-0816-y>
- [109] P. Melville and R. J. Mooney, “Creating diversity in ensembles using artificial data,” *Information Fusion*, vol. 6, no. 1, pp. 99 – 111, 2005, diversity in Multiple Classifier Systems. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S156625350400034X>
- [110] M. Hall, E. Frank, G. Holmes, B. Pfahringer, P. Reutemann, and I. H. Witten, “The weka data mining software: An update,” *SIGKDD Explor. Newsl.*, vol. 11, no. 1, pp. 10–18, Nov. 2009. [Online]. Available: <http://doi.acm.org/10.1145/1656274.1656278>
- [111] D. Arthur and S. Vassilvitskii, “k-means++: the advantages of careful seeding,” in *Proceedings of the Eighteenth Annual ACM-SIAM Symposium on Discrete Algorithms, SODA 2007, New Orleans, Louisiana, USA, January 7-9, 2007*, N. Bansal, K. Pruhs, and C. Stein, Eds. SIAM, 2007, pp. 1027–1035.
- [112] D. H. Wolpert and W. G. Macready, “No free lunch theorems for optimization,” *IEEE Transactions on Evolutionary Computation*, vol. 1, no. 1, pp. 67–82, April 1997.
- [113] T. G. Dietterich, “Machine-learning research – four current directions,” *AI MAGAZINE*, vol. 18, pp. 97–136, 1997.
- [114] ———, “Ensemble methods in machine learning,” in *Multiple Classifier Systems*. Berlin, Heidelberg: Springer Berlin Heidelberg, 2000, pp. 1–15.
- [115] G. Liang and A. G. Cohn, “An effective approach for imbalanced classification: Unevenly balanced bagging,” in *Proceedings of the Twenty-Seventh AAAI Conference on Artificial Intelligence, July 14-18, 2013, Bellevue, Washington, USA*, M. desJardins and M. L. Littman, Eds. AAAI Press, 2013. [Online]. Available: <http://www.aaai.org/ocs/index.php/AAAI/AAAI13/paper/view/6353>

- [116] Y. Freund and R. E. Schapire, “A decision-theoretic generalization of on-line learning and an application to boosting,” *Journal of Computer and System Sciences*, vol. 55, no. 1, pp. 119 – 139, 1997.
- [117] J. Sun, M. yue Jia, and H. Li, “Adaboost ensemble for financial distress prediction: An empirical comparison with data from chinese listed companies,” *Expert Systems with Applications*, vol. 38, no. 8, pp. 9305 – 9312, 2011.
- [118] N. C. Oza, “Boosting with averaged weight vectors,” in *Multiple Classifier Systems, 4th International Workshop, MCS 2003, Guilford, UK, June 11-13, 2003, Proceedings*, ser. Lecture Notes in Computer Science, T. Windeatt and F. Roli, Eds., vol. 2709. Springer, 2003, pp. 15–24.
- [119] L. I. Kuncheva and C. J. Whitaker, “Using diversity with three variants of boosting: Aggressive, conservative, and inverse,” in *Multiple Classifier Systems*. Berlin, Heidelberg: Springer Berlin Heidelberg, 2002, pp. 81–90.
- [120] A. Ledezma, R. Aler, A. Sanchis, and D. Borrajo, “Ga-stacking: Evolutionary stacked generalization,” *Intell. Data Anal.*, vol. 14, no. 1, pp. 89–119, Jan. 2010.
- [121] Yong Liu and Xin Yao, “A cooperative ensemble learning system,” in *1998 IEEE International Joint Conference on Neural Networks Proceedings. IEEE World Congress on Computational Intelligence (Cat. No.98CH36227)*, vol. 3, May 1998, pp. 2202–2207 vol.3.
- [122] D. H. Wolpert, “Stacked generalization,” *Neural Networks*, vol. 5, no. 2, pp. 241 – 259, 1992.
- [123] L. Breiman, “Bagging predictors,” *Machine Learning*, vol. 24, no. 2, pp. 123–140, Aug 1996.
- [124] I. Syarif, E. Zaluska, A. Prugel-Bennett, and G. Wills, “Application of bagging, boosting and stacking to intrusion detection,” in *Machine Learning and Data Mining in Pattern Recognition*, P. Perner, Ed. Berlin, Heidelberg: Springer Berlin Heidelberg, 2012, pp. 593–602.

- [125] M. Papouskova and P. Hajek, “Two-stage consumer credit risk modelling using heterogeneous ensemble learning,” *Decision Support Systems*, vol. 118, pp. 33 – 45, 2019.
- [126] X. Zhang and S. Mahadevan, “Ensemble machine learning models for aviation incident risk prediction,” *Decision Support Systems*, vol. 116, pp. 48 – 63, 2019.
- [127] P. du Jardin, “Failure pattern-based ensembles applied to bankruptcy forecasting,” *Decision Support Systems*, vol. 107, pp. 64 – 77, 2018.
- [128] D. Ruano-Ordás, I. Yevseyeva, V. B. Fernandes, J. R. Méndez, and M. T. Emmerich, “Improving the drug discovery process by using multiple classifier systems,” *Expert Systems with Applications*, vol. 121, pp. 292 – 303, 2019.
- [129] P. Porwik, R. Doroz, and K. Wrobel, “An ensemble learning approach to lip-based biometric verification, with a dynamic selection of classifiers,” *Expert Systems with Applications*, vol. 115, pp. 673 – 683, 2019.
- [130] S. Bian and W. Wang, “On diversity and accuracy of homogeneous and heterogeneous ensembles,” *Int. J. Hybrid Intell. Syst.*, vol. 4, no. 2, pp. 103–128, Apr. 2007.
- [131] G. Ditzler, J. LaBarck, J. Ritchie, G. Rosen, and R. Polikar, “Extensions to online feature selection using bagging and boosting,” *IEEE Transactions on Neural Networks and Learning Systems*, vol. 29, no. 9, pp. 4504–4509, Sep. 2018.
- [132] K. M. Ting and I. H. Witten, “Stacking bagged and dagged models,” in *Proceedings of the Fourteenth International Conference on Machine Learning*, ser. ICML ’97. San Francisco, CA, USA: Morgan Kaufmann Publishers Inc., 1997, pp. 367–375.
- [133] V. Cheplygina, D. M. J. Tax, and M. Loog, “Dissimilarity-based ensembles for multiple instance learning,” *IEEE Transactions on Neural Networks and Learning Systems*, vol. 27, no. 6, pp. 1379–1391, June 2016.
- [134] C. J. Merz, “Using correspondence analysis to combine classifiers,” *Machine Learning*, vol. 36, no. 1, pp. 33–58, Jul 1999.

- [135] L. Nanni and A. Lumini, “Local binary patterns for a hybrid fingerprint matcher,” *Pattern Recognition*, vol. 41, no. 11, pp. 3461 – 3466, 2008.
- [136] S. Džeroski and B. Ženko, “Is combining classifiers with stacking better than selecting the best one?” *Machine Learning*, vol. 54, no. 3, pp. 255–273, Mar 2004.
- [137] S. le Cessie and J. van Houwelingen, “Ridge estimators in logistic regression,” *Applied Statistics*, vol. 41, no. 1, pp. 191–201, 1992.
- [138] Y. Freund and R. E. Schapire, “Large margin classification using the perceptron algorithm,” in *11th Annual Conference on Computational Learning Theory*. New York, NY: ACM Press, 1998, pp. 209–217.
- [139] D. R. Nayak, R. Dash, and B. Majhi, “Brain mr image classification using two-dimensional discrete wavelet transform and adaboost with random forests,” *Neurocomputing*, vol. 177, pp. 188 – 197, 2016.
- [140] R. Khardon and G. Wachman, “Noise tolerant variants of the perceptron algorithm,” *J. Mach. Learn. Res.*, vol. 8, pp. 227–248, May 2007.
- [141] A. Verikas, A. Lipnickas, K. Malmqvist, M. Bacauskiene, and A. Gelzinis, “Soft combination of neural classifiers: A comparative study,” *Pattern Recognition Letters*, vol. 20, no. 4, pp. 429 – 444, 1999.
- [142] A. Sinha, H. Chen, D. Danu, T. Kirubarajan, and M. Farooq, “Estimation and decision fusion: A survey,” *Neurocomputing*, vol. 71, no. 13, pp. 2650 – 2656, 2008, artificial Neural Networks (ICANN 2006) / Engineering of Intelligent Systems (ICEIS 2006).
- [143] H. Lee, S. Hong, and E. Kim, “Neural network ensemble with probabilistic fusion and its application to gait recognition,” *Neurocomputing*, vol. 72, no. 7, pp. 1557 – 1564, 2009.
- [144] G. Wang, J. Hao, J. Ma, and H. Jiang, “A comparative assessment of ensemble learning for credit scoring,” *Expert Systems with Applications*, vol. 38, no. 1, pp. 223 – 230, 2011.

- [145] I. Brown and C. Mues, “An experimental comparison of classification algorithms for imbalanced credit scoring data sets,” *Expert Systems with Applications*, vol. 39, no. 3, pp. 3446 – 3453, 2012.
- [146] Y. Xia, C. Liu, B. Da, and F. Xie, “A novel heterogeneous ensemble credit scoring model based on bstacking approach,” *Expert Systems with Applications*, vol. 93, pp. 182 – 199, 2018.
- [147] P. Yang, Y. H. Yang, B. B. Zhou, and A. Y. Zomaya, “A review of ensemble methods in bioinformatics,” *Current Bioinformatics*, vol. 5, no. 4, pp. 296–308, 2010. [Online]. Available: <http://www.eurekaselect.com/node/87255/article>
- [148] D. peng Niu, F. li Wang, L. ling Zhang, D. kuo He, and M. xing Jia, “Neural network ensemble modeling for nosiheptide fermentation process based on partial least squares regression,” *Chemometrics and Intelligent Laboratory Systems*, vol. 105, no. 1, pp. 125 – 130, 2011.
- [149] W. Kim, J. Park, J. Yoo, H. J. Kim, and C. G. Park, “Target localization using ensemble support vector regression in wireless sensor networks,” *IEEE Transactions on Cybernetics*, vol. 43, no. 4, pp. 1189–1198, Aug 2013.
- [150] J.-S. Chou and A.-D. Pham, “Enhanced artificial intelligence for ensemble approach to predicting high performance concrete compressive strength,” *Construction and Building Materials*, vol. 49, pp. 554 – 563, 2013.
- [151] F. Barboza, H. Kimura, and E. Altman, “Machine learning models and bankruptcy prediction,” *Expert Systems with Applications*, vol. 83, pp. 405 – 417, 2017.
- [152] L. Ghiani, A. Hadid, G. L. Marcialis, and F. Roli, “Fingerprint liveness detection using local texture features,” *IET Biom.*, vol. 6, no. 3, pp. 224–231, 2017. [Online]. Available: <https://doi.org/10.1049/iet-bmt.2016.0007>
- [153] T. Ojala, M. Pietikäinen, and T. Mäenpää, “Multiresolution gray-scale and rotation invariant texture classification with local binary patterns,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 24, no. 7, pp. 971–987, 2002. [Online]. Available: <https://doi.org/10.1109/TPAMI.2002.1017623>

- [154] P. Tuveri, L. Ghiani, M. Abukmeil, and G. L. Marcialis, “On combining edge detection methods for improving BSIF based facial recognition performances,” in *Articulated Motion and Deformable Objects - 9th International Conference, AMDO 2016, Palma de Mallorca, Spain, July 13-15, 2016, Proceedings*, ser. Lecture Notes in Computer Science, F. J. P. López and J. Kittler, Eds., vol. 9756. Springer, 2016, pp. 108–116. [Online]. Available: https://doi.org/10.1007/978-3-319-41778-3_11
- [155] K. Simonyan and A. Zisserman, “Very deep convolutional networks for large-scale image recognition,” in *3rd International Conference on Learning Representations, ICLR 2015, San Diego, CA, USA, May 7-9, 2015, Conference Track Proceedings*, Y. Bengio and Y. LeCun, Eds., 2015. [Online]. Available: <http://arxiv.org/abs/1409.1556>
- [156] T. He, Z. Zhang, H. Zhang, Z. Zhang, J. Xie, and M. Li, “Bag of tricks for image classification with convolutional neural networks,” in *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, June 2019.
- [157] M. Mateen, J. Wen, Nasrullah, S. Song, and Z. Huang, “Fundus image classification using VGG-19 architecture with PCA and SVD,” *Symmetry*, vol. 11, no. 1, p. 1, 2019. [Online]. Available: <https://doi.org/10.3390/sym11010001>
- [158] Z. A. Oraibi, H. Yousif, A. Hafiane, G. Seetharaman, and K. Palaniappan, “Learning local and deep features for efficient cell image classification using random forests,” in *2018 25th IEEE International Conference on Image Processing (ICIP)*, 2018, pp. 2446–2450.
- [159] J. Deng, W. Dong, R. Socher, L.-J. Li, K. Li, and L. Fei-Fei, “ImageNet: A Large-Scale Hierarchical Image Database,” in *CVPR09*, 2009.
- [160] L. Nanni, S. Ghidoni, and S. Brahnam, “Handcrafted vs. non-handcrafted features for computer vision classification,” *Pattern Recognition*, vol. 71, pp. 158 – 172, 2017. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0031320317302224>
- [161] L. Ghiani, P. Denti, and G. L. Marcialis, “Experimental results on fingerprint liveness detection,” in *Articulated Motion and Deformable Objects*, F. J. Perales, R. B.

Fisher, and T. B. Moeslund, Eds. Berlin, Heidelberg: Springer Berlin Heidelberg, 2012, pp. 210–218.

- [162] Z. Wu, C. Shen, and A. van den Hengel, “Wider or deeper: Revisiting the resnet model for visual recognition,” *Pattern Recognition*, vol. 90, pp. 119 – 133, 2019. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0031320319300135>
- [163] Y. Jiang, L. Chen, H. Zhang, and X. Xiao, “Breast cancer histopathological image classification using convolutional neural networks with small se-resnet module,” *PLOS ONE*, vol. 14, pp. 1–21, 03 2019. [Online]. Available: <https://doi.org/10.1371/journal.pone.0214587>
- [164] S. Liu, G. Tian, and Y. Xu, “A novel scene classification model combining resnet based transfer learning and data augmentation with a filter,” *Neurocomputing*, vol. 338, pp. 191 – 206, 2019. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0925231219301833>
- [165] T. Ojala, M. Pietikäinen, and D. Harwood, “A comparative study of texture measures with classification based on featured distributions,” *Pattern Recognition*, vol. 29, no. 1, pp. 51 – 59, 1996. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/0031320395000674>
- [166] L. Ghiani, A. Hadid, G. L. Marcialis, and F. Roli, “Fingerprint liveness detection using binarized statistical image features,” in *2013 IEEE Sixth International Conference on Biometrics: Theory, Applications and Systems (BTAS)*, 2013, pp. 1–6.
- [167] Y. Li, C. Fang, J. Yang, Z. Wang, X. Lu, and M.-H. Yang, “Universal style transfer via feature transforms,” in *Advances in Neural Information Processing Systems 30*, I. Guyon, U. V. Luxburg, S. Bengio, H. Wallach, R. Fergus, S. Vishwanathan, and R. Garnett, Eds. Curran Associates, Inc., 2017, pp. 386–396. [Online]. Available: <http://papers.nips.cc/paper/6642-universal-style-transfer-via-feature-transforms.pdf>
- [168] V. Mura, G. Orrù, R. Casula, A. Sibiriù, G. Loi, P. Tuveri, L. Ghiani, and G. L. Marcialis, “Livdet 2017 fingerprint liveness detection competition

2017,” in *2018 International Conference on Biometrics, ICB 2018, Gold Coast, Australia, February 20-23, 2018*. IEEE, 2018, pp. 297–302. [Online]. Available: <https://doi.org/10.1109/ICB2018.2018.00052>

- [169] L. Ghiani, D. A. Yambay, V. Mura, G. L. Marcialis, F. Roli, and S. A. Schuckers, “Review of the fingerprint liveness detection (livdet) competition series: 2009 to 2015,” *Image and Vision Computing*, vol. 58, pp. 110 – 128, 2017. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0262885616301111>
- [170] P. Tuveri, M. Zurutuza, and G. L. Marcialis, “Incremental support vector machine for self-updating fingerprint presentation attack detection systems,” in *Image Analysis and Processing - ICIAP 2017*, S. Battiato, G. Gallo, R. Schettini, and F. Stanco, Eds. Cham: Springer International Publishing, 2017, pp. 739–749.
- [171] S. Koda, A. Zeggada, F. Melgani, and R. Nishii, “Spatial and structured svm for multilabel image classification,” *IEEE Transactions on Geoscience and Remote Sensing*, vol. 56, no. 10, pp. 5948–5960, 2018.
- [172] J. R. Quinlan, “Bagging, boosting, and c4.5,” in *Proceedings of the Thirteenth National Conference on Artificial Intelligence - Volume 1*, ser. AAAI’96. AAAI Press, 1996, pp. 725–730.
- [173] P.-K. Kim and K.-T. Lim, “Vehicle type classification using bagging and convolutional neural network on multi view surveillance image,” in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR) Workshops*, July 2017.
- [174] P. Fortuna and S. Nunes, “A survey on automatic detection of hate speech in text,” *ACM Comput. Surv.*, vol. 51, no. 4, pp. 85:1–85:30, 2018. [Online]. Available: <https://doi.org/10.1145/3232676>
- [175] P. Burnap and M. L. Williams, “Cyber hate speech on twitter: An application of machine classification and statistical modeling for policy and decision making,” *Policy & Internet*, vol. 7, no. 2, pp. 223–242, 2015. [Online]. Available: <https://onlinelibrary.wiley.com/doi/abs/10.1002/poi3.85>

- [176] M. Sap, D. Card, S. Gabriel, Y. Choi, and N. A. Smith, “The risk of racial bias in hate speech detection,” in *Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics*. Florence, Italy: Association for Computational Linguistics, Jul. 2019, pp. 1668–1678. [Online]. Available: <https://www.aclweb.org/anthology/P19-1163>
- [177] I. Kwok and Y. Wang, “Locate the hate: Detecting tweets against blacks,” in *Proceedings of the Twenty-Seventh AAAI Conference on Artificial Intelligence, July 14-18, 2013, Bellevue, Washington, USA*, M. desJardins and M. L. Littman, Eds. AAAI Press, 2013. [Online]. Available: <http://www.aaai.org/ocs/index.php/AAAI/AAAI13/paper/view/6419>
- [178] S. Hewitt, T. Tiropanis, and C. Bokhove, “The problem of identifying misogynist language on twitter (and other online social spaces),” in *Proceedings of the 8th ACM Conference on Web Science*, ser. WebSci ’16. New York, NY, USA: Association for Computing Machinery, 2016, p. 333–335. [Online]. Available: <https://doi.org/10.1145/2908131.2908183>
- [179] S. Frenda, B. Ghanem, M. Montes-y-Gómez, and P. Rosso, “Online hate speech against women: Automatic identification of misogyny and sexism on twitter,” *J. Intell. Fuzzy Syst.*, vol. 36, no. 5, pp. 4743–4752, 2019. [Online]. Available: <https://doi.org/10.3233/JIFS-179023>
- [180] E. Fersini, D. Nozza, and P. Rosso, “Overview of the evalita 2018 task on automatic misogyny identification (AMI),” in *Proceedings of the Sixth Evaluation Campaign of Natural Language Processing and Speech Tools for Italian. Final Workshop (EVALITA 2018) co-located with the Fifth Italian Conference on Computational Linguistics (CLiC-it 2018)*, Turin, Italy, December 12-13, 2018, ser. CEUR Workshop Proceedings, T. Caselli, N. Novielli, V. Patti, and P. Rosso, Eds., vol. 2263. CEUR-WS.org, 2018. [Online]. Available: <http://ceur-ws.org/Vol-2263/paper009.pdf>
- [181] E. Fersini, P. Rosso, and M. Anzovino, “Overview of the task on automatic misogyny identification at ibereval 2018,” in *Proceedings of the Third Workshop on Evaluation of Human Language Technologies for Iberian Languages (IberEval*

2018) co-located with 34th Conference of the Spanish Society for Natural Language Processing (SEPLN 2018), Sevilla, Spain, September 18th, 2018, ser. CEUR Workshop Proceedings, P. Rosso, J. Gonzalo, R. Martínez, S. Montalvo, and J. C. de Albornoz, Eds., vol. 2150. CEUR-WS.org, 2018, pp. 214–228. [Online]. Available: <http://ceur-ws.org/Vol-2150/overview-AMI.pdf>

- [182] M. Anzovino, E. Fersini, and P. Rosso, “Automatic identification and classification of misogynistic language on twitter,” in *Natural Language Processing and Information Systems - 23rd International Conference on Applications of Natural Language to Information Systems, NLDB 2018, Paris, France, June 13-15, 2018, Proceedings*, ser. Lecture Notes in Computer Science, M. Silberztein, F. Atigui, E. Kornyshova, E. Métais, and F. Meziane, Eds., vol. 10859. Springer, 2018, pp. 57–64. [Online]. Available: https://doi.org/10.1007/978-3-319-91947-8_6
- [183] S. Salawu, Y. He, and J. Lumsden, “Approaches to automated detection of cyberbullying: A survey,” *IEEE Transactions on Affective Computing*, vol. 11, no. 1, pp. 3–24, 2020.
- [184] D. Paschalides, D. Stephanidis, A. Andreou, K. Orphanou, G. Pallis, M. D. Dikaiakos, and E. Markatos, “Mandola: A big-data processing and visualization platform for monitoring and detecting online hate speech,” *ACM Trans. Internet Technol.*, vol. 20, no. 2, Mar. 2020. [Online]. Available: <https://doi.org/10.1145/3371276>
- [185] R. Gomez, J. Gibert, L. Gómez, and D. Karatzas, “Exploring hate speech detection in multimodal publications,” in *IEEE Winter Conference on Applications of Computer Vision, WACV 2020, Snowmass Village, CO, USA, March 1-5, 2020*. IEEE, 2020, pp. 1459–1467. [Online]. Available: <https://doi.org/10.1109/WACV45572.2020.9093414>
- [186] S. MacAvaney, H.-R. Yao, E. Yang, K. Russell, N. Goharian, and O. Frieder, “Hate speech detection: Challenges and solutions,” *PLOS ONE*, vol. 14, no. 8, pp. 1–16, 08 2019. [Online]. Available: <https://doi.org/10.1371/journal.pone.0221152>
- [187] Z. Mossie and J.-H. Wang, “Vulnerable community identification using hate speech detection on social media,” *Information Processing & Management*, vol. 57,

no. 3, p. 102087, 2020. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0306457318310902>

- [188] H. Rosa, N. Pereira, R. Ribeiro, P. Ferreira, J. Carvalho, S. Oliveira, L. Coheur, P. Paulino, A. Veiga Simão, and I. Trancoso, “Automatic cyberbullying detection: A systematic review,” *Computers in Human Behavior*, vol. 93, pp. 333 – 345, 2019. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0747563218306071>
- [189] X. Wang, W. Jiang, and Z. Luo, “Combination of convolutional and recurrent neural network for sentiment analysis of short texts,” in *Proceedings of COLING 2016, the 26th International Conference on Computational Linguistics: Technical Papers*. Osaka, Japan: The COLING 2016 Organizing Committee, Dec. 2016, pp. 2428–2437. [Online]. Available: <https://www.aclweb.org/anthology/C16-1229>
- [190] S. Mannor, D. Peleg, and R. Rubinstein, “The cross entropy method for classification,” in *Proceedings of the 22nd International Conference on Machine Learning*, ser. ICML '05. New York, NY, USA: Association for Computing Machinery, 2005, p. 561–568. [Online]. Available: <https://doi.org/10.1145/1102351.1102422>
- [191] C. Ziems, B. He, S. Soni, and S. Kumar, “Racism is a virus: Anti-asian hate and counterhate in social media during the covid-19 crisis,” 2020.
- [192] M. A. Hearst, “Support vector machines,” *IEEE Intelligent Systems*, vol. 13, no. 4, p. 18–28, Jul. 1998. [Online]. Available: <https://doi.org/10.1109/5254.708428>
- [193] S. K. Pal and S. Mitra, “Multilayer perceptron, fuzzy sets, and classification,” *Trans. Neur. Netw.*, vol. 3, no. 5, p. 683–697, Sep. 1992. [Online]. Available: <https://doi.org/10.1109/72.159058>
- [194] M. Zhang and Z. Zhou, “ML-KNN: A lazy learning approach to multi-label learning,” *Pattern Recognit.*, vol. 40, no. 7, pp. 2038–2048, 2007. [Online]. Available: <https://doi.org/10.1016/j.patcog.2006.12.019>

- [195] F. Poletto, V. Basile, M. Sanguinetti, C. Bosco, and V. Patti, “Resources and benchmark corpora for hate speech detection: a systematic review,” *Language Resources and Evaluation*, pp. 1–47, 2020.