
References

- [1] J. Fricke and A. Emmerling. Aerogels. *Am Ceram Soc.* 1992; 75: 2027–6.
- [2] L. J. Gibson and M. F. Ashby. *Cellular Solids: Structure, and Properties.* Pergamon Press, Oxford, U.K. 1988.
- [3] S. Matthews and G. Pickrell. A new Generation of Low-Mass Kiln Furniture. *Am Ceram Soc Bull.* 1999; 6: 77-8.
- [4] D. Trimis and F. Drust. Combustion in a Porous Medium-advances and Applications. *Combust Sci and Tech.* 1996; 121: 153-8.
- [5] M. Karus, B. Eliasson, U. kogelschatz and A. Wokaun. CO₂ Reforming of Methane by the Combination of Di-Electric Barrier Discharges and Catalysis. *Phy Chem Chem Phys.* 20013; 294-0.
- [6] R. Brown. *Ferrous Foundry Hand Book.* Foseco Int Ltd 2000; 250 – 3.
- [7] N. Q. Minh and T. Takahashi. *Science and Technology of Ceramic Fuel Cells.* Else Sci. 1995; 102-8.
- [8] K. Ishizaki, S. Komarneri and M. Nanko. *Porous Materials: Process Technology and Applications,* Kluwer Academic Publishers, Dordrecht, Netherlands 1998; 14-18.
- [9] N. J. Christmas, C.D. Gordon, T.G. Murray, D. Tse, T. Johnson and S. Garonzik . *Intraorbital Implants after Eucleation and their Complications.* *Clin Sci.* 1998; 116: 1199–3.
- [10] E. Vogli, H. Sieber, and P. Greil. Biomorphic SiC–Ceramic Prepared by Si–Vapor Phase Infiltration of Wood. *J Eur Ceram Soc.* 2002; 22: 2663–8.
- [11] R. Studart, U.T. Gonzenbach, E. Tervoort, and L.J. Gauckler. Processing Routes to Macroporous Ceramics: A Review. *J Am Ceram Soc.* 2006; 1789; 9: 1771.
- [12] O. Lyckfeldt and J.M.F. Ferreira. Processing of Porous Ceramics by “Starch Consolidation”. *J Eur Ceram Soc.*1998; 18: 131–0.
- [13] J-F. Yang, G-J. Zhang and T. Ohji. Porosity and Microstructure Control of Porous Ceramics by Partial Hot Pressing. *J Mater Res.* 2011; 16: 1916–8.
- [14] Z-Y. Deng, Y-F. Liu, Y. Tanaka and Y. J. Sakka. Modification of Al Particle Surfaces by Gamma-Al₂O₃ and Its Effect on the Corrosion Behavior of Al. *J Am Ceram Soc.* 2005; 88: 977–9.

- [15] Y. Han, Li J, Q. Wei and K. Tang. The Effect of Sintering Temperatures on Alumina Foam Strength. *Ceram Int.* 2002; 28: 755–9.
- [16] Z. Deng, T. Fukasawa, and M. Ando. Microstructure and Mechanical Properties of Porous Alumina Ceramics Fabricated by the Decomposition of Aluminum Hydroxide. *J Am Ceram Soc.* 2001; 44: 2638–4.
- [17] G. L. Messing and S. Kwon. Constrained Densification in Boehmite – Alumina Mixtures for the Fabrication of Porous Alumina Ceramics. *J Mater Sci.* 1998; 3: 913–1.
- [18] Zhu S, Ding S and Xi H, Wang R. Low-Temperature Fabrication of Porous Sic Ceramics by Pre ceramic Polymer Reaction Bonding. *Mater Lett.* 2005; 59: 595–7.
- [19] E. Hagen, T. Grande M-A. Einarsrud. Preparation and Properties of Porous Aluminum Nitride – Silicon Carbide Composite Ceramics. *J Am Ceram Soc.* 2004; 1204:1200–4.
- [20] J. She. Oxidation Bonding of Porous Silicon. *J Mater Sci.* 2002; 7: 3615–2.
- [21] J. She, J. Yang, N. Kondo, T. Ohji, S. Kanzaki. High-Strength Porous Silicon Carbide Ceramics by an. *J Am Ceram Soc.* 2002; 54: 2852–4.
- [22] W.L. Suchanek and M.Yoshimura. Preparation of Fibrous. Porous Hydroxyapatite Ceramics from. *J Am Ceram Soc.* 1998; 67: 765–7.
- [23] S-Y. Shan, J-F. Yang, Gao J-Q, W-H. Zhang, Z-H. Jin and R. Janssen. Porous Silicon Nitride Ceramics Prepared by Reduction-Nitridation of Silica. *J Am Ceram Soc.* 2005; 88: 2594–6.
- [24] J-H. Eom, Y-W. Kim and S. Raju. Processing and Properties of Macroporous Silicon Carbide Ceramics: A review. *J Asian Ceram Soc.* 2013; 1: 220–2.
- [25] P. Sepulveda. Gelcasting Foams for Porous Ceramics. *Am Ceram Soc. Bull* 1997; 76: 61–5.
- [26] J. Tulliani, L. Montanaro, T.J. Bell and M. V. Swain. Semiclosed-Cell Mullite Foams: Preparation and Macro- and Micromechanical Characterization. *J Am Ceram Soc.* 1999; 68: 11–4.
- [27] H-R. Ramay and M-Q. Zhang. Preparation of Porous Hydroxyapatite Scaffolds by Combination of the Gel-Casting and Polymer Sponge Methods. *Biomaterials* 2003; 24: 3293–2.
- [28] X. Zhu, D. Jiang, S. Tan and Z. Zhang. Improvement in the Strut Thickness of Reticulated Porous Ceramics. *J Am Ceram Soc.* 2001; 84: 1467–2.

- [29] A. E. M. Paiva, P. Sepulveda and V. C. Pandolfelli. Processing and Thermomechanical Evaluation of Fibre-Reinforced Alumina Filters. *J Mater Sci* 1999; 34: 2641–9.
- [30] Q. Mary, M.E. Road and E. London. Porosity and Strength of Silicon Carbide Foams Prepared Using Pre ceramic Polymers. *J Porous Mater.* 2002; 9: 131–0.
- [31] R-A. White, E-W. White and J-N. Weber. Replamineform—New Process for Preparing Porous Ceramic, Metal, and Polymer Prosthetic Mate Sci.1972; 176: 922-4.
- [32] D-M. Roy and S- K. Linnehan, Hydroxyapatite Formed from Coral Skeletal Carbonate by Hydrothermal Exchange. *Nature*, 1974; 247: 220-4.
- [33] T. Ota, M. Takahashi, T. Hibi, M. Ozawa, S. Suzuki, Y. Hikichi and H. Suzuki. Biomimetic Process for Producing SiC “Wood”. *J Am Ceram Soc* 1995; 78: 3409–1.
- [34] F. Caruso. Hollow Capsule Processing Through Colloidal Templating and Self-Assembly. *Chemistry* 2000; 6: 413–9.
- [35] V.P. Valtchev, M. Smahi, and A. Faust. Equisetum Arvense Templating of Zeolite Beta Macrostructures with Hierarchical Porosity. *Chem Mater.* 2004; 16: 1350–5.
- [36] D. Yang, L. M. Qi, and J. M. Ma. Hierarchically Ordered Networks Comprising Crystalline ZrO₂ Tubes through Sol–Gel Mineralization of Eggshell Membranes. *J Mater Chem.* 2003; 13: 1119–3.
- [37] D. Yang, L. M. Qi, and J. M. Ma. Eggshell Membrane Templating of Hierarchically Ordered Macroporous Networks Composed of TiO₂ Tubes. *Adv Mater.* 2002; 14: 1543.
- [38] S. Mann, S. L. Burkett, S. A. Davis, C. E. Fowler, N. H. Mendelson, S. D. Sims, D. Walsh and N. T. Whilton. Sol–Gel Synthesis of Organized Matter. *Chem Mater* 1997; 11: 2300–10.
- [39] K. H. Sandhage, M. B. Dickerson, P. M. Huseman, M. A. Caranna, J. D. Clifton, T. A. Bull, T. J. Heibel, W. R. Overton and M. E. A. Schoenwaelder. Novel, Bioclastic Route to Self-Assembled, 3D, Chemically Tailored Meso/Nanostructures: Shape-Preserving Reactive Conversion of Biosilica (Diatom) Microshells. *Adv Mater.* 2002; 14: 429-5.
- [40] A. J. Sherman, R. H. Tuffias, and R. B. Kaplan. Refractory Ceramic Foams A Novel, New High-Temperature Structure. *Am Ceram Soc Bull.* 1991; 70: 1025–9.

- [41] H. Sieber, C. Hoffmann, A. Kaindl and P. Greil. Biomorphie Cellular Ceramics. *Adv Eng Mater.* 20002; 3: 105–9.
- [42] P. Greil, T. Lifka and A. Kaindl. Biomorphie Cellular Silicon Carbide Ceramics from Wood: I. Processing and Microstructure. *J Eur Ceram Soc.* 1998; 18: 1961–3.
- [43] P. Colombo, E. Bernardo and L. Biasetto. Novel Microcellular Ceramics from a Silicone Resin. *J Am Ceram Soc.* 2004; 87: 152–4.
- [44] T. J. Fitzgerald, V. J. Michaud and A. Mortensen. Processing of Microcellular Sic Foams. 2. Ceramic Foam Production. *J Mater Sci.* 1995; 30: 1037–5.
- [45] Y. Hotta, P. C. A. Alberius and L. Bergstrom. Coated Polystyrene Particles as Templates for Ordered Macroporous Silica Structures with Controlled Wall Thickness. *J Mater Chem.* 2003; 13: 496–0.
- [46] J. M. Bouler, M. Trecant, J. Delecrin, J. Royer, N. Passuti and G. Daculsi. Macroporous Biphasic Calcium Phosphate Ceramics: Influence of Five Synthesis Parameters on Compressive Strength. *J Biomed Mater Res.* 1996; 32: 603–39.
- [47] L. M. Rodriguez-Lorenzo, M. Vallet-Regi, and J. M. F. Ferreira. Fabrication of Porous Hydroxyapatite Bodies by a New Direct Consolidation Method: Starch Consolidation. *J Biomed Mater Res.* 2002; 60: 232–0.
- [48] T. Fukasawa, M. Ando, T. Ohji, and S. Kanzaki. Synthesis of Porous Ceramics with Complex Pore Structure by Freeze–Dry Processing. *J Am Ceram Soc.* 2001; 84: 230–2.
- [49] A. Imhof and D. J. Pine. Ordered Macroporous Materials by Emulsion Templating. *Nature.* 1997; 389: 948–5.
- [50] I. Akartuna, A. R. Studart, U. T. Gonzenbach, E. Tervoort and L. J. Gauckler. Porous Ceramics from Particle-Stabilized Emulsions, *Adv Mater.* 2006; 8: 5-13.
- [51] E. S. Toberer, J. C. Weaver, K. Ramesha and R. Seshadri. Macroporous Monoliths of Functional Perovskite Materials through Assisted Metathesis. *Chem Mater.* 2004; 16: 2194–0.
- [52] H. Kim, C. da Rosa, M. Boaro, J. M. Vohs and R. J. Gorte. Fabrication of Highly Porous Yttria-Stabilized Zirconia by Acid Leaching nickel from a Nickel–Yttria-Stabilized Zirconia Cermet. *J Am Ceram Soc.* 2002; 85: 1473–6.
- [53] N. Miyagawa and N. Shinohara. Fabrication of Porous Alumina Ceramics with Uni-Directionally-Arranged Continuous Pores Using a Magnetic Field. *J Ceram Soc.* 1999; 107: 673–7.

- [54] Z. P. Du, M. P. Bilbao-Montoya, B. P. Binks, E. Dickinson, R. Ettelaie and B. S. Murray. Outstanding Stability of Particle-Stabilized Bubbles. *Langmuir* 2003; 19: 3106–18.
- [55] E. Dickinson, R. Ettelaie, T. Kostakis, and B. S. Murray. Factors Controlling the Formation and Stability of Air Bubbles Stabilized by Partially Hydrophobic Silica Nanoparticles. *Langmuir* 2004; 20: 8517–5.
- [56] B. P. Binks and T. S. Horozov. Aqueous Foams Stabilized Solely by Silica Nanoparticles. *Angewandte Chemie Int.* 2005; 44: 3722–5.
- [57] U. T. Gonzenbach, A. R. Studart, E. Tervoort and L. J. Gauckler. Ultrastable Particle-Stabilized Foams. *Angewandte Chemie Int. Ed.*, 2006; 8: 5-9.
- [58] S. U. Pickering. Emulsions. *J Chem Soc.* 1907; 91: 2001–21.
- [59] U. T. Gonzenbach, A. R. Studart, E. Tervoort and L. J. Gauckler. Macroporous Ceramics from Particle. Stabilized Wet Foams. *J Am Ceram Soc.* 2006; 90:16-2.
- [60] O. D. Velev, T. A. Jede, R. F. Lobo and A. M. Lenhoff. Porous Silica via Colloidal Crystallization. *Nature* 1997; 389: 447 – 8.
- [61] T. Fukasawa, Z. Y. Deng, M. Ando, T. Ohji and Y. Goto. Pore Structure of Porous Ceramics Synthesized From Water – Based Slurry by Freeze – Dry Process. *J Mater Sci.* 2001; 36: 2523 – 7.
- [62] V. Ducman and T. Kopar. Saw Dust and Paper Making Sludge as Pore Forming Agents for Light Weight Clay Bricks. *Cera.* 20013; 4: 127–2.
- [63] G.J. Zhang, J.F. Yang and T. Ohji. Fabrication of Porous Ceramics with Unidirectionally Aligned Continuous Pores. *J Am Ceram Soc.* 2006; 86:1395–107.
- [64] K. Prabhakaran, A. Melkeri, N. Gokhale and M. Sharma SC. Preparation of Macro Porous Alumina Ceramics Using Wheat Particles as Gelling and Pore Forming Agent. *J Ceram Int.* 2007; 33: 77–1
- [65] G. Wei, L. Hongbin and F. Chunxia. Influence of La_2O_3 on Preparation and Performance of Porous Cordierite from Rice Husk. *J Rare Earth.* 2010; 28: 614–7.
- [66] T. Watari, A. Nakata, Y. Kiba, T. Torikai and M. Yada. Fabrication of Porous SiO_2/C Composite from Rice Husks. *J Eur Ceram Soc.* 2006; 26: 797–1.
- [67] I. Makovska, F. Yovkova, G. Minov, D. Rusev and L. Lyubchev. Investigation of Silane Modified Ceramic Surface of Porous Mullite Ceramics. *World Acad Sci Eng Technol.* 2013; 79: 272–6

- [68] T. Torikai, T. Ishibashi, K. Egoshi, Y. Mitsunori and W. Takanori. Preparation of Porous Ceramics from Rice Husk Containing Al or Al₂O₃ Particles for Bioreactor. *Key Eng Mater.* 2003; 247: 433–6.
- [69] S. Baklouti, T. Chartier, and J.F. Baumard. Mechanical Properties of Dry Pressed Ceramic Green Products: The Effect of Binder. *J Am Ceram Soc.* 1997; 80: 1992-5.
- [70] J. H. Song, and J.R.S. Evans. A Die Pressing Test for the Estimation of Agglomerate Strength. *J Am Ceram Soc.* 1994; 3: 806-4.
- [71] J. Brewer, R.H. Moore and J.S. Reed. Effect of Relative Humidity on the Compaction of Barium Titanate and Manganese Zinc Ferrite Agglomerates Containing Poly Vinyl Alcohol. *Am Ceram Soc Bull.* 1981; 68: 212-0.
- [72] M. Potoczek, M. Heneczkowski and O. Mariusz. A new Polyurethane Binder Providing High Green Strength of Dry Pressed Alumina. *J Ceram Int.* 2003; 29: 259-4.
- [73] J. S. Reed. *Introduction to the Principles of Ceramic Processing.* Wiley, New York. 1988.
- [74] J. Zheng and Reed J. S. Particle and Granule Parameters Affecting Compaction Efficiency in Dry Pressing. *J Am Ceram Soc.* 1988; 71: C-456.
- [75] S. Bakiouti, T. Chatier, C. H. Gault and J. F Baumard. The Effect of Binders on The Strength and Young's Modulus of Dry Pressed Alumina. *J Eu Ceram Soc.* 1997; 18: 323-8.
- [76] R. Bast. *Organic Additives for Dry Pressing,* Interceram. 1990; 39: 13-14.
- [77] T. Busch, D. Schweizer, and C. Sorg. Spray Granulation of Alumina with Organic Binders. *Ceram Forum Int.* 1991; 68; 527-0.
- [78] K.E. Hrdina, J. W. M. Halloran Kaviany and A. Oliveria. Defect Formation During Binder Removal in Ethylene Vinyl Acetate Filled System. *J Mater Sci.* 1999; 34: 3281-0.
- [79] F.F. Lange, B. I Davis, and E. Wright. Processing-Related Fracture Origins: IV, Elimination of Voids Produced by Organic Inclusions. *J Am Ceram Soc.* 1986; 69: 66-9.
- [80] J. Wang. Effect of Pressing Method on Organic Burnout. *J Am Ceram Soc.* 1992; 75: 2627-9.
- [81] M.N. Rehman. *Ceramic Processing and Sintering.* Taylor & Francis, USA 2006.

- [82] S. Baklouti, P. Coupelle, T. Chartier and J. F. Baumard. Compaction Behavior of Alumina Powders Spray Dries with Organic Binders. *J Phys III*. 1996; 6:1283-1.
- [83] K. Saleh, L. Vialatte and P. Guigon. Wet Granulation in a Batch High Shear Mixer. *Chem Eng Sci*. 2005; 14: 3763-5.
- [84] J. Tamara, Carmeim and David J. Green. Mechanical Properties of Dry-Pressed Alumina Green Bodies. *J Am Ceram Soc*. 20010; 84: 1405-9.
- [85] A. B. Kounga, E. Aulbach, and J. Rodel. Mechanical Properties of Dry pressed Powder Compacts: Case Study on Alumina Nano Particles. *J Am ceram Soc* 2006; 89: 2641-4.
- [86] K. Mohanta and P Bhargava. An optimized Composition for Making Dense Fused Silica Bodies from Highly Loaded Slurries using Egg White and Sucrose. *J Am Ceram Soc*. 2010; 93: 2215-1.
- [87] C. H. Schilling, S. B. Biner, H. Goel and J. Jane. Plastic Shaping of Aqueous Alumina Suspensions with Sucrose and Maltodextrin Additives, *J Enviro Poly*. 1995; 3: 153-0.
- [88] C. Schilling, H. Bellmam, R. A, R. M. Smith and H. Goel. Plasticizing Aqueous Suspensions of Concentrated Alumina with Maltodextrin Sugar, *J Am Ceram Soc*. 1999; 82: 57-6.
- [89] M. Pradhan and P. Bhargava, Influence of Sucrose Addition on Rheology of Alumina Slurries Dispersed with Polyacrylate Dispersant. *J Am Ceram Soc*. 2005; 88: 833-8.
- [90] Lu Lin and Q. Zhang, W. David, I. L. Peter and J. Zhou. A Novel Sucrose Porogen-Based Solid Free form Fabrication System for Bone Scaffold Manufacturing. *Rap Proto Jou*. 2010; 16: 365-6.
- [91] L. Ray, H. Gautier, M. Bouler, P. Weiss and C. Merle. A New Technological Procedure Using Sucrose as Porogen Compound to Manufacture Porous Biphasic Calcium Phosphate Ceramics of Appropriate Micro- And Macrostructure. *Ceram Int*. 2010; 36: 93-1.
- [92] H. Christopher. Schilling, MarekSik ora, Piotr Tomasik, Chuangping Li, Victor Garcia. Rheology of Alumina-Nanoparticle Suspensions: Effects of Lower Saccharides and Sugar Alcohols. *J Eu Ceram Soc*. 2002; 22: 917-1.
- [93] M. Pradhan, and P. Bhargava, Effect of Sucrose on Fabrication of Ceramic Foams From Aqueous Slurries, *J Am Ceram Soc*. 2005; 88: 216-8.

- [94] S.L. Iconaru, F. Ungureanu, A. Costescu, M. Costache, A. Dinischiotu, and D. Predoi. Characterization of Sucrose Thin Films for Biomedical applications. *J Nano Mate Resea Arti*. 2011; 291512: 1-6.
- [95] F. Ungureanu, D. Predoi, R.V. Ghita, R.A. Vatasescu-Balcan, and Costache M. Interface Controlled Organic thin films. Springer. 2009; 8: 5-9.
- [96] R. Jantas and B. Delczyk. Preparation Characterization and Antibacterial Properties Of Sucrose-1-Naphtylacetic Acid Adduct. *Fibers and Textiles In Eastern Euro*. 2005; 13: 60-3.
- [97] D. Naumann, C.P. Schultz and D. Helm. Infrared Spectroscopy of Biomolecules. John Wiley & Sons, New York, NY, USA, 1996.
- [98] C.M. Earnest. Compositional Analysis by Thermogravimetry, ASTM. 1998.
- [99] J. H. Reeves and A. M. Halpern. Experimental Physical Chemistry, Scott, Foresman/Little. 1988; 8: 5-10.
- [100] C.W. Nies, G. L. Messing. Effect of Glass-Transition Temperature of Polyethylene Glycol-Plasticized Polyvinyl Alcohol on Granule Compaction. *J Am Ceram Soc*. 1984; 67: 301-4.
- [101] S. Alexandra, A. Kornherr, R. Chopra, P. Bonnet, W. Jones, W. D Samuel Motherwell, and G. Zifferer. Glass Transition Temperature of Glucose, Sucrose, and Trehalose: An Experimental and in Silico Study. *J Phys Chem*. 2006; 110: 19678-4.
- [102] M.R.B Romdhane, T. Chartier, S. Baklouti, J. Bouaziz, C. Pagnoux and J.F. Baumard. A new Processing Aid for Dry-Pressing: A Copolymer Acting as Dispersant and Binder. *J Eu Ceram Soc*. 2007; 27: 2687-95.
- [103] T. Shimizu, K. Matsuura, H. Furue and K. Matsuzak. Thermal Conductivity of High Porosity Alumina Refractory Bricks Made by a Slurry Gelation and Foaming Method. *J Eur Ceram Soc*. 2013; 33: 3429-5.
- [104] Z. R. Ismagilov, R. A. Shkrabina, A. A. Kirchanov, and A .Pex. Porous Alumina as A support for Catalysts and Membranes, Preparation and Study. *React Kinet Catal Lett* 1997; 60: 225-1.
- [105] J.A. Fernando and D.D.L. Chung. Pore Structure and Permeability of an Alumina Fiber Filter Membrane for Hot Gas Filtration. *J Porous Mate*. 2002; 9: 211-19.
- [106] B. C. Yong, M. Kazuhiro, G. Sasaki and K. Shunsaku. Low-Pressure Infiltration Behavior of Molten Metal to Porous Fecrsi Preform Materials. *Transactions*. 2008; 49: 390 –2

- [107] K. Boomsma, D. Poulikakos and F. Zwick. Metal Foams as Compact High Performance Heat Exchangers. *Mech Mate.* 2003; 35: 1161-6.
- [108] B. M. William, S. E. Luis Carlos, S. V. Alexei and K.A Lawrence. Ultra-Low-Emission Steam Boiler Constituted of Reciprocal Flow Porous Burner. *Exp Therm and Fluid Sci.* 2011; 35: 570–0.
- [109] T. V. Thamaraiselvi and S. Rajeswari. Biological Evaluation of Bioceramic Materials - A Review. *Trends Biomater. Artif. Orga.* 2004; 18: 9-1.
- [110] P. Colombo. Conventional and Novel Processing Methods for Cellular Ceramics. *Philos Trans A Math Phys Eng Sci.* 2006; 364:109-4.
- [111] Ohji and M. Fukushima. Macro-Porous Ceramics: Processing and Properties. *Int Mate Rev.* 2012; 57: 115-21.
- [112] T. Isobe, Y. Kameshima, N. Akira and O. kiyoshi. Preparation and Properties of Porous Alumina Ceramics with Oriented Pores Produced by an Extrusion Method. *J Eur Ceram Soc* 2006; 26: 957-0.
- [113] K. Matori, M. Haslinawati, Z. Wahab, H. Sidek and B. Ghaniwawak, Producing Amorphous White Silica from Rice Husk. *J Basic and Appl Sci.* 2009; 1: 512 -5.
- [114] H. Liangfa , R. Benitez, Sandipbasu, I. K. Miladinradovic. Processing and Characterization of Porous Ti_2Al with Controlled Porosity and Pore Size. *Acta Mate.* 2012; 60: 6266-7.
- [115] R.V. Krishnarao, J. Subrahmanyam and T. Jagadish. Studies on the Formation of Black Particles in Rice Husk Silica Ash. *J Eur Ceram Soc.* 2001; 21: 99-4.
- [116] B. Bogdanov, M. Irena, H. Yancho and D. Georgiev. Light weight Materials Obtained by Utilization of Agricultural Waste. *World Academy of Sci, Eng and Technol.* 2012; 64: 725-8.
- [117] A. F. Hassan, W. I. Mortada, and M. M. Hassanien. Preparation and Characterization of Activated Carbon Based Rice Husk and Its Use for Preconcentration of Pt (II). *Asian J Nat Appl Sci.* 19975; 24: 101–7.
- [118] S. A. Uzunova, I. M. Uzunov, S. V. Vassilev, and A. K. Alexandrova, Preparation of Low-Ash-Content Porous Carbonaceous Material From Rice Husks. *Bulg. Chem. Commun.* 2010; 42: 130–7.
- [119] K.G. Mansaray and A.E. Ghaly. Physical and Thermochemical Properties of Rice Husk. Agricultural Engineering Department, Technical University of Nova Scotia, Halifax, Nova Scotia, Canada Published online. Taylor and Francis 16 May, 2007.

- [120] S. Baklouti, T. Chartier and J.F. Baumard. Binder Distribution in Spray-Dried Alumina Agglomerates. France 1998; 8: 5-11.
- [121] P. Piluso, L. Gaillard, N. Lequeux and P. Boch. Mullitization and Densification of ($3\text{Al}_2\text{O}_3+2\text{SiO}_2$) Powder Compacts by Microwave Sintering. J Eur Ceram Soc 1996; 16: 121-5.
- [122] S-H.Chae, Y-W. Kim, I-H. Song, H-D.Kim and N. Masaki. Porosity Control of Porous Silicon Carbide Ceramics, J Eur Ceram Soc. 2009; 29: 2867-2.
- [123] A. Ranko, E. Fidancevska, J. Bossert, M. Milosevski. Porous Mullite Ceramics for Advanced Sensors Nano Technological Basis for Advanced sensor. NATO Science for Peace and Security Series B: Phys Biophy. 2011.
- [124] W.F. Zok and G.C. Levi. Mechanical Properties of Porous-Matrix Ceramic Composites. Adv Eng Mater. 2001; 3:15-3.
- [125] R.T. Dehoff and F.N. Rhines. Quantitative Microscopy. Newyork: McGraw-Hill Book Company; 1968.
- [126] F. S. Ortega, J. A. Rodrigues, M. D. M. Innocentini and V. C. Pandolfeli. Strength of Gelcast Ceramic Foams. 2004; 3: 9501-6.
- [127] S. Dhara and P. Bhargava. Influence of Slurry Characteristics on Porosity and Mechanical Properties of Alumina Foams. Int J Appl Ceram Technol. 2006; 3: 382-92.
- [129] F. P. Knudsen. Dependence of Mechanical Strength of Brittle Polycrystalline Specimens on Porosity and Grain size. J Am Ceram Soc. 1959; 42: 376-7
- [130] T. Isobe, Y. Kameshima, A. Nakajima, K. Okada and Y. Hotta. Gas Permeability and Mechanical Properties of Porous Alumina Ceramics with Unidirectionally Aligned Pores. J Euro Ceram Soc. 2007; 27: 53-9.
- [131] R. M. Spriggs, and T. Vasilos. Effect of Grain Size on Transverse Bend Strength of Alumina and Magnesia J Am Ceram Soc. 1963; 46: 224-8.
- [132] J. Trostel. Strength and Structure of Refractories as a Function of Pore Content. J Am Ceram Soc. 1962; 45: 563-64.
- [133] X. Guo, Z. Zhou, S. Wang, S. Zhao, Q. Zhang and G. Ma. A Novel Method for Preparation of Interconnected Pore-Gradient Ceramic Foams by Gelcasting, J Porous Mater. 2011; 19: 853-8.
- [134] R. W. Rice. Evaluation and Extension of Physical Property-Porosity Models Based on Minimum Solid Area. J Mater Sci. 1996; 31: 102-8.

- [135] M. Scheffier and P. Colombo. Cellular Ceramics: Structure, Manufacturing, Properties and Applications. Wiley-Vch, Uk, Chapter 5 (2005).
- [136] R.W. Rice. Porosity of Ceramics. Marcel Dekker. New York, 1998; 315-32.
- [137] W. Pabst and J. Hostasa. Thermal Conductivity of Ceramics: From Monolithic to Multiphase, From Dense to Porous. Micro to Nano Advances in Materials Science Research- Volume 4, Chapter 1, Nova Science Publishers, New York, 2011. 1–112.
- [138] J. C. Wang. Young's Modulus of Porous Alumina with Changing Pore Structure. *J. Mater. Sci.* 1984; 19: 809–14.
- [139] K. Markov and L. Preziosi. Elementary Micromechanics of Heterogeneous Media- Micromechanics Modelling Methods and Simulations, Pp. 1–162, Birkhauser, Boston, 2000; 8: 5-12.
- [140] W. Pabst and E. Gregorova. Cross-Property Relations between Elastic and Thermal Properties of Porous Ceramics. *Adv. Sci. Techno.* 2006; 45: 107–12.
- [141] W. Pabst and E. Gregorova. A Cross-Property Relation between the Ten- Sile Modulus and the Thermal Conductivity of Porous Materials. *Ceram Int.* 2007; 33: 9–2.
- [142] B. Nait-Ali, K. Haberko, H. Vesteghem, J. Absi and D.S. Smith. Thermal Conductivity of Highly Porous Zirconia *J Eu Ceram Soc.* 2006; 26: 35-7.
- [143] I. Benjamin, Ugheoke, E.O. Onche, Oliver Nicholas Namessan and A. Gabriel. Property Optimization of Kaolin - Rice Husk Insulating Fire – Bricks. *Leonardo Electronic J Prac Techno.* 2006; 9: 167-8.
- [144] A. L. Loeb. Thermal Conductivity Viii—A Theory of Thermal Conductivity of Porous Materials. *J Am Ceram Soc.* 1954; 37: 96–9.
- [145] J. Francl and W. D. Kingery. Thermal Conductivity Ix-Experimental Investigation of the Effect of Porosity on Thermal Conductivity. *J Am Ceram Soc.* 1954; 37: 99–7.
- [146] W. Pabst, and E. Gregorova. Effective Thermal and Thermoplastic Properties of Alumina, Zirconia, and Alumina-Zirconia Composite Ceramics In *New Developments In Materials Science Research*, Nova Science Publishers, 2007; 77-137.
- [147] S.K. Rhee. Porosity-Thermal Conductivity Correlations for Ceramic Materials. *Mater Sci Eng.* 1975; 20: 89-3.

- [148] B. Schulz. Thermal Conductivity of Porous and Highly Porous Materials High Temp-High- Pressures. 1981; 13: 649-0.
- [149] J. C. Maxwell. A Treatise on Electricity and Magnetism. Chapter 9, 3rd Edition, Dover Publications Inc., New York, Reprinted 1954; 8: 5-13.
- [150] A. Eucken. Allgemeine Gesetzmäßigkeiten Wärmeleitvermögen Verschiedener Stoffarten and Aggregatzustände. Forschung Gebiete Ingenieur, 1940; 11: 6–0.
- [151] C. J. F. Bottcher. Theory of Electric Polarization. Pp. 415–20, Elsevier, Houston, 1952.
- [152] R. Launder. The Electrical Resistance of Binary Metallic Mixtures. J Appl Phys. 1952; 23: 779–4.
- [153] A. Bjorneklett, L. Haukeland, and J. Kristiansen. Effective Mediumtheory and the Thermal Conductivity of Plasma-Sprayed Ceramic Coating. J Mater Sci. 1994; 29: 4043–0.
- [154] A. Bjorneklett, L. Halbo, and H. Kristiansen. Thermal Conductivity of Epoxy Adhesives Filled With Silver Particles. Int J Adhesion Adhesives. 1992; 12-9.
- [155] D. A. G. Bruggman. Berechnungver Schiedener Physikali Scherkon Stantenvon Heterogenensu Bstanzen. Ann Phys. 1935; 24.
- [156] S. Jihong and T. Ohji. Thermal Shock Behavior of Porous Silicon Carbide ceramics. J Am Ceram Soc. 2002; 85: 2125–7
- [157] Z. Zivcova, E. Gregorova, W. Pabst. Porous Alumina Ceramics Produced with Lu copodium Spores As Pore-Former Agents. J. Mater Sci. 2007; 42: 8760-4 .
- [158] M. W. Barsoum, Fundamentals of Ceramics, the Mcgraw-Hill Companies, Inc., New York. 1997
- [159] A. Dey, N. Kayal and O. Chakrabarti. Preparation of Porous Sic Ceramics By an Infiltration Technique. Ceram Int. 2011; 37: 223–0.
- [160] S. J. Perm, N. Alford, A. Templeton, X. Wang, M. Reece, . Porosity and Grain Size on the Microwave Dielectric Properties. 1997; 12: 4–7.
- [161] Alford Nm, Penn Sj. Sintered Alumina with Low Dielectric Loss. J Appl Phys. 1996; 80: 5895-1.
- [162] C-L. Huang, J-J. Wang, C-Y. Huang. Microwave Dielectric Properties of Sintered Alumina Using Nano-Scaled Powders of Alumina and Tio₂. J Am Ceram Soc. 2007: 90:1487–3.

- [163] I. Farag, I. Battisha. Study of Dielectric Properties of α -Alumina Doped with Mn, Cd and Mo. *Indian J Pure Appl Sci.* 2005; 43: 446–8.
- [164] Y. Miyauchi, I. Kagomiya, Y. Ohishi, H. Ohsato. The Improvement of Microwave Dielectric Properties on Al_2O_3 Ceramics. *Ferroelectrics.* 2009; 387: 46–3.
- [165] X. Gong, W. She, E. Hoppenjans, S. Member, Z. Wing and R. Geyer. Tailored and Anisotropic Dielectric Constants through Porosity in Ceramic Components. *Ieee Trans Microw Theory Tech.* 2005; 53: 3638–7.
- [166] S. J. Penn, N. Alford, A. Templeton, X. Wang and M. Reece. Effect of Porosity and Grain Size on the Microwave Dielectric Properties of Sintered Alumina. *J Am Ceram Soc.* 1997; 80: 1885–8.
- [167] F. Brouers and A. Ramsamugh. A Dielectric Anomaly In Electrolyte-Saturated Porous Alumina Ceramics. *J Mater Sci.* 1987; 22: 2 759–6.
- [168] L. Pawlowski, and P. Fauchais. Thermal Transport Properties of Thermally Sprayed Coatings. *Int. Mater. Rev.* 1992; 37: 271–289.
- [169] V. Braginsky and V. Ilchenko. Experimental observation of Fundamental Microwave Absorption in High-Quality Dielectric Crystals. *Phys Lett A* 1987; 120: 300–5.
- [170] V. Gurevich, A. Tagantsev. Intrinsic Dielectric Loss in Crystals. *Adv. Phys.* 1991; 40: 719-767
- [171] P. Irwin and K. Younsi. The Future of Nano Dielectrics in the Electrical Power Industry. *Ieee Trans Dielectr Electr Insul.* 2004; 11: 797–807.
- [172] Q. Jun, D. Zhu, W. Z. Cheng. Preparation and Dielectric Properties of Porous Silicon Nitride Ceramics. *Trans Nonferrous Met Soc China.* 2006; 3: 487–9.
- [173] W.D. Kingery, Introduction to Ceramics. *J Electrochem Soc.* 1977; 1241-52.
- [174] Heidinger and S. Nazare. Influence of Porosity on the Dielectric Properties of AlN In The Range of 3040 Ghz. *Powder Metall. Int.* 1988; 20: 30-32
- [175] J. Garnett, Colours in Metal Glasses and in Metallic Films. *Philos Trans R Soc A.* 1904; 203: 385–0.
- [176] C.G. Koops. On the Dispersion of Resistivity and Dielectric Constant of Some Semiconductors at Audiofrequencies *Phys Rev.* 1951; 8-3.

- [177] D. Sen, T. Mahata, A. Patra, S. Mazumder and B. Sharma. Effect of Porosity and Pore Morphology on the Low-Frequency Dielectric Response in Sintered $ZrO_2 - 8 \text{ Mol } \% Y_2O_3$ Ceramic Compact. *J Phys.* 2004; 63: 309–4.
- [178] S. Govinda, K.V. Dielectric Properties of Single Crystals of Al_2O_3 and Al_2O_3 Doped with Chromium or Vanadium Rao, *Phys Status Solid. (A)* 1975; 27: 639-4.
- [179] S. Hussain, I. Barbariol, S. Roitti and O. Sbaizero. Electrical Conductivity of an Insulator Matrix (Alumina) and Conductor Particle (Molybdenum) Composites. *J Eur Ceram Soc.* 2003; 23: 5.
- [180] D. Campbell and A. R. Morley. Electrical Conduction in Thin Metallic, Dielectric and Metallic-Dielectric Films. *Reports Prog Phys* 1971; 34: 283–8.
- [181] S. Kume, M. Yasuoka, S.-K. Lee, A. Kan, H. Ogawa and K. Watari. Dielectric and Thermal Properties of AlN ceramics *J Eur Ceram Soc.* 2007; 27: 2967-1.
- [182] J.A. Fernando and D.D.L. Chung. Pore Structure and Permeability of an Alumina Fiber Filter Membrane for Hot Gas Filtration. *J Porous Mate* 2002; 9: 211-9.
- [183] L. Biasetto, I. Meccanica, S. Materiali, V. Uni, V. Pado and P. Colombo. Gas Permeability of Microcellular Ceramic Foams. 2007; 3366–2.
- [184] N.L. De Freitas, J. A S. Gonçalves, M.D.M. Innocentini and J.R. Coury, Development of A Double-Layered Ceramic Filter for Aerosol Filtration at High-Temperatures: The Filter Collection Efficiency. *J Hazard Mater.* 2006; 136: 747–6.
- [185] C.R. Rambo, T. Andrade, T. Fey, H. Sieber, A.E. Martinelli and P. Greil, Microcellular Al_2O_3 Ceramics from Wood for Filter Applications, *J Am Ceram Soc.* 2008; 91: 852–9.
- [186] T. Livingston, P. Ducheyne and J. Garino, In Vivo Evaluation of a Bioactive Scaffold for Bone 2001; 1–13.
- [187] A. Dey, N. Kayal, O. Chakrabarti, R.F. Caldato, C.M. Andre and M.D.M. Innocentini, Permeability and Nanoparticle Filtration Assessment of Cordierite-Bonded Porous Sic Ceramics, 2013; 9:176-8.
- [188] J.J. Haslam, K.E. Berroth and F.F. Lange, Processing and Properties of an All-Oxide Composite With a Porous Matrix, *J Eur Ceram Soc.* 2000; 20: 607–8.
- [189] Z. Zivcova, M. Cerny, W. Pabst and E. Gregorova. Elastic Properties of Porous Oxide Ceramics Prepared Using Starch as a Pore-Forming Agent, *J Eur Ceram Soc.* 2009; 29: 2765–1.

- [190] S.F. Corbin, J. Lee and X. Qiao, Influence of Green Formulation and Pyrolyzable Particulates on the Porous Microstructure and Sintering Characteristics of Tape Cast Ceramics, *J Am Ceram Soc.* 2001; 84: 41–7.
- [191] P. Colombo, Macro- and Micro-Cellular Porous Ceramics from Preceramic Polymers, *Compo Sci Tech.* (2003; 63:2353–9.
- [192] D-M. Liu. Preparation and Characterisation of Porous Hydroxyapatite Bioceramic via a Slip-Casting Route, *Ceram Inte.* 1998; 24: 441–6.
- [193] F. Mear, P. Yot, R. Viennois and M. Ribes, Mechanical Behaviour and Thermal and Electrical Properties of Foam Glass, *Ceram Inte.* 2007; 33: 543–0.
- [194] C. Zou, W. Weng, X. Deng, K. Cheng and X. Liu. Preparation and Characterization of Porous Beta-Tricalcium Phosphate/Collagen Composites with an Integrated Structure Biomaterials. 2005; 26: 5276–4.
- [195] A. Zampieri, P. Colombo, G.T.P. Mabande, T. Selvam, W. Schwieger, F. Scheffler, Zeolite Coatings on Microcellular Ceramic Foams, *Adv Mate* 2004; 16: 819–3.
- [196] F. A. Costa Oliveria, Elastic Moduli of Open-Cell Cordierite Foams, *Journal of Non-Crystalline Solids.* 2005; 351: 1623-9.
- [197] X. Mao, S. Wang, S. Shimai. Porous Ceramics with Tri-Modal Pores Prepared by Foaming and Starch Consolidation, *Ceram Inter.* 34 (2008) 107–2.
- [198] E. Saiz, L. Gremillard, G. Menendez, P. Miranda, K. Gryn and A.P. Tomsia. Preparation of Porous Hydroxyapatite Scaffolds, *Mater Sci Eng: C.* 2007; 27: 546–0.
- [199] E. A. Moreira and J. R. Coury. The Influence of Structural Parameters on the Permeability of Ceramic Foams. *Braz J Chem Eng.* 2004; 21:23–3.
- [200] W. Yan, N. Li, Y. Li, G. Liu, B. Han and J. Xu. Effect of Particle Size on Microstructure and Strength of Porous Spinel Ceramics Prepared By Pore-Forming In Situ Technique, *Bull Mater Sci.* 34 (2008) 107–2.
- [201] P. Sepulveda and J. G. Binner. Processing of Cellular Ceramics by Foaming and in Situ Polymerisation of Organic Monomers, *J Eur Ceram Soc.* 1999; 19: 2059–2066.
- [202] M.D.M. Innocentini, V.R. Salvini, A. Macedo and V.C. Pandolfelli. Prediction of Ceramic Foams Permeability Using Ergun Equation, (1999; 2; 283–9.

- [203] M. D. M. Innocentini, A. R. F. Pardo, V. R. Salivini and V. C. Pandolfeli. How Accurate is Darcy's Law for Refractories, Am Ceram Soc Bulletin. 1999; 64 – 8.
- [204] N. Innocentini and Jan, Large Lattice Random Site Percolation, Phys A Stat Mech Its Appl. 1999; 266:72–5.
- [205] A. Rerison and B. Mdm. A Simple Apparatus for Determining the Permeability of Thin-Thickness Porous Materials By Pressure-Decaytechnique. Rev Fsica Apl E Instr. 1999; 14: 120–3.
- [206] www.induc ceramic.com
- [207] Ultramet, California, USA.
- [208] www.induc ceramic.com
- [209] www.Dieselnet.com
- [210] www.icermax.co.za
- [211] Philosophical transactions of the Royal society A
- [212] www.insensor.com
- [213] Ceramisys, Sheffield, U.K.