

## CHAPTER VI

## REFERENCES

## Chapter VI

American Cancer Society, Cancer Facts & Figures. American Cancer Society, Atlanta, Ga, USA. (2009).

Azevedo J.L., Maccheroni J. J., Pereira O., Ara W.L., “Endophytic microorganisms: a review on insect control and recent advances on tropical plants”. *Electr J Biotech*, 3 (2000) 40–65.

Ahmad R., Khalid M., Naveed M., Shahzad S.M., Zahir Z.A., Khokhar S.N., “Comparative efficiency of auxin and its precursor applied through compost for improving growth and yield of maize”. *Pak. J. Bot.*, 40 (2008) 1703-1710.

Alstrom S., Van -Vuurde J. W. L., “Endophytic Bacteria and Biocontrol of Plant Diseases”. *Plant Pathogenic Bacteria*, 56(2000) 60-67.

Akinsanya B., Utoh O.U., Ukwu D.U., “Toxicological, phytochemical and anthelmintic properties of rich plant extract on *Clarias gariepinus*”. *The Journal of Basic & Applied Zoology*, 18 (2016) 75-86.

Asaph A., Ashok P., Giri-Francel W.A., Verstappen C.M., Sevenier B.R., Sun Z., Maarten A., Schwab J.W., Harro J., “Bouwmeester Gain and loss of fruit flavor compounds produced by wild and cultivated strawberry species”. *Plant Cell*, 16 (2004) 3110–3131.

Aly AH., Debbab A., Kjer J., Proksch P., “Fungal endophytes from higher plants: a prolific source of phytochemicals and other bioactive natural products.” *Fungal Divers*, 41 (2010) 1–16,

Anjum N., Chandra R., “Endophytic Bacteria: Optimizaton of Isolation Procedure from Various Medicinal Plants and Their Preliminary Characterization”. *Asian Journal of Pharmaceutical and Clinical Research*, 8 (2015) 32-36.

Araujo W.L., Marcon J., Maccheroni W. J., Van-Elsas J.D., Van-Vuurde J.W., Azevedo J.L., “Diversity of endophytic bacterial populations and their interaction with *Xylella fastidiosa* in citrus plants”. *Appl Environ Microbiol*, 68 (2002) 4906-14.

Azumi M., Ogawa K., Fujita T., Takeshita M., Furumai T., Igarashi Y., Yoshida R., “Bacilosarcins A and B, novel bioactive isocoumarins with unusual heterocyclic cores from the marine- derived bacterium *Bacillus subtilis*”. *Tetrahedron*, 64 (2008) 6420-6425.

Aranda F.J., Teruel J.A., Ortiz A., “Further aspects on the haemolytic activity of the antibiotic lipopeptide iturin A”. *Biochim Biophys Acta*, 1713 (2005) 51–56.

Abdessamad D., Aly HA., Edrada-Ebel R., Muller W., Mosaddak M., Hakiki A., Ebel R., Chaidir C., “Bioactive secondary metabolites from the endophytic fungus *Chaetomium* sp. isolated from *Salvia officinalis* growing in Morocco”. *Biotechnology, Agronomy, Society and Environment*, 13 (2009) 229-234.

Asif M., Acharya M., “Phytochemicals and nutritional health benefits of soy plant”. *Int J Nutr Pharmacol Neurol Dis*, 3 (2013) 64-9.

Andrew R., Knaggs T., “The Biosynthesis of Shikimate Metabolites”. *Natural Product Reports*, 18 (2001) 334-55.

Atef G.H., Elgamal M.H.A., Morsy N.A.M., Duddeck H., Kovacs J., Toth G., “Two Cardenolides from *Calotropis procera*”. *J Magn Reson Chem*, 17 (1999) 754-757.

Aly A.H., Debbab A., Kjer J., Proksch P., “Fungal endophytes from higher plants: a prolific source of phytochemicals and other bioactive natural products”. *Fungal Divers*, 41 (2010) 1–16.

Arnold A., Maynard Z., Gilbert G., Coley P., Kursar T., “Tropical endophytes hyper diverse”. *Ecol Lett.*, 3 (2000) 267-274.

Arnold A., Maynard Z., Gilbert G., “Fungal endophytes in dicotyledonous neotropical trees patterns of abundance and diversity”. *Mycological Research.*, 105 (2001) 1502-1507.

Asford R.,” The leishmaniases as model zoonoses”. *Annals of Tropical Med Parasito.*, 91(1997) 693-702.

Arunpanichlert J., Rukachaisirikul V., Sukpondma Y., Phongpaichit S., Tewtrakul S., Rungjindamai S., Sakayarojd J., “Azaphilone and isocoumarin derivatives from the endophytic fungus *Penicillium sclerotiorum* PSU-A13”. *Chem Pharm Bull.*, 58 (2010) 1033–1036.

Antoun H., Chantal J., Beauchamp N., Goussard R., Chabot L., Potential of *Rhizobium* and *Bradyrhizobium* species as plant growth promoting rhizobacteria on non-legumes: Effect on radishes (*Raphanus sativus* L.). *Plant and Soil*, 204 (1998) 57–67.

Amal H., Aly-Abdessamad D.J.K., Chaidir C., “Fungal Endophytes from higher plants: a prolific source of phytochemicals and other Bioactive” *journal of natural products*, 41 (2010) 1-16.

Barbara M., Perez-Gil J., Maria B., Querol-Audi J., Ignacio F., Santiago Imperial. *Journal of Protein Sci*, 16 (2007) 2082–2088.

Berlinck R.G.S., Araujo A.R., Sesquiterpenes from *Xylaria* sp., an endophytic fungus associated with *Piper aduncum* (Piperaceae). *Phytochem Lett*, 3 (2010) 164–167.

Bacon, C., White J., “Microbial Endophytes; Marcel Dekker”. New York, NY (2000) USA.

Bonilla A., Sarria A.L.F., Algar E., Munoz-Ledesma F.J., Solano B.R., Fernandes J.B., Gutierrez-Manero F.J., Microbe associated molecular patterns from rhizosphere bacteria trigger germination and *Papaver somniferum* metabolism under greenhouse conditions. *Plant Physiol Biochem*, 74 (2014)133–140.

Brayfield A., “Doxorubicin. Martindale: the complete drug reference. Pharmaceut Press”. Retrieved, 15 (2013) 45-49.

Bae M., Chung B., Oh K.B., Shin J., Oh D.C., “Hormaomycins B and C: new antibiotic cyclic depsipeptides from a marine mudflat-derived *Streptomyces* sp.” *Mar Drugs*, 13 (2015) 5187–5200.

Ballio A., Bossa F., Collina A., Gallo M., Iacobellis N.S., Paci et al., “Structure of syringotoxin, a bioactive metabolite of *Pseudomonas syringae* pv. *Syringae*”. *FEBS Lett*, 269 (1990) 377-80.

Barsby T., Kelly M.T., Andersen R.J., “Tupuseleiamides and basiliskamides, new acyldipeptides and antifungal polyketides produced in culture by a *Bacillus laterosporus* isolate obtained from a tropical marine habitat”. *J. Nat. Prod.*, 65 (2002) 1447- 1451.

Baker J T., “Seaweeds in pharmaceutical studies and applications”. *Hydrobiologia*, 116 (1984) 29-40.

Burford M.A., Davis T. W., “Physical and chemical processes promoting dominance of the toxic cyanobacterium *Cylindrospermopsis raciborskii*”. *Chinese Journal of Oceanology and Limnology*, 29 (2011) 883-891.

Bhattacharyya P. N., Jha D. K., “Optimization of cultural conditions affecting growth and improved bioactive metabolite production by a subsurface *Aspergillus strain tsf 146*”. *International Journal of Applied Biology and Pharmaceutical Technology*, 2 (2011) 133-143.

Bauer W., Kirby M. M., Sherris J. C., Turck M., “Antibiotic Susceptibility Testing by a Standardized Single Disk Method”. *American Journal of Clinical Pathology*, 45 (1966) 493–496.

Berdy J., “Bioactive microbial metabolites”. *J Antibiot (Tokyo)*, 58 (2005) 1-26.

Banthorpe D.V., Charlwood B.V., Francis M.J.O., “The biosynthesis of monoterpenes”. *Chem. Rev*, 72 (1972) 115-155.

Bhattacharjee R.B., Singh A., Mukhopadhyay, S.N., “Use of nitrogen-fixing bacteria as biofertilizer for non-legumes: prospects and challenges”. *Appl. Microbiol Biotechnol*, 80 (2008)199–209.

Balsanelli E., De Baura V.A., De-Oliveira P. F., De-Souza E.M., Monteiro R.A.,  
“Exopolysaccharide biosynthesis enables mature biofilm formation on abiotic surfaces by *Herbaspirillum seropedicae*”. *PLoS ONE*, 9 (2014) 2012-2019.

Bacilio-Jimenez M., Aguilar-Flores S., Del Valle M.V., Perez A., Zepeda A., Zenteno E.,  
“Endophytic bacteria in rice seeds inhibit early colonization of roots by *Azospirillum brasilense*”.  
*Soil Biol. Biochem*, 33 (2001) 167–172.

Balsanelli E., Tuleski T.R., de-Baura V.A., Yates M.G., Chubatsu L.S., de-Oliveira P.F., de-Souza E.M., Monteiro R.A., “Maize Root Lectins Mediate the Interaction with *Herbaspirillum seropedicae* via N-Acetyl Glucosamine Residues of Lipopolysaccharides”. PLoS ONE, 8 (2013) 13-19.

Balsanelli E., De-Baura V.A., De-Oliveira P.F., De-Souza E.M., Monteiro R.A., “Exopolysaccharide biosynthesis enables mature biofilm formation on abiotic surfaces by *Herbaspirillum seropedicae*”. PLoS ONE, 9 (2014) 2012-2019.

Barac T., Taghavi S., Borremans B., Provoost A., Oeyen L., Colpaert J.V., Vangronsveld J., Vander L.D., “Engineered endophytic bacteria improve phyto-remediation of watersoluble, volatile, organic pollutants”. Nat Biotechnol, 22 (2004) 583–588.

Berg G., Eberl L., Hartmann A., “The rhizosphere as a reservoir for opportunistic human pathogenic bacteria”. Environ Microbiol, 7 (2005) 1673–1685.

Berdy J., “Bioactive microbial metabolites”. Journal of Antibiotics (Tokyo), 58 (2005) 1-26.

Boonphong S., Kittakoop P., Isaka M., Pittayakhajonwut D., Tanticharoen M., Thebtaranonth Y., Multiplolides A and B, new antifungal 10-membered lactones from *Xylaria multiplex*. Journal of Natural Products, 64 (2001) 965– 967.

Brady S.F., Singh M.P., Janso J.E., Clardy J., “Cytoskyrins A and B, new BIA active bisanthraquinones isolated from an endophytic fungus,” Organic, Letters. 2 (2000) 4047– 4049.

Balsanelli E., Serrato R.V., de-Baura V.A., Sasaki G., Yates M.G., Rigo L.U., Pedrosa F.O., de-Souza, E.M., Monteiro R.A., “Herbaspirillum seropedicae rfbB and rfbC genes are required for maize colonization. Environ. Microbiol, 12 (2010) 2233–2244.

Brown C.J., Todd K.M., Rosenzweig R.F., “Multiple duplications of yeast hexose Transport genes in response to selection in a glucose-limited environment”. Mol Biol Evol, 15 (1998) 931-42.

Barbara J., Schulz S., “The endophytic continuum”. Mycological Research, 109 (2005) 661-86.

Chapela I. H., Petrini O., Hagemann L., “Monolignol glucosides as specific recognition messengers in fungus-plant symbioses”. Physiological and Molecular Plant Pathology, 39 (1991) 289–298.

Cremaşco M. A., Hritzko B. J., Linda W.N.H., “Experimental purification of paclitaxel from a complex mixture of taxanes using a simulated moving bed”. Brazilian Journal of Chemical Engineering, 26 (2009) 207–218.

Croteau R., Kutchan T.M., Lewis N.G., "Chapter 24: Natural products (Secondary metabolites)". In Civjan N (ed.). Natural products in chemical biology. Hoboken, New Jersey: Wiley, (2012) 1250–1319.

Chanway C.P., “Inoculation of tree roots with plant growth promoting soil bacteria: an emerging technology for reforestation”. Forest Sci, 43 (1997) 99–112.

Compant S., Reiter B., Nowak J., Sessitsch A., Clement C., Barka E.A., “Endophytic Colonization of *Vitis vinifera* L. by Plant Growth- Promoting Bacterium *Burkholderia* sp. Strain PsJN. Appl”. Environ. Microbiol, 71 (2005) 1685–1693.



Compant S., Reiter B., Nowak J., Sessitsch A., Clement C., Barka E.A., “Endophytic Colonization of *Vitis vinifera* L. by Plant Growth- Promoting Bacterium *Burkholderia* sp. Strain PsJN”. *Appl. Environ. Microbiol*, 71 (2005) 1685–1693.

Compant S., Reiter B., Nowak J., Sessitsch A., Clement C., Barka E.A., “Endophytic Colonization of *Vitis vinifera* L. by Plant Growth- Promoting Bacterium *Burkholderia* sp. Strain PsJN”. *Appl. Environ. Microbiol*, 71 (2005) 1685–1693.

Compant S., Clement C., Sessitsch A., “Plant growth-promoting bacteria in the rhizo- and endosphere of plants: Their role, colonization, mechanisms involved and prospects for utilization”. *Soil Biol. Biochem*, 42 (2010) 669–678.

Castanheira N.L., Dourado A.C., Pais I., Semedo J., Scotti-Campos P., Borges N., Carvalho G., Barreto-Crespo M.T., Fareleira P., “Colonization and beneficial Effects on annual ryegrass by mixed inoculation with plant growth promoting Bacteria”. *Microbiol. Res*, 198 (2017) 47–55.

Clay K., Holah J., “Fungal endophyte symbiosis and plant diversity in successional fields”. *Science*, 285 (1997) 1742-1745.

Chen M., Licon K., Otsuka R., Pillus L., Ideker T., “Decoupling epigenetic and genetic effects through systematic analysis of gene position”. *Cell Rep*, 3 (2013) 128-37.

Cho Y., Cramer R.A., Kim K.H., Davis J., Mitchell T.K., Figuli P., Pryor B.M., Lemasters E., Lawrence C.B., “The *Fus3/Kss1* MAP kinase homolog *Amk1* regulates the expression of genes encoding hydrolytic enzymes in *Alternaria brassicicola*”. *Fungal Genet Biol*, 44 (2007) 543-53.

Cappuccino J.G., Sherman N., “Microbiology: A Laboratory Manual. 6th Edition, Pearson Education Inc”. San Francisco, 7 (2002)15-224.

Cui P., Doua T.Y., Suna Y.P., Li S.Y., Fenga L., Zoua L.W., Wanga P., Haoc D.C., Gea G.B., Yang L., “Efficient enzymatic preparation of esculentoside B following condition optimization by response surface methodology”. J Mol Catal B Enzym, 130 (2016) 25–31.

Canel C., Moraes R.M., Dayan F.E., Ferreira D., “Molecules of interest, podophyllotoxin”. Phytochem., 54 (2000) 115-120.

Charan R.D., Schlingmann G., Janso J., Bernan V., Feng X., Carter G.T., “Diazepinomicin, a new antimicrobial alkaloid from marine *Micromonospora* sp.” J. Nat. Prod., 67 (2004)1431-1433.

Castillo U., Harper J.K., Strobel G.A., Sears J., Alesi K., Ford et al., “Kakadumycins, novel antibiotics from *Streptomyces* sp. NRRL 30566, an endophyte of *Grevillea pteridifolia*”. FEMS Microbiol Lett, 224 (2003) 183-190.

Castillo U.F., Strobel G.A., Ford E.J., Hess W.M., Porter H., Jensen et al., “Munumbicins, wide-spectrum antibiotics produced by *Streptomyces* NRRL 30562, endophytic on *Kennedianigriscans*”. Microbiology, 148 (2002) 2675-85.

Castillo U.F., Strobel G.A., Mullenberg K., Condron M.M., Teplow D.B., Folgiano et al., “Munumbicins E-4 and E-5: Novel broad-spectrumantibiotics from *Streptomyces* NRRL3052”. FEMS Microbiol Lett, 255 (2006) 296-300.

Castillo U.F., Strobel G.A., Ford E.J., Hess W.M., Porter H., Jensen J.B., Albert H., Robinson R., Condrón M.A., Teplow et al., “Munumbicins, wide-spectrum antibiotics produced by *Streptomyces* NRRL 30562, endophytic on *Kennedia nigricans*”. *Microbiol*, 148 (2002) 2675–2685.

Cai et al., *Scolopendra subspinipes mutilans* attenuates neuroinflammation in symptomatic hSOD1G93A mice”. *J. Neuroinflammation*, 10 (2013) 131–139.

Darshan N., Manonmani H.K., “Prodigiosin and its potential applications”. *J Food Sci Technol*, 52 (2015) 5393–5407.

Digrak M., Hakki-Alma M., Ilcim A., “Antibacterial and Antifungal Activities of Turkish Medicinal Plants”. *Pharmaceutical Biology*, 39 (2001) 346–350.

Dolak L. A., Castle T. M., Hannon B. R., Argoudelis A. D., Reusse F., “Fermentation, Isolation, Characterization and Structure of nitroso fungin”. *AJPCR*, 9 (1983) 1425-1430.

Demain A.L., Fang A., “The Natural Functions of Secondary Metabolites”. In: Fiechter, A., Ed., *History of Modern Biotechnology I, Advances in Biochemical Engineering/Biotechnology*, 69 (2000) 1-39.

Dong Z., Canny M.J., McCully M.E., Roboredo M.R., Cabadilla C.F., Ortega E., Rodes R., “A Nitrogen-Fixing Endophyte of Sugarcane Stems (A New Role for the Apoplast)”. *Plant Physiol*, 105 (1994) 1139–1147.

Doty S.L., Functional Importance of the Plant Endophytic Microbiome: Implications for Agriculture, Forestry, and Bioenergy. In Functional Importance of the Plant Microbiome; Doty, S.L., Ed.; Springer International Publishing: New York, NY, USA, (2017)1–5.

Ding L., Armin M., Heinz-Herbert F., Wen-Han L., Christian H., “A family of multi-cyclic indolosesquiterpenes from a bacterial endophyte”. *Org Biomol Chem*, 9 (2011) 4029-31.

Duijff B.J., Gianinazzi-Pearsonand V., Lemanceau P., “Involvement of the outer membrane lipopolysaccharides in the endophytic colonization of tomato roots by biocontrol *Pseudomonas fluorescens* strain WCS417r”. *New Phytol*, 153 (1997) 325–334.

Danshiitsoodol N., Pinho C.A., Matoba Y., Kumagai T., Sugiyama M., “The mitomycin C (MMC)-binding protein from MMCproducing microorganisms protects from the lethal effect of bleomycin: crystallographic analysis to elucidate the binding mode of the antibiotic to the protein”. *J Mol Biol*, 360 (2006) 398–408.

Ding L., Munch J., Goerls H., Maier A., Fiebig H.H., Line et al., “Xiamycin, a pentacyclic indolo sesquiterpene with selective anti- HIV activity from a bacterial mangrove endophyte”. *Bioorg Med Chem Lett*, 20 (2010) 6685–6687.

De-Veras B., dos-Santos Y., Diniz K., Carelli G., dos-Santos E., “Screening of protease, cellulase, amylase and xylanase from the salt-tolerant and thermostable marine *Bacillus subtilis* strain SR60 version 1; peer review: 1 approved with reservations”. *F1000Research*, 1704 (2018) 1-8.

Dong B.X., Ye W.W., Han Y., Deng Z.X., Hong K., “Natural products from mangrove actinomycetes”. *Mar Drugs*, 12 (2014) 2590–2613.

Ding L., Münch J., Goerls H., Maier A., Fiebig H.H., Lin et al., “Xiamycin, a pentacyclic indolosesquiterpene with selective anti-HIV activity from a bacterial mangrove endophyte”. *Bioorg Med Chem Lett*, 20 (2010) 6685-7.

Ding L., Armin M., Heinz-Herbert F., Wen-Han L., Christian H., “A family of multi-cyclic indolosesquiterpenes from a bacterial endophyte”. *Org Biomol Chem*, 9 (2011) 4029-4031.

De Boer W., Folman L.B., Summerbell R.C., Boddy L., “Living in a fungal world: impact of fungi on soil bacterial niche development”. *FEMS Microbiol Rev*, 29 (2005) 795-811.

De-Leo V., Musacchio M.C., Cappelli V., Massaro M.G., Morgante G., Petraglia F., “Genetic, hormonal and metabolic aspects of PCOS: an update”. *Reprod Biol Endocrinol*, 14 (2016) 38-46.

Demain A.L., “Pharmaceutically active secondary metabolites of microorganisms”. *Applied Microbiology and Biotechnology*, 52(1995) 455-463.

Deshmukh S. K., Mishra P. D., Kulkarni-Almeida et al., “Anti-inflammatory and anticancer activity of ergoflavin isolated from an endophytic fungus”. *Chemistry and Biodiversity*, 6 (2009) 784–789.

Ding G., Zheng Z., Liu S., Zhang H., Guo L., Che Y., “Photinides A-F, cytotoxic benzofuranone-derived  $\gamma$ lactones from the plant endophytic fungus *Pestalotiopsis photiniae*,” *Journal of Natural Products*, 72 (2009) 942– 945.

Donald T., Wicklow S., Roth S.T., Deyrup J.B.G., “protective endophyte of maize: *Acremonium zeae* antibiotics inhibitory to *Aspergillus flavus* and *Fusarium verticillioides*”. *Mycological Research*, 109 (2005) 610-618.

Eyberger A. L., Dondapati R., Porter J. R., “Endophyte fungal isolates from *Podophyllum peltatum* produce podophyllotoxin”. *Journal of Natural Products*, 69 (2006) 1121–1124.

Elliah P., Srinivasulu B., Adinarayana K., “Optimization studies on neomycin production by a mutant strain of *Streptomyces marinensis* in solid state fermentation process”. *Biochemistry*, 39 (2000) 529-34.

Espinasse S., Gohar M., Lereclus D., Sanchis V., “An ABC transporter from *Bacillus thuringiensis* is essential for betaexotoxin I production”. *J Bacteriol*, 184 (2002) 5848–5854.

Franche C., Lindstrom K., Elmerich C., “Nitrogen-fixing bacteria associated with leguminous and non-leguminous plants”. *Plant and Soil*, 321(2009) 35-59.

Fabrizio A., Giuseppe A., Fabrizio B., Lisa B., Romina B., Monia C., Gabriella C., Laura Estea D., Ilenia D., Patrizia S., Elena M., “Survey characterization and antimicrobial susceptibility of *Clostridium difficile* from marine bivalveshell fish of North Adriatic Sea”. *International Journal of Food Microbiology*, 298 (2019) 74-80.

Francisco C., Gallegos G., Cristobal M., Aguilar N., “Antifungal Properties of Bioactive Compounds from Plants”. *Fungicides for Plant and Animal Diseases*, (2014) 81-106.

Findlay I., Taylor A., Quirke P., Frazier R., Urquhart A., “DNA fingerprinting from single cells”. *Nature*, 389 (1997) 555–556.

Fang A., Pierson D.L., Mishra S. K., Demain A. L., “Growth of *Streptomyces hygroscopicus* in rotating-wall bioreactor under simulated microgravity inhibits rapamycin production”. *Applied Microbiology and Biotechnology*, 54 (2000) 33–36.

Fjaervik E., Zotchev S.B., “Biosynthesis of the polyene macrolide antibiotic nystatin in *Streptomyces noursei*”. *Appl Microbiol Biotechnol*, 67 (2005) 436–443.

Francis I.M., Jourdan S., Fanara S., Loria R., Rigali S., “The cellobiose sensor CebR is the gatekeeper of *Streptomyces scabies* pathogenicity”. *MBio*, 60 (2015) 2018-14.

Fares A., “Winter cardiovascular diseases phenomenon”. *N. Am. J. Med. Sci*, 5 (2013) 266–279.

Firakova S., Sturdikova M., “Muckova M. Bioactive secondary metabolites produced by microorganisms associated with plants”. *Biologia*, 62 (2007) 251- 7.

Farooq M., Hussain M., Wahid A., Siddique K.H.M., “Drought stress in plants: an overview. In: Aroca R, editor. *Plant responses to drought stress*”. Berlin Springer, 9 (2012) 1–5.

Firakova S., Sturdikova M., Muckova P., “Bioactive secondary metabolites produced by microorganisms associated with plants”. *Biologia*, 62 (2007) 251–257.

Ganeshaiyah K. N., “Chemical profiling of *N. nimmoniana* for camptothecin, an important anticancer alkaloid: towards the development of a sustainable production system, in *Bioactive Molecules and Medicinal Plants*”. K. G. Ramawat and J. Merillion, 9 (2008)198–210.

Gangadevi V., Muthumary J., “Taxol an anticancer drug produced by an endophytic fungus *Bartalinia robillardoides* Tassi, isolated from a medicinal plant”. *Aegle marmelos* Correa ex Roxb, *World Journal of Microbiology and Biotechnology*, 24 (2008) 717–724.

Gangadevi V., Muthumary J., "Taxol production by *Pestalotiopsis terminaliae*, an endophytic fungus of *Terminalia arjuna* (arjun tree)". *Biotechnology and Applied Biochemistry*, 52 (2009) 9–15.

Glick B.R., "Plant growth-promoting bacteria: mechanisms and applications". *Scientifica*, 9 (2012) 45-49.

Gordaliza M., Garcia P. A., "Miguel Del Corral J. M., Castro M. A., Gomez-Zurita M. A., Podophyllotoxin: distribution, sources". applications and new cytotoxic derivatives, *Toxicon*, 44 (2004) 441–459.

Goutam M., Giriya pura C., Mishra S.K., Gupta S., "A literature reviews". *Indian J Dermatology*, 59 (2014) 630- 635.

Graciela P., Technological characterization of lactic acid bacteria from Tenerife cheese. *International journal of food science and technology*, 38 (2003) 537-546.

Gendy M.M., Bondkly A.M., "Production and genetic improvement of a novel antimycotic agent, saadamycin, against dermatophytes and other clinical fungi from endophytic *Streptomyces* sp. Hedaya 48". *J Ind Microbiol Biotechnol*, 37 (2010) 831–841.

Geddes C.C., Nieves I.U., Ingram L.O., "Advances in ethanol production". *Curr Opin Biotechnol*, 22 (2007) 312–319.

Guo B., Wang Y., Sun X., Tang K., "Bioactive natural products from endophytes: a review". *Applied Biochemistry and Microbiology*, 44 (2008) 136–142.

Goff S.A., Klee H. J., "Plant volatile compounds: sensory cues for health and nutritional value?". *Science*, 311 (2006) 815–9.



Garo E., Starks C.M., Jensen P.R., Fenical W., Lobkovsky E., Clardy J., “Trichodermamides a and b, cytotoxic modified dipeptides from the marine-derived fungus *Trichoderma virens*”. J. Nat. Prod., 66 (2003) 423-426.

Gary A. S., “Microbial gifts from rain forests”. Canadian Journal of Plant Pathology, 24 (2002) 14-20.

Gyaneshwar P., James E.K., Mathan N., Reddy P.M., Reinhold-hurek B., Jagdish K., “Endophytic Colonization of Rice by a Diazotrophic Strain of *Serratia Marcescens*”. J. Bacteriol, 183 (2001) 2634–2645.

Germaine K., Keogh E., Garcia-Cabellos G., Borremans B., Lelie D., Barac T., Oeyen L., Vangronsveld J., Moore F.P., Moore et al., “Colonisation of poplar trees by gfp expressing bacterial endophytes”. FEMS Microbiol. Ecol, 48 (2004) 109–118.

Hallmann J., Quadt-Hallmann A., Rodriguez-K'abana R., Kloepper J.W., “Interactions between *Meloidogyne incognita* and endophytic bacteria in cotton and cucumber”. Soil Biol Biochem, 30 (1998) 925–937.

Germaine K., Keogh E., Borremans B., “Colonisation of poplar trees by gfp expressing bacterial endophytes”. FEMS Microbiol Ecol, 48 (2004) 109–118.

Hayat M.A., “Principles and Techniques of Electron Microscopy”. Academic press New York, 1989.

Hardoim P.R., van-Overbeek L.S., Berg G., Pirttila A.M., Compant S., Campisano A., Doring M., Sessitsch A., “the hidden world within Plants: Ecological and evolutionary considerations for defining functioning of microbial endophytes”. *Microbiol. Mol. Biol. Rev.*, 79 (2015) 293–320

Harrison L.H., Teplow D.B., Rinaldi M., Strobel G., “Pseudomycins, a family of novel peptides from *Pseudomonas syringae* possessing broad-spectrum antifungal activity”. *J Gen Microbiol*, 137 (1991) 2857-65.

Hardoim P.R., van-Overbeek L.S., Berg G., Pirttila A.M., Compant S., Campisano A., Doring M., Sessitsch A., “the hidden world within Plants: Ecological and evolutionary considerations for defining functioning of microbial endophytes. *Microbiol*”. *Mol. Biol. Rev.*, 79 (2015) 293–320.

Horwitz S.B., Cohen D., Rao S., Ringel I., Shen H.J., Yang C.P., “Taxol: mechanisms of action and resistance”. *Journal Natural Cancer Inst Monogr*, 15 (1993) 55-61.

Hesse A.R., “Secondary Trauma: How Working with Trauma Survivors Affects Therapists”. *Clinical Social Work Journal*, 30 (2002) 293–309.

Isaka M., Jaturapat A., Rukseree K., Danwisetkanjana K., Tanticharoen M., Thebtaranonth Y., “Phomoxanthonones A and B, novel xanthone dimers from the endophytic fungus *Phomopsis* species”. *Journal of Natural Products*, 64 (2001) 1015–1018.

Iniguez A.L., Dong Y. Triplett E.W., “Nitrogen fixation in wheat provided by *Klebsiella pneumoniae* 342”. *Mol. Plant Microbe Interact*, 17 (2004) 1078–1085.

Isaka M., Jaturapat A., Rukseree K., Danwisetkanjana K., Tanticharoen M., Thebtaranonth Y., “Phomoxanthonones A and B, Novel Xanthone Dimers from the Endophytic Fungus *Phomopsis* Species”. *Journal of Natural Products*, 07 (2001) 01-04.

Idriss E.E., Makarewicz O., Farouk A., Rosner K., Greiner R., Bochow H., Richter T., Borriss R., “Extracellular phytase activity of *Bacillus amyloliquefaciens* FZB45 contributes to its plant-growth-promoting effect”. *Microbiology*, 148 (2002) 2097-2109.

Itthayakorn P., Saisamorn L., Vijaykrishna D. A., “Phylogenetic Evaluation of Whether Endophytes Become Saprotrophs at Host Senescence”. *Microbial Ecology* 53 (2007) 579-90.

Idriss E.E., Makarewicz O., Farouk A., Rosner K., Greiner R., Bochow H., Richter T., Borriss R., “Extracellular phytase activity of *Bacillus amyloliquefaciens* FZB45 contributes to its plant-growth-promoting effect”. *Microbiology*, 148 (2002) 2097-2109.

Itoh T., Kinoshita M., Aoki S., Kobayashi M., Komodoquinone A., “A novel neutritogenic anthracycline, from marine *Streptomyces* sp. KS3”. *J. Nat. Prod.*, 66 (2003)1373-1377.

Joseph B., Sujatha S., “Pharmacologically important natural products from marine sponges”. *J. Nat. Prod.*, 4 (2011) 5-12.

Jamal M. T., Mudarris M .S .A., “Separation of YbdN Bioactive Protein from *Bacillus subtilis* Isolated from the Red Sea algae *Sargassum* sp. with Bioactivity against Antibiotic Resistant Bacterial Pathogens”. *Journal of King Abdulaziz University*, 21 (2010) 01-64.

Joshi S.R., Nongkhlaw F., “Investigation on the bioactivity of culturable endophytic and epiphytic bacteria associated with ethnomedicinal plants”. *Infect Dev Ctries*, 9 (2015) 954-961.

Joao L.A., Welington L.A., Paulo T. L., “The diversity of citrus endophytic bacteria and their interactions with *Xylella fastidiosa* and host plants”. *Genetics and Molecular Biology*, 39 (2006) 476-491.

John A., McInroy J. K., Mcinroy J.A., Kloepper J.W., “Survey of indigenous bacterial endophytes from cotton and sweet corn. *Plant Soil*”. *Plant and Soil*. 173 (1995) 337-342.

Jing E., Gesta S., Kahn C. R., “SIRT2 regulates adipocyte differentiation Through FoxO1 acetylation/deacetylation”. *Cell Metab*, 6 (2007) 105-14.

John, M. W., “Microbial interactions and biocontrol in the rhizosphere”. *Journal of Experimental Botany*, 52(2001) 487–511.

Jussara A., Carrim I., Barbosa E.C., Daniel J., Vieira G., “Enzymatic Activity of Endophytic Bacterial Isolates of *Jacaranda decurrens* Cham”. (Carobinha-do-campo). *Brazilian archives of biology and technology*, 49 (2006) 353-359.

Javid M.G., Sorooshzadeh A., Moradi F., Sanavy S.A.M., Allahdadi I., “The role of phytohormones in alleviating salt stress in crop plants”. *AJCS*, 5 (2011) 726–734.

Jew S. S., Kim H. J., Goo M. Kim et al., “Synthesis and in vitro cytotoxicity of hexacyclic Camptothecin analogues”. *Bioorganic and Medicinal Chemistry Letters*, 9 (1999) 3203–3206.

Jordan M. A., Wilson L., “Microtubules as a target for anticancer drugs”. *nature review cancer*, 4 (2004) 253-65.

Jensen L.M., Wallis I.R., Marsh K.J., Moore B.D., Wiggins N.L., Foley W.J., "Four species of arboreal folivore show differential tolerance to a secondary metabolite". *Oecologia*, 176 (2014) 251–8.

Kehrer D.F.S., Soepenber O., Loos W.J., Verweij J., Sparreboom A., "Modulation of camptothecin analogy in the treatment of cancer: a review". *Anti-Cancer Drugs*, 12 (2001) 89–105.

Klemke C., Kehraus S., Wright A. D., Konig G.M., "New secondary metabolites from the marine endophytic fungus *Apiosporamontagnei*." *Journal of Natural Products*, 67 (2004) 1058–1063.

Kulkarni M.M., Khandeparkar S.G.S., Joshi A.R., Bhayekar P.V., "Unilateral gonadoblastoma with dysgerminoma in normal fertile woman having a child: Extremely rare occurrence with characteristic". *Immunohistomorphology*, 59 (2016) 527-529.

Korkina L. G., "Phenylpropanoids as naturally occurring antioxidants: from plant defense to human health". *Cellular and Molecular Biology*, 53 (2007) 15–25.

Koshino H., Terada S.I., Yoshihara T., "Three phenolic acid derivatives from stromata of *Epichloe typhina* on *Phleum pratense*", *Phytochemistry*, 27 (1988)1333–1338.

Koshino H., Togia S., Terada S.I., Yoshihara T., Sakamura S., Shimanuki T., Sato T., Tajimi A., "New fungitoxic sesquiterpenoids, chokols A-G, from stromata of *Epichloe typhina* and the absolute configuration of chokol". *Agric Biol Chem*, 53 (1998) 789–796.

Kour A., Shawl A. S., Rehman S., "Isolation and identification of an endophytic strain of *Fusariumoxysporum* producing podophyllotoxin from *Juniperus recurve*". *World Journal of Microbiology and Biotechnology*, 24 (2008) 1115–1121.

Kumar A., Singh P.K., Parihar R., Dwivedi V., Lakhota S.C., Ganes, S., “Decreased O-Linked GlcNAcylation Protects from Cytotoxicity Mediated by Huntingtin Exon1 Protein Fragment”. J. Biol. Chem, 289 (2014) 13543-13553.

Kumar A., Singh R., Yadav A., Giri D.D., Singh P.K., Pandey K.D., “Isolation and characterization of bacterial endophytes of *Curcuma longa* L”. 3 Biotech, 6 (2016) 34-39.

Kumar M., Dandapat S., Kumar A., Sinha M.P., “Anti-typhoid activity of *Adhatoda vasica* and *Vitex negundo* Persian Gulf Crop Protection, 2 (2013) 64-75.

Kumar M., Dandapat S., Kumar A., Sinha M.P., “Determination of Nutritive value and mineral elements of five-leaf chaste tree (*Vitex negundo* L.) and Malabar Nut (*Adhatoda vasica* Nees)”. Academic Journal of Plant Sciences, 6 (2013) 103-108.

Kumar V., Kumar A., Pandey K.D., Roy B.K., “Isolation and characterization of bacterial endophytes from the roots of *Cassia tora* L”. Ann Microbiol, 65(2015) 1391–1399.

Kusari S., Lamshoft M., piteller M. S., “*Aspergillus fumigatus* Fresenius, an endophytic fungus from *Juniperus communis* L. Horstmann as a novel source of the anticancer pro-drug deoxypodophyllotoxin,” Journal of Applied Microbiology, 107 (2009)1019–1030.

Kusari S., Zuhlke S., Spitteller M., “An endophytic fungus from *Camptotheca acuminata* that produces camptothecin and analogues”. Journal of Natural Products, 72 (2009) 2–7.

Karl H.K., Philipp F., Ralph H., “Endophyte or parasite--what Decides”. Current Opinion in Plant Biology, 9 (2006) 358-63.

Kong et al. “Antithrombotic Peptides from *Scolopendra subspinipes mutilans* Hydrolysates”. In: *J. Pept. Res*, 20 (2014) 245–252.

Kirk O., Borchert T.V., Fuglsang C.C., “Industrial enzyme applications”. *Curr Opin Biotechnol*, 13 (2002) 345–351.

Kumar A., Singh R., Giri D.D., Singh P.K., Pandey K.D., Effect of *Azotobacter chroococcum* CL13 inoculation on growth and curcumin content of turmeric (*Curcuma longa* L.)”. *Int J Curr Microbiol Appl Sci*, 3 (2014) 275–283.

Khanam B., Chandra R., “Isolation and identification of endophytic bacteria producing bright red pigment from the dye yielding plant *Beta vulgaris* L”. *Int J Pharm Pharm Sci*, 7 (2015) 220–224.

Kai H., Yamashita M., Takase S., Hashimoto M., Muramatsu H., Nakamura et al., KB425796-A, a novel antifungal antibiotic produced by *Paenibacillus* sp. 530603”. *J Antibiot*, 66 (2013) 465–471.

Kong Y., Huang S. L., Shao Y., Li S., Wei J.F., “Purification and characterization of a novel antithrombotic peptide from *Scolopendra subspinipes mutilans*”. *J. Ethnopharmacol*, 145 (2013) 182–186.

Katagiri K., Yoshida T., Sato K., “Quinoxaline antibiotics. In: Corcoran JW, Hahn FE, editors. *Antibiotics Mechanism of Action of Antimicrobial and Antitumour Agents*”. Heidelberg: Springer Verlag, (1975) 234-251.

Klich M. A., “Identification of Common *Aspergillus* species”. *Journal of mycologist*, 17 (2002) 126-132.

Kathiresan K., Balagurunathan R., Selvam M.M., “Fungicidal activity of marine actinomycetes against phytopathogenic fungi”. *Ind J Biotechnol*, 4 (2005) 271-276.

Khan D., McGrath K.R., Dorosheva O., Bankaitis V.A., Tripathi A., “Structural elements that govern Sec14-like PITP sensitivities to potent small molecule inhibitors”. *J Lipid Res*, 57 (2016) 650-662.

Kannadan S., Jennifer, R., “Endophyte symbiosis benefits a rare grass under low water availability”. *Functional Ecology*, 22(2008) 706-713.

Kannan M., Riekhof W. R., Voelker D. R., “Transport of phosphatidylserine from the endoplasmic reticulum to the site of phosphatidylserine decarboxylase2 in yeast”. *Traffic*, 16 (2015) 123-134.

Kandel S.L., Herschberger N., Kim S.H., Doty S.L., “Diazotrophic endophytes of poplar and willow for growth promotion of rice plants in nitrogen-limited conditions”. *Crop Sci*, 55 (2015) 1765–1772.

Khan Z., Rho H., Firrincieli A., Hung S.H., Luna V., Masciarelli O., Kim S.H., Doty S.L., “Growth enhancement and drought tolerance of hybrid poplar Upon inoculation with endophyte consortia”. *Curr. Plant Biol*, 6 (2016) 38–47.

Knoth J.L., Kim S.H., Ettl G.J., Doty S.L., “Effects of cross host species inoculation of nitrogen-fixing endophytes on growth and leaf physiology of maize”. *GCB Bioenergy*, 5 (2012) 408–418.



Khan Z., Roman D., Kintz T., Delas-Alas M., Yap R., Doty S., “Degradation, phytoprotection and phytoremediation of phenanthrene by endophyte *Pseudomonas putida*, PD1”. *Environ. Sci. Technol*, 48 (2014) 12221–12228.

Khan Z., Doty S.L., “Characterization of bacterial endophytes of sweet potato Plants”. *Plant Soil*, 322 (2009) 197– 207.

Karunai-Selvi B., Balagengatharathilagam P., “Isolation and Screening of Endophytic fungi from medicinal plants of virudhunagar district for antimicrobial Activity”. *International journal of science and nature*, 5 (2014) 147-155.

Long H.H., Schmidt D.D., Baldwin I.T., “Native bacterial endophytes promote Host growth in a species-specific manner; phytohormone manipulations do not Result in common growth responses”. *PLoS ONE*, 3 (2008) 2702- 2709.

Lugtenberg B., Kamilova F., “Plant-Growth-Promoting Rhizobacteria”. *Annual Review of Microbiology*, 63 (2009) 541-556.

Lu P., Rangan A., Chan S.Y., Appling D.R., Hoffman D.W., Marcotte E.M., “Global metabolic changes following loss of a feedback loop reveal dynamic steady states of the yeast metabolome”. *Metab Eng*, 9 (2007) 8-20.

Lima M. E. P., Carneiro M. E., Nascimento A. E., Grangeiro T. B., Holanda M. L., Amorim R. C. N., Benevides N. M. B., “Purification of a lectin from the marine red alga *Gracilaria cornea* and its effects on the cattle tick *Boophilus microplus* (Acari: Ixodidae)”. *J. Agric. Food Chem*, 53 (2005) 6414-6419.

Lehtimäki J., Moisander P.H., Sivonen K., Kononen K., “Growth, Nitrogen Fixation, and Nodularin Production by Two Baltic Sea Cyanobacteria. Applied and Environmental Microbiology, 63 (1997) 1647-56.

Lee K. H., Qi G.H., Sim J. S., “Metabolizable energy and amino acid availability of full-fat seeds, meals, and oils of flax and canola”. Poultry Sci, 74 (1995) 1341-1348.

Lee C., Parikh V., Itsukaichi T., Bae K., Edery I., “Resetting the Drosophila clock by photic regulation of PER and a PER-TIM complex”. Science, 271 (1996) 1740-1744.

Limona R.I., Penas E., Torino M.I., Villaluenga C.M., Duenas M., Frias J., “Fermentation enhances the content of bioactive compounds in kidney bean extracts”. Food Chem, 172 (2015) 343–352.

Limna-Mol V.P., Raveendran T.V., Parameswaran P.S., “Antifouling activity exhibited by secondary metabolites of the marine sponge, *Haliclona exigua* (Kirkpatrick)”. Int. Biodeter. Biodeg., 63 (2009) 67-72.

Lee S.H., Park M.H., Heo S.J., Kang S.M., Ko S.C., Han J.S., “Dieckol isolated from *Ecklonia cava* inhibits  $\alpha$ -glucosidase and  $\alpha$ -amylase in vitro, and alleviates postprandial hyperglycemia in streptozotocin-induced diabetic mice”. Food Chem. Toxicol., 48 (2010) 2633-2637.

Lee S.H., Kang S.M., Ko S.C., Lee D.H., Jeon Y.J., “Octaphloretol A, a novel phenolic compound isolated from a brown alga, *Ishige foliacea*, increases glucose transporter 4-mediated glucose uptake in skeletal muscle cells”. Biochem. Biophys. Res. Commun., 420 (2012) 576-581.

Liu J., Wang X., Pu H., Liu S., Kan J., Jin C., “Recent advances in endophytic exopolysaccharides: Production, structural characterization, physiological role and biological activity”. *Carbohydr. Polym.*, 157 (2017) 1113–1124.

Lu H.W., Chong C.R., Hu X., Liu J.O., “Fumarranol, a rearranged fumagillin analogue that inhibits angiogenesis in vivo”. *J. Med. Chem.*, 49 (2006) 5645-5648.

Luna M.F., Galar M.L., Aprea J., Molinari M.L., Boiardi J.L., “Colonization of sorghum and wheat by seed inoculation with *Gluconacetobacter diazotrophicus*. *Biotechnol. Lett.*, 32 (2010) 1071–1076.

Lin W., Brauers G., Ebel R., Wray V., Berg A., Sudarsono P.P., “Novel chromone derivatives from the fungus *Aspergillus versicolor* isolated from the marine sponge *Xestospongia exigua*”. *J. Nat. Prod.*, 66 (2003) 57-61.

Li X., Li X.M., Xu G.M., Li C.S., Wang B.G., “Antioxidant metabolites from marine alga-derived fungus *Aspergillus wentii* EN-48”. *Phytochem. Lett.*, 7 (2014) 120-123.

Lee H.W., Cho C.S., Kang S.K., Yoo Y.S., Shin J.S., Ahn S.K., “Design, synthesis, and antiangiogenic effects of a series of potent novel fumagillin analogues”. *Chem. Pharm. Bull.*, 55 (2007)1024-1029.

Lowicki D., Nski A.H., Structure and antimicrobial properties of Monensin A and its derivatives: summary of the achievements. *BioMed Research International*, (2013) 1-14.

Lambers H., Chapin F.S., Pons T.L., “Plant physiological ecology”. New York: Springer, 2008.

Liu et al., “Venomic and transcriptomic analysis of centipede *Scolopendra subspinipes dehaani*”. *J. Proteome. Re*, 11 (2012) 6197–6212.

Li Q.Y., Zu Y.G., Shi R.Z., Yao L.P., “Review camptothecin: current perspectives”. *Current Medicinal Chemistry*, 13 (2006) 2021–2039.

Liu X., Dong V., Chen V., Jiang V., Lv V., Zhou J., “Antimicrobial activity of an endophytic *Xylaria* sp. YX-28 and identification of its antimicrobial compound 7-amino-4-methylcoumarin”. *Applied Microbiology and Biotechnology*, 78 (2008) 241–247.

Lopez M.A., Bannenberg G., Castresana C., “Controlling hormone signaling is a plant and pathogen challenge for growth and survival”. *Curr Opin Plant Biol*, 11, (2008) 420–427.

Lu H., Xou W.X., Meng J.C., Hu J., Tan R.X., “New bioactive metabolites produced by *Colletotrichum* sp., an endophytic fungus in *Artemisia annua*”. *Plant Sci*, 151(2000) 67–73.

Ma Y., Zhang C., Oliveira R.S., Freitas H., Luo Y., “Bioaugmentation with endophytic bacterium E6S homologous to *Achromobacter piechaudii* enhances metal rhizoaccumulation in host *Sedum plumbizincicola*”. *Front Plant Sci*, 4 (2016) 75-79.

Margret E., Thomas H., Barbara R., “Preferential occurrence of diazotrophic endophytes, *Azoarcus* spp., in wild rice species and land races of *Oryza sativa* in comparison with modern races”. *Environmental Microbiology*, 2 (2000) 131-141.

Michael J., Waites Neil L., Morgan John S., Rockey G. H., “Industrial Microbiology: An Introduction”. Blackwell Science, book, (2001).

Muller P., Kutteneuler D., Gesellchen V., Zeidler M.P., Boutros M., “Identification of JAK/STAT signalling components by genome-wide RNA Interference”. *Nature*, 436 (2005) 871-875.

Miche L., Balandreau J., “Effects of rice seed surface sterilization with hypochlorite on inoculated *Burkholderia vietnamiensis*”. *Appl Environ Microbiol*, 67 (2001) 3046–3052.

Meneses C.H.S.G., Rouws L.F.M., Simoes-Araujo J.L., Vidal M.S., Baldani J.I., “Exopolysaccharide production is required for biofilm formation and plant colonization by the nitrogen-fixing endophyte *Gluconacetobacter diazotrophicus*”. *Mol Plant Microbe Interact*, 24 (2011) 1448-58.

“Exopolysaccharide production is required for biofilm formation and plant colonization by the nitrogen-fixing endophyte *Gluconacetobacter diazotrophicus*. *Mol*”. *Plant Microbe Interact*, 24 (2011) 1448–1458.

Meneses C., Goncalves T., Alqueres S., Rouws L., Serrato R., Vidal M., Baldani J.I., “*Gluconacetobacter diazotrophicus* exopolysaccharide protects bacterial cells against oxidative stress in vitro and during rice plant colonization”. *Plant Soil*, 416 (2017) 133–147.

Matthysse A.G., “Attachment of *Agrobacterium* to plant surfaces”. *Front. Plant Sci*, 5 (2014) 1–8.

Martinez-Viveros O., Jorquera M.A., Crowley V. G., Mora M.L., “Mechanisms and practical considerations involved in plant growth promotion by rhizobacteria. *J. Soil Sci*”. *Plant Nutr*, 10 (2010) 293 – 319.

Matthew W., Michael N W., “Emerging tools for measuring and modeling in situ activity of soil extracellular enzymes”. *Soil Biology and Biochemistry*, 40 (2008) 2098-2106.

Mohos V., Panovics A., Fliszar-Nyul et al., “Inhibitory Effects of Quercetin and Its Human and Microbial Metabolites on Xanthine Oxidase Enzyme”. *Int. J. Mol. Sci.*, 20 (2019) 3-16.

Merritt S., David E., Wilford M., Hess J.S., Strobel G., “An endophytic *Gliocladium* sp. of *Eucryphia cordifolia* producing selective volatile antimicrobial compounds”. *Plant Science*, 165 (2003) 913-922.

Mahmoud S.S., Croteau R.B., “Strategies for transgenic manipulation of monoterpene biosynthesis in plants”. *Trends Plant Sci*, 7 (2002) 366–373.

Miklos F., Jonathan M., “Schmidt. Property Distributions: Differences between Drugs, Natural Products, and Molecules from Combinatorial Chemistry”. *J. Chem. Inf. Comput. Sci.*, 43, (2003) 218-227.

Mostafa A., “Gold nanoparticles: Optical properties and implementations in cancer diagnosis and photothermal therapy”. *Journal of Advanced Research*, 1 (2010) 13-28.

Raper K.B., Fennell D.I., “*Bacillus subtilis* Strains with Antifungal Activity against the Phytopathogenic Fungi”. *Journal of Agricultural Sciences*, 8 (1965) 686-692.

Maskey R.P., Helmke E., Kayser O., Fiebig H.H., Maier A., Busche A., Laatsch H., “Anti-cancer and antibacterial trioxacarcins with high anti-malaria activity from a marine streptomycete and their absolute stereochemistry”. *J. Antibiot.*, 57 (2004) 771-779.

Maskey R.P., Li F.C., Qin S., Fiebig H.H., Laatsch H., Chandrananimycins A., “production of novel anticancer antibiotics from a marine *Actinomadura* sp. isolate M048 by variation of medium composition and growth conditions”. *J. Antibiot.*, 56 (2003) 622-629.

Miller C.M., Miller R.V., Garton-Kenny D., Redgrave B., Sears J., Condrón et al., “Ecomycins, unique antimycotics from *Pseudomonas viridiflava*”. *J Appl Microbiol* 84 (1998) 937-44.

Miller C.M., Miller R.V., Garton-Kenny D., Redgrave B., Sears J., Condrón et al., “Ecomycins, unique antimycotics from *Pseudomonas viridiflava*”. *J Appl Microbiol*, 84 (1998) 937-44.

Miller R.V., Miller C.M., Kinney D.G., Redgrave B., Sears J., Condrón et al., “Ecomycins, unique antimycotics from *Pseudomonas viridiflava*”. *J Appl Microbiol*, 84 (1998) 937-944.

Mark N., Greenwald R.A., Hillen W., Nelson M.L., “: Tetracyclin in biology, chemistry and medicine. Basel: Birkhauser, 8 (2001) 34-39.

Mahmoud A.Y., Abdallah H.M., El-Halawani M.A., Jiman-Fatani A.A.M., “Anti-tuberculous activity of Treponemycin produced by a *Streptomyces* strain MS-6-6 isolated from Saudi Arabia”. *Molecules*, 20 (2015) 2576-2590.

Miao V., “Daptomycin biosynthesis in *Streptomyces roseosporus*: cloning and analysis of the gene cluster and revision of peptide stereochemistry”. *Microbiology*, 151 (2005) 1507-1523.

Mitsuhashi S., “Current topics in the biotechnological production of essential amino acids, functional amino acids, and dipeptides”. *Curr Opin Biotechnol*, 26 (2014) 38-44.

Morikawa K., Takeda fi., Yamazaki M., Mizuno D., “Preclinical Efficacy and Safety Assessment of an Antibody-Drug Conjugate Targeting the c-RET Proto-Oncogene for Breast Carcinoma”. *Cancer Res*, 45 (2015) 1496-1451.

Merino S.T., Cherry J., “Progress and challenges in enzyme development for biomass utilization”. *Adv Biochem Eng Biotechnol*, 108 (2007) 95-120.

Maroof A., Muzaffer H., Manoj K.D., Sanjana Kaul., “Isolation of microbial endophytes from some ethnomedicinal plants of Jammu and Kashmir”. *J. Nat. Prod. Plant Resour*, 2 (2012) 215-220.

Mitter B., Pfaffenbichler N., Flavell R., Compant S., Antonielli L., Petric A., Berninger T., Naveed M., Sheibani-Tezerji R., Von-maltzahn et al., “A new approach to modify plant microbiomes and traits by introducing beneficial bacteria at flowering into progeny seeds”. *Front. Microbiol*, 8 (2017) 1–10.

Meenakshi., Maheshwari R.C., “Fluoride in Drinking Water and Its Removal”. *Journal of Hazardous Materials*, 137 (2006) 456-463.

Ma W., Zhang D., Zheng L., Zhan Y., Zhang Y., “Potential roles of Centipede *Scolopendra* extracts as a strategy against EGFR-dependent cancers”. *Am. J. Transl. Res*, 7 (2015) 39–52.

Newman D. J., Cragg G. M., Snader K.M., “Natural Products as Sources of New Drugs over the Period 1981-2002. *Journal of natural product*, 66 (2003) 1022-1037.

Naveed M., Mitter B., Reichenauer T.G., Wieczorek K., Sessitsch A., “Increased drought stress resilience of maize through endophytic colonization by *Burkholderia phytofirmans* PsJN and *Enterobacter* sp. FD17”. *Environ. Exp. Bot*, 97 (2014) 30–39.

Nakao Y., Maki T., Matsunaga S., Van-Soest R.W., Fusetani N., Penasulfate A., “a new alpha-glucosidase inhibitor from a marine sponge *Penares* sp”. *J. Nat. Prod.*, 67 (2004) 1346-1350.

Newman J. D., Chappell J., “Isoprenoid biosynthesis in plants: carbon partitioning within the cytoplasmic pathway”. *Crit Rev Biochem Mol Biol*, 34 (1999) 95-106.



Nelson E.B., “The seed microbiome: Origins, interactions, and impacts”. *Plant Soil*, (2017) 1–28.

Newman D.J., Cragg G.M., “Natural Products as Sources of New Drugs from 1981 To 2014”.

*Journal of Natural Products*, 79 (2016) 629-61.

Naveed M., Mitter B., Yousaf S., Pastar M., Afzal M., Sessitsch A., “the endophyte *Enterobacter* sp. FD17: A maize growth enhancer selected based on rigorous testing of plant beneficial traits and colonization characteristics”. *Biol. Fertil. Soils*, 50 (2014) 249–262.

Oger S., Lagarce F., Couet W., Benoit J.P., “Enhanced oral paclitaxel bioavailability after administration of paclitaxel-loaded lipid nanocapsules”. *Pharmaceutical Research*, 23 (2006) 1243–1250.

Obianime A.W., Aprioku J.S., “Comparative study of artesunate, ACTs and their combinants on the hormonal parameters of the male Guinea-pig”. *Niger J Physiol Sci* 24 (2009) 101-106.

Oliveira A.L.M., Urquiaga S., Dobereiner J., Baldani J.I., The effect of inoculating endophytic N<sub>2</sub>-fixing bacteria on micropropagated sugarcane plants.” *Plant Soil*, 242 (2002) 205–215.

Prieto P., Schiliro E., Maldonado-Gonzalez M.M., Valderrama R., Barroso-Albarracin J.B., Mercado-Blanco J., “Root hairs play a key role in the endophytic colonization of olive roots by *Pseudomonas* spp. with biocontrol activity”. *Microb. Ecol*, 62 (2011) 435–445.

Patel J.K., Archana G., “Diverse culturable diazotrophic endophytic bacteria from Poaceae plants show cross-colonization and plant growth promotion in wheat”. *Plant Soil*, 417 (2017) 99–116.

Pandi M., Manikandan R., Muthumary J., “Anticancer activity of fungal taxol derived from *Botryodiplodia theobromae* Pat., an endophytic fungus, against 7, 12 dimethyl benz(a)anthracene (DMBA)-induced mammary gland carcinogenesis in Sprague dawley rats”. *Biomedicine and Pharmacotherapy*, 64 (2010) 48–53.

Posada F., Vega F.E., “Establishment of the fungal entomopathogen *Beauveria bassiana* (Ascomycota: Hypocreales) as an endophyte in cocoa seedlings (*Theobroma cacao*)”. *Mycologia*, 97 (2005) 1195–1200.

Pettit G.R., Knight J.C., Herald D.L., Pettit R.K., Hogan F., Mukku V.J.R.V., Hamblin J.S., Dodson M.J, Chapuis J.C., “Antineoplastic agents 570 Isolation and structure elucidation of bacillistatins 1 and 2 from a marine *Bacillus silvestris*”. *J. Nat. Prod.*, 72 (2009) 366-371.

Parmjit S.P., “Application of response surface methodology in the permeabilization of yeast cells for lactose hydrolysis”. *Biochem Eng Journal*, 39 (2008) 91–96.

Pichersky E., Gang D.R., “Genetics and biochemistry of secondary metabolites in plants: an evolutionary perspective”. *Trends Plant Sci*, 5 (2000) 439-445.

Percy C., Gronemeyer, J.L., Reinhold B., “Isolation and characterization of culturable seed-associated bacterial endophytes from gnotobiotically grown Marama bean seedlings”. *FEMS Microbiology Ecology*, 92 (2016) 01-11.

Pesic A., Steinhaus B., Kemper S., Nachtigall J., Kutzner H.J., Hofle G., Sussmuth R.D., “Isolation and structure elucidation of the nucleoside antibiotic strepturidin from *Streptomyces albus* DSM 40763”. *J Antibiot*, 67 (2014) 471–477.

Pinchuka I.V., Bressollier P., Sorokulova I.B., Verneuil B., Urdaci M.C., “Amicoumacin antibiotic production and genetic diversity of *Bacillus subtilis* strains isolated from different habitats”. *Res Microbiol.*, 153 (2002) 269–276.

Park J. H., Choi G.J., Lee et al., “Griseofulvin from *Xylaria* sp. strain F0010, an endophytic fungus of *Abies holophylla* and its antifungal activity against plant pathogenic fungi”. *Journal of Microbiology and Biotechnology*, 15 (2005) 112–117.

Pasut G., Veronese F. M., “PEG conjugates in clinical development or use as anticancer agents: an overview”. *Advanced Drug Delivery Reviews*, 61(2009) 1177–1188.

Pittayakhajonwut P., Suvannakad R., Thienhirun S., Prabpai S., Kongsaree S., Tanticharoen M., “An anti-herpes simplexvirus-type 1 agent from *Xylariamellisii* (BCC1005)”. *Tetrahedron Letters*, 46 (2005) 1341–1344.

Puri S. C., Nazi, A., Chawla R., “The endophytic fungus *Trametes hirsuta* as a novel alternative source of podophyllotoxin and related aryl tetralin lignans”. *Journal of Biotechnology*, 122 (2006) 494–510.

Puri S. G., Verma V., Amna T., Qazi G. N., Spiteller M., “An endophytic fungus from *Nothapodytes foetida* that produces camptothecin”. *Journal of Natural Products*, 68 (2005) 1717–1719.

Pichersky E., Gang D.R., "Genetics and biochemistry of secondary metabolites in plants an evolutionary perspective". *Trends in Plant Science*, 5 (2000) 439–45.

Queshi N., Porter J.W., “Conversion of acetyl-coenzyme A to isopentenyl pyrophosphate. In *Biosynthesis of Isoprenoid*. Porter”. John Wiley, New York, 1 (1981) 47-94.

Reyburn H., Goodman C., Snow R.W., “Abandoning Presumptive Antimalarial Treatment for Febrile Children Aged Less Than Five Years-A Case of Running Before We Can Walk”. *PLoS medicine*, 6 (2009) 7-9.

Rhoden S.A., Garcia A., Bongiorno V. A., Azevedo J.L., Pamphile, J.A., “Antimicrobial Activity of Crude Extracts of Endophytic Fungi Isolated from Medicinal Plant *Trichilia elegans* A. Juss”. *Journal of Applied Pharmaceutical Science*, 02 (2012) 57-59.

Romulo R.N., Alves-Ierece M.L., “Biodiversity, traditional medicine and public health”. *Journal of Ethnobiology and Ethnomedicine*, 14 (2007) 01-09.

Romero A., Carrion G., Rico-Gray V., “Fungal latent pathogens and Endophytes from leaves of *Parthenium hysterophorus* (Asteraceae)”. *Fungal Diversity*, 7 (2001) 81-87.

Rajasekaran L., Surette M.A., Sturz A.V., Jerzy N., “Characterization of endophytic plant growth promoting (PGP) bacteria, their location, population density, and biodiversity in processing carrots (*Daucus carota* L. var. *sativus*)”. *Plant and Soil*, 253 (2003) 381-390.

Rangjaroen C., Sungthong R., Rerkasem B., Teaumroong N., Noisangiam R., Lumyong S., “Untapped Endophytic Colonization and Plant Growth-Promoting Potential of the Genus *Novosphingobium* to Optimize Rice Cultivation”. *Microbes Environ.* 32 (2017) 84–87.

Romanstchuk M., “Plant pathogenic bacteria attach to surface”. *Annu. Rev. Phytopathol*, 30 (1992) 225–243.

Rodriguez-Navarro D.N., Dardanelli M.S., Ruiz-Sainz J.E., “Attachment of bacteria to the roots of higher plants”. *FEMS Microbiol. Lett*, 272 (2007) 127–136.

Reinhold-Hurek B., Maes T., Gemmer S., Van-Montagu M., Hurek T., “An endoglucanase is involved in infection of rice roots by the not-cellulose-metabolizing endophyte *Azoarcus* sp. strain BH72”. *Mol. Plant Microbe Interact*, 19 (2006) 181–188.

Rangel de Souza A.L.S., De-Souza S.A., De-Oliveira M.V.V., Ferraz T.M., Figueiredo F.A.M.M.A., Da-Silva N.D., Rangel P.L., Panisset C.R.S., Olivares F.L., Campostrini et al., “Endophytic colonization of *Arabidopsis thaliana* by *Gluconacetobacter diazotrophicus* and its effect on plant growth promotion, plant physiology, and activation of plant defense”. *Plant Soil*, 399 (2016) 257–270.

Riggs P.J., Chelius M.K., Iniguez A.L., Kaeppler S.M., Triplett E.W., “Enhanced maize productivity by inoculation with diazotrophic bacteria”. *Aust. J. Plant Physiol*, 28 (2001) 829–836.

Roncato-Maccari L.D.B., Ramos H.J.O., Pedrosa F.O., Alquini Y., Chubatsu L.S., Yates M.G., Rigo L.U., Steffens M.B.R., Souza E.M., “Endophytic *Herbaspirillum seropedicae* expresses *nif* genes in gramineous plants”. *FEMS Microbiol. Ecol*, 45 (2003) 39–47.

Raju R., Gromyko O., Fedorenko V., Luzketsky A., Muller R., Albaflavenol B., “Albaflavenol B, a new sesquiterpene isolated from the terrestrial actinomycete, *Streptomyces* sp.” *J Antibiot*, 68 (2015) 286–288.

Robert F. Raffaui., “Plant alkaloids: A guide to their discovery and distribution”. *Food Products Press*, 50 (1998) 55–55.

Rachael A., Maplestone M. J., Stone D. H., “The evolutionary role of secondary metabolites”. *Gene*, 115 (1992) 151-157.

Rajesh H., Rao S.N., Megha R.N., Prathima K., Rejeesh E., Chandrashekar R., “Phytochemical analysis of methanolic extract of curcuma longa linn rhizome. International Journal of Universal Pharmacy and Bio Sciences”. International journal of universal, 2 (2013) 39-45.

Roit I.M., Brostoff J., Male D.K., “In Immunology, 2nd edn Black well Scientific Publications”. Oxford, 19 (1989) 1—22.

Sansinenea E., Ortiz A., “Secondary metabolites of soil *Bacillus* spp.” Biotechnol Lett., 33 (2011) 1523–1538.

Saadoun I., Al-Momani F., Malkawi H.I., Mohammad M.J., “Isolation, Identification and Analysis of Antibacterial Activity of Soil Streptomyces Isolates from North Jordan”. Microbios, 100 (1999) 41-46.

Saadoun I., Hameed K.M., Moussauui A., “Characterization and Analysis of Antibiotic Activity of Some Aquatic Actinomycetes”. Microbios, 99 (1999) 173-178.

Sanjana K., Gupta S., Ahmed M., Dhar M.K., “Endophytic fungi from medicinal plants: a treasure hunt for bioactive metabolites”. Journal of Phytochemical Rev, 012 (2012) 9260-9266.

Shweta S., Zuehlke S., Ramesha et al., “Endophytic fungal strains of *Fusarium solani*, from *Apodytes dimidiata* E. Mey. ex Arn (Icacinaceae) produce camptothecin, 10hydroxycamptothecin and 9-methoxycamptothecin”. Phytochemistry, 71 (2010) 117–122.

Silva G.H., Teles et al., “Cadinane sesquiterpenoids of *Phomopsis cassiae*, an endophytic fungus associated with *Cassia spectabilis* (Leguminosae)”. Phytochemistry, 67 (2006)1964–1969.

Singh R., Ashok K.D., “Diversity and Applications of Endophytic Actinobacteria of Plants in Special and Other Ecological Niches”. Journal of Front Microbiol, 9 (2018) 1767-1772.

Slavica B.I., Sandra S.K., Zoran B.T., “UV/VIS Analysis and Antimicrobial Activity of Streptomyces Isolates”. *Medicine and Biology*, 12 (2005) 44-46.

Song J. H., “What’s new on the antimicrobial horizon?” *International Journal of Antimicrobial Agents*, 32 (2008) 207–213.

Song S., Li H., Ye Y. H., San C. Y., Yang Y.M., Tan R. X., “Endophytic naphthopyrone metabolites are co-inhibitors of xanthine oxidase, SW1116 cell and some microbial growths”. *FEMS Microbiology Letters*, 241(2004) 67–72.

Stierle A., Strobel G., tierle D., “Taxol and taxane production by *Taxomyces andreanae*, an endophytic fungus of Pacific yew”. *Science*, 260 (1993) 214–216.

Strobel G. A., Hess W.M., Li et al., “*Pestalotiopsis guepinii*, a taxol-producing endophyte of the wollemi pine, *Wollemia nobilis*”, *Australian Journal of Botany*, 45 (1997) 1073–1082.

Strobel G., Daisy B., Castillo U., Harper J., “Natural products from endophytic microorganisms”. *J Nat Prod*, 67 (2004) 257-68.

Strobel J.Y.G., Sidhu R., Hess W.M., Ford E. J., “Endophytic taxol-producing fungi from bald cypress”. *Taxodium distichum*, *Microbiology*, 142 (1996) 2223–2226.

Sziderics A.H., Rasche F., Trognitz F., Sessitch A., Wilhelem E., “Bacterial endophyte contributes to abiotic stress adaptation in pepper plants (*Capsicum annum* L.)” *Can J Microbiol*, 53 (2007) 1195–1202.

Suryanarayana T.S., thirunavukkarasub N., govindarajulub M.B., fsassecc F., jansend R., muralia T.S., “Fungal endophytes and bioprospecting”. *Fungal biology reviews*, 23 (2009) 9–19.

Selim K.A., El-Beih A.A., AbdEl-Rahman T.M., El-Diwany A.I., “Biology of Endophytic Fungi”. *Current Research in Environmental & Applied Mycology*, 2 (2012) 31–82.

Strobel G.A., Hess W.M., Ford E., Sidhu R.S., Yang X., “Taxol from fungal endophytes and the issue of biodiversity”. *Journal of Industrial Microbiology*, 17 (1996) 417–423.

Sturz A.V., Matheson B.G., “Populations of endophytic bacteria which influence host-resistance to *Erwinia*-induced bacterial soft rot in potato tubers”. *Plant Soil*, 184 (1996) 265–271.

Strobel G., Daisy B., Castillo U., Harper J., “Natural products from endophytic microorganisms”. *Journal Natural Product*, 67 (2004) 257–268.

Siciliano S., Fortin N., Himoc N., “Selection of specific endophytic bacterial genotypes by plants in response to soil contamination”. *Appl Environ Microbiol*, 67 (2001) 2469–2475.

Stephane C., Christophe C., Angela S., “Plant growth-promoting bacteria in the rhizo- and endosphere of plants: Their role, colonization, mechanisms involved and prospects for utilization”. *Soil Biology & Biochemistry*, 42 (2010) 669-678.

Santi C., Bogusz D., Franche C., “Biological nitrogen fixation in non-legume plants”. *Annals of Botany*, 111(2013) 743–767. Bernard R. G., “Using Soil Bacteria to Facilitate Phytoremediation”. *Biotechnology advances*, 28 (2010) 367-74.

Saharan B., Nehra V., “Plant Growth Promoting Rhizobacteria: A Critical Review”. *Life Science and Medical Research*, 21 (2011) 1-30.



Sessitsch A., Hardoim P., Doring J., Weilharter A., Krause A., Woyke T., Mitter B., Hauberg-Lotte L., Friedrich F., Rahalkar M. Hurek T., Sarkar A., Bodrossy L., van-Overbeek L., Brar D., van-Elsas J.D., Reinhold-Hurek B., “Functional characteristics of an endophyte community colonizing rice roots as revealed by metagenomic analysis”. *Mol Plant Microbe Interact*, 25 (2012), 28-36.

Saikkonen K., Riitta P., Helander M., Faeth S.H., “Evolution of endophyte-plant symbioses. *Trends Plant Sci*”. *Trends in Plant Science*, 9(2004) 275-80.

Steven E., Maria L., Brandl T., “Microbiology of the Phyllosphere”. *Applied and Environmental microbiology*, 69 (2003) 1875–1883.

Schulz B., Boyle C., Draeger S., Rommert K.A., Krohn K., “Endophytic fungi a source of novel biologically active secondary metabolites”. *Mycological Research*, (2002) 996-1004.

Strong P.J., Claus H., “Laccase: A Review of Its Past and Its Future in Bioremediation”. *Critical Reviews in Environmental Science and Technology*, 41(2011) 373-434.

Shannon M. H., Lori C. N., Kevin H G., “Structural basis of a phototropin light switch”. *Science*, 301(2003) 1541-1544.

Schwartz S.H., Tan B.C., Gage D.A., Zeevaart J.A., Mc-Carty D.R., “Genetic control of abscisic acid biosynthesis in maize”. *Proc. Natl, Acad. Sci. U. S. A.* 94 (1997) 12235–12240.

Sun J.Q., Guo L.D., Zang W., Ping W.X., Chi D.F., “Diversity and ecological distribution of endophytic fungi associated with medicinal plants”. *Sci China, Ser C Life Sci.*, 51 (2008) 751-759.

Shah, M.D., Asraful, Islam., Renukaradhya M. J. K., Myoung et al., Effect of Plant Age on Endophytic Bacterial Diversity of Balloon Flower (*Platycodongrandiflorum*) Root and Their Antimicrobial Activities. Springer Science+Business Media, LLC CurrMicrobiol, 61 (2010) 346-356.

Srinivasan M.C., Laxman R.S., Deshpande M.V., “Physiology and nutritional aspects of actinomycetes: An overview”. World J Microbiol Biotechnol, 7 (1991)171-84.

Saurav K., Kannabiran K., “Diversity and optimization of process parameters for the growth of *Streptomyces* VITSVK 9 sp. Isolation from Bay of Bengal”. India J Nat Environ Sci, 1 (2010) 56-65.

Strobel G., Daisy B., “Bioprospecting for Microbial Endophytes and Their Natural Products”. Microbiol Mol Biol Rev. 67 (2003) 491–502.

Schulz B., Boyle C., “The endophytic continuum”. Mycol Res., 109 (2005) 661-86.

Stein T., “Bacillus subtilis antibiotics: structures, syntheses and specific functions”. Mol Microbiol. 56 (2005) 845–857.

Singh S., Bindu H., Raghu J., Suma H.K., Manjunatha B.L., Kumara et al., “Isolation of endophytic bacteria producing the anticancer alkaloid camptothecin from *Miqueliadentata* Bedd. (Icacinaceae)”. Phytomedicine, 20 (2013) 913–917.

Sato F., Kumagai H., “Microbial production of isoquinoline alkaloids as plant secondary metabolites based on metabolic engineering research”. Proc Jpn Acad Ser B, 89 (2013) 165–181.

Subbulakshmi G.K., Thalavaipandian A., Bagyalakshmi R.V., Rajendran A., “Bioactive endophytic fungal isolates of *Biota orientalis* (L) Endl., *Pinus excelsa* Wall”. And *Thuja occidentalis* L. *Int J Adv Life Sci*, 4 (2012) 9–15.

Shaligram N.S., Singhal R.S., “Surfactin—a review on biosynthesis, fermentation, purification and applications”. *Food Technol Biotechnol*, 48 (2010) 119–134.

Schulz B., Boyle C., Draeger S., RoMmert A.K., Krohn K., “Endophytic fungi: a source of novel biologically active secondary metabolites”. *Mycol. Res.* 106 (2002) 996–1004.

Strobel G., Daisy B., Castillo U., Harper J., “Natural products from endophytic microorganisms”. *J. Nat. Prod.* 67 (2004) 257–268.

Strobel G., Daisy B., Castillo U., Harper J., “Natural products from endophytic microorganisms”. *J. Nat. Prod.* 67 (2004) 257–268.

Selim K.A., Nagia M., El-Ghwas D.E., “Endophytic Fungi are Multifunctional Biosynthesizers: Ecological Role and Chemical Diversity. In *Endophytic Fungi: Diversity, Characterization and Biocontrol*, 1st ed” NOVA Science Publishers: Hauppauge, NY (2016) USA.

Selim K. A., El-Ghwas D.E., Selim R.M., Hassan M.I.A., “Microbial volatile in defense. In *Volatiles and Food Security: Role of Volatiles in Agro-Ecosystems*, 1sted. Springer: Singapore” *journal of Front Plant Sci*, 6 (2017)) 151- 156.

Strobel G., Daisy B., “Bioprospecting for microbial endophytes and their natural products”. *Microbiol Mol Biol Rev*, 67(2003) 491-502.

Schulz B., Boyle C., “The endophytic continuum”. *Mycol. Res*, 109 (2005) 661–686.

Suryanarayanan T.S., Thirunavukkarasu N., Govindarajulu M.B., Sasse F., Jansen R. Murali T.S., Fungal endophytes and bioprospecting. *Fungal biology review*, 23 (2009) 9-19.

Seghers D., Witteboll, L., Top E.M., Verstraete W., Siciliano S.D., “Impact of agricultural practices on the *Zea mays* L. endophytic community”. *Applied and Environmental Microbiology*, 70 (2004) 1475-1482.

Sandoval I.T., Davis R.A., Bugni T.S., Concepcion G.P., Harper M.K., “Cytotoxic isoquinoline quinones from sponges of the genus *Petrosia*”. *Natural product research*. 21 (2004) 143-63.

Strobel G., Daisy B., “Bioprospecting for microbial endophytes and their natural Products”. , 67 (2003) 491-502.

Tan R. X., Zou W. X., “Endophytes a rich source of functional metabolites”. *Natural Product Reports*,18 (2001) 448–459.

Tamehiro N., Okamoto-Hosoya Y., Okamoto S., Ubukata M., Hamada M., Naganawa et al., “Bacilysoicin, a novel phospholipid antibiotic produced by *Bacillus subtilis* 168”. *Antimicrob Agents Chemother*, 46 (2002) 315–320.

Tian B., Zhang C., Ye Y., Wen J., Wu Y., Wang H., Li H., Cai S., Cai W., Cheng et al., “Beneficial traits of bacterial endophytes belonging to the core communities of the tomato root microbiome. *Agric*”. *Ecosystem. Environ*, 247 (2017) 149–156.

Tavormina P.A., Gibbs M.H., Huff J.W., “The utilization of  $\beta$ -hydroxy- $\beta$ -methyl- valerolactone in cholesterol biosynthesis”. *J. Am. Chem. Soc.*, 78 (1956) 4498-4499.

Tiwari R., Rana C.S., “Plant secondary metabolites: A review”. *International Journal of Engineering Research and General Science*, 3 (2015) 661-670.

Tejesvi M.V., Kini K.R., Prakash H.S., Subbiah V., Shetty H.S., “Genetic diversity and antifungal activity of species of *Pestalotiopsis* isolated as endophytes from medicinal plants”. *Fungal Diversity*, 24 (2007) 37-54.

Truyens S., Weyens N., Cuypers A., Vangronsveld J., “Bacterial seed endophytes: Genera, vertical transmission and interaction with plants. *Environ. Microbiol. Rep.*, 7 (2015) 40–50.

Truyens S., Weyens N., Cuypers A., Vangronsveld J., “Bacterial seed endophytes: Genera, vertical transmission and interaction with plants”. *Environ. Microbiol Rep.*, 7 (2015) 40–50.

Toledo-Arana A., Dussurget et al., “The *Listeria* transcriptional landscape from saprophytism to virulence”. *Nature*, 459 (2009) 950–956.

Tan R., Zou W., “Endophytes: A rich source of functional metabolites”. *Nat. Prod. Rep.*, 18 (2001) 448–459.

Uma S. R., Ramesha B. T., Ravikanth G., Rajesh P.G., Vasudeva R., Fill T.P., da Silva B.F., Rodrigues F.E., “Biosynthesis of phenylpropanoid amides by an endophytic *penicillium brasilianum* found in root bark of *Melia azedarach*”. *Journal of Microbiology and Biotechnology*, 20 (2010) 622–629.

Visalakchi S., Thakur J.P., Luqman S., Negi, A., “Tenuazonic acid: a promising antitubercular principle from *Alternaria alternata*”. *Microbiology research*, 2 (2011) 63-65.

Verma S.C., Singh A., Chowdhury S.P., Tripathi A.K., “Endophytic colonization ability of two deep-water rice endophytes, *Pantoea* sp. and *Ochrobactrum* sp. using green fluorescent protein reporter”. *Biotechnol. Lett*, 26 (2004) 425–429.

Verginer M., Siegmund B., Cardinale M., Muller H., Choi Y., Maguez et al., “Monitoring the plant epiphyte *Methylobacterium extorquens* DSM 21961 by real-time PCR and its influence on the strawberry flavor”. *FEMS Microbiol Ecol*, 74 (2010) 136–145.

Vargas L., de-Carvalho T.L.G., Ferreira P.C.G., Baldani V.L.D., Baldani J.I., Hemerly A.S., “Early responses of rice (*Oryza sativa* L.) seedlings to inoculation with beneficial diazotrophic bacteria are dependent on plant and bacterial genotypes”. *Plant Soil*, 356 (2012) 127–137.

Verpoorte R., Van-der H.R., Memelink, J., “Engineering the plant cell factory for secondary metabolite production”. *Transgenic Research*, 9 (2000) 323-343.

Wall M. E., Wani M. C., Cook C. E., Palmer K. H., McPhail A. T., Sim G. A. “Plant antitumor agents. I. The isolation and structure of camptothecin, a novel alkaloidal leukemia and tumor inhibitor from *Camptotheca acuminata*”. *Journal of the American Chemical Society*, 88 (1996) 3888–3890.

Worapong J., Strobel G., Daisy B., “*Muscodor roseus* anam. sp. nov., an endophyte from *Grevillea pteridifolia*”. *Mycotaxon*, 81 (2002) 463-475.

Worapong J., Strobel G., Ford E.J., Hess W.M., “*Muscodor albus* anam. Gen. ET sp. nov., An endophyte from *cinnamomum zeylanicum*”. *Mycotaxon*, 79 (2001) 67-79.

White J.F., Torres M.S., “is plant endophyte-mediated defensive mutualism the result of oxidative stress protection”. *Physiol Plant*, 138 (2010) 440–446.

Wendisch VF., “Microbial production of amino acids and derived chemicals: synthetic biology approaches to strain development”. *Curr Opin Biotechnol*, 30 (2014) 51–58.

Waldron C., Matsushima P., Rosteck P.R., Broughton M.C., Turner J., Madduri K., “Cloning and analysis of the spinosad biosynthetic gene cluster of *Saccharopolyspora spinosa*”. *Chem Biol*, 8 (2001) 487–499.

Waring M.J., Wakelin L.P., “Echinomycin: Abifunctional intercalating antibiotic”. *Nature*, 252 (1974) 653-657.

Wijesekara I., Zhang C., Van-Ta Q., Vo T.S., Li Y.X., Kim S.K., “Phyiscion from marine-derived fungus *Microsporium* sp. Induce sapoptosis in human cervical carcinoma HeLa cells”. *Microbiol. Res.*, 169 (2014) 255-261.

Waqas M.K., Akhta R.N., Mustafa R., Jamshaid M., Khan H.M., Murtaza G., “Dermatological and cosmeceutical benefits of *Glycine max* (soybean) and its active components”. *Acta Pol Pharm*, 72 (2015) 3-11.

Wang F.W., Jiao R.H., Cheng et al., Antimicrobial potentials of endophytic fungi residing in *Quercus variabilis* and brefeldin A obtained from *Cladosporium* sp. *World J Microbiol Biotechnol*, 23 (2001) 79-83.

Wani M. C., Taylor H. L., Wall M. E., Coggon P., McPhail A.T. “Plant antitumor agents. VI. The isolation and structure of taxol, a novel antileukemic and antitumor agent from *Taxus brevifolia*”. *Journal of the American Chemical Society*, 93 (1971) 2325–2327.

WHO Mortality Database, Fact sheet No. 297. February. (2009).

Wang Y., Qing-gui Z., Zhi-bin Z., Ri-ming Y., Zhu D., “Antagonistic bioactivity of an endophytic bacterium H-6”. *African Journal of Biotechnology*, 9(2010) 6140-6145.

Wei L., Xueqiong Y., Yabin Y., Lixing Z., Lihua X., Zhongtao D., “A new anthracycline from endophytic *Streptomyces* sp. YIM66403”. *J Antibiot*, 68 (2015) 216–219.

Xiong XQ., Liao HD., Ma J.S., Liu X.M., Zhang L.Y., Shi X.W., “Isolation of a rice endophytic bacterium, *Pantoea* sp. Sd-1, with ligninolytic activity and characterization of its rice straw degradation ability”. *Lett Appl Microbiol*, 58 (2013) 123–129.

Yongyue L.U., Xin G., Ling Z., “Effect of temperature on the development of the mealybug, *Phenacoccus solenopsis* Tinsley (Hemiptera: Pseudococcidae)”. *Scientific Research and Essays*, 6 (2011) 6459-6464.

Yu H., Zhang V., Li et al., “Recent developments and future prospects of antimicrobial metabolites produced by endophytes”. *Microbiological Research*, 165 (2010) 437–449.

Yamazaki Y., Someno T., Igarashi M., Kinoshita N., Hatano M., Kawada et al., “Androprostamines A and B, the new anti-prostate cancer agents produced by *Streptomyces* sp. MK932-CF8”. *J Antibiot*, 68 (2015) 279–285



Yoon Y.J., Kim E.S., Hwang Y.S., Choi C.Y., Avermectin: biochemical and molecular basis of its biosynthesis and regulation. *Appl Microbiol Biotechnol*, 63 (2001) 626–634.

Yeoman M.M., Yeoman C.L., “Tansley review no. 90, manipulating secondary metabolism in cultured plant cells”. *The New Phytologist*, 134 (1996) 553-569.

Yang J., Dungrawala H., Hua H., Manukyan A., Abraham L., Lane W., Mead H., Wright J., Schneider B.L., “Cell size and growth rate are major determinants of replicative lifespan”. *Cell Cycle*, 10 (2011) 144-55.

Zhang C., Raymond D., Zhou S.J., Palumbo A.V., “Iron reduction by psychrotrophic enrichment cultures”. *Progress in Industrial Microbiology*, 36 (1999) 367-371.

Zahran H.H., “Rhizobia from wild legumes: Diversity, taxonomy, ecology, nitrogen fixation and biotechnology”. *Journal of Biotechnology*, 91(2001) 143-53.

Zhou X., Su Z., Anishkin A., Haynes W.J., Friske E.M., Loukin S.H., Kung C., Saimi Y., “Yeast screens show aromatic residues at the end of the sixth helix anchor transient receptor potential channel gate”. *Proc Natural Acadmic Sci U S A*, 104 (2007) 15555-15559.

Zhang J.Y., Tao L.Y., Liang et al., “Secalonic acid D induced leukemia cell apoptosis and cell cycle arrest of G1 with involvement of GSK-3 $\beta$ / $\beta$ -catenin/c-Myc pathway”, *Cell Cycle*, 8 (2009) 2444–2450.

Zhao S., Chen D., Geng Q., Wang Z., “MAIGO2 is involved in abscisic acid-mediated response to abiotic stresses and Golgi-to-ER retrograde transport”. *Physiol Plant*, 376 (2013) 163-170.

Zin N.M., Sarmin N.I., Ghadin N., Basri D.F., Sidik N.M., “Bioactive endophytic Streptomycetes from the Malay Peninsula”. FEMS Microbiol Lett, 274 (2007) 83-88.

Zhao J.H., Zhang Y.H., Wang L.W., Wang J.Y., Zhang C.L., “Bioactive secondary metabolites from *Nigrospora* sp. LLGLM003, an endophytic fungus of the medicinal plant *Moringa oleifera* Lam”. World J Microbiol Biotechnol, 28 (2012) 2107–2112.

Zhuravleva O.I., Afiyatullof S.S., Denisenko V.A., Ermakova S.P., Slinkina N.N., Dmitrenok P.S., Kim N.Y., “A Secondary metabolites from a marine-derived fungus *Aspergillus carneus* Blochwitz”. Phytochem., 80 (2012) 123-131.

Zhao J., Wang Z., Wang M., He Q., Zhang H., “The inhibition of *Saccharomyces cerevisiae* cells by acetic acid quantified by electrochemistry and fluorescence”. Journal of Bio-electrochemistry, 72 (2008) 117-21.

Zweerink M. M., Edison A., “Difficidin and oxydifficidin: novel broad spectrum antibacterial antibiotics produced by *Bacillus subtilis*. III. Mode of action of difficidin”. The Journal of antibiotics, 9 (1987)1692-1697.

# Thesis

---

## LIST OF PAPER PUBLICATION

### PAPER PUBLISHED

- **Lal Moti**, Tia Neelam, Verma Shiv Kr, Dutta Debashis, Das Mira Debnath, Characterization of Bioactive Metabolites from Endophytic Bacterial Isolate, Research Journal of Biotechnology. Vol. 12 (1) January (2017).
- **Lal Moti**, Mira Debnath (Das). Recent Advance in an Antibacterial and Antifungal Natural Product. Int. J. Pharm. Sci. Rev. Res., 48(2), 2018.
- **Lal Moti**, Mira Debnath (Das). Recent Advances in Bioactive Metabolites from Endophytic Bacterial Isolate. Asian journal of Pharmaceutical and Clinic Research. (Accepted).
- **Lal Moti**, Neelam Tia, Debashis Dutta, Mira Debnath (Das). Bioactive Metabolites obtained from Endophytes Bacterial Isolate. International Journal of Innovative Research in Science, Engineering and Technology. Vol. 5, Issue 7, July 2016.
- **Lal Moti**, Neelam, Shiv Kr. Verma, Mira Debnath (Das). Studies of Bioactive Metabolites from Endophytic Bacterial Isolate. International Journal of Scientific & Engineering Research, Volume 7, Issue 6, June-2016.
- **Lal Moti**, Shiv kr. Verma, Vipin, Mira Debnath (Das). Thermo stability study of crude Amylase from bacillus isolate. Int J. Appl Sci Biotechnology, Vol 3(3): 427-430- 2015.