


Chapter-7



References

REFERENCES

- Adriaan Bouwknecht, J., Olivier, B. and Paylor, R.E., The stress-induced hyperthermia paradigm as a physiological animal model for anxiety: a review of pharmacological and genetic studies in the mouse, *Neuroscience and Biobehavioural Reviews*, 31, 41-59, 2007.
- Agarwal, R., Sulaiman, S.A. and Mohamed, M., Open label clinical trial to study adverse effects and tolerance to dry powder of the aerial part of *Andrographis paniculata* in patients type 2 with diabetes mellitus, *Malaysian Journal of Medical Sciences*, 12, 13-19, 2005.
- Ahuja, N. and Cole, A.J., Hyperthermia syndromes in psychiatry, *Advances in Psychiatric Treatment*, 15, 181-191, 2009.
- Aina, Y. and Susman, J.L., Understanding comorbidity with depression and anxiety disorders, *Journal of the American Osteopathic Association*, 106, S9-14, 2006.
- Aksu, I., Ates, M., Baykara, B., Kiray, M., Sisman, A.R., Buyuk, E., Baykara, B., Cetinkaya, C., Gumus, H. and Uysal, N., Anxiety correlates to decreased blood and prefrontal cortex IGF-1 levels in streptozotocin induced diabetes, *Neuroscience Letters*, 531, 176-181, 2012.
- Akunne, H.C. and Soliman, K.F., The role of opioid receptors in diabetes and hyperglycemia-induced changes in pain threshold in the rat, *Psychopharmacology*, 93, 167-172, 1987.
- Ali, S., Stone, M.A., Peters, J.L., Davies, M.J. and Khunti, K., The prevalence of comorbid depression in adults with Type 2 diabetes: a systematic review and meta-analysis, *Diabetic Medicine*, 23, 1165-1173, 2006.
- Allan, J.J., Pore, M.P., Deepak, M., Murali, B., Mayachari, A.S. and Agarwal, A., Reproductive and fertility effects of an extract of *Andrographis paniculata* in male Wistar rats, *International Journal of Toxicology*, 28, 308-317, 2009.
- American Diabetes Association (ADA), Diagnosis and classification of diabetes mellitus, *Diabetes Care*, 37, S81-S90, 2014.
- Amir, R., Michaelis, M. and Devor, M., Burst discharge in primary sensory neurons: triggered by subthreshold oscillations, maintained by depolarizing afterpotentials, *Journal of Neuroscience*, 22, 1187-1198, 2002.
- Andersohn, F., Schade, R., Suissa, S. and Garbe, E., Long-term use of antidepressants for depressive disorders and the risk of diabetes mellitus, *American Journal of Psychiatry*, 166, 591-598, 2009.
- Anderson, R.J., Freedland, K.E., Clouse, R.E. and Lustman, P.J., The prevalence of comorbid depression in adults with diabetes: a meta-analysis, *Diabetes Care*, 24, 1069-1078, 2001.
- Anisman, H., Hayley, S., Turrin, N. and Merali, Z., Cytokines as a stressor: implications for depressive illness, *International Journal of Neuropsychopharmacology*, 5, 357-373, 2002.

- Anisman, H., Inflaming depression, *Journal of Psychiatry & Neuroscience*, 36, 291-295, 2011.
- Applequist, S.E., Wallin, R.P. and Ljunggren, H.G., Variable expression of Toll-like receptor in murine innate and adaptive immune cell lines, *International Immunology*, 14, 1065-1074, 2002.
- Awang, K., Abdullah, N.H., Hadi, A.H. and Fong, Y.S., Cardiovascular activity of labdane diterpenes from *Andrographis paniculata* in isolated rat hearts, *Journal of Biomedicine & Biotechnology*, 2012, 876458, 2012.
- Balcombe, J.P., Barnard, N.D. and Sandusky, C., Laboratory routines cause animal stress, *Contemporary Topics in Laboratory Animal Science*, 43, 42-51, 2004.
- Baldessarini, R.J., Drug therapy of depression and anxiety disorders, in: Brunton, L.L., Lazo, J.S. and Parker, K.L. (Eds.), *Goodman and Gilman's The Pharmacological Basis of Therapeutics*, McGraw-Hill Publishers, New York, pp. 429- 459, 2005.
- Ban, T.A., Pharmacotherapy of mental illness: a historical analysis, *Progress in Neuro-psychopharmacology & Biological Psychiatry*, 25, 709-727, 2001.
- Barriere, D.A., Rieusset, J., Chanteranne, D., Busserolles, J., Chauvin, M.A., Chapuis, L., Salles, J., Dubray, C. and Morio, B., Paclitaxel therapy potentiates cold hyperalgesia in streptozotocin-induced diabetic rats through enhanced mitochondrial reactive oxygen species production and TRPA1 sensitization, *Pain*, 153, 553-561, 2012.
- Bar-Shavit, Z., Taking a toll on the bones: regulation of bone metabolism by innate immune regulators, *Autoimmunity*, 41, 195-203, 2008.
- Bartus, R.T., Dean, R.L., 3rd, Beer, B. and Lippa, A.S., The cholinergic hypothesis of geriatric memory dysfunction, *Science*, 217, 408-414, 1982.
- Behrens, M., Brockhoff, A., Batram, C., Kuhn, C., Appendino, G. and Meyerhof, W., The human bitter taste receptor hTAS2R50 is activated by the two natural bitter terpenoids andrographolide and amarogentin, *Journal of Agricultural and Food Chemistry*, 57, 9860-9866, 2009.
- Bell, D.S., Comparison of amphetamine psychosis and schizophrenia, *British Journal of Psychiatry*, 111, 701-707, 1965.
- Bensky, D. and Gamble, A., *Andrographis paniculata: Chinese Herbal Medicine Materia Medica*, Eastland Press, Washington, 1986.
- Bhargava, K.P. and Singh, N., Anti-stress activity of *Ocimum sanctum* Linn, *Indian Journal of Medical Research*, 73, 443-451, 1981.
- Bhattacharya, S.K., Raina, M.K., Banerjee, D. and Neogy, N.C., Potentiation of morphine & pethidine analgesia by some monoamine oxidase inhibitors in albino rats, *Indian Journal of Experimental Biology*, 9, 257-259, 1971.
- Bhattacharya, S.K. and Mitra, S.K., Anxiolytic activity of *Panax ginseng* roots: an experimental study, *Journal of Ethnopharmacology*, 34, 87-92, 1991.

- Bhattacharya, S.K. and Ghosal, S., Anxiolytic activity of a standardized extract of *Bacopa monniera*: an experimental study, *Phytomedicine*, 5, 77-82, 1998.
- Bhattacharya, S.K., Bhattacharya, A., Sairam, K. and Ghosal, S., Anxiolytic-antidepressant activity of *Withania somnifera* glycowithanolides: an experimental study, *Phytomedicine*, 7, 463-469, 2000a.
- Bhattacharya, S.K., Bhattacharya, A. and Chakrabarti, A., Adaptogenic activity of Siotone, a polyherbal formulation of Ayurvedic rasayanas, *Indian Journal of Experimental Biology*, 38, 119-128, 2000b.
- Bhattacharya, A., Muruganandam, A.V., Kumar, V. and Bhattacharya, S.K., Effect of poly herbal formulation, EuMil, on neurochemical perturbations induced by chronic stress, *Indian Journal of Experimental Biology*, 40, 1161-1163, 2002.
- Bhattacharya, S.K. and Muruganandam, A.V., Adaptogenic activity of *Withania somnifera*: an experimental study using a rat model of chronic stress, *Pharmacology, Biochemistry, and Behavior*, 75, 547-555, 2003.
- Bhattamisra, S.K., Singh, P.N., Singh, S.K. and Kumar, V., Anxiolytic activity of *Marsilea minuta* Linn in rodents, *Journal of Herbal Medicine and Toxicology*, 1, 15- 20, 2007.
- Biessels, G.J., Kerssen, A., de Haan, E.H. and Kappelle, L.J., Cognitive dysfunction and diabetes: implications for primary care, *Primary Care Diabetes*, 1, 187-193, 2007.
- Biessels, G.J., Cognition in Type 2 Diabetes: Brain Imaging Correlates and Vascular and Metabolic Risk Factors, in: Craft, S. and Christen, Y. (Ed.) *Diabetes, Insulin and Alzheimer's Disease, Research and Perspectives in Alzheimer's Disease*, Springer-Verlag, Heidelberg, pp. 81-88, 2010.
- Birks, J. and Flicker, L., Donepezil for mild cognitive impairment, *The Cochrane Database of Systematic Reviews*, CD006104, 2006.
- Blier, P., de Montigny, C. and Chaput, Y., Modifications of the serotonin system by antidepressant treatments: implications for the therapeutic response in major depression, *Journal of Clinical Psychopharmacology*, 7, 24S-35S, 1987.
- Boonstra, R., Reality as the leading cause of stress: rethinking the impact of chronic stress in nature, *Functional Ecology*, 27, 11-23, 2013.
- Bothiraja, C., Pawar, A., Shende, V. and Joshi, P., Acute and subacute toxicity study of andrographolide bioactive in rodents: Evidence for the medicinal use as an alternative medicine, *Comparative Clinical Pathology*, 22, 1123-1128, 2013.
- Bouwman, V., Adriaanse, M.C., van 't Riet, E., Snoek, F.J., Dekker, J.M. and Nijpels, G., Depression, anxiety and glucose metabolism in the general dutch population: the new Hoorn study, *PloS One*, 5, e9971, 2010.
- Bowman, C.C., Rasley, A., Tranguch, S.L. and Marriott, I., Cultured astrocytes express toll-like receptors for bacterial products, *Glia*, 43, 281-291, 2003.

- Braun, J., Bopp, M. and Faeh, D., Blood glucose may be an alternative to cholesterol in CVD risk prediction charts, *Cardiovascular Diabetology*, 12, 24.1-24.6, 2013.
- Brekhman, II and Dardymov, I.V., New substances of plant origin which increase nonspecific resistance, *Annual Review of Pharmacology*, 9, 419-430, 1969.
- Brown, L.C., Majumdar, S.R. and Johnson, J.A., Type of antidepressant therapy and risk of type 2 diabetes in people with depression, *Diabetes Research and Clinical Practice*, 79, 61-67, 2008.
- Bsibsi, M., Ravid, R., Gveric, D. and van Noort, J.M., Broad expression of Toll-like receptors in the human central nervous system, *Journal of Neuropathology and Experimental Neurology*, 61, 1013-1021, 2002.
- Buettner, R., Scholmerich, J. and Bollheimer, L.C., High-fat diets: modeling the metabolic disorders of human obesity in rodents, *Obesity*, 15, 798-808, 2007.
- Burgos, R.A., Seguel, K., Perez, M., Meneses, A., Ortega, M., Guarda, M.I., Loaiza, A. and Hancke, J.L., Andrographolide inhibits IFN-gamma and IL-2 cytokine production and protects against cell apoptosis, *Planta Medica*, 71, 429-434, 2005.
- Burgos, R.A., Hancke, J.L., Bertoglio, J.C., Aguirre, V., Arriagada, S., Calvo, M. and Caceres, D.D., Efficacy of an *Andrographis paniculata* composition for the relief of rheumatoid arthritis symptoms: a prospective randomized placebo-controlled trial, *Clinical Rheumatology*, 28, 931-946, 2009.
- Bystritsky, A., Danial, J. and Kronemyer, D., Interactions between diabetes and anxiety and depression: implications for treatment, *Endocrinology and Metabolism Clinics of North America*, 43, 269-283, 2014.
- Calabrese, C., Berman, S.H., Babish, J.G., Ma, X., Shinto, L., Dorr, M., Wells, K., Wenner, C.A. and Standish, L.J., A phase I trial of andrographolide in HIV positive patients and normal volunteers, *Phytotherapy Research*, 14, 333-338, 2000.
- Calcutt, N.A. and Chaplan, S.R., Spinal pharmacology of tactile allodynia in diabetic rats, *British Journal of Pharmacology*, 122, 1478-1482, 1997.
- Calcutt, N.A., Potential mechanisms of neuropathic pain in diabetes, *International Review of Neurobiology*, 50, 205-228, 2002.
- Calogero, A.E., Norton, J.A., Sheppard, B.C., Listwak, S.J., Cromack, D.T., Wall, R., Jensen, R.T. and Chrousos, G.P., Pulsatile activation of the hypothalamic-pituitary-adrenal axis during major surgery, *Metabolism*, 41, 839-845, 1992.
- Campos, A.R., Albuquerque, F.A., Rao, V.S., Maciel, M.A. and Pinto, A.C., Investigations on the antinociceptive activity of crude extracts from *Croton cajucara* leaves in mice, *Fitoterapia*, 73, 116-120, 2002.
- Careau, V., Reale, D., Garant, D., Speakman, J.R. and Humphries, M.M., Stress-induced rise in body temperature is repeatable in free-ranging Eastern

- chipmunks (*Tamias striatus*), Journal of Comparative Physiology- B, 182, 403-414, 2012.
- Carpentier, P.A., Begolka, W.S., Olson, J.K., Elhofy, A., Karpus, W.J. and Miller, S.D., Differential activation of astrocytes by innate and adaptive immune stimuli, *Glia*, 49, 360-374, 2005.
- Carretta, M.D., Alarcon, P., Jara, E., Solis, L., Hancke, J.L., Concha, II, Hidalgo, M.A. and Burgos, R.A., Andrographolide reduces IL-2 production in T-cells by interfering with NFAT and MAPK activation, *European Journal of Pharmacology*, 602, 413-421, 2009.
- Carvalho-Freitas, M.I. and Costa, M., Anxiolytic and sedative effects of extracts and essential oil from *Citrus aurantium* L, *Biological & Pharmaceutical Bulletin*, 25, 1629-1633, 2002.
- Celada, P., Puig, M., Amargos-Bosch, M., Adell, A. and Artigas, F., The therapeutic role of 5-HT1A and 5-HT2A receptors in depression, *Journal of Psychiatry & Neuroscience*, 29, 252-265, 2004.
- Chabot, C., Massicotte, G., Milot, M., Trudeau, F. and Gagne, J., Impaired modulation of AMPA receptors by calcium-dependent processes in streptozotocin-induced diabetic rats, *Brain Research*, 768, 249-256, 1997.
- Chakravarti, R.N. and Chakravarti, D., Andrographolide, the active constituent of *Andrographis paniculata* Nees; a preliminary communication, *Indian Medical Gazette*, 86, 96-97, 1951.
- Chan, S.J., Wong, W.S., Wong, P.T. and Bian, J.S., Neuroprotective effects of andrographolide in a rat model of permanent cerebral ischaemia, *British Journal of Pharmacology*, 161, 668-679, 2010.
- Chander, R., Srivastava, V., Tandon And, J.S. and Kapoor, N.K., Antihepatotoxic activity of diterpenes of *Andrographis paniculata* (Kal-Megh) against plasmodium berghei-induced hepatic damage in *Mastomys natalensis*, *Pharmaceutical Biology*, 33, 135-138, 1995.
- Chandrasekaran, C.V., Thiagarajan, P., Sundarajan, K., Goudar, K.S., Deepak, M., Murali, B., Allan, J.J. and Agarwal, A., Evaluation of the genotoxic potential and acute oral toxicity of standardized extract of *Andrographis paniculata* (KalmCold), *Food and Chemical Toxicology*, 47, 1892-1902, 2009.
- Chandrasekaran, C.V., Gupta, A. and Agarwal, A., Effect of an extract of *Andrographis paniculata* leaves on inflammatory and allergic mediators *in vitro*, *Journal of Ethnopharmacology*, 129, 203-207, 2010.
- Chandrasekaran, C.V., Thiagarajan, P., Deepak, H.B. and Agarwal, A., *In vitro* modulation of LPS/calcimycin induced inflammatory and allergic mediators by pure compounds of *Andrographis paniculata* (King of bitters) extract, *International Immunopharmacology*, 11, 79-84, 2011.
- Chang, S., Graham, B., Yakubu, F., Lin, D., Peters, J.C. and Hill, J.O., Metabolic differences between obesity-prone and obesity-resistant rats, *American Journal of Physiology*, 259, R1103-R1110, 1990.

- Chao, W.W. and Lin, B.F., Isolation and identification of bioactive compounds in *Andrographis paniculata* (Chuanxinlian), Chinese Medicine, 5, 17, 2010.
- Charles, M. and McEwan, J., Monoamine oxidase (human serum or plasma) in: Taboor, H. and Taboor, C.W. (Eds.), Methods in Enzymology, Academic Press, New York and London, pp. 686-698, 1971.
- Charlton, M., Obesity, hyperlipidemia, and metabolic syndrome, Liver Transplantation, 15 Suppl 2, S83-S89, 2009.
- Charmandari, E., Tsigos, C. and Chrousos, G., Endocrinology of the stress response, Annual Review of Physiology, 67, 259-284, 2005.
- Cheng, K.I., Wang, H.C., Chuang, Y.T., Chou, C.W., Tu, H.P., Yu, Y.C., Chang, L.L. and Lai, C.S., Persistent mechanical allodynia positively correlates with an increase in activated microglia and increased P-p38 mitogen-activated protein kinase activation in streptozotocin-induced diabetic rats, European Journal of Pain (London, England), 18, 162-173, 2014.
- Chien, C.F., Wu, Y.T., Lee, W.C., Lin, L.C. and Tsai, T.H., Herb-drug interaction of *Andrographis paniculata* extract and andrographolide on the pharmacokinetics of theophylline in rats, Chemico-biological Interactions, 184, 458-465, 2010.
- Choudhury, B.R. and Poddar, M.K., Andrographolide and kalmegh (*Andrographis paniculata*) extract: *in vivo* and *in vitro* effect on hepatic lipid peroxidation, Methods and Findings in Experimental and Clinical Pharmacology, 6, 481-485, 1984.
- Chrousos, G.P. and Gold, P.W., The concepts of stress and stress system disorders. Overview of physical and behavioural homeostasis, JAMA: Journal of the American Medical Association, 267, 1244-1252, 1992.
- Chu, P.C., Lin, M.T., Shian, L.R. and Leu, S.Y., Alterations in physiologic functions and in brain monoamine content in streptozocin-diabetic rats, Diabetes, 35, 481-485, 1986.
- Claassen, V., Neglected factors in pharmacology and neuroscience research, in: Huston, J.P. (Ed.), Techniques in the Behavioural and Neural Science, Elsevier, New York, pp. 422-459, 1994.
- Clark, A.A., Liggett, S.B. and Munger, S.D., Extraoral bitter taste receptors as mediators of off-target drug effects, FASEB Journal, 26, 4827-4831, 2012.
- Clark, A.K., Old, E.A. and Malcangio, M., Neuropathic pain and cytokines: current perspectives, Journal of Pain Research, 6, 803-814, 2013.
- Clavijo, M., Carvalho, J.J., Rios, M. and de Oliveira, I.R., Psychiatric disorders in patients with diabetes type 2 at medical care and training district of Rio Branco-Acre- Brazil, Arquivos de Neuro-psiquiatria, 64, 807-813, 2006.
- Coenen, K.R. and Hasty, A.H., Obesity potentiates development of fatty liver and insulin resistance, but not atherosclerosis, in high-fat diet-fed agouti LDLR-deficient mice, American journal of physiology. Endocrinology and Metabolism, 293, E492-E499, 2007.

- Colagiuri, S., Diabesity: therapeutic options, *Diabetes Obesity & Metabolism*, 12, 463-473, 2010.
- Colca, J.R., Dailey, C.F., Palazuk, B.J., Hillman, R.M., Dinh, D.M., Melchior, G.W. and Spilman, C.H., Pioglitazone hydrochloride inhibits cholesterol absorption and lowers plasma cholesterol concentrations in cholesterol-fed rats, *Diabetes*, 40, 1669-1674, 1991.
- Connor, T.J. and Leonard, B.E., Depression, stress and immunological activation: the role of cytokines in depressive disorders, *Life Sciences*, 62, 583-606, 1998.
- Coon, J.T. and Ernst, E., *Andrographis paniculata* in the treatment of upper respiratory tract infections: a systematic review of safety and efficacy, *Planta Medica*, 70, 293-298, 2004.
- Corne, S.J., Pickering, R.W. and Warner, B.T., A method for assessing the effects of drugs on the central actions of 5-hydroxytryptamine, *British Journal of Pharmacology and Chemotherapy*, 20, 106-120, 1963.
- Cougenour, L.L., McLean, J.R. and Parker, R.B., A new device for the rapid measurement of impaired motor function in mice, *Pharmacology Biochemistry and Behaviour*, 6, 351-353, 1977.
- Courteix, C., Eschalier, A. and Lavarenne, J., Streptozocin-induced diabetic rats: behavioural evidence for a model of chronic pain, *Pain*, 53, 81-88, 1993.
- Courteix, C., Bardin, M., Massol, J., Fialip, J., Lavarenne, J. and Eschalier, A., Daily insulin treatment relieves long-term hyperalgesia in streptozocin diabetic rats, *Neuroreport*, 7, 1922-1924, 1996.
- Cryan, J.F. and Dinan, T.G., Mind-altering microorganisms: the impact of the gut microbiota on brain and behaviour, *Nature reviews-Neuroscience*, 13, 701-712, 2012.
- Das, S., Gautam, N., Dey, S.K., Maiti, T. and Roy, S., Oxidative stress in the brain of nicotine-induced toxicity: protective role of *Andrographis paniculata* Nees and vitamin E, *Applied Physiology Nutrition and Metabolism*, 34, 124-135, 2009.
- Davidson, J.R., Bose, A. and Wang, Q., Safety and efficacy of escitalopram in the long-term treatment of generalized anxiety disorder, *Journal of Clinical Psychiatry*, 66, 1441-1446, 2005.
- Davies, O.L., Raventos, J. and Walpole, A.L., A method for the evaluation of analgesic activity using rats, *British Journal of Pharmacology and Chemotherapy*, 1, 255-264, 1946.
- Davoodi, F.G., Motamedi, F., Naghdi, N. and Akbari, E., Effect of reversible inactivation of the reunions nucleus on spatial learning and memory in rats using Morris water maze task, *Behavioural Brain Research*, 198, 130-135, 2009.

- de Groot, M., Anderson, R., Freedland, K.E., Clouse, R.E. and Lustman, P.J., Association of depression and diabetes complications: a meta-analysis, *Psychosomatic Medicine*, 63, 619-630, 2001.
- Deleidi, M., Hallett, P.J., Koprlich, J.B., Chung, C.Y. and Isacson, O., The Toll-like receptor-3 agonist polyinosinic: polycytidylic acid triggers nigrostriatal dopaminergic degeneration, *Journal of Neuroscience*, 30, 16091-16101, 2010.
- Despres, J.P. and Lemieux, I., Abdominal obesity and metabolic syndrome, *Nature*, 444, 881-887, 2006.
- Detweiler-Bedell, J.B., Friedman, M.A., Leventhal, H., Miller, I.W. and Leventhal, E.A., Integrating co-morbid depression and chronic physical disease management: identifying and resolving failures in self-regulation, *Clinical Psychology Review*, 28, 1426-1446, 2008.
- Deuschle, M., Effects of antidepressants on glucose metabolism and diabetes mellitus type 2 in adults, *Current Opinion in Psychiatry*, 26, 60-65, 2013.
- Dews, P.B., The measurement of the influence of drugs on voluntary activity in mice, *British Journal of Pharmacology and Chemotherapy*, 8, 46-48, 1953.
- Di Luca, M., Ruts, L., Gardoni, F., Cattabeni, F., Biessels, G.J. and Gispen, W.H., NMDA receptor subunits are modified transcriptionally and post-translationally in the brain of streptozotocin-diabetic rats, *Diabetologia*, 42, 693-701, 1999.
- Diebold, S.S., Kaisho, T., Hemmi, H., Akira, S. and Reis e Sousa, C., Innate antiviral responses by means of TLR7-mediated recognition of single-stranded RNA, *Science*, 303, 1529-1531, 2004.
- Dinarello, C.A., Proinflammatory cytokines, *Chest*, 118, 503-508, 2000.
- Dirmaier, J., Watzke, B., Koch, U., Schulz, H., Lehnert, H., Pieper, L. and Wittchen, H.U., Diabetes in primary care: prospective associations between depression, nonadherence and glycemic control, *Psychotherapy and Psychosomatics*, 79, 172-178, 2010.
- Divljakovic, J., Milic, M., Timic, T. and Savic, M.M., Tolerance liability of diazepam is dependent on the dose used for protracted treatment, *Pharmacological Reports*, 64, 1116-1125, 2012.
- Dorazil-Dudzik, M., Mika, J., Schafer, M.K., Li, Y., Obara, I., Wordliczek, J. and Przewlocka, B., The effects of local pentoxyfylline and propentofylline treatment on formalin-induced pain and tumor necrosis factor-alpha messenger RNA levels in the inflamed tissue of the rat paw, *Anesthesia and Analgesia*, 98, 1566-1573, 2004.
- Dowlati, Y., Herrmann, N., Swardfager, W., Liu, H., Sham, L., Reim, E.K. and Lanctot, K.L., A meta-analysis of cytokines in major depression, *Biological Psychiatry*, 67, 446-457, 2010.

- du Vigneaud, V. and Karr, W.G., Carbohydrate utilization: I. Rate of disappearance of d-glucose from the blood, *Journal of Biological Chemistry*, 66, 281-300, 1925.
- Eaton, W.W., Armenian, H., Gallo, J., Pratt, L. and Ford, D.E., Depression and risk for onset of type II diabetes. A prospective population-based study, *Diabetes Care*, 19, 1097-1102, 1996.
- Eitan, R. and Lerer, B., Nonpharmacological, somatic treatments of depression: electroconvulsive therapy and novel brain stimulation modalities, *Dialogues in Clinical Neuroscience*, 8, 241-258, 2006.
- Elenkov, I.J. and Chrousos, G.P., Stress Hormones, Th1/Th2 patterns, Pro/Anti-inflammatory Cytokines and Susceptibility to Disease, *Trends in Endocrinology and Metabolism*, 10, 359-368, 1999.
- Elliott, S.S., Keim, N.L., Stern, J.S., Teff, K. and Havel, P.J., Fructose, weight gain, and the insulin resistance syndrome, *American Journal of Clinical Nutrition*, 76, 911-922, 2002.
- Ellman, G.L., Courtney, K.D., Andres, V., Jr. and Feather-Stone, R.M., A new and rapid colorimetric determination of acetylcholinesterase activity, *Biochemical Pharmacology*, 7, 88-95, 1961.
- Ernst, A.M., Relationship of the central effect of dopamine on gnawing compulsion syndrome in rats and the release of serotonin, *Archives Internationales de Pharmacodynamie et de Therapie*, 199, 219-225, 1972.
- Everds, N.E., Snyder, P.W., Bailey, K.L., Bolon, B., Creasy, D.M., Foley, G.L., Rosol, T.J. and Sellers, T., Interpreting stress responses during routine toxicity studies: a review of the biology, impact, and assessment, *Toxicologic Pathology*, 41, 560-614, 2013.
- Everett, G.M., The DOPA response potentiation test and its use in screening for antidepressant drugs, in: Garattini, S. and Dukes, M.N.G. (Eds.), *Antidepressant Drugs*, Excerpta Medica Foundation, Amsterdam, pp. 164-167, 1966.
- Farag, Y.M. and Gaballa, M.R., Diabesity: an overview of a rising epidemic, *Nephrology, Dialysis, Transplantation*, 26, 28-35, 2011.
- Farah, M., Meyboom, R. and Ploen, M., Acute hypersensitivity reactions to *Andrographis paniculata* containing products, as reported in International Pharmacovigilance, *Drug Safety*, 31, 885-885, 2008.
- Feldman, E.L., Oxidative stress and diabetic neuropathy: a new understanding of an old problem, *Journal of Clinical Investigation*, 111, 431-433, 2003.
- Feldmann, M., Many cytokines are very useful therapeutic targets in disease, *Journal of Clinical Investigation*, 118, 3533-3536, 2008.
- Field, R., Campion, S., Warren, C., Murray, C. and Cunningham, C., Systemic challenge with the TLR3 agonist poly I:C induces amplified IFNalpha/beta and IL-1beta responses in the diseased brain and exacerbates chronic neurodegeneration, *Brain, Behavior, and Immunity*, 24, 996-1007, 2010.

- Figueiro, M., Ilha, J., Pochmann, D., Porciuncula, L.O., Xavier, L.L., Achaval, M., Nunes, D.S. and Elisabetsky, E., Acetylcholinesterase inhibition in cognition-relevant brain areas of mice treated with a nootropic Amazonian herbal (Marapuama), *Phytomedicine*, 17, 956-962, 2010.
- File, S.E. and Hyde, J.R., Can social interaction be used to measure anxiety, *British Journal of Pharmacology*, 62, 19-24, 1978.
- Fisher, A., Davis, M., Croft-Baker, J., Purcell, P. and McLean, A., Citalopram-induced severe hyponatraemia with coma and seizure. Case report with literature and spontaneous reports review, *Adverse Drug Reactions and Toxicological Reviews*, 21, 179-187, 2002.
- Flood, J.F., Mooradian, A.D. and Morley, J.E., Characteristics of learning and memory in streptozocin-induced diabetic mice, *Diabetes*, 39, 1391-1398, 1990.
- Floyd, R.A., Hensley, K., Jaffery, F., Maidt, L., Robinson, K., Pye, Q. and Stewart, C., Increased oxidative stress brought on by pro-inflammatory cytokines in neurodegenerative processes and the protective role of nitron-based free radical traps, *Life Sciences*, 65, 1893-1899, 1999.
- Forman, L.J., Estilow, S., Lewis, M. and Vasilenko, P., Streptozocin diabetes alters immunoreactive beta-endorphin levels and pain perception after 8 wk in female rats, *Diabetes*, 35, 1309-1313, 1986.
- Friedewald, W.T., Levy, R.I. and Fredrickson, D.S., Estimation of the concentration of low-density lipoprotein cholesterol in plasma, without use of the preparative ultracentrifuge, *Clinical Chemistry*, 18, 499-502, 1972.
- Ghosh, B.K., Datta, A.K., Mandal, A., Dubey, P.K. and Halder, S., An overview on *Andrographis paniculata* (Burm. F.) Nees, *International Journal of Research in Ayurveda and Pharmacy*, 3, 752-760, 2014.
- Giardina, W.J. and Gasior, M., Acute seizure tests in epilepsy research: electroshock- and chemical-induced convulsions in the mouse, *Current Protocols in Pharmacology*, 5.22.21-25.22.37, 2009.
- Gilmartin, A.B., Ural, S.H. and Repke, J.T., Gestational diabetes mellitus, *Reviews in Obstetrics and Gynecology*, 1, 129-134, 2008.
- Ginsberg, H.N. and Huang, L.S., The insulin resistance syndrome: impact on lipoprotein metabolism and atherosclerosis, *Journal of Cardiovascular Risk*, 7, 325-331, 2000.
- Glassman, A.H., Roose, S.P. and Bigger, J.T., Jr., The safety of tricyclic antidepressants in cardiac patients. Risk-benefit reconsidered, *Journal of the American Medical Association*, 269, 2673-2675, 1993.
- Golden, S.H., Lazo, M., Carnethon, M., Bertoni, A.G., Schreiner, P.J., Diez Roux, A.V., Lee, H.B. and Lyketsos, C., Examining a bidirectional association between depressive symptoms and diabetes, *Journal of the American Medical Association*, 299, 2751-2759, 2008.

- Goodnick, P.J., Use of antidepressants in treatment of comorbid diabetes mellitus and depression as well as in diabetic neuropathy, Annals of Clinical Psychiatrists, 13, 31-41, 2001.
- Gorter, M.K., The bitter constituent of *Andrographis paniculata* Nees, Recueil des Travaux Chimiques des Pays-Bas, 30, 151-160, 1911.
- Govindarajan, R., Vijayakumar, M. and Pushpangadan, P., Antioxidant approach to disease management and the role of 'Rasayana' herbs of Ayurveda, Journal of Ethnopharmacology, 99, 165-178, 2005.
- Greenwood, C.E., Kaplan, R.J., Hebblethwaite, S. and Jenkins, D.J., Carbohydrate-induced memory impairment in adults with type 2 diabetes, Diabetes Care, 26, 1961-1966, 2003.
- Grigsby, A.B., Anderson, R.J., Freedland, K.E., Clouse, R.E. and Lustman, P.J., Prevalence of anxiety in adults with diabetes: a systematic review, Journal of Psychosomatic Research, 53, 1053-1060, 2002.
- Guo, W., Liu, W., Chen, G., Hong, S., Qian, C., Xie, N., Yang, X., Sun, Y. and Xu, Q., Water-soluble andrographolide sulfonate exerts anti-sepsis action in mice through down-regulating p38 MAPK, STAT3 and NF-kappaB pathways, International Immunopharmacology, 14, 613-619, 2012.
- Gupta, S., Yadava, J.N.S. and Tandon, J.S., Antisecretory (Antidiarrhoeal) activity of Indian medicinal plants against *Escherichia coli* enterotoxin-induced secretion in rabbit and guinea pig ileal loop models, Pharmaceutical Biology, 31, 198-204, 1993.
- Hamilton, M.S. and Opler, L.A., Akathisia, suicidality, and fluoxetine, Journal of Clinical Psychiatry, 53, 401-406, 1992.
- Hapuarachchi, S.D., Ali, Z., Abe, N., Sugandhika, S.T., Sandun, S.T. and Khan, I.A., Andrographidine G, a new flavone glucoside from *Andrographis paniculata*, Natural Product Communications, 8, 333-334, 2013.
- Hashimoto, C., Hudson, K.L. and Anderson, K.V., The Toll gene of *Drosophila*, required for dorsal-ventral embryonic polarity, appears to encode a transmembrane protein, Cell, 52, 269-279, 1988.
- He, X., Li, J., Gao, H., Qiu, F., Cui, X. and Yao, X., Six new andrographolide metabolites in rats, Chemical & Pharmaceutical Bulletin (Tokyo), 51, 586-589, 2003.
- Heil, F., Hemmi, H., Hochrein, H., Ampenberger, F., Kirschning, C., Akira, S., Lipford, G., Wagner, H. and Bauer, S., Species-specific recognition of single-stranded RNA via toll-like receptor 7 and 8, Science, 303, 1526-1529, 2004.
- Hemmati, F., Ghasemi, R., Mohamed Ibrahim, N., Dargahi, L., Mohamed, Z., Raymond, A.A. and Ahmadiani, A., Crosstalk between insulin and Toll-like receptor signaling pathways in the Central Nervous system, Molecular Neurobiology, 2014.
- Hemmi, H., Kaisho, T., Takeuchi, O., Sato, S., Sanjo, H., Hoshino, K., Horiuchi, T., Tomizawa, H., Takeda, K. and Akira, S., Small anti-viral compounds activate

- immune cells via the TLR7 MyD88-dependent signaling pathway, *Nature Immunology*, 3, 196-200, 2002.
- Hennessy, M.B., Deak, T. and Schiml, P.A., Sociality and sickness: Have cytokines evolved to serve social functions beyond times of pathogen exposure?, *Brain, Behavior, and Immunity*, 37c, 15-20, 2014.
- Henniger, M.S., Ohl, F., Holter, S.M., Weissenbacher, P., Toschi, N., Lorscher, P., Wigger, A., Spanagel, R. and Landgraf, R., Unconditioned anxiety and social behaviour in two rat lines selectively bred for high and low anxiety-related behaviour, *Behavioural Brain Research*, 111, 153-163, 2000.
- Herzer, M. and Hood, K.K., Anxiety symptoms in adolescents with type 1 diabetes: association with blood glucose monitoring and glycemic control, *Journal of Pediatric Psychology*, 35, 415-425, 2010.
- Hidalgo, M.A., Hanke, J.L., Bertoglio, J.C. and Burgos, R.A., Andrographolide a new potential drug for long term treatment of Rheumatoid Arthritis disease, in: Matsuno, H. (Ed.), *Innovative Rheumatology*, InTech, Croatia, pp. 247-270, 2013.
- Hilakivi-Clarke, L.A., Wozniak, K.M., Durcan, M.J. and Linnoila, M., Behavior of streptozotocin-diabetic mice in tests of exploration, locomotion, anxiety, depression and aggression, *Physiology & Behavior*, 48, 429-433, 1990.
- Hopkins, S.J., The pathophysiological role of cytokines, *Legal Medicine*, 5 Suppl 1, S45-57, 2003.
- Howes, M.J. and Houghton, P.J., Plants used in Chinese and Indian traditional medicine for improvement of memory and cognitive function, *Pharmacology, Biochemistry, and Behavior*, 75, 513-527, 2003.
- Hu, D., Wan, L., Chen, M., Caudle, Y., LeSage, G., Li, Q. and Yin, D., Essential role of IL-10/STAT3 in chronic stress-induced immune suppression, *Brain, Behavior, and Immunity*, 36, 118-127, 2014.
- Hueston, C.M. and Deak, T., The inflamed axis: the interaction between stress, hormones, and the expression of inflammatory-related genes within key structures comprising the hypothalamic-pituitary-adrenal axis, *Physiology & Behavior*, 124, 77-91, 2014.
- Husain, G.M., Chatterjee, S.S., Singh, P.N. and Kumar, V., Beneficial effect of *Hypericum perforatum* on depression and anxiety in a type 2 diabetic rat model, *Acta Poloniae Pharmaceutica*, 68, 913-918, 2011a.
- Husain, G.M., Chatterjee, S.S., Singh, P.N. and Kumar, V., Hypolipidemic and antiobesity-like activity of standardised extract of *Hypericum perforatum* L. in rats, *ISRN Pharmacology*, 505247, 2011b.
- Husain, G.M., Singh, P.N., Singh, R.K. and Kumar, V., Antidiabetic activity of standardized extract of *Quassia amara* in nicotinamide-streptozotocin-induced diabetic rats, *Phytotherapy Research*, 25, 1806-1812, 2011c.
- Husain, G.M., Pharmacological Evaluation of Standardised Extract of Selected Medicinal Plants for Diabetes and Obesity: A Preclinical Study, Ph.D. Thesis,

- Department of Pharmaceutics, Institute of Technology (Banaras Hindu University), Varanasi, India, 2011.
- Ikram, N., Hassan, K. and Tufail, S., Cytokines, International Journal of Pathology, 2, 47-58, 2004.
- International Diabetes Federation (IDF), The Diabetes Atlas, (6th edn), 2013.
- Iruretagoyena, M.I., Tobar, J.A., Gonzalez, P.A., Sepulveda, S.E., Figueroa, C.A., Burgos, R.A., Hancke, J.L. and Kalergis, A.M., Andrographolide interferes with T cell activation and reduces experimental autoimmune encephalomyelitis in the mouse, Journal of Pharmacology and Experimental Therapeutics, 312, 366-372, 2005.
- Jainu, M. and Devi, C.S., Gastroprotective action of *Cissus quadrangularis* extract against NSAID induced gastric ulcer: role of proinflammatory cytokines and oxidative damage, Chemico-biological Interactions, 161, 262-270, 2006.
- Jalal, R., Bagheri, S.M., Moghimi, A. and Rasuli, M.B., Hypoglycemic effect of aqueous shallot and garlic extracts in rats with fructose-induced insulin resistance, Journal of Clinical Biochemistry and Nutrition, 41, 218-223, 2007.
- Jaruchotikamol, A., Jarukamjorn, K., Sirisangtrakul, W., Sakuma, T., Kawasaki, Y. and Nemoto, N., Strong synergistic induction of CYP1A1 expression by andrographolide plus typical CYP1A inducers in mouse hepatocytes, Toxicology and Applied Pharmacology, 224, 156-162, 2007.
- Jarukamjorn, K., Don-in, K., Makejaruskul, C., Laha, T., Daodee, S., Pearaksa, P. and Sripanidkulchai, B.O., Impact of *Andrographis paniculata* crude extract on mouse hepatic cytochrome P450 enzymes, Journal of Ethnopharmacology, 105, 464-467, 2006.
- Jarukamjorn, K. and Nemoto, N., Pharmacological aspects of *Andrographis paniculata* on health and its major diterpenoid constituent Andrographolide, Journal of Health Science, 54, 370-381, 2008.
- Jayakumar, T., Hsieh, C.Y., Lee, J.J. and Sheu, J.R., Experimental and clinical pharmacology of *Andrographis paniculata* and its major bioactive phytoconstituent andrographolide, Evidence-based Complementary and Alternative Medicine, 2013, 846740, 2013.
- Johnston, J.A., Lineberry, C.G., Ascher, J.A., Davidson, J., Khayrallah, M.A., Feighner, J.P. and Stark, P., A 102-center prospective study of seizure in association with bupropion, Journal of Clinical Psychiatry, 52, 450-456, 1991.
- Joshi, T., Sah, S.P. and Singh, A., Antistress activity of ethanolic extract of *Asparagus racemosus* Willd roots in mice, Indian Journal of Experimental Biology, 50, 419-424, 2012.
- Jurek, B., Slattery, D.A., Maloumby, R., Hillerer, K., Koszinowski, S., Neumann, I.D. and van den Burg, E.H., Differential contribution of hypothalamic MAPK activity to anxiety-like behaviour in virgin and lactating rats, PLoS One, 7, e37060, 2012.

- Juster, R.P., Bizik, G., Picard, M., Arsenault-Lapierre, G., Sindi, S., Trepanier, L., Marin, M.F., Wan, N., Sekerovic, Z., Lord, C., Fiocco, A.J., Plusquellec, P., McEwen, B.S. and Lupien, S.J., A transdisciplinary perspective of chronic stress in relation to psychopathology throughout life span development, *Development and Psychopathology*, 23, 725-776, 2011.
- Kakkar, P., Das, B. and Viswanathan, P.N., A modified spectrophotometric assay of superoxide dismutase, *Indian Journal of Biochemistry and Biophysics*, 21, 130-132, 1984.
- Kamal, A., Biessels, G.J., Duis, S.E. and Gispen, W.H., Learning and hippocampal synaptic plasticity in streptozotocin-diabetic rats: interaction of diabetes and ageing, *Diabetologia*, 43, 500-506, 2000.
- Kamei, J., Ohsawa, M., Tsuji, M., Takeda, H. and Matsumiya, T., Modification of the effects of benzodiazepines on the exploratory behaviors of mice on a hole-board by diabetes, *Japanese Journal of Pharmacology*, 86, 47-54, 2001.
- Kanitz, J.L., Pretzer, K., Reif, M., Voss, A., Brand, R., Warschburger, P., Langler, A., Henze, G. and Seifert, G., The impact of eurythmy therapy on stress coping strategies and health-related quality of life in healthy, moderately stressed adults, *Complementary Therapies in Medicine*, 19, 247-255, 2011.
- Kawakami, N., Takatsuka, N., Shimizu, H. and Ishibashi, H., Depressive symptoms and occurrence of type 2 diabetes among Japanese men, *Diabetes Care*, 22, 1071-1076, 1999.
- Kelsen, J.R. and Wu, G.D., The gut microbiota, environment and diseases of modern society, *Gut Microbes*, 3, 374-382, 2012.
- Kielian, T., Toll-like receptors in central nervous system glial inflammation and homeostasis, *Journal of Neuroscience Research*, 83, 711-730, 2006.
- Koolhaas, J.M., Bartolomucci, A., Buwalda, B., de Boer, S.F., Flugge, G., Korte, S.M., Meerlo, P., Murison, R., Olivier, B., Palanza, P., Richter-Levin, G., Sgoifo, A., Steimer, T., Stiedl, O., van Dijk, G., Wohr, M. and Fuchs, E., Stress revisited: a critical evaluation of the stress concept, *Neuroscience and Biobehavioural Reviews*, 35, 1291-1301, 2011.
- Kopelman, P.G., Obesity as a medical problem, *Nature*, 404, 635-643, 2000.
- Korte, S.M., Koolhaas, J.M., Wingfield, J.C. and McEwen, B.S., The Darwinian concept of stress: benefits of allostasis and costs of allostatic load and the trade-offs in health and disease, *Neuroscience and Biobehavioural Reviews*, 29, 3-38, 2005.
- Koteswara Rao, Y., Vimalamma, G., Rao, C.V. and Tzeng, Y.M., Flavonoids and andrographolides from *Andrographis paniculata*, *Phytochemistry*, 65, 2317-2321, 2004.
- Kroenke, K., Spitzer, R.L., Williams, J.B., Monahan, P.O. and Lowe, B., Anxiety disorders in primary care: prevalence, impairment, comorbidity, and detection, *Annals of Internal Medicine*, 146, 317-325, 2007.

- Kumar, A., Dora, J., Singh, A. and Tripathi, R., A review on king of bitter (Kalmegh), International Journal of Research in Pharmacy and Chemistry, 2, 116-124, 2012.
- Kumar, V., Singh, P.N., Jaiswal, A.K. and Bhattacharya, S.K., Antidepressant activity of Indian *Hypericum perforatum* Linn in rodents, Indian Journal of Experimental Biology, 37, 1171-1176, 1999.
- Kumar, V., Jaiswal, A.K., Singh, P.N. and Bhattacharya, S.K., Anxiolytic activity of Indian *Hypericum perforatum* Linn: an experimental study, Indian Journal of Experimental Biology, 38, 36-41, 2000a.
- Kumar, V., Singh, P.N., Muruganandam, A.V. and Bhattacharya, S.K., Effect of Indian *Hypericum perforatum* Linn on animal models of cognitive dysfunction, Journal of Ethnopharmacology, 72, 119-128, 2000b.
- Kumar, V., Neuropsychopharmacological Studies on Indian *Hypericum perforatum* Linn., Ph.D. Thesis, Department of Pharmaceutics, Institute of Technology (Banaras Hindu University), Varanasi, India, 2000.
- Kumar, V., Singh, P.N. and Bhattacharya, S.K., Anti-inflammatory and analgesic activity of Indian *Hypericum perforatum* L, Indian Journal of Experimental Biology, 39, 339-343, 2001a.
- Kumar, V., Singh, P.N. and Bhattacharya, S.K., Anti-stress activity of Indian *Hypericum perforatum* L, Indian Journal of Experimental Biology, 39, 344-349, 2001b.
- Kumar, V., Khanna, V.K., Seth, P.K., Singh, P.N. and Bhattacharya, S.K., Brain neurotransmitter receptor binding and nootropic studies on Indian *Hypericum perforatum* Linn, Phytotherapy Research, 16, 210-216, 2002.
- Kumar, V., Singh, P.N. and Bhattacharya, S.K., Neuropsychopharmacological studies on Indian *Hypericum perforatum* Linn., in: Ernst, E. (Ed.), Medicinal and Aromatic Plants-Industrial Profile. Volume Genus Hypericum, Taylor and Francis Inc., New York, pp. 179-226, 2003.
- Kumar, V., Thakur, A.K. and Chatterjee, S.S., Perspective of *Andrographis paniculata* in neurological disorders, Clinical Pharmacology and Biopharmaceutics, S2, 1-4, 2014.
- Lau, C.M., Broughton, C., Tabor, A.S., Akira, S., Flavell, R.A., Mamula, M.J., Christensen, S.R., Shlomchik, M.J., Viglianti, G.A., Rifkin, I.R. and Marshak-Rothstein, A., RNA-associated autoantigens activate B cells by combined B cell antigen receptor/Toll-like receptor 7 engagement, Journal of Experimental Medicine, 202, 1171-1177, 2005.
- Lee, J.H., Cox, D.J., Mook, D.G. and McCarty, R.C., Effect of hyperglycemia on pain threshold in alloxan-diabetic rats, Pain, 40, 105-107, 1990.
- Lee, M.K., Miles, P.D., Khoursheed, M., Gao, K.M., Moossa, A.R. and Olefsky, J.M., Metabolic effects of troglitazone on fructose-induced insulin resistance in the rat, Diabetes, 43, 1435-1439, 1994.

- Leibson, C.L., Rocca, W.A., Hanson, V.A., Cha, R., Kokmen, E., O'Brien, P.C. and Palumbo, P.J., Risk of dementia among persons with diabetes mellitus: a population-based cohort study, *American Journal of Epidemiology*, 145, 301-308, 1997.
- Leonard, B.E. and Myint, A., The psychoneuroimmunology of depression, *Human Psychopharmacology*, 24, 165-175, 2009.
- Levin, B.E., Dunn-Meynell, A.A., Balkan, B. and Keesey, R.E., Selective breeding for diet-induced obesity and resistance in Sprague-Dawley rats, *American Journal of Physiology*, 273, R725-R730, 1997.
- Levine, A.S., Morley, J.E., Wilcox, G., Brown, D.M. and Handwerger, B.S., Tail pinch behavior and analgesia in diabetic mice, *Physiology & Behavior*, 28, 39-43, 1982.
- Li, J., Cheung, H.Y., Zhang, Z., Chan, G.K. and Fong, W.F., Andrographolide induces cell cycle arrest at G2/M phase and cell death in HepG2 cells via alteration of reactive oxygen species, *European Journal of Pharmacology*, 568, 31-44, 2007.
- Licinio, J. and Wong, M.L., The role of inflammatory mediators in the biology of major depression: central nervous system cytokines modulate the biological substrate of depressive symptoms, regulate stress-responsive systems, and contribute to neurotoxicity and neuroprotection, *Molecular Psychiatry*, 4, 317-327, 1999.
- Lim, J.C., Chan, T.K., Ng, D.S., Sagineedu, S.R., Stanslas, J. and Wong, W.S., Andrographolide and its analogues: versatile bioactive molecules for combating inflammation and cancer, *Clinical and Experimental Pharmacology & Physiology*, 39, 300-310, 2012.
- Lin, E.H., Korff, M.V., Alonso, J., Angermeyer, M.C., Anthony, J., Bromet, E., Bruffaerts, R., Gasquet, I., de Girolamo, G., Gureje, O., Haro, J.M., Karam, E., Lara, C., Lee, S., Levinson, D., Ormel, J.H., Posada-Villa, J., Scott, K., Watanabe, M. and Williams, D., Mental disorders among persons with diabetes-results from the World Mental Health Surveys, *Journal of Psychosomatic Research*, 65, 571-580, 2008.
- Lin, E.H., Rutter, C.M., Katon, W., Heckbert, S.R., Ciechanowski, P., Oliver, M.M., Ludman, E.J., Young, B.A., Williams, L.H., McCulloch, D.K. and Von Korff, M., Depression and advanced complications of diabetes: a prospective cohort study, *Diabetes Care*, 33, 264-269, 2010.
- Liu, J., Wang, Z.T. and Ji, L.L., *In vivo* and *in vitro* anti-inflammatory activities of neoandrographolide, *American Journal of Chinese Medicine*, 35, 317-328, 2007.
- Lowry, O.H., Rosebrough, N.J., Farr, A.L. and Randall, R.J., Protein measurement with the Folin phenol reagent, *Journal of Biological Chemistry*, 193, 265-275, 1951.
- Lucini, D. and Pagani, M., From stress to functional syndromes: an internist's point of view, *European Journal of Internal Medicine*, 23, 295-301, 2012.

- Luck, H., Methods of enzymatic analysis, in: Bergmeyer, H.U. (Ed.), Academic Press, Verlag Chemie, Weinheim and New York, pp. 885-888, 1963.
- Lustman, P.J., Skor, D.A., Carney, R.M., Santiago, J.V. and Cryer, P.E., Stress and diabetic control, *Lancet*, 1, 588, 1983.
- Lustman, P.J., Griffith, L.S., Clouse, R.E., Freedland, K.E., Eisen, S.A., Rubin, E.H., Carney, R.M. and McGill, J.B., Effects of alprazolam on glucose regulation in diabetes. Results of double-blind, placebo-controlled trial, *Diabetes Care*, 18, 1133-1139, 1995.
- Lustman, P.J., Anderson, R.J., Freedland, K.E., de Groot, M., Carney, R.M. and Clouse, R.E., Depression and poor glycemic control: a meta-analytic review of the literature, *Diabetes Care*, 23, 934-942, 2000.
- Ma, Y., Haynes, R.L., Sidman, R.L. and Vartanian, T., TLR8: an innate immune receptor in brain, neurons and axons, *Cell Cycle*, 6, 2859-2868, 2007.
- MacKenzie, R.G. and Trulson, M.E., Effects of insulin and streptozotocin-induced diabetes on brain tryptophan and serotonin metabolism in rats, *Journal of Neurochemistry*, 30, 205-211, 1978.
- Maes, M., Song, C., Lin, A., De Jongh, R., Van Gastel, A., Kenis, G., Bosmans, E., De Meester, I., Benoy, I., Neels, H., Demedts, P., Janca, A., Scharpe, S. and Smith, R.S., The effects of psychological stress on humans: increased production of pro-inflammatory cytokines and a Th1-like response in stress-induced anxiety, *Cytokine*, 10, 313-318, 1998.
- Mandal, S.C., Dhara, A.K. and Maiti, B.C., Studies on psychopharmacological activity of *Andrographis paniculata* extract, *Phytotherapy Research*, 15, 253-256, 2001.
- Mann, J.J., Malone, K.M., Diehl, D.J., Perel, J., Cooper, T.B. and Mintun, M.A., Demonstration *in vivo* of reduced serotonin responsivity in the brain of untreated depressed patients, *American Journal of Psychiatry*, 153, 174-182, 1996.
- Manyam, B.V., Dementia in Ayurveda, *Journal of Alternative and Complementary Medicine*, 5, 81-88, 1999.
- Marek, G.J., Li, A.A. and Seiden, L.S., Evidence for involvement of 5-hydroxytryptamine1 receptors in antidepressant-like drug effects on differential-reinforcement-of-low-rate 72-second behavior, *Journal of Pharmacology and Experimental Therapeutics*, 250, 60-71, 1989.
- Marsh, B., Stevens, S.L., Packard, A.E., Gopalan, B., Hunter, B., Leung, P.Y., Harrington, C.A. and Stenzel-Poore, M.P., Systemic lipopolysaccharide protects the brain from ischemic injury by reprogramming the response of the brain to stroke: a critical role for IRF3, *Journal of Neuroscience*, 29, 9839-9849, 2009.
- Masiello, P., Broca, C., Gross, R., Roye, M., Manteghetti, M., Hillaire-Buys, D., Novelli, M. and Ribes, G., Experimental NIDDM: development of a new model in adult rats administered streptozotocin and nicotinamide, *Diabetes*, 47, 224-229, 1998.

- Mastrocola, R., Reffo, P., Penna, F., Tomasinelli, C.E., Bocuzzi, G., Baccino, F.M., Aragno, M. and Costelli, P., Muscle wasting in diabetic and in tumor-bearing rats: role of oxidative stress, *Free Radical Biology & Medicine*, 44, 584-593, 2008.
- Maxwell, D.M., Brecht, K.M., Doctor, B.P. and Wolfe, A.D., Comparison of antidote protection against soman by pyridostigmine, HI-6 and acetylcholinesterase, *Journal of Pharmacology and Experimental Therapeutics*, 264, 1085-1089, 1993.
- Mazloom, Z., Ekramzadeh, M. and Hejazi, N., Efficacy of supplementary vitamins C and E on anxiety, depression and stress in type 2 diabetic patients: a randomized, single-blind, placebo-controlled trial, *Pakistan Journal of Biological Sciences*, 16, 1597-1600, 2013.
- McFall-Ngai, M., Hadfield, M.G., Bosch, T.C., Carey, H.V., Domazet-Loso, T., Douglas, A.E., Dubilier, N., Eberl, G., Fukami, T., Gilbert, S.F., Hentschel, U., King, N., Kjelleberg, S., Knoll, A.H., Kremer, N., Mazmanian, S.K., Metcalf, J.L., Nealson, K., Pierce, N.E., Rawls, J.F., Reid, A., Ruby, E.G., Rumpho, M., Sanders, J.G., Tautz, D. and Wernegreen, J.J., Animals in a bacterial world, a new imperative for the life sciences, *Proceedings of the National Academy of Sciences of the United States of America*, 110, 3229-3236, 2013.
- Mishra, K., Dash, A., Swain, B. and Dey, N., Anti-malarial activities of *Andrographis paniculata* and *Hedyotis corymbosa* extracts and their combination with curcumin, *Malaria Journal*, 8, 26, 2009.
- Mishra, S., Singh, P.N. and Dubey, S.D., Sedative & anxiolytic studies of *Capparis zeylanica* Linn. root extract, *Oriental Pharmacy and Experimental Medicine*, 13, 307-317, 2013.
- Mishra, S.K., Sangwan, N.S. and Sangwan, R.S., *Andrographis paniculata* (Kalmegh): A Review, *Pharmacognosy Reviews*, 1, 283-298, 2007.
- Montiel-Castro, A.J., Gonzalez-Cervantes, R.M., Bravo-Ruiseco, G. and Pacheco-Lopez, G., The microbiota-gut-brain axis: neurobehavioural correlates, health and sociality, *Frontiers in Integrative Neuroscience*, 7, 70.1-70.16, 2013.
- Morishita, S., Shoji, M., Oguni, Y., Hirai, Y., Sugimoto, C. and Ito, C., Effects of crude drugs derived from animal sources on sexual and learning behaviour in chemically stressed mice, *Phytotherapy Research*, 7, 57-63, 1993.
- Morris, R., Developments of a water-maze procedure for studying spatial learning in the rat, *Journal of Neuroscience Methods*, 11, 47-60, 1984.
- Muruganandam, A.V., Kumar, V. and Bhattacharya, S.K., Effect of poly herbal formulation, EuMil, on chronic stress-induced homeostatic perturbations in rats, *Indian Journal of Experimental Biology*, 40, 1151-1160, 2002.
- Nade, V.S., Kawale, L.A., Naik, R.A. and Yadav, A.V., Adaptogenic effect of *Morus alba* on chronic footshock-induced stress in rats, *Indian Journal of Pharmacology*, 41, 246-251, 2009.

- Nagalekshmi, R., Menon, A., Chandrasekharan, D.K. and Nair, C.K., Hepatoprotective activity of *Andrographis paniculata* and *Swertia chirayita*, Food and Chemical Toxicology, 49, 3367-3373, 2011.
- Nahata, A., Patil, U.K. and Dixit, V.K., Effect of *Evolvulus alsinoides* Linn. on learning behavior and memory enhancement activity in rodents, Phytotherapy Research, 24, 486-493, 2010.
- Najib Nik, A.R.N., Furuta, T., Kojima, S., Takane, K. and Ali Mohd, M., Antimalarial activity of extracts of Malaysian medicinal plants, Journal of Ethnopharmacology, 64, 249-254, 1999.
- Nakamura, K., Central circuitries for body temperature regulation and fever, American Journal of Physiology-Regulatory, Integrative and Comparative Physiology, 301, R1207-1228, 2011.
- Nakatsu, K. and Owen, J.A., A microprocessor-based animal monitoring system, Journal of Pharmacological Methods, 3, 71-82, 1980.
- Nicholson, J.K., Holmes, E., Kinross, J., Burcelin, R., Gibson, G., Jia, W. and Pettersson, S., Host-gut microbiota metabolic interactions, Science, 336, 1262-1267, 2012.
- Nouwen, A., Winkley, K., Twisk, J., Lloyd, C.E., Peyrot, M., Ismail, K., Pouwer, F. and European Depression in Diabetes Research, C., Type 2 diabetes mellitus as a risk factor for the onset of depression: a systematic review and meta-analysis, Diabetologia, 53, 2480-2486, 2010.
- Nugroho, A.E., Andrie, M., Warditiani, N.K., Siswanto, E., Pramono, S. and Lukitaningsih, E., Antidiabetic and antihyperlipidemic effect of *Andrographis paniculata* (Burm. f.) Nees and andrographolide in high-fructose-fat-fed rats, Indian Journal of Pharmacology, 44, 377-381, 2012.
- Nutt, D.J. and Ballenger, J.C., Anxiety disorders: Current needs and future prospects, Blackwell Science Inc., Massachusetts, 2003.
- Ohkawa, H., Ohishi, N. and Yagi, K., Assay for lipid peroxides in animal tissues by thiobarbituric acid reaction, Analytical Biochemistry, 95, 351-358, 1979.
- Ojha, R., Sahu, A.N., Muruganandam, A.V., Singh, G.K. and Krishnamurthy, S., *Asparagus recemosus* enhances memory and protects against amnesia in rodent models, Brain and Cognition, 74, 1-9, 2010.
- Ojima, K., Matsumoto, K., Tohda, M. and Watanabe, H., Hyperactivity of central noradrenergic and CRF systems is involved in social isolation-induced decrease in pentobarbital sleep, Brain Research 684, 87-94, 1995.
- Olson, J.K. and Miller, S.D., Microglia initiate central nervous system innate and adaptive immune responses through multiple TLRs, Journal of Immunology, 173, 3916-3924, 2004.
- Ooi, J.P., Kuroyanagi, M., Sulaiman, S.F., Muhammad, T.S. and Tan, M.L., Andrographolide and 14-deoxy-11, 12-didehydroandrographolide inhibit cytochrome P450s in HepG2 hepatoma cells, Life Sciences, 88, 447-454, 2011.

- Overmier, J.B. and Seligman, M.E., Effects of inescapable shock upon subsequent escape and avoidance responding, *Journal of Comparative and Physiological Psychology*, 63, 28-33, 1967.
- Owens, M.J., Morgan, W.N., Plott, S.J. and Nemeroff, C.B., Neurotransmitter receptor and transporter binding profile of antidepressants and their metabolites, *Journal of Pharmacology and Experimental Therapeutics*, 283, 1305-1322, 1997.
- Pambreja, K., Dua, K., Sharma, S., Padi, S.S. and Kulkarni, S.K., Minocycline attenuates the development of diabetic neuropathic pain: possible anti-inflammatory and anti-oxidant mechanisms, *European Journal of Pharmacology*, 661, 15-21, 2011.
- Pan, Y., Abd-Rashid, B.A., Ismail, Z., Ismail, R., Mak, J.W., Pook, P.C., Er, H.M. and Ong, C.E., *In vitro* determination of the effect of *Andrographis paniculata* extracts and andrographolide on human hepatic cytochrome P450 activities, *Journal of Natural Medicines*, 65, 440-447, 2011.
- Pandey, A.K. and Mandal, A.K., Variation in morphological characteristics and Andrographolide content in *Andrographis paniculata* (Burm.f.) Nees of central India, *Iranica Journal of Energy and Environment*, 1, 165-169, 2010.
- Panossian, A., Kochikian, A., Gabrielian, E., Muradian, R., Stepanian, H., Arsenian, F. and Wagner, H., Effect of *Andrographis paniculata* extract on progesterone in blood plasma of pregnant rats, *Phytomedicine*, 6, 157-161, 1999.
- Panossian, A., Hovhannisyan, A., Mamikonyan, G., Abrahamian, H., Hambardzumyan, E., Gabrielian, E., Goukasova, G., Wikman, G. and Wagner, H., Pharmacokinetic and oral bioavailability of andrographolide from *Andrographis paniculata* fixed combination Kan Jang in rats and human, *Phytomedicine*, 7, 351-364, 2000.
- Panossian, A. and Wikman, G., Efficacy of *Andrographis paniculata* in Upper Respiratory Tract Infectious Diseases and the Mechanism of Action, in: Wagner, H. and Ulrich-Merzenich, G. (Eds.), *Evidence and Rational Based Research on Chinese Drugs*, Springer Vienna, pp. 137-179, 2013.
- Papp, L.A., Gorenstein, E.E. and Mohlman, J., Treatment of late-life anxiety disorder, in: Simpson, H.B., Neria, Y., Fernandez, R.L. and Schneier, F. (Eds.), *Anxiety Disorders, Theory, Research and Clinical Perspective*, Cambridge University Press, New York, pp. 297-305, 2010.
- Parichatikanond, W., Suthisisang, C., Dhepakson, P. and Herunsalee, A., Study of anti-inflammatory activities of the pure compounds from *Andrographis paniculata* (burm.f.) Nees and their effects on gene expression, *International Immunopharmacology*, 10, 1361-1373, 2010.
- Parixit, B., Bharath, C., Rajarajeshwari, N. and Ganapaty, S., The genus *Andrographis*- a review, *International Journal of Pharmaceutical Sciences*, 4, 1835-1856, 2012.

- Park, C.R., Cognitive effects of insulin in the central nervous system, *Neuroscience and Biobehavioral Reviews*, 25, 311-323, 2001.
- Pekthong, D., Martin, H., Abadie, C., Bonet, A., Heyd, B., Mantion, G. and Richert, L., Differential inhibition of rat and human hepatic cytochrome P450 by *Andrographis paniculata* extract and andrographolide, *Journal of Ethnopharmacology*, 115, 432-440, 2008.
- Pekthong, D., Blanchard, N., Abadie, C., Bonet, A., Heyd, B., Mantion, G., Berthelot, A., Richert, L. and Martin, H., Effects of *Andrographis paniculata* extract and Andrographolide on hepatic cytochrome P450 mRNA expression and monooxygenase activities after *in vivo* administration to rats and *in vitro* in rat and human hepatocyte cultures, *Chemico-biological Interactions*, 179, 247-255, 2009.
- Pellow, S. and File, S.E., Anxiolytic and anxiogenic drug effects on exploratory activity in an elevated plus-maze: a novel test of anxiety in the rat, *Pharmacology Biochemistry and Behavior*, 24, 525-529, 1986.
- Peng, G., Guo, Z., Kiniwa, Y., Voo, K.S., Peng, W., Fu, T., Wang, D.Y., Li, Y., Wang, H.Y. and Wang, R.F., Toll-like receptor 8-mediated reversal of CD4+ regulatory T cell function, *Science*, 309, 1380-1384, 2005.
- Perlmutter, L.C., Hakami, M.K., Hodgson-Harrington, C., Ginsberg, J., Katz, J., Singer, D.E. and Nathan, D.M., Decreased cognitive function in aging non-insulin-dependent diabetic patients, *American Journal of Medicine*, 77, 1043-1048, 1984.
- Pertwee, R.G., The ring test: a quantitative method for assessing the 'cataleptic' effect of cannabis in mice, *British Journal of Pharmacology*, 46, 753-763, 1972.
- Peterson, S.L., The effect on maximal electroshock seizures induced by GABA agents and antiepileptic drugs microinfused into the nucleus reticularis pontis oralis, *Epilepsy Research*, 25, 161-167, 1996.
- Pitchot, W., Herrera, C. and Ansseau, M., HPA axis dysfunction in major depression: relationship to 5-HT(1A) receptor activity, *Neuropsychobiology*, 44, 74-77, 2001.
- Porsolt, R.D., Anton, G., Blavet, N. and Jalfre, M., Behavioural despair in rats: a new model sensitive to antidepressant treatments, *European Journal of Pharmacology*, 47, 379-391, 1978.
- Pouwer, F., Should we screen for emotional distress in type 2 diabetes mellitus?, *Nature reviews. Endocrinology*, 5, 665-671, 2009.
- Pramanick, S., Banerjee, S., Achari, B. and Mukhopadhyay, S., Phytochemicals from the genus *Andrographis*, in: Govil, J.N., Singh, V.K. and Bhardwaj, R. (Eds.), *Recent Progress in Medicinal Plants: Phytomedicines*, Studium Press LLC, Houston, pp. 339-387, 2007.
- Prehaud, C., Megret, F., Lafage, M. and Lafon, M., Virus infection switches TLR-3-positive human neurons to become strong producers of beta interferon, *Journal of Virology*, 79, 12893-12904, 2005.

- Price, L.H., Charney, D.S., Delgado, P.L. and Heninger, G.R., Serotonin function and depression: neuroendocrine and mood responses to intravenous L-tryptophan in depressed patients and healthy comparison subjects, American Journal of Psychiatry, 148, 1518-1525, 1991.
- Protais, P., Costentin, J. and Schwartz, J.C., Climbing behavior induced by apomorphine in mice: a simple test for the study of dopamine receptors in striatum, Psychopharmacology (Berl.), 50, 1-6, 1976.
- Qin, L.H., Kong, L., Shi, G.J., Wang, Z.T. and Ge, B.X., Andrographolide inhibits the production of TNF-alpha and interleukin-12 in lipopolysaccharide-stimulated macrophages: role of mitogen-activated protein kinases, Biological & Pharmaceutical Bulletin, 29, 220-224, 2006.
- Radhika, P., Annapurna, A. and Rao, S.N., Immunostimulant, cerebroprotective & nootropic activities of *Andrographis paniculata* leaves extract in normal & type 2 diabetic rats, Indian Journal of Medical Research, 135, 636-641, 2012a.
- Radhika, P., Prasad, Y.R. and Sowjanya, K., A new diterpene from the leaves of *Andrographis paniculata* Nees, Natural Product Communications, 7, 485-486, 2012b.
- Ramanathan, M., Jaiswal, A.K. and Bhattacharya, S.K., Differential effects of diazepam on anxiety in streptozotocin induced diabetic and non-diabetic rats, Psychopharmacology, 135, 361-367, 1998.
- Ramanathan, M., Khanna, V.K., Seth, P.K., Jaiswal, A.K. and Bhattacharya, S.K., Central neurotransmitter receptor binding and behaviour during streptozotocin-induced diabetes mellitus in rats, Biogenic Amines, 15, 355-365, 1999.
- Raz, I., Hasdai, D., Seltzer, Z. and Melmed, R.N., Effect of hyperglycemia on pain perception and on efficacy of morphine analgesia in rats, Diabetes, 37, 1253-1259, 1988.
- Reber, S.O., Stress and animal models of inflammatory bowel disease: an update on the role of the hypothalamo-pituitary-adrenal axis, Psychoneuroendocrinology, 37, 1-19, 2012.
- Rege, N.N., Thatte, U.M. and Dahanukar, S.A., Adaptogenic properties of six rasayana herbs used in Ayurvedic medicine, Phytotherapy Research, 13, 275-291, 1999.
- Rodin, G.M., Psychosocial aspects of diabetes mellitus, Canadian journal of psychiatry. Revue Canadienne de Psychiatrie, 28, 219-223, 1983.
- Rolls, A., Shechter, R., London, A., Ziv, Y., Ronen, A., Levy, R. and Schwartz, M., Toll-like receptors modulate adult hippocampal neurogenesis, Nature Cell Biology, 9, 1081-1088, 2007.
- Rowland, N.E. and Bellush, L.L., Diabetes mellitus: stress, neurochemistry and behavior, Neuroscience and Biobehavioral Reviews, 13, 199-206, 1989.

- Roy, T., Lloyd, C.E., Pouwer, F., Holt, R.I. and Sartorius, N., Screening tools used for measuring depression among people with Type 1 and Type 2 diabetes: a systematic review, *Diabetic medicine*, 29, 164-175, 2012.
- Rudzik, A.D., Hester, J.B., Tang, A.N., Stray, R.N. and Friss, W., in: Garrattini, S., Mussinii, E. and Randall, L.O. (Eds.), *The Benzodiazepines*, Raven Press, New York, pp. 285-297, 1973.
- Russell, S.T., Rajani, S., Dhadda, R.S. and Tisdale, M.J., Mechanism of induction of muscle protein loss by hyperglycaemia, *Experimental Cell Research*, 315, 16-25, 2009.
- Russo, A. and Borrelli, F., *Bacopa monniera*, a reputed nootropic plant: an overview, *Phytomedicine*, 12, 305-317, 2005.
- Saelens, J.K., Kovacsics, G.B. and Allen, M.P., The influence of the adrenergic system on the 24-hour locomotor activity pattern in mice, *Archives Internationales de Pharmacodynamie et de Therapie*, 173, 411-416, 1968.
- Sandborn, W.J., Targan, S.R., Byers, V.S., Rutty, D.A., Mu, H., Zhang, X. and Tang, T., *Andrographis paniculata* extract (HMPL-004) for active ulcerative colitis, *American Journal of Gastroenterology*, 108, 90-98, 2013.
- Saraiva, M. and O'Garra, A., The regulation of IL-10 production by immune cells, *Nature Reviews Immunology*, 10, 170-181, 2010.
- Saranya, P., Geetha, A. and Selvamathy, S.M., A biochemical study on the gastroprotective effect of andrographolide in rats induced with gastric ulcer, *Indian Journal of Pharmaceutical Sciences*, 73, 550-557, 2011.
- Sareen, J., Jacobi, F., Cox, B.J., Belik, S.L., Clara, I. and Stein, M.B., Disability and poor quality of life associated with comorbid anxiety disorders and physical conditions, *Archives of Internal Medicine*, 166, 2109-2116, 2006.
- Saxena, R.C., Singh, R., Kumar, P., Yadav, S.C., Negi, M.P., Saxena, V.S., Joshua, A.J., Vijayabalaji, V., Goudar, K.S., Venkateshwarlu, K. and Amit, A., A randomized double blind placebo controlled clinical evaluation of extract of *Andrographis paniculata* (KalmCold) in patients with uncomplicated upper respiratory tract infection, *Phytomedicine*, 17, 178-185, 2010.
- Schoepp, D.D., Where will new neuroscience therapies come from?, *Nature Reviews Drug Discovery*, 10, 715-716, 2011.
- Schurr, A. and Livne, A., Differential inhibition of mitochondrial monoamine oxidase from brain by hashish components, *Biochemical Pharmacology*, 25, 1201-1203, 1976.
- Selye, H., The evolution of the stress concept, *American Scientist*, 61, 692-699, 1973.
- Selye, H., A syndrome produced by diverse nocuous agents- 1936, *Journal of Neuropsychiatry and Clinical Neurosciences*, 10, 230-231, 1998.
- Shaban, M.C., Fosbury, J., Kerr, D. and Cavan, D.A., The prevalence of depression and anxiety in adults with Type 1 diabetes, *Diabetic Medicine*, 23, 1381-1384, 2006.

- Sharma, A., Lal, K. and Handa, S.S., Standardization of the indian crude drug kalmegh by high pressure liquid chromatographic determination of andrographolide, *Phytochemical Analysis*, 3, 129-131, 1992.
- Sharma, P.V., Chkitsastana, 2nd edition, Chaukhambha Orientalia, India, 2001.
- Shaw, P., Mead, R., Higginbottom, A., Barber, S., Therapeutics for neurological disorders, United States Patent: US20110251230A1, 2011.
- Sheeja, K. and Kuttan, G., Ameliorating effects of *Andrographis paniculata* extract against cyclophosphamide-induced toxicity in mice, *Asian Pacific Journal of Cancer Prevention*, 7, 609-614, 2006.
- Sheeja, K., Shihab, P.K. and Kuttan, G., Antioxidant and anti-inflammatory activities of the plant *Andrographis paniculata* Nees, *Immunopharmacology and Immunotoxicology*, 28, 129-140, 2006.
- Sheeja, K., Guruvayoorappan, C. and Kuttan, G., Antiangiogenic activity of *Andrographis paniculata* extract and andrographolide, *International Immunopharmacology*, 7, 211-221, 2007.
- Shen, T., Yang, W.S., Yi, Y.S., Sung, G.H., Rhee, M.H., Poo, H., Kim, M.Y., Kim, K.W., Kim, J.H. and Cho, J.Y., AP-1/IRF-3 Targeted anti-inflammatory activity of Andrographolide isolated from *Andrographis paniculata*, *Evidence-based Complementary and Alternative Medicine*, Article ID: 210736, 2013.
- Sherman, A.D., Allers, G.L., Petty, F. and Henn, F.A., A neuropharmacologically relevant animal model of depression, *Neuropharmacology*, 18, 891-893, 1979.
- Sherman, A.D., Sacquitne, J.L. and Petty, F., Specificity of the learned helplessness model of depression, *Pharmacology Biochemistry and Behavior*, 16, 449-454, 1982.
- Simen, B.B., Duman, C.H., Simen, A.A. and Duman, R.S., TNFalpha signaling in depression and anxiety: behavioral consequences of individual receptor targeting, *Biological Psychiatry*, 59, 775-785, 2006.
- Sims, E.A., Danforth, E., Jr., Horton, E.S., Bray, G.A., Glennon, J.A. and Salans, L.B., Endocrine and metabolic effects of experimental obesity in man, *Recent Progress in Hormone Research*, 29, 457-496, 1973.
- Singh, G.K., Neuropsychopharmacological Studies on Standardised Extract of *Fumaria indica*, Ph.D. Thesis, Department of Pharmaceutics, Institute of Technology (Banaras Hindu University), Varanasi, India, 2012.
- Singh, G.K., Rai, G., Chatterjee, S.S. and Kumar, V., Beneficial effects of *Fumaria indica* on chronic stress-induced neurobehavioral and biochemical perturbations in rats, *Chinese Medicine*, 3, 49-60, 2012.
- Singh, G.K., Rai, G., Chatterjee, S.S. and Kumar, V., Effects of ethanolic extract of *Fumaria indica* L. on rat cognitive dysfunctions, *AYU*, 34, 421-429, 2013.
- Singh, N., Kaur, S., Bedi, P.M. and Kaur, D., Anxiolytic effects of *Equisetum arvense* Linn. extracts in mice, *Indian Journal of Experimental Biology*, 49, 352-356, 2011.

- Singh, R.P., Banerjee, S. and Rao, A.R., Modulatory influence of *Andrographis paniculata* on mouse hepatic and extrahepatic carcinogen metabolizing enzymes and antioxidant status, *Phytotherapy Research*, 15, 382-390, 2001.
- Siripong, P., Kongkathip, B., Preechanukool, K., Picha, P., Tunsuwan, K. and Taylor, W.C., Cytotoxic diterpenoid constituents from *Andrographis paniculata* Nees leaves, *Journal of the Science Society of Thailand*, 18, 187-194, 1992.
- Smith, K.K., Dharmaratne, H.R., Feltenstein, M.W., Broom, S.L., Roach, J.T., Nanayakkara, N.P., Khan, I.A. and Sufka, K.J., Anxiolytic effects of kava extract and kavalactones in the chick social separation-stress paradigm, *Psychopharmacology*, 155, 86-90, 2001.
- Smith, R.S., The macrophage theory of depression, *Medical Hypotheses*, 35, 298-306, 1991.
- Snyder, S.H., Amphetamine psychosis: a "model" schizophrenia mediated by catecholamines, *The American Journal of Psychiatry*, 130, 61-67, 1973.
- Spiegelman, B.M. and Flier, J.S., Obesity and the regulation of energy balance, *Cell*, 104, 531-543, 2001.
- Spijker, S., Dissection of Rodent Brain Regions, in: Li, K.W. (Ed.), *Neuroproteomics-II*, Humana Press Inc., New York, pp. 13-26, 2011.
- Srinivasan, K., Viswanad, B., Asrat, L., Kaul, C.L. and Ramarao, P., Combination of high-fat diet-fed and low-dose streptozotocin-treated rat: a model for type 2 diabetes and pharmacological screening, *Pharmacological Research*, 52, 313-320, 2005.
- Stahl, M.S., Building a treatment plan with novel treatment and augmentation options for depression, in: Felker, A. (Ed.) *Antidepressant: Stahl's Illustrated Series*, Cambridge University Press, New York, pp. 111-128, 2009.
- Stevens, M.J., Obrosova, I., Cao, X., Van Huysen, C. and Greene, D.A., Effects of DL-alpha-lipoic acid on peripheral nerve conduction, blood flow, energy metabolism, and oxidative stress in experimental diabetic neuropathy, *Diabetes*, 49, 1006-1015, 2000.
- Strachan, M.W., Deary, I.J., Ewing, F.M. and Frier, B.M., Is type II diabetes associated with an increased risk of cognitive dysfunction? A critical review of published studies, *Diabetes Care*, 20, 438-445, 1997.
- Stridh, L., Mottahedin, A., Johansson, M.E., Valdez, R.C., Northington, F., Wang, X. and Mallard, C., Toll-like receptor-3 activation increases the vulnerability of the neonatal brain to hypoxia-ischemia, *Journal of Neuroscience*, 33, 12041-12051, 2013.
- Subramanian, R., Asmawi, M.Z. and Sadikun, A., *In vitro* alpha-glucosidase and alpha-amylase enzyme inhibitory effects of *Andrographis paniculata* extract and andrographolide, *Acta Biochimica Polonica*, 55, 391-398, 2008.

- Subramanian, R., Zaini Asmawi, M. and Sadikun, A., A bitter plant with a sweet future? A comprehensive review of an oriental medicinal plant: *Andrographis paniculata*, Phytochemistry Reviews, 11, 39-75, 2012.
- Sumanth, M. and Mustafa, S.S., Antistress, adaptogenic activity of *Sida cordifolia* roots in mice, Indian Journal of Pharmaceutical Sciences, 71, 323-324, 2009.
- Swanston-Flatt, S.K., Day, C., Bailey, C.J. and Flatt, P.R., Traditional plant treatments for diabetes. Studies in normal and streptozotocin diabetic mice, Diabetologia, 33, 462-464, 1990.
- Takamori, K., Yoshida, S. and Okuyama, S., Availability of learned helplessness test as a model of depression compared to a forced swimming test in rats, Pharmacology, 63, 147-153, 2001.
- Tannenbaum, B., Tannenbaum, G.S., Sudom, K. and Anisman, H., Neurochemical and behavioural alterations elicited by a chronic intermittent stressor regimen: implications for allostatic load, Brain Research, 953, 82-92, 2002.
- Thakur, M., Weng, A., Fuchs, H., Sharma, V., Bhargava, C.S., Chauhan, N.S., Dixit, V.K. and Bhargava, S., Rasayana properties of Ayurvedic herbs: Are polysaccharides a major contributor, Carbohydrate Polymers, 87, 3-15, 2012a.
- Thakur, A.K., Chatterjee, S.S. and Kumar, V., General neuropharmacological screening of standardized extract of *Andrographis paniculata* in rodents, Annals of Neuroscience, 19, S36-S37, 2012b.
- Thakur, A.K., Chatterjee, S.S. and Kumar, V., Beneficial effects of *Brassica juncea* on cognitive functions in rats, Pharmaceutical Biology, 51, 1304-1310, 2013a.
- Thakur, A.K., Chatterjee, S.S. and Kumar, V., Anxiolytic-like activity of leaf extract of traditionally used Indian-mustard, TANG Humanitas Medicine, 3, 7.1-7.7, 2013b.
- Thakur, A.K., Chatterjee, S.S. and Kumar, V., Antidiabetic activity of standardised extract of *Andrographis paniculata* in rodents, 2nd International Pharma-Nutrition Conference. Elsevier, MAX Atria, Singapore, 2013c.
- Thakur, A.K., Chatterjee, S.S. and Kumar, V., Neuropsychopharmacology of a therapeutically used *Andrographis paniculata* extract: a preclinical study, Oriental Pharmacy and Experimental Medicine, 14, 181-191, 2014a.
- Thakur, A.K., Chatterjee, S.S. and Kumar, V., Therapeutic potential of traditionally used medicinal plant *Andrographis paniculata* (Burm. F.) against diabetes: An experimental study in rats, TANG Humanitas Medicine, 4, 1-8, 2014b.
- Thakur, A.K., Chatterjee, S.S. and Kumar, V., Antidepressant-like activity of *Andrographis paniculata* in type-2 diabetic rats, Clinical Pharmacology and Biopharmaceutics, S2, 003, 2014c. DOI:10.4172/2167-065X.S2-003.
- Thakur, A.K., Chatterjee, S.S. and Kumar, V., Antidepressant-like effects of *Brassica juncea* leaves in diabetic rodents, Indian Journal of Experimental Biology, 52, 613-622, 2014d.

- Thakur, A.K., Shakya, A., Husain, G.M., Emerald, M. and Kumar, V., Gut-microbiota and mental health: current and future perspectives, *Journal of Pharmacology & Clinical Toxicology*, 2, 1-15, 2014e.
- Thakur, A.K., Chatterjee, S.S. and Kumar, V. Adaptogenic potential of andrographolide: an active principle of the King of Bitters (*Andrographis paniculata*), *Journal of Traditional and Complementary Medicine*, 2014f (*in-press*).
- Thakur, A.K., Soni, U.K., Rai, G., Chatterjee, S.S. and Kumar, V., Protective effects of *Andrographis paniculata* extract and pure Andrographolide against chronic stress-triggered pathologies in rats, *Cellular and Molecular Neurobiology*, 2014g. doi: 10.1007/s10571-014-0086-1.
- Thiebot, M.H., Martin, P. and Puech, A.J., Animal behavioural studies in the evaluation of antidepressant drugs, *British Journal of Psychiatry Supplement*, 15, 44-50, 1992.
- Thisoda, P., Rangkadilok, N., Pholphana, N., Worasuttayangkurn, L., Ruchirawat, S. and Satayavivad, J., Inhibitory effect of *Andrographis paniculata* extract and its active diterpenoids on platelet aggregation, *European Journal of Pharmacology*, 553, 39-45, 2006.
- Trivedi, N. and Rawal, U.M., Hepatoprotective and toxicological evaluation of *Andrographis paniculata* on severe liver damage, *Indian Journal of Pharmacology*, 32, 288-293, 2000.
- Trongsakul, S., Panthong, A., Kanjanapothi, D. and Taesotikul, T., The analgesic, antipyretic and anti-inflammatory activity of *Diospyros variegata* Kruz, *Journal of Ethnopharmacology*, 85, 221-225, 2003.
- Trotta, T., Porro, C., Calvello, R. and Panaro, M.A., Biological role of Toll-like receptor-4 in the brain, *Journal of Neuroimmunology*, 268, 1-12, 2014.
- Trulson, M.E. and Himmel, C.D., Effects of insulin and streptozotocin-induced diabetes on brain norepinephrine metabolism in rats, *Journal of Neurochemistry*, 44, 1873-1876, 1985.
- Tsakanova, G.V., Ayvazyan, V.A., Boyajyan, A.S., Arakelova, E.A., Grigoryan, G.S., Guevorkyan, A.A. and Mamikonyan, A.A., A comparative study of antioxidant system and intensity of lipid peroxidation in type 2 diabetes mellitus and ischemic stroke aggravated and not aggravated by type 2 diabetes mellitus, *Bulletin of Experimental Biology and Medicine*, 151, 564-566, 2011.
- Turner, R.A., in: Turner, R. and Ebborn, P. (Eds.) *Analgesics: Screening Methods in Pharmacology*, Academic Press, New York, pp. 100, 1965.
- Valdiani, A., Kadir, M.A., Tan, S.G., Talei, D., Abdullah, M.P. and Nikzad, S., Nain-e Havandi *Andrographis paniculata* present yesterday, absent today: a plenary review on underutilized herb of Iran's pharmaceutical plants, *Molecular Biology Reports*, 39, 5409-5424, 2012.
- van der Heyden, J.A., Zethof, T.J. and Olivier, B., Stress-induced hyperthermia in singly housed mice, *Physiology & Behavior*, 62, 463-470, 1997.

- van Meerloo, J., Kaspers, G.J. and Cloos, J., Cell sensitivity assays: the MTT assay, Methods in Molecular Biology, 731, 237-245, 2011.
- Viguera, A.C., Baldessarini, R.J. and Friedberg, J., Discontinuing antidepressant treatment in major depression, Harvard Review of Psychiatry, 5, 293-306, 1998.
- von Hehn, C.A., Baron, R. and Woolf, C.J., Deconstructing the neuropathic pain phenotype to reveal neural mechanisms, Neuron, 73, 638-652, 2012.
- Wadachi, R. and Hargreaves, K.M., Trigeminal nociceptors express TLR-4 and CD14: a mechanism for pain due to infection, Journal of Dental Research, 85, 49-53, 2006.
- Wagner, H., Norr, H. and Winterhoff, H., Plant adaptogens, Phytomedicine, 1, 63-76, 1994.
- Walf, A.A. and Frye, C.A., The use of the elevated plus maze as an assay of anxiety-related behavior in rodents, Nature Protocols, 2, 322-328, 2007.
- Wang, D., Couture, R. and Hong, Y., Activated microglia in the spinal cord underlies diabetic neuropathic pain, European Journal of Pharmacology, 728c, 59-66, 2014.
- Wang, T., Liu, B., Zhang, W., Wilson, B. and Hong, J.S., Andrographolide reduces inflammation-mediated dopaminergic neurodegeneration in mesencephalic neuron-glia cultures by inhibiting microglial activation, Journal of Pharmacology and Experimental Therapeutics, 308, 975-983, 2004.
- Welch, A.S. and Welch, B.L., Solvent extraction method for simultaneous determination of norepinephrine, dopamine, serotonin, and 5-hydroxyindoleacetic acid in a single mouse brain, Analytical Biochemistry, 30, 161-179, 1969.
- Welsh, B. and Wecker, L., Effects of streptozotocin-induced diabetes on acetylcholine metabolism in rat brain, Neurochemical Research, 16, 453-460, 1991.
- Wiart, C., Kumar, K., Yusof, M.Y., Hamimah, H., Fauzi, Z.M. and Sulaiman, M., Antiviral properties of ent-labdene diterpenes of *Andrographis paniculata* nees, inhibitors of herpes simplex virus type 1, Phytotherapy Research, 19, 1069-1070, 2005.
- Williamson, E.M., Major Herbs of Ayurveda, Churchill Livingstone, China, 2002.
- Willner, P., The validity of animal models of depression, Psychopharmacology (Berl.), 83, 1-16, 1984.
- Winston, D. and Maimes, S., Adaptogens: Herbs for strength, stamina, and stress relief, Healing Art Press, Vermont, 2007.
- Winter, C.A. and Porter, C.C., Effect of alterations in side chain upon anti-inflammatory and liver glycogen activities of hydrocortisone esters, Journal of the American Pharmaceutical Association (Baltim.), 46, 515-519, 1957.

- Woods, S.C., Seeley, R.J., Rushing, P.A., D'Alessio, D. and Tso, P., A controlled high-fat diet induces an obese syndrome in rats, *Journal of Nutrition*, 133, 1081-1087, 2003.
- World Health Organisation (WHO), *Herba andrographidis*, in: WHO Monographs on Selected Medicinal Plants. World Health Organization, Geneva, pp. 12-25, 2004.
- World Health Organisation, Obesity and overweight- Fact sheet N°311, 2013.
- Wu, K.K. and Huan, Y., Streptozotocin-induced diabetic models in mice and rats, *Current Protocol in Pharmacology*, 5, 47, 2008.
- Wu, T.S., Chern, H.J., Damu, A.G., Kuo, P.C., Su, C.R., Lee, E.J. and Teng, C.M., Flavonoids and ent-labdane diterpenoids from *Andrographis paniculata* and their antiplatelet aggregatory and vasorelaxing effects, *Journal of Asian Natural Products Research*, 10, 17-24, 2008.
- Wuarin-Bierman, L., Zahnd, G.R., Kaufmann, F., Burcklen, L. and Adler, J., Hyperalgesia in spontaneous and experimental animal models of diabetic neuropathy, *Diabetologia*, 30, 653-658, 1987.
- Xia, Y.F., Ye, B.Q., Li, Y.D., Wang, J.G., He, X.J., Lin, X., Yao, X., Ma, D., Slungaard, A., Hebbel, R.P., Key, N.S. and Geng, J.G., Andrographolide attenuates inflammation by inhibition of NF-kappa B activation through covalent modification of reduced cysteine 62 of p50, *Journal of Immunology*, 173, 4207-4217, 2004.
- Xu, C., Chou, G.X. and Wang, Z.T., A new diterpene from the leaves of *Andrographis paniculata* Nees, *Fitoterapia*, 81, 610-613, 2010.
- Xu, J., Li, Z., Cao, M., Zhang, H., Sun, J., Zhao, J., Zhou, Q., Wu, Z. and Yang, L., Synergetic effect of *Andrographis paniculata* polysaccharide on diabetic nephropathy with andrographolide, *International Journal of Biological Macromolecules*, 51, 738-742, 2012.
- Yadav, K. and Krishnan, A., Changing patterns of diet, physical activity and obesity among urban, rural and slum populations in north India, *Obesity Reviews*, 9, 400-408, 2008.
- Yan, H.C., Cao, X., Das, M., Zhu, X.H. and Gao, T.M., Behavioural animal models of depression, *Neuroscience Bulletin*, 26, 327-337, 2010.
- Yan, X., Wang, T., Ma, Z., Zhang, W., Duan, J. and Cai, Y., Crude extracts from *Andrographis paniculata*. Hutchison MediPharma Enterprises Limited (Nassau, New Providence, BS), US, 2008.
- Yang, T., Shi, H.X., Wang, Z.T. and Wang, C.H., Hypolipidemic effects of andrographolide and neoandrographolide in mice and rats, *Phytotherapy Research*, 27, 618-623, 2013a.
- Yang, T., Xu, C., Wang, Z.T. and Wang, C.H., Comparative pharmacokinetic studies of andrographolide and its metabolite of 14-deoxy-12-hydroxy-andrographolide in rat by ultra-performance liquid chromatography-mass spectrometry, *Biomedical Chromatography*, 27, 931-937, 2013b.

- Ye, L., Wang, T., Tang, L., Liu, W., Yang, Z., Zhou, J., Zheng, Z., Cai, Z., Hu, M. and Liu, Z., Poor oral bioavailability of a promising anticancer agent andrographolide is due to extensive metabolism and efflux by P-glycoprotein, *Journal of Pharmaceutical Sciences*, 100, 5007-5017, 2011.
- Yu, B.C., Hung, C.R., Chen, W.C. and Cheng, J.T., Antihyperglycemic effect of andrographolide in streptozotocin-induced diabetic rats, *Planta Medica*, 69, 1075-1079, 2003.
- Yunus, M.B., Central sensitivity syndromes: An overview, *Journal of Musculoskeletal Pain*, 17, 400-408, 2009.
- Zavaroni, I., Sander, S., Scott, S. and Reaven, G.M., Effect of fructose feeding on insulin secretion and insulin action in the rat, *Metabolism*, 29, 970-973, 1980.
- Zethof, T.J., Van der Heyden, J.A., Tolboom, J.T. and Olivier, B., Stress-induced hyperthermia in mice: a methodological study, *Physiology and Behavior*, 55, 109-115, 1994.
- Zhang, C.Y. and Tan, B.K., Mechanisms of cardiovascular activity of *Andrographis paniculata* in the anaesthetized rat, *Journal of Ethnopharmacology*, 56, 97-101, 1997.
- Zhang, X.F. and Tan, B.K., Anti-diabetic property of ethanolic extract of *Andrographis paniculata* in streptozotocin-diabetic rats, *Acta Pharmacologica Sinica*, 21, 1157-1164, 2000a.
- Zhang, X.F. and Tan, B.K., Antihyperglycaemic and anti-oxidant properties of *Andrographis paniculata* in normal and diabetic rats, *Clinical and Experimental Pharmacology & Physiology*, 27, 358-363, 2000b.
- Zhou, B., Zhang, D. and Wu, X., Biological activities and corresponding SARs of andrographolide and its derivatives, *Mini Reviews in Medicinal Chemistry*, 13, 298-309, 2013.