## **List of Tables**

Table No.	Description	Page No.
Table 2.1	Marketed formulations containing <i>Andrographis</i> paniculata extracts	17
Table 2.2	A few recently reported preclinical and clinical observations made with diverse types of <i>Andrographis paniculata</i> extracts	19
Table 2.3	Some reported pharmacological activities of secondary plant metabolites isolated from <i>Andrographis paniculata</i> .	22
Table 3.1	Primers for RT-PCR	67
Table 4.1	Effect of <i>Andrographis paniculata</i> extract (AP) on mice in ring test	134
Table 4.2	Effect of <i>Andrographis paniculata</i> extract (AP) on mice in inverted screen test	135
Table 4.3	Effect of <i>Andrographis paniculata</i> extract (AP) on maximal electroshock (MES)-induced seizures in rats	135
Table 4.4	Effect of <i>Andrographis paniculata</i> extract (AP) on pentylenetetrazole (80 mg/kg, i.p.)-induced convulsions in mice	136
Table 4.5	Effect of <i>Andrographis paniculata</i> extract (AP) on body weight, fasting blood glucose and plasma insulin level of the experimental groups observed 10 days after daily oral treatments	136
Table 4.6	Effect of <i>Andrographis paniculata</i> extract (AP) on oxidative status of liver, kidney, and pancreas of diabetic rats	137

Table 4.7	Effect of <i>Andrographis paniculata</i> extract (AP) on body weight gain, food intake, and fasting plasma glucose and insulin level in high fat fed obese rats	138
Table 4.8	Effect of <i>Andrographis paniculata</i> extract (AP) on body weight gain and fasting plasma glucose and insulin level in fructose fed obese rats	138
Table 4.9	Effect of <i>Andrographis paniculata</i> extract (AP) on body weight of nondiabetic rats	139
Table 4.10	Effect of <i>Andrographis paniculata</i> extract (AP) on body weight of diabetic rats	139
Table 4.11	Effect of <i>Andrographis paniculata</i> extract (AP) on glucose level and insulin level in nondiabetic rats during learned helplessness test	140
Table 4.12	Effect of <i>Andrographis paniculata</i> extract (AP) on glucose level and insulin level in diabetic rats during learned helplessness test	140
Table 4.13	Effect of <i>Andrographis paniculata</i> extract (AP) on body weight of nondiabetic rats	141
Table 4.14	Effect of <i>Andrographis paniculata</i> extract (AP) on body weight of diabetic rats	141
Table 4.15	Effect of <i>Andrographis paniculata</i> extract (AP) on glucose level and insulin level of nondiabetic rats during elevated plus maze test	142
Table 4.16	Effect of <i>Andrographis paniculata</i> extract (AP) on glucose level and insulin level of diabetic rats during elevated plus maze test	142
Table 4.17	Effect of <i>Andrographis paniculata</i> extract (AP) and andrographolide on body weight of nondiabetic rats	143
Table 4.18	Effect of <i>Andrographis paniculata</i> extract (AP) and andrographolide on body weight of diabetic rats	143

Table 4.19	Effect of <i>Andrographis paniculata</i> extract (AP) and andrographolide on blood glucose and insulin level of nondiabetic rats	144
Table 4.20	Effect of <i>Andrographis paniculata</i> extract (AP) and andrographolide on blood glucose and insulin level of diabetic rats	144
Table 4.21	Effect of <i>Andrographis paniculata</i> extract (AP) and andrographolide on body weight and blood glucose level of nondiabetic rats from spontaneous locomotor activity test	145
Table 4.22	Effect of <i>Andrographis paniculata</i> extract (AP) and andrographolide on body weight and blood glucose level of diabetic rats from spontaneous locomotor activity test	145
Table 4.23	Effect of <i>Andrographis paniculata</i> extract (AP) and andrographolide on body weight and blood glucose level of nondiabetic mice from 5-HTP-induced head twitches test	146
Table 4.24	Effect of <i>Andrographis paniculata</i> extract (AP) and andrographolide on body weight and blood glucose level of diabetic mice from 5-HTP-induced head twitches test	146
Table 4.25	Effect of <i>Andrographis paniculata</i> extract (AP) and andrographolide on body weight and blood glucose level of nondiabetic mice from L-DOPA-induced hyperactivity test	147
Table 4.26	Effect of <i>Andrographis paniculata</i> extract (AP) and andrographolide on body weight and blood glucose level of diabetic mice from L-DOPA-induced hyperactivity test	147
Table 4.27	Effect of <i>Andrographis paniculata</i> extract (AP) and andrographolide on body weight and blood glucose level of nondiabetic mice from Apomorphine-induced hyperactivity	148
Table 4.28	Effect of <i>Andrographis paniculata</i> extract (AP) and andrographolide on body weight and blood glucose level of diabetic mice from Apomorphine-induced hyperactivity	148

Table 4.29	Effect of <i>Andrographis paniculata</i> extract (AP) and andrographolide on body weight and blood glucose level of nondiabetic rats from cotton pellet test	149
Table 4.30	Effect of <i>Andrographis paniculata</i> extract (AP) and andrographolide on body weight and blood glucose level of diabetic rats from cotton pellet test	149
Table 4.31	Effect of <i>Andrographis paniculata</i> extract (AP) and andrographolide on body weight and blood glucose level of nondiabetic rats from tail flick test	150
Table 4.32	Effect of <i>Andrographis paniculata</i> extract (AP) and andrographolide on body weight and blood glucose level of diabetic rats from tail flick test	150
Table 4.33	Effect of <i>Andrographis paniculata</i> extract (AP) and andrographolide on body weight and blood glucose level of nondiabetic mice from hot plate test	151
Table 4.34	Effect of <i>Andrographis paniculata</i> extract (AP) and andrographolide on body weight and blood glucose level of diabetic mice from hot plate test	151
Table 4.35	Effect of <i>Andrographis paniculata</i> extract (AP) and andrographolide on chronic stress-induced gastric ulceration of rats	152