

REFERENCES

- Achenbach J.D., (1984), *Wave propagation in elastic solids*, North-Holland, New York.
- Achenbach, J. D., & Zulfiqar Z, A. (1998). Techniques and instrumentation for structural diagnostics. *Structural Health Monitoring*, 27(10), 179-190.
- Adam, I. *Complex wavelet transform: application to denoising*. Doctoral dissertation, The Politehnica University of Timisoara and Université de Rennes http://www.tc/etc.upt.ro/docs/cercetare//teze_doctorat/tezaFiroiu.pdf).
- Adamou, A. T. I., & Craster, R. V. (2004). Spectral methods for modelling guided waves in elastic media. *The Journal of the Acoustical Society of America*, 116(3), 1524-1535.
- Ainsworth, M., & Oden, J. T. (1997). A posteriori error estimation in finite element analysis. *Computer methods in applied mechanics and engineering*, 142, 1-88.
- Ainsworth, M., & Oden, J. T. (2011). *A posteriori error estimation in finite element analysis* (Vol. 37). John Wiley & Sons.
- Alam, J. M., Kevlahan, N. K. R., & Vasilyev, O. V. (2006). Simultaneous space-time adaptive wavelet solution of nonlinear parabolic differential equations. *Journal of Computational Physics*, 214(2), 829-857.
- Alleyne, D. N. (1991). *Nondestructive Testing of Plates Using Ultrasonic Lamb Waves* (Doctoral dissertation, University of London).
- Alleyne, D. N., & Cawley, P. (1990). A 2-dimensional Fourier transform method for the quantitative measurement of Lamb modes. In *Ultrasonics Symposium, 1990. Proceedings., IEEE 1990* (pp. 1143-1146). IEEE.
- Alleyne, D. N., & Cawley, P. (1992). The interaction of Lamb waves with defects. *IEEE transactions on ultrasonics, ferroelectrics, and frequency control*, 39(3), 381-397.
- Alleyne, D. N., & Cawley, P. (1997). Long range propagation of Lamb waves in chemical plant pipework. *Materials Evaluation*, 55(4), 504-508.
- Alleyne, D.N., Pavlakovic, B., Lowe, M.J.S., & Cawley, P. (2000). Rapid long range inspection of chemical plant pipework using guided waves. In *the Italian society for nondestructive testing and monitoring diagnostics in Proceedings 15th world conference on non-destructive testing in Roma*, Italy, 15-21.

Alleyne, N. D., Lowe, M. J. S., & Cawley, P. (1998). The reflection of guided waves from circumferential notches in pipes. *Journal of Applied Mechanics ASME*, 65, 635-41.

Alves, M. A., Cruz, P., Mendes, A., Magalhaes, F. D., Pinho, F. T., & Oliveira, P. J. (2002). Adaptive multiresolution approach for solution of hyperbolic PDEs. *Computer methods in applied mechanics and engineering*, 191, 3909-3928.

Amaratunga, K., & Williams, J. R. (1997). Wavelet-Galerkin solution of boundary value problems. *Archives of Computational Methods in Engineering*, 4(3), 243-285.

Amaratunga, K., Williams, J.R., Qian, S., & Weiss, J. (1992). Wavelet-Galerkin Solutions for One Dimensional Partial Differential Equations. *IESL Technical Report No. 92-05, Intelligent Engineering Systems Laboratory*, MIT.

Amaratunga, K., Williams, J. R., Qian, S., & Weiss, J. (1994). Wavelet-Galerkin solutions for one-dimensional partial differential equations. *International Journal for Numerical Methods in Engineering*, 37(16), 2703-2716.

Arney, D. C., & Flaherty, J. E. (1986). A two-dimensional mesh moving technique for time-dependent partial differential equations. *Journal of computational physics*, 67, 124-144.

Auld B.A., (1990) *Acoustic fields and waves in solids: Volumes I & II*, R.E. Kreiger Publishing Co., Florida.

Babuška, I., & Rheinboldt, W. C. (1978). A-posteriori error estimates for the finite element method. *International Journal for Numerical Methods in Engineering*, 12(10), 1597-1615.

Babuška, I., & Rheinboldt, W. C. (1978). Error estimates for adaptive finite element computations. *SIAM Journal on Numerical Analysis*, 15(4), 736-754.

Babuška, I., & Rheinboldt, W. C. (1979). Adaptive approaches and reliability estimations in finite element analysis. *Computer Methods in Applied Mechanics and Engineering*, 17/18, 519-540.

Babuška, I., & Rheinboldt, W. C. (1979). On the reliability and optimality of the finite element method. *Computers & Structures*, 10(1-2), 87-94.

Babuska, I., & Rheinboldt, W. C. (1981). A posteriori error analysis of finite element solutions for one-dimensional problems. *SIAM Journal on Numerical Analysis*, 18, 565-589.

Babuška, I., & Strouboulis, T. (2001). *The finite element method and its reliability*. Oxford university press.

Babuška, I., Ihlenburg, F., Strouboulis, T., & Gangaraj, S. K. (1997). A posteriori error estimation for finite element solutions of Helmholtz' equation. Part I: The quality of local indicators and estimators. *International Journal for Numerical Methods in Engineering*, 40(18), 3443-3462.

Balasubramanyam, R., Quinney, D., Challis, R. E., & Todd, C. P. D. (1996). A finite-difference simulation of ultrasonic Lamb waves in metal sheets with experimental verification. *Journal of Physics D: Applied Physics*, 29(1), 147.

Bank R. E. (2004). PLTMG: A software for solving elliptic partial differential equations. Users' Guide 9.0. *Department of Mathematics, University of California at San Diego*.

Bank, R. E. (1986). Analysis of a Local a posteriori error estimate for elliptic equations, in Babuska. *Accuracy estimates and adaptive refinements in finite element computations*, John Wiley & Sons Limited: 119-128.

Bank, R. E., & Smith, R. K. (1993). A posteriori error estimates based on hierarchical bases. *SIAM Journal on Numerical Analysis*, 30, 921-935.

Bank, R. E., & Weiser, A. (1985). Some *a posteriori* error estimators for elliptic partial differential equations. *Mathematics of computation*, 44(170), 283-301.

Bank, R. E., Dupont, T. F., & Yserentant, H. (1988). The hierarchical basis multigrid method. *Numerische Mathematik*, 52, 427-458.

Barshinger, J. N., & Rose, J. L. (2004). Guided wave propagation in an elastic hollow cylinder coated with a viscoelastic material. *ieee transactions on ultrasonics, ferroelectrics, and frequency control*, 51(11), 1547-1556.

Bartoli, I., di Scalea, F. L., Fateh, M., & Viola, E. (2005). Modeling guided wave propagation with application to the long-range defect detection in railroad tracks. *Ndt & E International*, 38(5), 325-334.

Bartoli, I., Marzani, A., di Scalea, F. L., & Viola, E. (2006). Modeling wave propagation in damped waveguides of arbitrary cross-section. *Journal of Sound and Vibration*, 295(3), 685-707.

Bathe, K. J. (1997). *Finite element procedures*. Englewood Cliffs: Prentice Hall.

- Becker, R., & Rannacher, R. (1996). *A feed-back approach to error control in finite element methods: basic analysis and examples*. East-West J. Numer. Math., 4:237–264.
- Becker, R., & Rannacher, R. (2001). An optimal control approach to a posteriori error estimation in finite element methods. *Acta numerica*, 10, 1-102.
- Bermes, C., Kim, J. Y., Qu, J., & Jacobs, L. J. (2007). Experimental characterization of material nonlinearity using Lamb waves. *Applied physics letters*, 90(2), 021901.
- Benmeddour, F., Grondel, S., Assaad, J., & Moulin, E. (2008). Study of the fundamental Lamb modes interaction with symmetrical notches. *Ndt & E International*, 41(1), 1-9.
- Bertoluzza, S. (1995). A posteriori error estimates for the wavelet Galerkin method. *Applied mathematics letters*, 8, 1-6.
- Bertoluzza, S. (1996). Adaptive wavelet collocation method for the solution of Burgers equation. *Transport Theory and Statistical Physics*, 25,339-352.
- Bertoluzza, S., & Castro, L. (2002). Adaptive wavelet collocation for elasticity: first results. *Technical Report 1276, Pub. IAN-CNR de Pavia*.
- Beylkin, G. (1992). On the representation of operators in bases of compactly supported wavelets. *SIAM Journal on Numerical Analysis*, 29(6), 1716-1740.
- Beylkin, G., & Keiser, J. M. (1997). On the adaptive numerical solution of nonlinear partial differential equations in wavelet bases. *Journal of Computational Physics*, 132(2), 233-259.
- Beylkin, G., Coifman, R., & Rokhlin, V. (1991). Fast wavelet transforms and numerical algorithms I. *Communications on pure and applied mathematics*, 44(2), 141-183.
- Beylkln, G., & Keiser, J. M. (1997). An adaptive pseudo-wavelet approach for solving nonlinear partial differential equations. *Wavelet Analysis and Its Applications*, 6, 137-197.
- Bijudas, C. R., Mitra, M., & Mujumdar, P. M. (2013). Time reversed Lamb wave for damage detection in a stiffened aluminum plate. *Smart Materials and Structures*, 22(10), 105026.
- Birt, E. A. (1998). Damage detection in carbon-fibre composites using ultrasonic Lamb waves. *Insight*, 40(5), 335-339.

- Boffa N. D. (2016). Structural health monitoring (SHM) systems in aircraft: wing damage detection employing guided waves techniques. Doctoral dissertation, *University of Studies of Naples “Federico II”*.
- Boller, C. (2013). Structural health monitoring—its association and use. *New trends in structural health monitoring, CISM international centre for mechanical sciences, 542*, 1-79.
- Boller, C., Chang, F. K., and Fujino, Y. (2009). *Encyclopedia of structural health monitoring*. New York, wiley.
- Bond, L. (1990). Numerical techniques and their use to study wave propagation and scattering- A review. *Elastic waves and ultrasonic nondestructive evaluation*, 17-27.
- Bornemann, F. A., Erdmann, B., & Kornhuber, R. (1996). A posteriori error estimates for elliptic problems in two and three space dimensions. *SIAM Journal on Numerical Analysis*, 33(3), 1188-1204.
- Burnett D. S. (1987). *Finite elements analysis*. Addison-Wesley, first edition.
- Cai, W., & Wang, J. (1996). Adaptive multiresolution collocation methods for initial-boundary value problems of nonlinear PDEs. *SIAM Journal on Numerical Analysis*, 33(3), 937-970.
- Canuto, C., Tabacco, A., & Urban, K. (2000). The wavelet element method part II. realization and additional features in 2D and 3D. *Applied and Computational Harmonic Analysis*, 8(2), 123-165.
- Carnicer, J. M., Dahmen, W., & Peña, J. M. (1996). Local decomposition of refinable spaces and wavelets. *Applied and Computational Harmonic Analysis*, 3(2), 127-153.
- Castro-Diaz, M. J., Hecht, F., Mohammadi, B., & Pironneau, O. (1997). Anisotropic unstructured mesh adaption for flow simulations. *International Journal for Numerical Methods in Fluids*, 25(4), 475-491.
- Cawley, P. (1990). The detection of delaminations using flexural waves. *NDT international*, 23(4), 207-213.
- Cawley, P., & Alleyne, D. (1996). The use of Lamb waves for the long range inspection of large structures. *Ultrasonics*, 34(2-5), 287-290.

- Cawley, P., Lowe, M. J. S., Alleyne, D. N., Pavlakovic, B., & Wilcox, P. (2003). Practical long range guided wave inspection-applications to pipes and rail. *Materials evaluation*, 61(1), 66-74.
- Chang, F. K., Markmiller, J. F., Ihn, J. B., & Cheng, K. Y. (2007). A potential link from damage diagnostics to health prognostics of composites through built-in sensors. *Journal of vibration and acoustics*, 129(6), 718-729.
- Chang, P. C., Flatau, A., & Liu, S. C. (2003). Health monitoring of civil infrastructure. *Structural health monitoring*, 2(3), 257-267.
- Chen, M. Q., Hwang, C., & Shih, Y. P. (1996). A wavelet-Galerkin method for solving population balance equations. *Computers & chemical engineering*, 20(2), 131-145.
- Chen, X., Yang, Z., Zhang, X., & He, Z. (2012). Modeling of wave propagation in one-dimension structures using B-spline wavelet on interval finite element. *Finite Elements in Analysis and Design*, 51, 1-9.
- Chien, H. T., Sheen, S. H., & Raptis, A. C. (1994). Theoretical studies of wave propagation in multilayered piezoelectric media. *Review of Progress in Quantitative Nondestructive Evaluation*, 13, 219-219.
- Cho, Y., & Rose, J. L. (1996). A boundary element solution for a mode conversion study on the edge reflection of Lamb waves. *The Journal of the Acoustical Society of America*, 99(4), 2097-2109.
- Clarke, T., Simonetti, F., Rokhlin, S., & Cawley, P. (2008). Evaluation of the temperature stability of a low-frequency A0 mode transducer developed for SHM applications. In *AIP Conference Proceedings*, 975(1), 910-917.
- Cohen, A. (2003). *Numerical analysis of wavelet methods* (Vol. 32). Elsevier, Amsterdam.
- Cohen, A., Dahmen, W., & DeVore, R. (2001). Adaptive wavelet methods for elliptic operator equations: convergence rates. *Mathematics of Computation*, 70, 27-75.
- Cohen, A., Kaber, S., Müller, S., & Postel, M. (2003). Fully adaptive multiresolution finite volume schemes for conservation laws. *Mathematics of Computation*, 72(241), 183-225.
- Cohen, R. (2012). Signal denoising using wavelets. *Project Report, Department of Electrical Engineering Technion, Israel Institute of Technology, Haifa*, <http://tx.technion.ac.il/~rc>

Cook, R. D. (2007). *Concepts and applications of finite element analysis*. John Wiley & Sons.

Cormen T. H., Leiserson C. E., Rivest R. L. & Stein C. (2009). *Introduction to algorithms*, PHI, New Delhi.

Croxford, A. J., Wilcox, P. D., Drinkwater, B. W., & Konstantinidis, G. (2007). Strategies for guided-wave structural health monitoring. In *Proceedings of the Royal Society of London A: Mathematical, Physical and Engineering Sciences* . 463, 2961-2981.

Dahlke, S., Dahmen, W., Hochmuth, R., & Schneider, R. (1997). Stable multiscale bases and local error estimation for elliptic problems. *Applied Numerical Mathematics*, 23, 21-47.

Dahmen, W. (2001). Wavelet methods for PDEs—some recent developments. *Journal of Computational and Applied Mathematics*, 128(1), 133-185.

Dahmen, W., & Stevenson, R. (1999). Element-by-element construction of wavelets satisfying stability and moment conditions. *SIAM Journal on Numerical Analysis*, 37, 319-352.

Dai, D., & He, Q. (2014). Structure damage localization with ultrasonic guided waves based on a time–frequency method. *Signal Processing*, 96, 21-28.

Dallal, J. (2012). Correlation coefficient Internet, <http://www.jerrydallal.com/lhsp/corr>.

Dalton, R. P., Cawley, P., & Lowe, M. J. S. (2001). The potential of guided waves for monitoring large areas of metallic aircraft fuselage structure. *Journal of Nondestructive Evaluation*, 20(1), 29-46.

Dao, P. B., & Staszewski, W. J. (2013). Cointegration approach for temperature effect compensation in Lamb-wave-based damage detection. *Smart Materials and Structures*, 22, 095002.

Dao, P. B., & Staszewski, W. J. (2014). Lamb wave based structural damage detection using cointegration and fractal signal processing. *Mechanical Systems and Signal Processing*, 49(1-2), 285-301.

Das, S., Kyriakides, I., Chattopadhyay, A., & Papandreou-Suppappola, A. (2009). Monte Carlo matching pursuit decomposition method for damage quantification in composite structures. *Journal of Intelligent Material Systems and Structures*, 20(6), 647-658.

- Daubechies, I. (1988). Orthonormal bases of compactly supported wavelets. *Communications on pure and applied mathematics*, 41(7), 909-996.
- Delsanto, P. P., Schechter, R. S., & Mignogna, R. B. (1997). Connection machine simulation of ultrasonic wave propagation in materials III: The three-dimensional case. *Wave Motion*, 26(4), 329-339.
- Delsanto, P. P., Whitcombe, T., Chaskelis, H. H., & Mignogna, R. B. (1992). Connection machine simulation of ultrasonic wave propagation in materials. I: the one-dimensional case. *Wave motion*, 16(1), 65-80.
- Delsanto, P. P., Schechter, R. S., Chaskelis, H. H., Mignogna, R. B., & Kline, R. (1994). Connection machine simulation of ultrasonic wave propagation in materials. II: the two-dimensional case. *Wave Motion*, 20(4), 295-314.
- Demkowicz, L., Oden, J. T., & Strouboulis, T. (1984). Adaptive finite elements for flow problems with moving boundaries. Part I: Variational principles and a posteriori estimates. *Computer methods in applied mechanics and engineering*, 46(2), 217-251.
- Demkowicz, L., Oden, J. T., & Strouboulis, T. (1985). An adaptive p-version finite element method for transient flow problems with moving boundaries. In *Finite elements in fluids* (pp. 291-305). (Chichester, England and New York, Wiley Interscience).
- Demma, A., Cawley, P., Lowe, M., & Pavlakovic, B. (2005). The effect of bends on the propagation of guided waves in pipes. *Journal of pressure vessel technology*, 127(3), 328-335.
- Demma, A., Cawley, P., Lowe, M., & Roosenbrand, A. G. (2003). The reflection of the fundamental torsional mode from cracks and notches in pipes. *The Journal of the Acoustical Society of America*, 114(2), 611-625.
- Deng, M. (1999). Cumulative second-harmonic generation of Lamb-mode propagation in a solid plate. *Journal of applied physics*, 85(6), 3051-3058.
- Deng, M. (2003). Analysis of second-harmonic generation of Lamb modes using a modal analysis approach. *Journal of applied physics*, 94(6), 4152-4159.
- Deslauriers, G., & Dubuc, S. (1989). Symmetric iterative interpolation processes. In *Constructive approximation* (pp. 49-68). Springer US.
- D'Heedene, S., Amaralunga, K., & Castrillón-Candás, J. (2005). Generalized hierarchical bases: a Wavelet-Ritz-Galerkin framework for Lagrangian FEM. *International*

Journal for Computer Aided Engineering and Software, 22(1), 15-37.

- Diamanti, K., & Soutis, C. (2010). Structural health monitoring techniques for aircraft composite structures. *Progress in Aerospace Sciences*, 46(8), 342-352.
- Diamanti, K., Soutis, C., & Hodgkinson, J. M. (2007). Piezoelectric transducer arrangement for the inspection of large composite structures. *Composites Part A: Applied science and manufacturing*, 38(4), 1121-1130.
- Dianfeng L.U., Ohyoshi, T., & Zhu, L. (1997). Treatment of boundary conditions in the application of wavelet-Galerkin method to an SH wave problem. *International Journal of the Society of Materials Engineering for Resources*, 5(1), 15-25.
- Diligent, O., Grahn, T., Boström, A., Cawley, P., & Lowe, M. J. (2002). The low-frequency reflection and scattering of the S 0 Lamb mode from a circular through-thickness hole in a plate: finite element, analytical and experimental studies. *The Journal of the Acoustical Society of America*, 112(6), 2589-2601.
- Donoho, D. L. (1995). De-noising by soft-thresholding. *IEEE transactions on information theory*, 41, 613-627.
- Donoho, D. L., & Johnstone, J. M. (1994). Ideal spatial adaptation by wavelet shrinkage. *biometrika*, 81, 425-455.
- Duan, W., Kirby, R., & Mudge, P. (2016). On the scattering of elastic waves from a non-axisymmetric defect in a coated pipe. *Ultrasonics*, 65, 228-241.
- Erath, C., Ferraz-Leite, S., Funken, S., & Praetorius, D. (2009). Energy norm based a posteriori error estimation for boundary element methods in two dimensions. *Applied Numerical Mathematics*, 59, 2713-2734.
- Fan, Z. & Lowe, M. J. S. (2009). Elastic Waves Guided by a Welded Joint in a Plate. *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 465, 2053-2067.
- Fan, Z. (2010). *Applications of guided wave propagation on waveguides with irregular cross-section* (Doctoral dissertation, Imperial College London).
- Fan, Z., Castaings, M., Lowe, M. J., Biateau, C., & Fromme, P. (2013). Feature-guided waves for monitoring adhesive shear modulus in bonded stiffeners. *NDT & E International*, 54, 96-102.

- Farrar, C. R., & Worden, K. (2007). An introduction to structural health monitoring. *Philosophical Transactions of the Royal Society of London A: Mathematical, Physical and Engineering Sciences*, 365(1851), 303-315.
- Frederick, C. L., & Worlton, D. C. (1962). Ultrasonic thickness measurements with Lamb waves. *Journal of Nondestructive Test*, 20, 51-55.
- Fritzen, C. P., & Kraemer, P. (2009). Self-diagnosis of smart structures based on dynamical properties. *Mechanical Systems and Signal Processing*, 23(6), 1830-1845.
- Fromme, P. (2001). *Defect detection in plates using guided waves*. Doctoral dissertation, Swiss Federal Institute of Technology.
- Galán, J. M., & Abascal, R. (2005). Boundary element solution for the bidimensional scattering of guided waves in laminated plates. *Computers & structures*, 83(10), 740-757.
- Galán, J. M., & Abascal, R. (2005). Lamb mode conversion at edges. A hybrid boundary element–finite-element solution. *The Journal of the Acoustical Society of America*, 117(4), 1777-1784.
- Gao, W., Glorieux, C., & Thoen, J. (2003). Laser ultrasonic study of Lamb waves: determination of the thickness and velocities of a thin plate. *International journal of engineering science*, 41(2), 219-228.
- Gartland, Jr, E. C. (1984). Computable pointwise error bounds and the Ritz method in one dimension. *SIAM journal on numerical analysis*, 21(1), 84-100.
- Gazis, D. C. (1958). Exact analysis of the plane-strain vibrations of thick-walled hollow cylinders. *The Journal of the Acoustical Society of America*, 30(8), 786-794.
- Gazis, D. C. (1959). Three-dimensional investigation of the propagation of waves in hollow circular cylinders. *The journal of the Acoustical Society of America*, v.31, 568-578.
- Ge, M., Zhang, G. C., Du, R., & Xu, Y. (2002). Feature extraction from energy distribution of stamping processes using wavelet transform. *Modal Analysis*, 8(7), 1023-1032.
- Ghoshal, A., Martin, W. N., & Schulz, M. J. (2002). Simulation of asymmetric Lamb wave propagation for health monitoring. In *1st European Workshop on Structural Health Monitoring* (pp. 365-373). Paris, France.

- Gines, D., Beylkin, G., & Dunn, J. (1998). LU factorization of non-standard forms and direct multiresolution solvers. *Applied and Computational Harmonic Analysis*, 5, 156-201.
- Giurgiutiu, V. (2005). Tuned Lamb wave excitation and detection with piezoelectric wafer active sensors for structural health monitoring. *Journal of intelligent material systems and structures*, 16(4), 291-305.
- Giurgiutiu, V. (2008). *Structural health monitoring: with piezoelectric wafer active sensors*. Academic Press, Boston, UK.
- Giurgiutiu, V., Bao, J., & Zhao, W. (2003). Piezoelectric wafer active sensor embedded ultrasonic in beams and plates. *Experimental mechanics*, 43(4), 428-449.
- Goedecker S. (2009). Wavelets and Their Application for the Solution of Partial Differential Equations in Physics. Max-Planck Institute for Solid State Research, Stuttgart, Germany.
- Gomilko, A. M., Gorodetskaya, N. S., & Meleshko, V. V. (1991). Longitudinal lamb waves in a semi-infinite elastic layer. *International Applied Mechanics*, 27(6), 577-581.
- Graff, K.F. (1975), *Wave motion in elastic solids*, Dover Publications, New York
- Grätsch, T., & Bathe, K. J. (2005). A posteriori error estimation techniques in practical finite element analysis. *Computers & structures*, 83, 235-265.
- Gresil, M., Giurgiutiu, V., Shen, Y., & Poddar, B. (2012). Guidelines for using the finite element method for modeling guided Lamb wave propagation in SHM process. In *6th European Workshop on Structural Health Monitoring, Dresden, Germany*, (pp. 3-6).
- Greve, D. W., Neumann, J. J., Nieuwenhuis, J. H., Oppenheim, I. J., & Tyson, N. L. (2005). Use of Lamb waves to monitor plates: experiments and simulations. In *Proceeding SPIE* (Vol. 5765, pp. 281-292).
- Greve, D. W., Zheng, P., & Oppenheim, I. J. (2008). The transition from Lamb waves to longitudinal waves in plates. *Smart materials and structures*, 17(3), 035029.
- Gridin, D., & Craster, R. V. (2004). Lamb quasi-modes in curved plates. In *Proceedings of the Royal Society of London A: Mathematical, Physical and Engineering Sciences*(Vol. 460, No. 2046, pp. 1831-1847). The Royal Society.
- Guo, M., & Zhong, H. (2017). Constitutive-relation-error-based a posteriori error bounds

for a class of elliptic variational inequalities. *Applied Mathematics Letters*, 71, 14-23.

Guo, N., & Cawley, P. (1992). Lamb waves for the NDE of composite laminates. In *Review of Progress in Quantitative Nondestructive Evaluation. Vol. 11B* (Vol. 11, pp. 1443-1450).

Guo, N., & Cawley, P. (1993). The interaction of Lamb waves with delaminations in composite laminates. *The Journal of the Acoustical Society of America*, 94(4), 2240-2246.

Habashi, W. G., Dompierre, J., Bourgault, Y., Ait-Ali-Yahia, D., Fortin, M., & Vallet, M. G. (2000). Anisotropic mesh adaptation: towards user-independent, mesh-independent and solver-independent CFD. Part I: general principles. *International Journal for Numerical Methods in Fluids*, 32(6), 725-744.

Habeger, C. C., Mann, R. W., & Baum, G. A. (1979). Ultrasonic plate waves in paper. *Ultrasonics*, 17(2), 57-62.

Ham, S., & Bathe, K. J. (2012). A finite element method enriched for wave propagation problems. *Computers & structures*, 94, 1-12.

Hamshaw, R., (1996). Introduction to the Non-Destructive Testing of Welded Joints, 2nd edition, Abington Publishing, Cambridge, UK, 1996.

Han, S., Palazotto, A. N., & Leakeas, C. L. (2009). Finite-element analysis of Lamb wave propagation in a thin aluminum plate. *Journal of Aerospace Engineering*, 22(2), 185-197.

Harris, J. G. (2002). Rayleigh wave propagation in curved waveguides. *Wave motion*, 36(4), 425-441.

Harten, A. (1995). Multiresolution algorithms for the numerical solution of hyperbolic conservation laws. *Communications on Pure and Applied Mathematics*, 48(12), 1305-1342.

Hassan, W., & Veronesi, W. (2003). Finite element analysis of Rayleigh wave interaction with finite-size, surface-breaking cracks. *Ultrasonics*, 41(1), 41-52.

Heller, K., Jacobs, L. J., & Qu, J. (2000). Characterization of adhesive bond properties using Lamb waves. *NDT & E International*, 33(8), 555-563.

Hosseini, S. M. H., Kharaghani, A., Kirsch, C., & Gabbert, U. (2013). Numerical simulation of Lamb wave propagation in metallic foam sandwich structures: a

- parametric study. *Composite Structures*, 97, 387-400.
- Hosten, B., & Castaings, M. (2005). FE Modeling of Guided Wave Propagation in Structures with Weak Interfaces. In *AIP Conference Proceedings* (Vol. 760, No. 1, pp. 142-149). AIP.
- Ihn, J. B., & Chang, F. K. (2004). Detection and monitoring of hidden fatigue crack growth using a built-in piezoelectric sensor/actuator network: I. Diagnostics. *Smart materials and structures*, 13(3), 609-620.
- Ihn, J. B., & Chang, F. K. (2004). Detection and monitoring of hidden fatigue crack growth using a built-in piezoelectric sensor/actuator network: II. Validation using riveted joints and repair patches. *Smart materials and structures*, 13(3), 621-630.
- Irimie, S., & Bouillard, P. (2001). A residual a posteriori error estimator for the finite element solution of the Helmholtz equation. *Computer methods in applied mechanics and engineering*, 190(31), 4027-4042.
- J. S. Walker. *A primer on wavelets and their scientific applications*. CRC press, 1999.
- Jameson, L., & Miyama, T. (2000). Wavelet analysis and ocean modeling: A dynamically adaptive numerical method “WOFD-AHO”. *Monthly Weather Review*, 128, 1536-1549.
- Jang, G. W., Kim, J. E., & Kim, Y. Y. (2004). Multiscale Galerkin method using interpolation wavelets for two-dimensional elliptic problems in general domains. *International journal for numerical methods in engineering*, 59(2), 225-253.
- Jin, J., Quek, S. T., & Wang, Q. (2003). Analytical solution of excitation of Lamb waves in plates by inter-digital transducers. In *Proceedings of the Royal Society of London A: Mathematical, Physical and Engineering Sciences* (Vol. 459, No. 2033, pp. 1117-1134). The Royal Society.
- Kessler, S. S. (2002). *Piezoelectric-based in-situ damage detection of composite materials for structural health monitoring systems* (Doctoral dissertation, Massachusetts Institute of Technology, USA).
- Kessler, S. S., Spearing, S. M., & Soutis, C. (2002). Damage detection in composite materials using Lamb wave methods. *Smart materials and structures*, 11(2), 269-278.
- Kim, J. E., Jang, G. W., & Kim, Y. Y. (2003). Adaptive multiscale wavelet-Galerkin analysis for plane elasticity problems and its applications to multiscale topology

design optimization. *International journal of solids and structures*, 40(23), 6473-6496.

Kim, K. Y. (2012). Flux reconstruction for the P2 nonconforming finite element method with application to a posteriori error estimation. *Applied Numerical Mathematics*, 62, 1701-1717.

Kim, S. B., & Sohn, H. (2007). Instantaneous reference-free crack detection based on polarization characteristics of piezoelectric materials. *Smart Materials and Structures*, 16(6), 2375.

Kim, Y. Y., & Kim, E. H. (2001). Effectiveness of the continuous wavelet transform in the analysis of some dispersive elastic waves. *The Journal of the Acoustical Society of America*, 110(1), 86-94.

Kluska, P., Staszewski, W., Leamy, M. J., & Uhl, T. (2012). Lamb wave propagation modeling using cellular automata. In *6th European Workshop on Structural Health Monitoring, Dresden, Germany, July*, 3-6.

Ko, J., Kurdila, A. J., & Pilant, M. S. (1995). A class of finite element methods based on orthonormal, compactly supported wavelets. *Computational Mechanics*, 16(4), 235-244.

Koh, Y. L., Chiu, W. K., & Rajic, N. (2002). Effects of local stiffness changes and delamination on Lamb wave transmission using surface-mounted piezoelectric transducers. *Composite Structures*, 57(1), 437-443.

Kohno, H., Bathe, K. J., & Wright, J. C. (2010). A finite element procedure for multiscale wave equations with application to plasma waves. *Computers & structures*, 88(1), 87-94.

Konstantinidis, G., Drinkwater, B. W., & Wilcox, P. D. (2006). The temperature stability of guided wave structural health monitoring systems. *Smart Materials and Structures*, 15(4), 967-976.

Korobov, A. I., & Izosimova, M. Y. (2006). Nonlinear lamb waves in a metal plate with defects. *Acoustical Physics*, 52, 589-597.

Krysl, P., Grinspun, E., & Schröder, P. (2003). Natural hierarchical refinement for finite element methods. *International Journal for Numerical Methods in Engineering*, 56(8), 1109-1124.

- Kuhlemeyer, R. L., & Lysmer, J. (1973). Finite element method accuracy for wave propagation problems. *Journal of Soil Mechanics & Foundations Division*, 9(5), 421-427.
- Kullaa, J. (2003). Damage detection of the Z24 bridge using control charts. *Mechanical Systems and Signal Processing*, 17(1), 163-170.
- Kullaa, J. (2011). Distinguishing between sensor fault, structural damage, and environmental or operational effects in structural health monitoring. *Mechanical Systems and Signal Processing*, 25, 2976-2989.
- Kumar, B. R., & Mehra, M. (2005). Wavelet-Taylor Galerkin method for the Burgers equation. *BIT Numerical Mathematics*, 45(3), 543-560.
- Kumar, R., & Hundal, B. S. (2008). Circular crested Lamb waves in a fluid saturated incompressible Porous Plate. *Multidiscipline Modeling in Materials and Structures*, 4(4), 369-384.
- Lamb H., (1917). On waves in an elastic plate. *Proceedings of the Royal Society of London Series A*, 93, 114-128.
- Langlet, P., Hladky-Hennion, A. C., & Decarpigny, J. N. (1995). Analysis of the propagation of plane acoustic waves in passive periodic materials using the finite element method. *The Journal of the Acoustical Society of America*, 98(5), 2792-2800.
- Latto, A., Resnikoff, H. L., & Tenenbaum, E. (1991). The evaluation of connection coefficients of compactly supported wavelets. In *Proceedings of the French-USA Workshop on Wavelets and Turbulence* (pp. 76-89). Springer.
- Lee, B. C., & Staszewski, W. J. (2002). Local interaction modeling for acousto-ultrasonic wave propagation *SPIE 9th Int. Symp. on Smart Structures and Materials, Conf. on Modeling, Signal Processing and Control in Smart Structures (San Diego, CA)*.
- Lee, B. C., & Staszewski, W. J. (2003). Modelling of Lamb waves for damage detection in metallic structures: Part I. Wave propagation. *Smart Materials and Structures*, 12, 804-814.
- Lee, B. C., & Staszewski, W. J. (2007). Lamb wave propagation modelling for damage detection: I. Two-dimensional analysis. *Smart Materials and Structures*, 16(2), 249.

- Legendre, S., Massicotte, D., Goyette, J., & Bose, T. K. (2000). Wavelet-transform-based method of analysis for Lamb-wave ultrasonic NDE signals. *IEEE Transactions on Instrumentation and Measurement*, 49(3), 524-530.
- Li, F., Meng, G., Kageyama, K., Su, Z., & Ye, L. (2009). Optimal mother wavelet selection for Lamb wave analyses. *Journal of intelligent material systems and structures*, 20, 1147-1161.
- Li, F., Su, Z., Ye, L., & Meng, G. (2006). A correlation filtering-based matching pursuit (CF-MP) for damage identification using Lamb waves. *Smart materials and structures*, 15(6), 1585-1594.
- Li, W., Cho, Y., & Achenbach, J. D. (2012). Detection of thermal fatigue in composites by second harmonic Lamb waves. *Smart Materials and Structures*, 21, 1-8.
- Liandrat, J., & Tchamitchian, P. (1990). Resolution of the 1D regularized Burgers equation using a spatial wavelet approximation. (Report NASA Langley Research Centre, Report No: NASA CR – 187480, Hampton VA).
- Lin, T., & Ye, X. (2013). A posteriori error estimates for finite volume method based on bilinear trial functions for the elliptic equation. *Journal of Computational and Applied Mathematics*, 254, 185-191.
- Liu, C., Dobson, J., & Cawley, P. (2017). Efficient generation of receiver operating characteristics for the evaluation of damage detection in practical structural health monitoring applications. *Proceeding of Royal Society America*, 473, 1-26.
- Liu, Y., Lissenden, C. J., & Rose, J. L. (2013). Cumulative second harmonics in weakly nonlinear plates and shells. In *Proc. SPIE* (8695).
- Love A.E.H., (1926). *Some problems of geodynamics*. Cambridge University Press.
- Love, A. E. H. (1911). *Some Problems of Geodynamics: Being an Essay to which the Adams Prize in the University of Cambridge was Adjudged in 1911*. CUP Archive.
- Lowe, M. J. (1995). Matrix techniques for modeling ultrasonic waves in multilayered media. *IEEE transactions on ultrasonics, ferroelectrics, and frequency control*, 42(4), 525-542.
- Lowe, M. J. S., & Diligent, O. (2002). Low-frequency reflection characteristics of the s_0 Lamb wave from a rectangular notch in a plate. *The Journal of the Acoustical Society of America*, 111(1), 64-74.
- Lowe, M. J., Cawley, P., Kao, J. Y., & Diligent, O. (2002). The low frequency reflection

characteristics of the fundamental antisymmetric Lamb wave at 0 from a rectangular notch in a plate. *The Journal of the Acoustical Society of America*, 112(6), 2612-2622.

Lu, Y., Ye, L., & Su, Z. (2006). Crack identification in aluminium plates using Lamb wave signals of a PZT sensor network. *Smart Materials and Structures*, 15, 839-849.

Luchinsky, D. G., Hafiychuk, V., Smelyanskiy, V. N., Kessler, S., Walker, J., Miller, J., & Watson, M. (2013). Modeling wave propagation and scattering from impact damage for structural health monitoring of composite sandwich plates. *Structural Health Monitoring*, 12(3), 296-308.

Luo, R. K. (2000). The evaluation of impact damage in a composite plate with a hole. *Composites science and technology*, 60(1), 49-58.

Maess, M., Herrmann, J., & Gaul, L. (2007). Finite element analysis of guided waves in fluid-filled corrugated pipes. *The Journal of the Acoustical Society of America*, 121(3), 1313-1323.

Maio, L., Memmolo, V., Ricci, F., Boffa, N. D., Monaco, E., & Pecora, R. (2015). Ultrasonic wave propagation in composite laminates by numerical simulation. *Composite Structures*, 121, 64-74.

Mallat S. G. (1998). *A wavelet tour of signal processing*. 3rd edition, Academic press, San Diego.

Mallat, S. G. (1989). Multiresolution approximations and wavelet orthonormal bases of $L^2(R)$. *Transactions of the American mathematical society*, 315(1), 69-87.

Mallat, S. G., & Zhang, Z. (1993). Matching pursuits with time-frequency dictionaries. *IEEE Transactions on signal processing*, 41(12), 3397-3415.

Mallet, L., Lee, B. C., Staszewski, W. J., & Scarpa, F. (2004). Structural health monitoring using scanning laser vibrometry: II. Lamb waves for damage detection. *Smart Materials and Structures*, 13(2), 261.

Martin, H. R., Ismail, F., & Sakuta, A. (1990). New statistical approach for gear damage detection, *Proceedings of the Second International Machinery Monitoring and Diagnostics Conference, Los Angeles, USA*, 329–334.

Mattsson, K., & Nordström, J. (2006). High order finite difference methods for wave propagation in discontinuous media. *Journal of Computational Physics*, 220(1), 249-269.

- Mažeika, L., Draudvilienė, L., Vladisauskas, A., & Jankauskas, A. (2010). Comparison of modelling and experimental results of the phase velocity measurement of Lamb wave in aluminium plate. *Ultragarsas" Ultrasound"*, 65(3), 15-19.
- McKeon, J. C. P., & Hinders, M. K. (1999). Lamb wave scattering from a through hole. *Journal of Sound and Vibration*, 224(5), 843-862.
- Mehra, M., & Kumar, B. V. (2005). Time-accurate solution of advection-diffusion problems by wavelet-Taylor-Galerkin method. *International Journal for Numerical Methods in Biomedical Engineering*, 21(6), 313-326.
- Mehra, M., & Kumar, V. (2007). Fast wavelet-Taylor Galerkin method for linear and non-linear wave problems. *Applied mathematics and computation*, 189(2), 1292-1299.
- Meyer, Y. (1987). Wavelets with compact support. *Zygmund Lectures (University of Chicago)*.
- Mindlin, R. D. (1951). Thickness-shear and flexural vibrations of crystal plates. *Journal of Applied Physics*, 22(3), 316-323.
- Mindlin, R. D. (1960). Waves and vibrations in isotropic, elastic plates. *Structural mechanics, 1960*, 199-232.
- Minkoff, J. (2002). *Signal processing fundamentals and applications for communications and sensing systems*. Artech house publisher, London.
- Mishra, V. (2011). Sabina: Wavelet Galerkin solutions of ordinary differential equations. *International Journal of Mathematical Analysis*, 5(9), 407-424.
- Mitra, M., & Gopalakrishnan, S. (2006). Wavelet based 2-D spectral finite element formulation for wave propagation analysis in isotropic plates. *Computer Modeling in Engineering and Sciences*, 15(1), 49-67.
- Mitra, M., & Gopalakrishnan, S. (2016). Guided wave based structural health monitoring: A review. *Smart Materials and Structures*, 25(5), 053001.
- Moczo, P., Kristek, J., Galis, M., Pazak, P., & Balazovjech, M. (2007). The finite-difference and finite-element modeling of seismic wave propagation and earthquake motion. *Acta physica slovaca*, 57(2) 177–406.
- Mohite, P. M., & Upadhyay, C. S. (2002). Local quality of smoothening based a-posteriori error estimators for laminated plates under transverse loading. *Computers & structures*, 80, 1477-1488.

- Moore, P. K. (1999). Finite difference methods and spatial a posteriori error estimates for solving parabolic equations in three space dimensions on grids with irregular nodes. *SIAM journal on numerical analysis*, 36, 1044-1064.
- Moser, F., Jacobs, L. J., & Qu, J. (1999). Modeling elastic wave propagation in waveguides with the finite element method. *Ndt & E International*, 32(4), 225-234.
- Moulin, E., Grondel, S., Baouahi, M., & Assaad, J. (2006). Pseudo-3D modeling of a surface-bonded Lamb wave source. *The Journal of the Acoustical Society of America*, 119(5), 2575-2578.
- Mustapha, S., Ye, L., Wang, D., & Lu, Y. (2011). Assessment of debonding in sandwich CF/EP composite beams using A₀ Lamb wave at low frequency. *Composite Structures*, 93(2), 483-491.
- Nayfeh, A. H. (1991). The general problem of elastic wave propagation in multilayered anisotropic media. *The Journal of the Acoustical Society of America*, 89(4), 1521-1531.
- Nayfeh, A. H. (1995). *Wave propagation in layered anisotropic media: With application to composites* (Vol. 39). Elsevier.
- Nayfeh, A. H., & Chimenti, D. E. (1989). Free wave propagation in plates of general anisotropic media. In *Review of Progress in Quantitative Nondestructive Evaluation* (pp. 181-188). Springer US.
- Neau, G. (2003). *Lamb waves in anisotropic viscoelastic plates: Study of the wave fronts and attenuation*. Doctoral Dissertation, University of Bordeaux.
- Niethammer, M., Jacobs, L. J., Qu, J., & Jarzynski, J. (2001). Time-frequency representations of Lamb waves. *The Journal of the Acoustical Society of America*, 109(5), 1841-1847.
- Noh, G., Ham, S., & Bathe, K. J. (2013). Performance of an implicit time integration scheme in the analysis of wave propagations. *Computers & Structures*, 123, 93-105.
- Obenchain, M. B., & Cesnik, C. E. (2014). Guided wave interaction with hole damage using the local interaction simulation approach. *Smart Materials and Structures*, 23(12), 125010.
- Oden, J. T., & Demkowicz, L. (1989). A survey of adaptive finite element methods in computational mechanics. In A. K. Noor and J. T. Oden, editors, *State-of-the-Art*

Surveys on Computational Mechanics. *The American Society of Mechanical Engineers*, New York.

Oden, J. T., & Prudhomme, S. (2001). Goal-oriented error estimation and adaptivity for the finite element method. *Computers & mathematics with applications*, 41(5-6), 735-756.

Olson, S. E., DeSimio, M. P., & Derriso, M. M. (2007). Beam forming of Lamb waves for structural health monitoring. *Journal of Vibration and Acoustics*, 129(6), 730-738.

Omenzetter, P., & Brownjohn, J. M. W. (2006). Application of time series analysis for bridge monitoring. *Smart Materials and Structures*, 15(1), 129.

Ong, P. S., Anderson, W. L., Cook, B. D., & Subramanyan, R. (1994). A novel X-ray technique for inspection of steel pipes. *Journal of Nondestructive Evaluation*, 13(4), 165-173.

Onoe, M. (1955). *A Study of Branches of Velocity-dispersion Equations in Elastic Plates and Rods*. University of Tokyo.

Ostachowicz, W., Kudela, P., Malinowski, P., & Wandowski, T. (2009). Damage localisation in plate-like structures based on PZT sensors. *Mechanical System and Signal Processing*, 23, 1805–1829.

Ou, J., & Li, H. (2010). Structural health monitoring in mainland China: review and future trends. *Structural Health Monitoring*, 9(3), 219-231.

Packo, P., Bielak, T., Spencer, A. B., Staszewski, W. J., Uhl, T., & Worden, K. (2012). Lamb wave propagation modelling and simulation using parallel processing architecture and graphical cards. *Smart Materials and Structures*, 21(7), 075001.

Pai, P. F., Deng, H., & Sundaresan, M. J. (2015). Time-frequency characterization of lamb waves for material evaluation and damage inspection of plates. *Mechanical Systems and Signal Processing*, 62, 183-206.

Pan, G. W. (2003). *Wavelets in electromagnetics and device modeling* (Vol. 159). John Wiley & Sons.

Paraschivoiu, M., & Patera, A. T. (1998). A hierarchical duality approach to bounds for the outputs of partial differential equations. *Computer Methods in Applied Mechanics and Engineering*, 158(3-4), 389-407.

- Paraschivoiu, M., & Patera, A. T. (2000). A posteriori bounds for linear functional outputs of Crouzeix–Raviart finite element discretizations of the incompressible Stokes problem. *International journal for numerical methods in fluids*, 32(7), 823-849.
- Paraschivoiu, M., Peraire, J., & Patera, A. T. (1997). A posteriori finite element bounds for linear-functional outputs of elliptic partial differential equations. *Computer methods in applied mechanics and engineering*, 150(1-4), 289-312.
- Park, S., Lee, C., & Sohn, H. (2010). Reference-free crack detection using transfer impedances. *Journal of Sound and Vibration*, 329(12), 2337-2348.
- Pei, Z. L., Fu, L. Y., Yu, G. X., & Zhang, L. X. (2009). A wavelet-optimized adaptive grid method for finite-difference simulation of wave propagation. *Bulletin of the Seismological Society of America*, 99, 302-313.
- Peraire, J., Vahdati, M., Morgan, K., & Zienkiewicz, O. C. (1987). Adaptive remeshing for compressible flow computations. *Journal of computational physics*, 72(2), 449-466.
- Percival, W. J., & Birt, E. A. (1997). A study of Lamb wave propagation in carbon-fibre composites. *Insight*, 39(10), 728-735.
- Pérez-Gavilán, J. J., & Aliabadi, M. H. (2000). A Galerkin boundary element formulation with dual reciprocity for elastodynamics. *International Journal for Numerical Methods in Engineering*, 48(9), 1331-1344.
- Pistone, E., Li, K., & Rizzo, P. (2013). Noncontact monitoring of immersed plates by means of laser-induced ultrasounds. *Structural Health Monitoring*, 12(5-6), 549-565.
- Plotnikov, A., & Clapham, L. (2002). Stress effects and magnetic NDE methods for pipeline inspection: a study of interacting defects. *Insight*, 44(2), 74-78.
- Prasad, S. M., Balasubramaniam, K., & Krishnamurthy, C. V. (2004). Structural health monitoring of composite structures using Lamb wave tomography. *Smart materials and structures*, 13(5), N73.
- Predoi, M. V., Castaings, M., Hosten, B., & Bacon, C. (2007). Wave propagation along transversely periodic structures. *The Journal of the Acoustical Society of America*, 121(4), 1935-1944.
- Prosser, W. H., Seale, M. D., & Smith, B. T. (1999). Time-frequency analysis of the dispersion of Lamb modes. *The Journal of the Acoustical Society of America*, 105(5), 2669-2676.

- Prudhomme, S., & Oden, J. T. (1999). On goal-oriented error estimation for elliptic problems: application to the control of pointwise errors. *Computer Methods in Applied Mechanics and Engineering*, 176(1-4), 313-331.
- Pruell, C., Kim, J. Y., Qu, J., & Jacobs, L. J. (2009). Evaluation of fatigue damage using nonlinear guided waves. *Smart Materials and Structures*, 18, 1-7.
- Qian, S., & Weiss, J. (1993 A). Wavelets and the numerical solution of partial differential equations. *Journal of Computational Physics*, 106(1), 155-175.
- Qian, S., & Weiss, J. (1993 B). Wavelets and the numerical solution of boundary value problems. *Applied Mathematics Letters*, 6(1), 47-52.
- Quek, S. T., Tua, P. S., & Wang, Q. (2003). Detecting anomalies in beams and plate based on the Hilbert–Huang transform of real signals, *Smart Materials and Structures*, 12(3): 447–460
- Quraishi, S. M., & Sandeep, K. (2011). A second generation wavelet based finite elements on triangulations. *Computational Mechanics*, 48(2), 163-174.
- Rabizadeh, E., Bagherzadeh, A. S., & Rabczuk, T. (2015). Adaptive thermo-mechanical finite element formulation based on goal-oriented error estimation. *Computational Materials Science*, 102, 27-44.
- Rabizadeh, E., Bagherzadeh, A. S., & Rabczuk, T. (2016). Goal-oriented error estimation and adaptive mesh refinement in dynamic coupled thermoelasticity. *Computers & Structures*, 173, 187-211.
- Raghavan, A., & Cesnik, C. E. (2005). Finite-dimensional piezoelectric transducer modeling for guided wave based structural health monitoring. *Smart materials and structures*, 14(6), 1448-1461.
- Raghavan, A., & Cesnik, C. E. (2007). Review of guided-wave structural health monitoring. *Shock and Vibration Digest*, 39(2), 91-116.
- Ratassepp, M., & Klauson, A. (2006). Curvature effects on wave propagation in an infinite pipe. *Ultragarsas" Ultrasound"*, 59(2), 19-25.
- Rayleigh J.W.S., (1887) On waves propagated along the plane surface of an elastic solid, *Proceedings of the London Mathematical Society*, v.17, p. 4-11.
- Razi, H. (1996). Principle for achieving damage tolerant primary composite aircraft structures. In *11th DoD/FAA/NASA Conference on Fibrous Composites in Structural Design, Fort Worth, TX, 1996*.

Reddy, J. N. (2005). *An Introduction to the finite element method*. New York: McGraw-Hill.

Redouane, D., Khelil, M., & Benchaala, A. (2002). Time frequency and wavelet transform applied to selected problems in ultrasonics NDE. *Ndt & E International*, 35, 567-572.

Rokhlin, S. I. (1980). Analysis of Lamb wave diffraction by a finite crack using the method of generalized scattering matrices. In *1980 Ultrasonics Symposium* (pp. 922-926). IEEE.

Rokhlin, S. I. (1981). Resonance phenomena of Lamb waves scattering by a finite crack in a solid layer. *The Journal of the Acoustical Society of America*, 69(4), 922-928.

Rose, J. L. (1999). *Ultrasonic waves in solid media*, Cambridge University Press, New York.

Rose, J. L., Ditri, J. J., & Pilarski, A. (1994). Wave mechanics in acousto-ultrasonic nondestructive evaluation. *Journal of acoustic emission*, 12(1-2), 23-26.

Rose, J., Pelts, S., & Cho, Y. (2000). Modeling for flaw sizing potential with guided waves. *Journal of nondestructive evaluation*, 19(2), 55-66.

Rubini, R., & Sidahmed, M. (1997). Diagnostics of gear systems using the spectra correlation density of the vibration signal, Proceedings of the Symposium on Fault Detection, Supervision and Safety for Technical Processes, Hull, UK, 30(18), 971-976.

Ruzzene, M., Scarpa, F., & Soranna, F. (2003). Wave beaming effects in two-dimensional cellular structures. *Smart materials and structures*, 12(3), 363-372.

Safaeinili, A., Lobkis, O.I., & Chimenti, D.E. (1996). Quantitative materials characterization using air-coupled leaky Lamb waves. *Ultrasonics*, 34(2-5), 393-396.

Salvino, L., Purekar, A., & Pines, D. J. (2005). Health monitoring of 2-D plates using EMD and hilbert phase. In *Proceedings of the 4th international workshop on structural health monitoring, Stanford University, CA*.

Sandeep, K., Gaur, S., Dutta, D., & Kushwaha, H. S. (2011). Wavelet based schemes for linear advection-dispersion equation. *Applied mathematics and computation*, 218(7), 3786-3798.

- Sause, M. G., Hamstad, M. A., & Horn, S. (2013). Finite element modeling of lamb wave propagation in anisotropic hybrid materials. *Composites Part B: Engineering*, 53, 249-257.
- Sazonov, E. S., Klinkhachorn, P., Halabe, U. B., & GangaRao, H. V. (2002). Non-baseline detection of small damages from changes in strain energy mode shapes. *Nondestructive Testing and Evaluation*, 18(3-4), 91-107.
- Scholte J.G., (1942). On the Stoneley wave equation. *Proc. Kon. Nederl. Akad. Wetensch*, 45 (20-5), 159-64.
- Schubert, F. (2004). Numerical time-domain modeling of linear and nonlinear ultrasonic wave propagation using finite integration techniques—theory and applications. *Ultrasonics*, 42(1), 221-229.
- Schubert, F., Peiffer, A., Köhler, B., & Sanderson, T. (1998). The elastodynamic finite integration technique for waves in cylindrical geometries. *The Journal of the Acoustical Society of America*, 104(5), 2604-2614.
- Semblat, J. F., & Brioist, J. J. (2000). Efficiency of higher order finite elements for the analysis of sesmic wave propagation. *Journal of Sound Vibration*. 460–467.
- Selezov, I. T., Kryvonos, Y. G., & Gandzha, I. S. (2018). Spectral Methods in the Theory of Wave Propagation. In *Wave Propagation and Diffraction* (pp. 25-75). Springer, Singapore.
- Shannon, C.E. (1994). The mathematical theory of communication. (Reprinted), M D Computing, 14, 306–317.
- Shen, Y. (2014). *Structural health monitoring using linear and nonlinear ultrasonic guided waves* (Doctoral dissertation, University of South Carolina).
- Shi, Y., Wooh, S. C., & Orwat, M. (2003). Laser-ultrasonic generation of Lamb waves in the reaction force range. *Ultrasonics*, 41(8), 623-633.
- Sohn, H. (2007). Effects of environmental and operational variability on structural health monitoring. *Philosophical Transactions of the Royal Society*, 365, 539–560.
- Sohn, H., Czarnecki, J. A., & Farrar, C. R. (2000). Structural health monitoring using statistical process control. *Journal of structural engineering*, 126(11), 1356-1363.
- Sohn, H., Farrar, C. R., Hemez, F. M., Shunk, D. D., Stinemates, D. W., & Nadler, B. R. (2003). A review of structural health monitoring literature. *Los Alamos National Laboratory Report LA-13976-MS*, 1996-2001.

- Sohn, H., Park, G., Wait, J. R., Limback, N. P., & Farrar, C. R. (2004). Wavelet-based active sensing for delamination detection in composite structures, *Smart Materials and Structures*, 13(1): 153–160.
- Soleimanpour, R., & Ng, C. T. (2016). Scattering of the fundamental anti-symmetric Lamb wave at through-thickness notches in isotropic plates. *Journal of Civil Structural Health Monitoring*, 6(3), 447-459.
- Song, F., Huang, G. L., & Hudson, K. (2009). Guided wave propagation in honeycomb sandwich structures using a piezoelectric actuator/sensor system. *Smart Materials and Structures*, 18(12), 125007.
- Soni, S., Das, S., & Chattopadhyay, A. (2009). Simulation of damage-features in a lug joint using guided waves. *Journal of Intelligent Material Systems and Structures*, 20(12), 1451-1464.
- Sorohan, S., Constantin, N., Anghel, V., & Gavan, M. (2007). Finite element analysis of generation and detection of Lamb waves using piezoelectric transducers. In: Ciuprina G., Ioan D. (eds) Scientific Computing in Electrical Engineering. Mathematics in Industry, Vol. 11. Springer, Berlin, Heidelberg.
- Souza, P.R., & Nobrega E.G.O. (2012). A fault location method using lamb waves and discrete wavelet transform. *Journal of the Brazilian Society of Mechanical Sciences and Engineering*, XXIV, 515-524.
- Srivastava, M., Anderson, C.L., Freed, & J.H. (2016). A new wavelet denoising method for selecting decomposition levels and noise thresholds. *IEEE Access*, DOI. 10.1109/ACCESS.2016.2587581.
- Stalenhoef, J. H. J., & De Raad, J. A. (2000). MFL and PEC tools for plant inspection. *Insight*, 42(2), 74-77.
- Staszewski, W.J. (2004). Structural health monitoring using guided ultrasonic waves. *Advances in Smart Technologies in Structural Engineering*, ed. J Holnicki-Szulc and C A Mota Soares (Berlin: Springer).
- Staszewski, W. J., Lee, B. C., Mallet, L., & Scarpa, F. (2004). Structural health monitoring using scanning laser vibrometry: I. Lamb wave sensing. *Smart Materials and Structures*, 13(2), 251-260.
- Staszewski, W. J., Mahzan, S., & Traynor, R. (2009). Health monitoring of aerospace composite structures—Active and passive approach. *Composites Science and Technology*, 69(11-12), 1678-1685.

- Stewart, J. R., & Hughes, T. J. (1996). Explicit residual-based a posteriori error estimation for finite element discretizations of the Helmholtz equation: Computation of the constant and new measures of error estimator quality. *Computer methods in applied mechanics and engineering*, 131(3-4), 335-363.
- Stewart, J. R., & Hughes, T. J. (1997). An a posteriori error estimator and hp-adaptive strategy for finite element discretizations of the Helmholtz equation in exterior domains. *Finite elements in analysis and design*, 25(1-2), 1-26.
- Stollnitz, E. J., DeRose, T. D., & Salesin, D. H. (1996). *Wavelets for Computer Graphics* (Morgan Kaufmann Pub. Inc., California).
- Stoneley, R. (1924). Elastic waves at the surface of separation of two solids. *Proceedings of the Royal Society of London. Series A, Containing Papers of a Mathematical and Physical Character*, 106(738), 416-428.
- Strang, G., & Nguyen, T. (1996). Wavelets and Filter Banks (Wellesley, MA: Wellesley-Cambridge).
- Strouboulis, T., Babuška, I., Datta, D. K., Coppers, K., & Gangaraj, S. K. (2000). A posteriori estimation and adaptive control of the error in the quantity of interest. Part I: A posteriori estimation of the error in the von Mises stress and the stress intensity factor. *Computer Methods in Applied Mechanics and Engineering*, 181(1), 261-294.
- Su, Z., & Ye, L. (2009). *Identification of damage using Lamb waves: from fundamentals to applications* (Vol. 48). Springer Science & Business Media.
- Su, Z., Ye, L., & Lu, Y. (2006). Guided Lamb waves for identification of damage in composite structures: A review. *Journal of sound and vibration*, 295(3), 753-780.
- Sudarshan, R., Amaratunga, K., & Grätsch, T. (2006). A combined approach for goal-oriented error estimation and adaptivity using operator-customized finite element wavelets. *International journal for numerical methods in engineering*, 66, 1002-1035.
- Süli, E., & Houston, P. (2003). Adaptive finite element approximation of hyperbolic problems. In *Error estimation and adaptive discretization methods in computational fluid dynamics* (pp. 269-344). Springer Berlin Heidelberg.
- Sun, Y. S., Qu, M. X., Si, J. T., Lu, C. T., Shou, X., & Atherton, D. L. (1992). Improvement in remote-fields eddy current probe structure. *Materials evaluation*, 50(5), 600-604.

- Sun, Z., & Chang C.C. (2002). Structural damage assessment based on wavelet packet transform. *Journal of Structure Engineering*, 128, 1354-1361.
- Sundararaman, S., & Adams, D. E. (2008). Modeling guided waves for damage identification in isotropic and orthotropic plates using a local interaction simulation approach. *Journal of vibration and acoustics*, 130(4), 041009.
- Sung, D. U., Oh, J. H., Kim, C. G., & Hong, C. S. (2000, August). Impact monitoring techniques for smart composite laminates. In *Proceedings of the 2nd Asian-Australasian Conference on Composite Materials (ACCM-2)*, Korea (pp. 1123-1128).
- Sweldens, W. (1998). The lifting scheme: A construction of second generation wavelets. *SIAM journal on mathematical analysis*, 29(2), 511-546.
- Tadeu, A., Godinho, L., António, J., & Mendes, P. A. (2007). Wave propagation in cracked elastic slabs and half-space domains—TBEM and MFS approaches. *Engineering Analysis with Boundary Elements*, 31(10), 819-835.
- Taha, M.M., Noureldin, A., Lucero, J.L., & Baca, T.J. (2006). Wavelet transform for structural health monitoring: A compendium of uses and features. *Structure Health Monitoring*, 5, 267-295.
- Tan, K. S., Guo, N., Wong, B. S., & Tui, C. G. (1995). Experimental evaluation of delaminations in composite plates by the use of Lamb waves. *Composites science and technology*, 53(1), 77-84.
- Tang, B., & Henneke, E. I. (1989). Lamb-wave monitoring of axial stiffness reduction of laminated composite plates. *Materials Evaluation*, 47(8), 928-934.
- Towfighi, S., Kundu, T., & Ehsani, M. (2002). Elastic wave propagation in circumferential direction in anisotropic cylindrical curved plates. *Transactions-American Society of Mechanical Engineers Journal of Applied Mechanics*, 69(3), 283-291.
- Toyama, N., & Takatubo, J. (2004). Lamb wave method for quick inspection of impact-induced delamination in composite laminates. *Composites science and technology*, 64(9), 1293-1300.
- Toyama, N., Noda, J., & Okabe, T. (2003). Quantitative damage detection in cross-ply laminates using Lamb wave method. *Composites science and technology*, 63(10), 1473-1479.
- Valdes, S. D., & Soutis, C. (2001). A structural health monitoring system for laminated

composites. In *Proceedings of DETC* (pp. 2013-2021).

Vanli, O. A., & Jung, S. (2014). Statistical updating of finite element model with Lamb wave sensing data for damage detection problems. *Mechanical Systems and Signal Processing*, 42(1), 137-151.

Vasilyev, O. V., & Bowman, C. (2000). Second-generation wavelet collocation method for the solution of partial differential equations. *Journal of Computational Physics*, 165(2), 660-693.

Vasilyev, O. V., & Kevlahan, N. K. R. (2005). An adaptive multilevel wavelet collocation method for elliptic problems. *Journal of Computational Physics*, 206(2), 412-431.

Vasilyev, O. V., & Paolucci, S. (1996). A dynamically adaptive multilevel wavelet collocation method for solving partial differential equations in a finite domain. *Journal of Computational Physics*, 125(2), 498-512.

Veidt, M., Liu, T., & Kitipornchai, S. (2002). Modelling of Lamb waves in composite laminated plates excited by interdigital transducers. *Ndt & E International*, 35(7), 437-447.

Verdict, G. B. S., Gien, P. H., & Burger, C. P. (1992). Finite element study of Lamb wave interactions with holes and through thickness defects in thin metal plates. In *Review of Progress in Quantitative Nondestructive Evaluation*, 11, 97–104.

Verfürth, R. (1994). A posteriori error estimation and adaptive mesh-refinement techniques. *Journal of Computational and Applied Mathematics*, 50, 67-83.

Verfürth, R. (1996). *A review of a posteriori error estimation and adaptive mesh-refinement techniques*. John Wiley & Sons Inc.

Viktorov, I. A. (1967). *Rayleigh and Lamb Waves: Physical Theory and Applications: Translated from Russian*. Plenum press.

Vivar Perez, J. M. (2012). *Analytical and spectral methods for the simulation of elastic waves in thin plates* (Doctoral dissertation, Ott-von-Guericke Universität Magdeburg).

Vivar Perez, J. M., Duczek, S., & Gabbert, U. (2014). Analytical and Higher Order Finite Element Hybrid Approaches for an Efficient Simulation of Ultrasonic Guided Waves. I: 2D-Analysis. *Smart Struct. Syst*, 13(4), 587-614.

Vogelaar, B., & Golombok, M. (2016). Quantification and localization of internal pipe damage. *Mechanical Systems and Signal Processing*, 78, 107-117.

- Vollmann, J., Cheng, A., & Achenbach, J. D. (1998). Time-resolved line focus acoustic microscopy using Lamb waves for material characterization of thin plates. In *Proceeding of Review of Progress in Quantitative Nondestructive Evaluation* (1745-1752).
- Von Ende, S., & Lammering, R. (2007). Investigation on piezoelectrically induced Lamb wave generation and propagation. *Smart Materials and Structures*, 16(5), 1802.
- Von Ende, S., & Lammering, R. (2009). Modeling and simulation of Lamb wave generation with piezoelectric plates. *Mechanics of Advanced Materials and Structures*, 16(3), 188-197.
- Von Ende, S., Schäfer, I., & Lammering, R. (2007). Lamb wave excitation with piezoelectric wafers—an analytical approach. *Acta Mechanica*, 193(3), 141-150.
- Walker, J. S. (1999). *A primer on wavelets and their scientific applications*. CRC press.
- Wang, D., Ye, L., Su, Z., & Lu, Y. (2011). Quantitative identification of multiple damage in laminated composite beams using A 0 Lamb mode. *Journal of Composite Materials*, 45(20), 2061-2069.
- Wang, L., & Rokhlin, S. I. (2001). Stable reformulation of transfer matrix method for wave propagation in layered anisotropic media. *Ultrasonics*, 39(6), 413-424.
- Wang, Q., Yuan, S., Hong, M., & Su, Z. (2015). On time reversal-based signal enhancement for active lamb wave-based damage identification. *Smart Structures and Systems*.
- Wang, W. J., & McFadden, P. D. (1993). Early detection of gear failure by vibration analysis I. calculation of the time-frequency distribution. *Mechanical Systems and Signal Processing*, 7(3), 193-203.
- Wang, Z., & Ong, K. C. G. (2009). Structural damage detection using autoregressive-model-incorporating multivariate exponentially weighted moving average control chart. *Engineering structures*, 31(5), 1265-1275.
- Warren, G. P., Anderson, W. K., Thomas, J. L., & Krist, S. (1991). Grid convergence for adaptive methods. *AIAA conference proceeding*.
- Wilcox, P. D., Lowe, M. J. S., & Cawley, P. (2001). Mode and transducer selection for long range Lamb wave inspection. *Journal of intelligent material systems and structures*, 12(8), 553-565.
- Wilcox, P., Lowe, M., & Cawley, P. (2005). Omnidirectional guided wave inspection of

large metallic plate structures using an EMAT array. *IEEE transactions on ultrasonics, ferroelectrics, and frequency control*, 52(4), 653-665.

Willberg, C., Duczek, S., Vivar-Perez, J.M., & Ahmad, Z.A.B. (2015). Simulation methods for guided wave-based structural health monitoring. A review, *Transactions of the American Society of Mechanical Engineers*, 67, 010803(1-20).

Williams, J. R., & Amaratunga, K. (1995). A multiscale wavelet solver with O (n) complexity. *Journal of computational physics*, 122(1), 30-38.

Worden, K., & Dulieu-Barton, J. M. (2004). An overview of intelligent fault detection in systems and structures. *Structural Health Monitoring*, 3(1), 85-98.

Worlton, D. C. (1961). Experimental confirmation of Lamb waves at megacycle frequencies. *Journal of Applied Physics*, 32(6), 967-971.

Xu, J. C., & Shann, W. C. (1994). Wavelet-Galerkin Methods for Two-point Boundary Value Problems, *Numerische Mathematik*, 37, 2703-2716.

Yang, C., Ye, L., Su, Z., & Bannister, M. (2006). Some aspects of numerical simulation for Lamb wave propagation in composite laminates. *Composite structures*, 75(1), 267-275.

Yang, S., & Yuan, F. G. (2005). Transient wave propagation of isotropic plates using a higher-order plate theory. *International Journal of Solids and Structures*, 42(14), 4115-4153.

Youhe, Z., Jizeng, W., & Xiaojing, Z. (1998). Applications of wavelet Galerkin FEM to bending of beam and plate structures. *Applied Mathematics and Mechanics*, 19(8), 745-755.

Yousefi, H., Noorzad, A., & Farjoodi, J. (2010). Simulating 2D waves propagation in elastic solid media using wavelet based adaptive method. *Journal of Scientific Computing*, 42, 404-425.

Yserentant, H. (1986). On the multi-level splitting of finite element spaces. *Numerische Mathematik*, 49, 379-412.

Yu, L., Leckey, C. A., & Tian, Z. (2013). Study on crack scattering in aluminum plates with Lamb wave frequency-wavenumber analysis. *Smart Materials and Structures*, 22(6), 065019.

Yuan, F. G., & Hsieh, C. C. (1998). Three-dimensional wave propagation in composite

- cylindrical shells. *Composite Structures*, 42(2), 153-167.
- Zang, C., Friswell, M. I., & Imregun, M. (2004). Structural damage detection using independent component analysis. *Structural Health Monitoring*, 3(1), 69-83.
- Zgongc, K., & Achenbach, J. D. (1996). A neural network for crack sizing trained by finite element calculations. *NDT & E International*, 29(3), 147-155.
- Zhang, X., Vallet, M. G., Dompierre, J., Labbe, P., Pelletier, D., Trepanier, J. Y., ... & Zingg, D. (2001). Mesh adaptation using different error indicators for the Euler equations. In *15th AIAA Computational Fluid Dynamics Conference*.
- Zhao, J., Ji, H., & Qiu, J. (2014). Modeling of Lamb waves in composites using new third-order plate theories. *Smart Materials and Structures*, 23(4), 045017.
- Zhao, J., Qiu, J., Ji, H., & Hu, N. (2013). Four vectors of Lamb waves in composites: Semianalysis and numerical simulation. *Journal of Intelligent Material Systems and Structures*, 24(16), 1985-1994.
- Zhao, X., Gao, H., Zhang, G., Ayhan, B., Yan, F., Kwan, C., & Rose, J. L. (2007). Active health monitoring of an aircraft wing with embedded piezoelectric sensor/actuator network: I. Defect detection, localization and growth monitoring. *Smart Materials and Structures*, 16, 1208–1217.
- Zheng, G. T., Buckley, M. A., Kister, G., & Fernando, G. F. (2001). Blind deconvolution of acoustic emission signals for damage identification in composites. *AIAA journal*, 39(6), 1198-1212.
- Zhu, W. (2002). An FEM simulation for guided elastic wave generation and reflection in hollow cylinders with corrosion defects. *Transactions-American Society of Mechanical Engineers Journal of Pressure Vessel Technology*, 124(1), 108-117.
- Zienkiewicz, O. C., & Taylor, R. L. (1989). The finite element method: Basic formulation and linear problems, Vol. I. *MacGraw-Hill: New York*.
- Zienkiewicz, O. C., & Zhu, J. Z. (1987). A simple error estimator and adaptive procedure for practical engineering analysis. *International journal for numerical methods in engineering*, 24(2), 337-357.
- Zienkiewicz, O. C., & Zhu, J. Z. (1992). The superconvergent patch recovery and a posteriori error estimates. Part 1: The recovery technique. *International Journal for Numerical Methods in Engineering*, 33(7), 1331-1364.
- Zienkiewicz, O. C., & Zhu, J. Z. (1992). The superconvergent patch recovery and a

posteriori error estimates. Part 2: Error estimates and adaptivity. *International Journal for Numerical Methods in Engineering*, 33(7), 1365-1382.

Zijian,W., Qiao, P., & Shi, B. (2016). Application of soft-thresholding on the decomposed Lamb wave signals for damage detection of plate-like structures. *Measurement*, 88, 417-427.

LIST OF PUBLICATIONS

International Journals:

1. **Ambuj Sharma**, Sandeep Kumar and Amit Tyagi (2017), "Selection of Optimal Noise Filtering Technique for Guided Waves in Diagnosis of Structural Cracks", International Journal of structural Integrity. **(Accepted)**
2. **Ambuj Sharma**, Sandeep Kumar, Amit Tyagi and Kumar Kaushik Ranjan, (2017) "Wavelet Based Finite Element Simulation of Guided Waves Containing Harmonics", International Journal of Materials and Structural Integrity. **(Accepted)**
3. **Ambuj Sharma**, Sandeep Kumar and Amit Tyagi (2017), "Noise Filtering Techniques for Lamb Waves in Structural Health Monitoring", Multidiscipline Modeling in Materials and Structures. **(Accepted)**
4. **Ambuj Sharma**, Sandeep Kumar and Amit Tyagi (2017), "Modeling of Lamb wave for Cylindrical Structures Using Finite Element Approach and Selection of Optimal Noise Filtering Technique", Journal of Mechanical Engineering Sciences. **(Accepted).**
5. **Ambuj Sharma**, Sandeep Kumar, and Amit Tyagi (2017), "Multi-Scale Simulation for Linear and Nonlinear Wave Propagation", International Journal of Nonlinear Science and Numerical Simulation. **(Under review).**
6. **Ambuj Sharma**, Sandeep Kumar and Amit Tyagi (2017), "Discrete Wavelet for Posteriori Error Estimation in Finite Element Method", Applied Numerical Mathematics. **(Under review).**

International Conferences:

1. **Ambuj Sharma**, Sandeep Kumar, Amit Tyagi (2017) "Multi-scale Simulation of Elastic Waves Containing Higher Harmonics", ICTACEM 17, December 28-30, 2017, IIT Kharagpur, Kharagpur, India.
2. **Ambuj Sharma**, Sandeep Kumar, Amit Tyagi (2017) "Selection of Noise Filtering Technique for Lamb Waves in Identification of Crack in Cylindrical Structures", ICOVP 17, Nov.29- Dec. 2, 2017, IIT Guwahati, Guwahati, India.
3. **Ambuj Sharma**, Kumar Kaushik Ranjan, Sandeep Kumar, Amit Tyagi (2017) "Wavelet Based Finite Element Simulation of Guided Waves Containing Harmonics", INCAM 17, July 5-7, 2017, MNNIT Allahabad, Allahabad, India.

4. **Ambuj Sharma**, Kumar Kaushik Ranjan, and Amit Tyagi (2016) "Multi-scale Simulation of Lamb Waves Containing Harmonics", ICTIMCAMS December 14-17, 2016, BHU, Varanasi, India.
5. **Ambuj Sharma** and Sandeep Kumar (2016), "Modelling of Ultrasonic Guided Waves for Circular Cylindrical Structures Using Finite Element Approach and Selection of Noise Filtering Technique" Proceedings of NDT 2016 55th Annual British Conference of Non-Destructive Testing, September 12-14, 2016, Nottingham, UK.
6. **Ambuj Sharma**, Amit Tyagi and Sandeep Kumar (2015), "Finite Element Simulation of Guided Lamb Waves for Structural Cracks Detection and Selection of Noise Filtering Technique" Proceedings of ICOVP 2015 12th International Conference on Vibration Problems December 14-17, 2015, IIT Guwahati, India.
7. **Ambuj Sharma**, M. Nirbhay and Amit Tyagi (2015), "Diagnosis of Structural Cracks Using Wavelet Transform and Finite Element Method for Guided Waves". Proceedings of the 17th ISME Conference ISME17 October 3-4, 2015, IIT Delhi, New Delhi.