

REFERENCES

- Abe**, R., Higashi M., Sayama K., Abe Y. and Sugihara H. Photo-catalytic Activity of R_3MO_7 and $R_2Ti_2O_7$ ($R= Y, Gd, La$; $M= Nb, Ta$) for Water Splitting into H_2 and O_2 , *J. Phys. Chem B* 110, 2219-2226, 2006.
- Acharya**, S., Gautam U. K. , Sasaki T. , Bando Y., Golan Y., Ariga K., Ultra Narrow PbS Nanorods with Intense Fluorescence, *J. Am. Chem. Soc.* 130, 4594–4595, 2008.
- Amans**, D., Malaterre C. , Diouf M. , Mancini C. , Chaput F., Ledoux G., Breton G., Guillin Y., Dujardin C., Varlot K. M., Perriat P., Synthesis of Oxide Nanoparticles by Pulsed Laser Ablation in Liquids Containing a Complexing Molecule: Impact on Size Distributions and Prepared Phases, *J. Phys. Chem. C* 115, 5131–5139, 2011.
- Annenkov**, A. N., Buzanov O. A., Danevich F. A., Georgadze A. S., Kim S. K., Kimd H. J., Kim Y. D., Kobychhev V. V., Kornoukhov V. N., Korzhik M., Lee J. I., Missevitchg O., Mokina V. M., Nagorny S. S., Nikolaiko A. S., Poda D. V., Podvianukb R. B., Sedlak D. J., Shkulkova O. G., So J. H., Solsky I. M., V. I. Tretyakb, Yurchenkob S. S., Development of $CaMoO_4$ crystal scintillators for a double beta decay experiment with ^{100}Mo , *Nucl. Instrum. Methods Phys. Res., Sect. A*, 584, 334-345, 2008.
- Ansari** , A. A., Hasan T. N., Syed N. A., Labis J. P., Parchur A. K., Shafi G., Alshatwi A. A., In-vitro cyto-toxicity, geno-toxicity, and bio-imaging evaluation of one-pot synthesized luminescent functionalized mesoporous $SiO_2@Eu(OH)_3$ core-shell microspheres, *Nanomedicine* 9, 1328-1335, 2013.
- Ariga**, K., Vinu A., Yamauchi Y., Ji Q., Hill J. P. Nanoarchitectonics for Mesoporous Materials, *Bull. Chem. Soc. Jpn.* 85, 2012, 1-32.
- Auzel**, F., Multiphonon-assisted anti-Stokes fluorescence of triply ionized rare-earth ions, *Phys. Rev. B* 13, 2809–2817, 1976.
- Auzel**, F., Upconversion and anti-Stokes processes with f and d ions in solids, *Chem. Rev.* 104, 139–174, 2004.
- Auzel**, F., Upconversion processes in coupled ion systems, *J. Lumin.*, 45, 341–345, 1990.
- Bai**, Y., Li D., Wang Y., Zhang X., Dong H., Liu L., Shi G., Song Y., Effect of Li^+ ions on enhancement of near-infrared upconversion emission in $Y_2O_3:Tm^{3+}/Yb^{3+}$ nanocrystals, *J. Appl. Phy.* 112, 094701-094705.
- Bai**, Y., Yang K., Wang Y., Zhang X., Song Y., Enhancement of the upconversion photoluminescence intensity in Li^+ and Er^{3+} codoped Y_2O_3 nanocrystals, *Opt. Commun.* 281, 2930-2932, 2008.
- Bhargava**, R. N., Doped nanocrystalline materials-Physics and applications, *J. Lumin.*, 70, 85–94, 1996.
- Bhargava**, R. N., The role of impurity in doped nanocrystals, *J. Lumin.* 72, 46-48, 1997.
- Boyer**, J. C., Cuccia L. A., Capobianco J. A., Synthesis of Colloidal upconverting $NaYF_4:Er^{3+}/Yb^{3+}$ and Tm^{3+}/Yb^{3+} mono-disperse nanocrystals, *Nano Letters* 7, 847-852, 2007.

- Brites**, C. D. S., Lima P. P., Silva N. J. O., Millán A., Amaral V. S., Palacio F., Carlos L. D., Lanthanide-based luminescent molecular thermometers, *N. J. Chem.* 35, 1177-1183, 2011.
- Brixner**, L. H., Preparation and Properties of the $\text{Ln}_2\text{Ti}_2\text{O}_7$ -Type Rare Earth Titanate, *Inorg. Chem.* 3, 1065-1067, 1964.
- Brown**, S., Gupta H. C., Alonso J. A., Lope M. J. M., Vibrational spectra and force field calculation of $\text{A}_2\text{Mn}_2\text{O}_7$ (A = Y, Dy, Er, Yb) pyrochlores, *J. Raman Spectrosc.* 34, 240-243, 2003.
- Camacho**, S. A., Aoki P. H. B., Constantino C. J. L., Aroca R. F., Pires A. M., Nanostructured hybrid films containing nanophosphor: Fabrication and electronic spectral properties, *J. Alloys Comd.* 541, 365-371, 2012.
- Camargo**, A. S. S., Nunes L. A. O., Silva J. F., Costa A. C. F. M., Barros B. S., Silva J. E. C., Sa'G. F. and Alves S. Jr., Efficient green and red upconversion emissions in $\text{Er}^{3+}/\text{Yb}^{3+}$ co-doped ZnAl_2O_4 phosphor obtained by combustion reaction, *J. Phys.: Condens. Matter* 19, 246209-1-7, 2007.
- Camrigo**, A. S. S. de, Possato J. F., Nunes L. A. de O., Botero E. R., Andreeta E. R. M., Garcia D., Eiras J. A., Infrared to visible frequency upconversion temperature sensor based on Er^{3+} doped PLZT transparent ceramics, *Sol. Stat. Commun.* 137, 1-5, 2006.
- Carnall**, W. T., Goodman G. L., Rajnak K., Rana R. S., A systematic analysis of the spectra of the lanthanides doped into single crystal LaF_3 , *J. Chem. Phys.* 90, 3443-3457, 1989.
- Carnell**, W. T., Fields P. R., Wybourne B. G., Spectral intensities of the trivalent lanthanides and actinides in solution: Pr^{3+} , Nd^{3+} , Er^{3+} , Tm^{3+} , and Yb^{3+} , *J. Chem. Phys.* 42, 3797-3806, 1963.
- Carvajal**, J. R, FULLPROF a Rietveld and pattern matching analysis program, Laboratoire Leon Brillouin (CEA-CRNS), Paris France
- Cavalcante**, L. S., Longo, V. M., Sczancoski J. C., Almeida B., Varela J. A., Orlandi M.O., Longo E., Liu M. S., Electronic structure, growth mechanism and photoluminescence of CaWO_4 crystals, *Cryst. Eng. Comm.* 14, 853-869, 2012.
- Cavalli**, E. , Boutinaud P., Mahiou R., Bettinelli M., Pieter D., Luminescence Dynamics in Tb^{3+} -Doped CaWO_4 and CaMoO_4 Crystals, *Inorg. Chem.* 49, 4916-4921, 2010.
- Chang**, C. K. and Chen T. M., $\text{Sr}_3\text{B}_2\text{O}_6:\text{Ce}^{3+},\text{Eu}^{2+}$: A potential single-phased white-emitting borate phosphor for ultraviolet light-emitting diodes, *Appl. Phys. Lett.* 91, 081902-1-3, 2007.
- Chatterjee**, D. K., Rufaihah A. J., Zhang Y., Upconversion fluorescence imaging of cells and small animals using lanthanide doped nanocrystals, *Biomaterials* 29, 937-943, 2008.
- Chen**, D., Lei L., Zhang R., Yang A., Xu J., Wang Y. Intrinsic single-band upconversion emission in colloidal $\text{Yb}/\text{Er}(\text{Tm}):\text{Na}_3\text{Zr}(\text{Hf})\text{F}_7$ nanocrystals, *Chem. Commun.* 48, 10630-10632, 2012.
- Chen**, G, Ohulchanskyy T. Y., Kachynski A., Agren H., Prasad P. N., Intense Visible and Near-Infrared Upconversion Photoluminescence in Colloidal $\text{LiYF}_4:\text{Er}^{3+}$ Nanocrystals under Excitation at 1490 nm, *ACS Nano* 5, 4981-4986, 2011.

- Chen**, G. Y., Liu H. C., Liang H. J., Somesfalean G., Zhang Z. G., Upconversion emission enhancement in Yb³⁺/Er³⁺-Codoped Y₂O₃ nanocrystals by tridoping with Li⁺ ions, *J. Phys. Chem. C* 112, 12030-12036, 2008.
- Chen**, G. Y., Liang H. J., Liu H. C., Somesfalean G. and Zhang Z. G., Anomalous power dependence of upconversion emissions in Gd₂O₃:Er³⁺ nanocrystals under diode laser excitation of 970 nm, *J. Appl. Phys.* 105, 114315, 2009.
- Chen**, Z. S, Gong W. P., Chen T. F., Li S. L. Synthesis and characterization of pyrochlore-type yttrium titanate nanoparticles by modified sol–gel method *Bull. Mater. Sci.*, 34., 429-434, 2011.
- Chen**, Z., Gong W., Chen T., Li S., Wang D., Wang Q., Preparation and upconversion luminescence of Er³⁺/Yb³⁺ codoped Y₂Ti₂O₇ nanocrystals, *Mater. Lett.* 68, 137–139, 2012.
- Cheng**, Q., Sui J., Cai W., Enhanced upconversion emission in Yb³⁺ and Er³⁺ codoped NaGdF₄ nanocrystals by introducing Li⁺ ions, *Nanoscale* 4, 779-784, 2012.
- Chivian**, J. S., Case W. E., Eden D. D., The photon avalanche: a new phenomenon in Pr³⁺ based infrared quantum counters, *Appl. Phys. Lett.* 35, 124-126, 1979.
- Christopher**, J. and Swamy S., Surface characterization and catalytic activity of Ln₂Ti₂O₇ (Ln=Y, Sm, Gd and Tb), *J. Mater. Sci.* 26, 4966-4970, 1991.
- Chung**, J.H., Lee S.Y., Shim K. B., Kweon S.-Y., Ur S.-C., Jeong H. R., Blue upconversion luminescence of CaMoO₄:Li⁺/Yb³⁺/Tm³⁺ phosphors prepared by complex citrate method, *Appl. Phys. A: Mater. Sci. Process.*, 108, 369-373, 2012.
- Cullity**, B. D., *Elements of X-ray Diffraction*, Addison-Wesley, Reading, MA, USA, 1959.
- Dai**, P., Zhang X., Zhou M., Li X., Yang J., Sun P., Xu C., Liu Y. Thermally Stable Pyrochlore Y₂Ti₂O₇: Eu³⁺ Orange–Red Emitting Phosphors, *J. Am. Ceram. Soc.* 95, 658-662, 2012.
- Dexter**, D. L., A theory of sensitized luminescence in solids, *J. Chem. Phys.* 21, 836–850, 1953.
- Dexter**, D. L., Schulman, J., Theory of concentration quenching in inorganic phosphors, *J. Chem. Phys.* 22, 1063–1070, 1954.
- Dey**, R., Pandey A., Rai V. K., Er³⁺-Yb³⁺, Eu³⁺-Er³⁺-Yb³⁺ codoped Y₂O₃ phosphors as optical heater, *Sens. Act. B: Chemical* 190, 512-515, 2014.
- Dhananjaya**, N., Nagabhushana H., Nagabhushana B. M., Rudraswamy B., Kumar C. S. and Chakradhar R., Effect of Li⁺-ion on enhancement of photoluminescence in Gd₂O₃: Eu³⁺ nanophosphors prepared by combustion technique, *J. Alloys Compd.* 509, 2368-2374, 2011.
- Dieke**, G. H., *Spectra and Energy Levels of Rare-earth Ions in Crystals*, Edited by Crosswhite H.M., Crosswhite H., Interscience Publishers, 1968.
- Dong**, B., Cao B., He Y., Liu Z., Li Z., Feng Z., Temperature sensing and In Vivo Imaging by molybdenum sensitized visible upconversion luminescence of rare-earth oxides, *Adv. Mater.* 24, 1987-1993, 2012.

- Dong**, B., Liu D. P., Wang X. J., Yang T. , Miao S. M., Li C. R., Optical thermometry through infrared excited green upconversion emissions in $\text{Er}^{3+}\text{-Yb}^{3+}$ codoped Al_2O_3 , *Appl. Phys. Lett.* 90, 181117-1-3, 2007.
- Dong**, B., Wang X. J., Li C. R., Liu D. P., $\text{Er}^{3+}\text{-Yb}^{3+}$ -codoped Al_2O_3 for high-temperature sensing, *IEEE Phot. Tech. Lett.* 20, 117-119, 2008.
- Dong**, Y., Zhu J., Wu H., Yang Z., Qiu J., Song Z., Yu X., Yang Y., Zhou D., Yin Z., Wang R., Energy transfer and photoluminescence modification in Yb–Er–Tm triply doped $\text{Y}_2\text{Ti}_2\text{O}_7$ upconversion inverse opal, *J. Mater. Chem.* 22, 18558-18563, 2012.
- Dutta**, S., Som S., Sharma S. K., Luminescence and photometric characterization of K^+ compensated $\text{CaMoO}_4\text{:Dy}^{3+}$ nanophosphors, *Dalton Trans.* 42, 9654-9661, 2013.
- Ende, van der** B. M., Aarts L., Meijerink A., Lanthanide ions as spectral converters for solar cells, *Phys. Chem. Chem. Phys.* 11, 11081-11095, 2009.
- Etchart**, I., Berard M., Laroche M., Huignard A., Hernandez I., Gillin W. P., Curry R. J., Cheetham A. K., Efficient white light emission by upconversion in Yb^{3+} -, Er^{3+} - and Tm^{3+} -doped Y_2BaZnO_5 , *Chem. Comm.* 47, 6263-6265, 2011.
- Etchart**, I., Huignard A., Bérard M., Nordin M. N., Hernández I., Curry R. J., Gillin W.P., Cheetham A.K., Oxide phosphors for efficient light upconversion: Yb^{3+} and Er^{3+} co-doped $\text{Ln}_2\text{BaZnO}_5$ (Ln = Y, Gd), *J. Mater. Chem.* 20, 3989-3994, 2010.
- Fan**, T., Zhang Q. and Jiang Z., The effects of Li on the near-infrared luminescence properties of $\text{Nd}^{3+}/\text{Li}^+$ codoped Y_2O_3 nanocrystals, *Opt. Commun.* 284, 1594-1597, 2011.
- Feldman**, C., Justel T., Ronda C. R. Schmidt P. J., Inorganic luminescent materials: 100 years of research and application, *Adv.Funct.Mater.*2003, 13, 511–516.
- Ferrari**, J. L., Lima K. O., Pecoraro E., Ferreira R. A. S., Carlos L. D., Gonçalves R. R., Color tunability of intense upconversion emission from $\text{Er}^{3+}\text{-Yb}^{3+}$ co-doped $\text{SiO}_2\text{-Ta}_2\text{O}_5$ glass ceramic planar waveguides, *J. Mater. Chem.* 22, 9901-9908, 2012.
- Fischer**, L. H., Harms G. S., Wolfbeis O. S., Upconverting nanoparticles for nanoscale thermometry, *Angew. Chem. Int. Ed.* 50, 4546-4551, 2011.
- Forster**, T., Zwischenmolekulare Energiewanderung und Fluoreszenz, *Ann. Phys.* 2, 55–75, 1948.
- Fuentes**, A. F., Boulahya K., Maczka M., Hanuza J. and U. Amador, Synthesis of disordered pyrochlores, $\text{A}_2\text{A}_2\text{Ti}_2\text{O}_7$ (A=Y, Gd and Dy) by mechanical milling of constituent oxides, *Solid State Sci.*7, 2005, 343–353.
- Ghosh**, P. and Patra, A., Influence of Crystal Phase and Excitation Wavelength on Luminescence Properties of Eu^{3+} -Doped Sodium Yttrium Fluoride Nanocrystals, *J. Phys. Chem. C* 112, 19283–19292, 2008a.
- Ghosh**, P. and A. Patra, Tuning of Crystal Phase and Luminescence Properties of Eu^{3+} Doped Sodium Yttrium Fluoride Nanocrystals” *J. Phys. Chem. C* 112, 3223-3231, 2008b.

- Gill, J. K., Pandey O. P., Singh K., Ionic conductivity, structural and thermal properties of Ca²⁺ doped Y₂Ti₂O₇ pyrochlores for SOFC Int. J. Hydrogen Energy 37, 3857–3864, 2012.
- Golubović, A., Gajić R., Mitrović Z. D., Nikolić S., Nd induced changes in IR spectra of CaWO₄ single crystals, J. Alloys Compd. 415, 16-22, 2006.
- Guo, H., Li Z., Qian H., Hu Y., Muhammad I. N., Seed-mediated synthesis of NaYF₄:Yb,Er/NaGdF₄nanocrystals with improved upconversion fluorescence and MR relaxivity, Nanotechnology 21, 125602-1-6, 2010.
- Guo, N., Jia Y., Lü W., Lv W., Zhao Q., Jiao M., Shao B., You H., A direct warm-white-emitting Sr₃Sc(PO₄)₃:Eu²⁺, Mn²⁺ phosphor with tunable photoluminescence *via* efficient energy transfer, Dalton Trans. 42, 5649-5654, 2013.
- Gupta, B. K., Rathee V, Narayanan T. N., Thanikaivelan P., Saha A., Govind., Singh S. P, Shanker V., Marti A. A. and Ajayan P. M., Probing a bifunctional luminomagnetic nanophosphor for biological applications: a photoluminescence and time-resolved spectroscopic Study, Small 7, 1767-1773, 2011.
- Gupta, H. C. and Brown S., An analytical expression for E_g and A_g modes of pyrochlores, J. Phys. Chem. Solids 64, 2205–2207, 2003.
- Guy, S., Joubert M. F., Jacquier B., Bouazaoui M., Excited-state absorption in BaY₂F₈:Nd³⁺, Phys. Rev. B 47, 11001–11006, 1993.
- Harvey, E. N., A history of luminescence from the earliest times until 1900, American Philosophical Society, 1957.
- Heer, S., O. Lehmann, M. Hasse, H. U. Gudel, Blue, Green, and Red Upconversion Emission from Lanthanide-Doped LuPO₄ and YbPO₄ Nanocrystals in a Transparent Colloidal Solution, Angew. Chem. Int. Ed., 42, 3179–3182, 2003.
- Hoppe, H. A., Recent Developments in the Field of Inorganic Phosphors, Angew. Chem. Int. Ed. 48, 3572-3582, 2009.
- Hou, Z., Chai R., Zhang M., Zhang C., Chong P., Xu Z., Li G., Lin J., Langmuir 25, 12340–12348, 2009,
- Huang, C. H., Chen T. M., Liu W. R., Chiu Y. C., Yeh Y. T., Jang S. M., A Single-Phased Emission-Tunable Phosphor Ca₉Y(PO₄)₇:Eu²⁺,Mn²⁺ with Efficient Energy Transfer for White-Light-Emitting Diodes, ACS Appl. Mater. Interfaces 2, 259-264, 2010a.
- Huang, C. H., Kao T. W., Chen T. M., Novel Red-Emitting Phosphor Ca₉Y(PO₄)₇:Ce³⁺, Mn²⁺ with Energy Transfer for Fluorescent Lamp Application, ACS Appl. Mater. Interfaces 2, 1395-1399, 2010(b).
- Huang, C. H., Luo L. Y. and Chen T. M., An Investigation on the Luminescence and Ce³⁺→Eu²⁺ Energy Transfer in Ca₉Y(PO₄)₇:Ce³⁺,Eu²⁺ Phosphor, J. Electrochem. Soc. 158, J341-J344, 2011.
- Huang, S., Gu L., Miao C., Lou Z., Zhu N., Yuan H., Shan A., Near-infrared photocatalyst of Er³⁺/Yb³⁺ codoped (CaF₂@TiO₂) nanoparticles with active-core/active-shell structure, J. Mater. Chem. A 1, 7884-7889, 2013.

- Hufner**, S., Optical spectroscopy of transparent rare earth materials, Academic Press, New York, 1978.
- Igarashi**, T., Ihara M., Kusunoki T., Ohno K., Isobe T., Senna M., Relationship between optical properties and crystallinity of nanometer $Y_2O_3:Eu$ phosphor Appl. Phys. Lett. 76, 1549-1551, 2000.
- Inokuti**, M., Hirayama H., Influence of energy transfer by the exchange mechanism on donor luminescence, J. Chem. Phys. 43, 1978–1989, 1965.
- Inoue**, H., Soga K., Makishima A., Simulation of the optical properties of Tm: ZBLAN glass, J. Non-Crys. Solids 306, 17–29, 2002.
- Jain**, S.R., Adiga K.C., Verneker V.R. P, A new approach to thermochemical calculations of condensed fuel-oxidizer mixtures, Combust. Flame 40, 71-79, 1981.
- Ji**, T., Liu Y., Zhao H., Du H., Sun J., Ge G., Preparation and up-conversion fluorescence of rare earth (Er^{3+} or Yb^{3+}/Er^{3+})-doped TiO_2 nanobelts, J. Solid State Chem. 183, 584-589, 2010.
- Jia**, G., Yang M., Song Y., You H., Zhang H., General and Facile Method To Prepare Uniform $Y_2O_3:Eu$ Hollow Microspheres, Cryst. Growth Des. 9, 301-307, 2009.
- Jiang**, S., Hokkanen S. (Ed), Rare-Earth doped Materials and Devices III, SPIE Proceedings, Belhingham Washington, USA, Vol. 3622, 1999.
- Jiang**, Y., Ding Y. J., Zotova I. B., Prasad N. S., Recent progress on radiation detection from near-infrared to mid-infrared based on frequency upconversion, Proc. SPIE 7817, 78170B, 2010; doi:10.1117/12.861949.
- Jin**, Y., Zhang J., Lue S., Zhao H., Zhang X., Wang X., Fabrication of Eu^{3+} and Sm^{3+} Codoped Micro/Nanosized $MMoO_4$ ($M = Ca, Ba, \text{ and } Sr$) via Facile Hydrothermal Method and Their Photoluminescence Properties through Energy Transfer, J. Phys. Chem. C 112, 5860-5864, 2008.
- Jin**, Y., Zhang J., Hao Z., Zhang X. and Wang X., Synthesis and luminescence properties of clew-like $CaMoO_4:Sm^{3+}, Eu^{3+}$, J. Alloys Compd. 509, L348-L351, 2011.
- Jing**, G., Zhou D., Li Y., Shao T., Ming Q. Z., Jin B.-B., Wang H., Structure–property relationships of novel microwave dielectric ceramics with low sintering temperatures: $(Na_{0.5x}Bi_{0.5x}Ca_{1-x})MoO_4$, Dalton Trans. 43, 11888-11896, 2014.
- Johnson**, M. B., James D. D., Bourque A., Dabkowska H. A., Gaulin B. D., White M. A., Thermal properties of the pyrochlore, $Y_2Ti_2O_7$, J. Solid State Chem. 182, 725-729, 2009.
- Jorgensen**, C. K., Absorption spectra and chemical bonding in complexes, Pergamon Press, Oxford, 1962.
- Jorgensen**, C. K., Aspects of ligand field theory, North Holland Amsterdam, 1971.
- Judd**, B. R., Optical absorption intensities of rare-earth ions, Phys. Rev. B, 127, 750–761, 1962.
- Kaminski**, A. A., Laser crystals: Their Physics and properties, Springer, Berlin, 1981.
- Kar**, A. and Patra A., Impacts of core–shell structures on properties of lanthanide-based nanocrystals: crystal phase, lattice strain, downconversion, upconversion and energy transfer, Nanoscale 4, 3608-3619, 2012.

- Kar**, A., Datta A., Patra A. Fabrication and optical properties of core/shell CdS/LaPO₄:Eu nanorods J. Mater. Chem. 20, 916-922, 2010.
- Khattak**, G. D., Salim M. A. , Harthi A. S. , Thompson D. J., Wenger L. E., Structure of molybdenum-phosphate glasses by X-ray photoelectron spectroscopy (XPS) J. Non-Cryst. Solids 212, 180-191, 1997.
- Kingsley**, J.J., Patil K.C., A novel combustion process for the synthesis of fine particle α -alumina and related oxide materials, Mater. Lett. 6, 427-32, 1988.
- Klink**, S. I., Hebbink G. A., Grave L., Van Veggel F. C. J. M., Reinhoudt D. N., Slooff L. H., Polman A., Hofstraat J. W., Sensitized near-infrared luminescence from polydentate triphenylene-functionalized Nd³⁺, Yb³⁺, and Er³⁺ complexes, J. Appl. Phys. 86, 1181-1185, 1999.
- Kong**, L. B., Zhang T.S., Ma J. and Boey F., Progress in synthesis of ferroelectric ceramic materials via high energy mechanochemical techniques, Prog. Mater. Sci. 53, 207-322, 2008.
- Kramer**, K. W., Biner D., Frei G., Gudel H. U., Hehlen M. P., Luthi S. R., Hexagonal Sodium Yttrium Fluoride Based Green and Blue Emitting Upconversion Phosphors, Chem. Mater. 16, 1244–1251, 2004.
- Kumar** K., Ph. D. Thesis: Optical properties of atoms and molecules, BHU, Varanasi, 2008.
- Kumar**, K. U., Linganna K., Babu S. S., Piccinelli F., Speghini A. Giarola M., Mariotto G., Jayasankar C. K., Synthesis, Structural Properties and Upconversion Emission of Er³⁺ and Er³⁺/Yb³⁺ Doped Nanocrystalline NaNbO₃, J. Sc. Adv. Mater. 4, 584-590, 2012.
- Kumar**, R., Nyk M., Ohulchanskyy T. Y., Flask C. A., Prasad P. N., Combined Optical and MR Bioimaging Using Rare Earth Ion Doped NaYF₄Nanocrystals, Adv. Funct. Mater. 19, 853-859, 2009.
- Layne**, C. B., Lowdermilk W. H., Weber M. J., Multiphonon relaxation of rare-earth ions in oxide glasses, Phys. Rev. B., 16, 10–20, 1977.
- Lei**, F. and Yan B. Hydrothermal synthesis and luminescence of CaMO₄:RE³⁺ (M=W, Mo; RE=Eu, Tb) submicro-phosphors, J. Solid State Chem. 181, 855–862, 2008.
- Li**, C. and Lin J., Rare earth fluoride nano-microcrystals: synthesis, surface modification and applications, J. Mater. Chem.20, 6831-6847, 2010
- Li**, C., Dong B., Ming C., Lei M., Application to Temperature Sensor Based on Green Up-Conversion of Er³⁺ Doped Silicate Glass, Sensors 7, 2652-2659, 2007.
- Li**, C., Li S., Dong B., Liu Z., Song C., Yu Q., Significant temperature effects on up-conversion emissions of Nd³⁺:Er³⁺:Yb³⁺ co-doped borosilicate glass and its thermometric application, Sens. Act. B: Chemical 134, 313-316, 2008.
- Li**, L., Guo C., Jiang S., Agrawal D. K., Li T., Green up-conversion luminescence of Yb³⁺-Er³⁺ co-doped CaLa₂ZnO₅ for optically temperature sensing, RSC Adv. 4, 6391-6396, 2014.
- Li**, Y. C., Chang Y. H., Chang Y. S., Lin Y. J., Laing C. H., Luminescence and Energy Transfer Properties of Gd³⁺ and Tb³⁺ in LaAlGe₂O₇, J. Phys. Chem. C111, 10682-10688, 2007.

- Li**, Z. Q., Y. Zhang, S. Jiang, Multicolor Core/Shell-Structured Upconversion Fluorescent Nanoparticles, *Adv. Mater.* 20, 4765-4769, 2008.
- Liu**, J., Lian H., Shi C., Improved optical photoluminescence by charge compensation in the phosphor system $\text{CaMoO}_4:\text{Eu}^{3+}$, *Opt. Mater.* 29, 1591-1594, 2007.
- Liu**, L., Wang Y., Zhang X., Yang K., Bai Y., Huang C., Song Y., Optical thermometry through green and red upconversion emissions in $\text{Er}^{3+}/\text{Yb}^{3+}/\text{Li}^+:\text{ZrO}_2$ nanocrystals, *Opt. Commun.* 248, 1876-1879, 2011.
- Liu**, X., Chi Y., Dong G., Wu E., Qiao Y., Zeng H., Qiu Optical gain at 1550 nm from colloidal solution of Er^{3+} - Yb^{3+} codoped NaYF_4 nanocubes, *J. Opt. Express* 17, 5885-5890, 2009.
- Liu**, Y., Yang P., Wang W., Dong H., Lin J., Fabrication and photoluminescence properties of hollow $\text{Gd}_2\text{O}_3:\text{Ln}$ ($\text{Ln} = \text{Eu}^{3+}, \text{Sm}^{3+}$) spheres *via* a sacrificial template method, *Cryst. Eng. Comm.* 12, 3717-3723, 2010.
- Longo**, V. M., Cavalcante L.S., Paris E. C., Sczancoski J.C., Pizani P.S, Li M.S., Andres J.; Longo E., V. J. A. Hierarchical Assembly of CaMoO_4 Nano-Octahedrons and their Photoluminescence Properties *J. Phys. Chem. C*, 115, 5207-5219, 2011.
- Lopez**, O. A., McKittrick J., Shea L. E., Fluorescence properties of polycrystalline Tm^{3+} -activated $\text{Y}_3\text{Al}_5\text{O}_{12}$ and Tm^{3+} - Li^+ co-activated $\text{Y}_3\text{Al}_5\text{O}_{12}$ in the visible and near IR ranges, *J. Lumin.* 71, 1-11, 1997.
- Luis**, S. F. L., Mendoza U. R. R., Lalla E., Lavín V., Temperature sensor based on the Er^{3+} green upconverted emission in a fluoro-tellurite glass, *Sens. Act., B: Chemical* 158, 208-213, 2011.
- Luwang**, M. N., Ningthoujam R. S., Jagannath, Srivastava S. K., Vatsa R. K. Effects of Ce^{3+} Codoping and Annealing on Phase Transformation and Luminescence of Eu^{3+} -Doped YPO_4 Nanorods: D_2O Solvent Effect, *J. Am. Chem. Soc.* 132, 2759–2768, 2010.
- Luwang**, M. N., Ningthoujam R. S., Srivastava S. K., Vatsa R. K. Preparation of white light emitting $\text{YVO}_4:\text{Ln}^{3+}$ and silica-coated $\text{YVO}_4:\text{Ln}^{3+}$ ($\text{Ln}^{3+} = \text{Eu}^{3+}, \text{Dy}^{3+}, \text{Tm}^{3+}$) nanoparticles by CTAB/*n*-butanol/hexane/water microemulsion route: Energy transfer and site symmetry studies, *J. Mater. Chem.* 21, 5326-5337, 2011.
- Mahlik**, S., Behrendt M., Grinberg, Cavalli M. E., Bettinelli M., High pressure luminescence spectra of $\text{CaMoO}_4:\text{Ln}^{3+}$ ($\text{Ln} = \text{Pr}, \text{Tb}$), *J. Phys.: Condens. Matter.* 25, 105502-1-7, 2013.
- Mandal**, B.P., Banerji A., Sathe V., Deb S.K., Tyagi A. K., Order–disorder transition in $\text{Nd}_{2-y}\text{Gd}_y\text{Zr}_2\text{O}_7$ pyrochlore solid solution: An X-ray diffraction and Raman spectroscopic study, *J. Solid State Chem.* 180, 2643-2648, 2007.
- Manzani**, D., Ferrari J. L., Polachini F.C., Messaddeq Y., Ribeiro S. J. L., 1.5 μm and visible up-conversion emissions in $\text{Er}^{3+}/\text{Yb}^{3+}$ co-doped tellurite glasses and optical fibers for photonic applications, *J. Mater. Chem.* 22, 16540-16545, 2012.
- Marques**, V. S., Cavalcante L. S., Sczancoski J. C., Alcantara A. F. P., Orlandi M. O., Moraes E., Longo E., Varela J. A., Siu L. M., Santos M. R. M. C., Effect of Different Solvent Ratios (Water/Ethylene Glycol) on the Growth Process of CaMoO_4 Crystals and Their Optical Properties, *Crystal Growth & Design* 10, 4752-4768, 2010.

- Matsuura**, D., Red, green, and blue upconversion luminescence of trivalent-rare-earth ion-doped Y_2O_3 nanocrystals, *Appl. Phys. Lett.*, 81, 4526-4528, 2002.
- Miniscalco**, W. J., Book chapter: Optical and electronic properties of rare earth ions in glasses; in Digonet M. J. F. (Editor), *Rare earth doped fibre lasers and amplifiers: 2nd Ed*, revised and expanded, Marcel Dekker Inc., NY, 47, 2001.
- Naccache**, R., Vetrone F., Mahalingam V, Cuccia L. A., Capobianco J. A, Controlled synthesis and water dispersibility of hexagonal phase $\text{NaGdF}_4:\text{Ho}^{3+}/\text{Yb}^{3+}$ nanoparticles, *Chem. Mater.* 21, 717-720, 2009.
- Nielson**, C. W., Koster G. F., *Spectroscopic coefficients for p^n , d^n , and f^n configurations*, MIT Press, Cambridge, Mass., 1964.
- Ningthoujam**, R. S., Singh L. R., Sudarsan V., Singh S. D., Energy transfer process and optimum emission studies in luminescence of core-shell nanoparticles: $\text{YVO}_4:\text{Eu}-\text{YVO}_4$ and surface state analysis, *J. Alloys Compd.* 484, 782-789, 2009.
- Ningthoujam**, R. S., Enhancement of luminescence by rare earth ions doping in semiconductor host, ed. S. B. Rai and Y. Dwivedi, Nova Science Publishers Inc, USA, 2012, ch. 7, 145-182.
- Nuñez**, N. O., Rivera S., Alcantara D., Fuente J. M., Sevillano J. G., Ocaña M., Surface modified $\text{Eu}:\text{GdVO}_4$ nanocrystals for optical and MRI imaging, *Dalton Trans.*, 42, 2013, 10725-10734.
- Ofelt**, G. S., Intensities of crystal spectra of rare-earth ions, *J. Chem. Phys.*, 37, 511-520, 1962.
- Osaka**, T. and Shindo I., Infrared reflectivity and Raman scattering of lithium oxide single crystals, *J. Mater. Sci.* 51, 421-424, 1984.
- Pan**, Z., Lu Y.-Y. and Liu F. Sun light-activated long-persistent luminescence in the near-infrared from Cr^{3+} -doped zinc gallogermanates, *Nat. Mater.* 11, 58-63, 2012.
- Pandozzi**, F., Vetrone F., Boyer J. C., Naccache R., Capobianco J. A., Speghini A., Bettinelli M., A Spectroscopic Analysis of Blue and Ultraviolet Upconverted Emissions from $\text{Gd}_3\text{Ga}_5\text{O}_{12}:\text{Tm}^{3+}$, Yb^{3+} Nanocrystals, *J. Phys. Chem. B* 109, 17400-17405, 2005.
- Parchur**, A. K. and Ningthoujam R. S., Behaviour of electric and magnetic dipole transitions of Eu^{3+} , $^5\text{D}_0 \rightarrow ^7\text{F}_0$ and $\text{Eu}-\text{O}$ charge transfer band in Li^+ co-doped $\text{YPO}_4:\text{Eu}^{3+}$, *RSC Adv.* 2, 10859-10868, 2012b.
- Parchur**, A. K., Ansari A. A., Singh B. P., Syed F. N., Hasan T. N., Rai S. B., Ningthoujam R. S., Enhanced luminescence of $\text{CaMoO}_4:\text{Eu}$ by core@ shell formation and its hyperthermia study after hybrid formation with Fe_3O_4 : cytotoxicity assessment on human liver cancer cells and mesenchymal stem cells, *Integr. Biol.* 6, 53-64, 2014.
- Parchur**, A. K., Prasad A. I., Rai S. B., Tewari R., Sahu R. K., Okram G. S., Singh R. A., Ningthoujam R. S., Observation of intermediate bands in Eu^{3+} doped YPO_4 host: Li^+ ion effect and blue to pink light emitter, *AIP Adv.* 2, 032119- 1-17, 2012c.
- Parchur**, A. K., Ningthoujam R. S., Rai S. B., Okram G. S., Singh R. A, Tyagi M., Gadkari S. C., Raghvendra T. and Vatsa R. K., Luminescence properties of Eu^{3+} doped CaMoO_4 nanoparticles, *Dalton Trans.* 40, 7595-7601, 2011a.

- Parchur**, A. K., Prasad A. I., Ansari A. A., Rai S. B., Ningthoujam R. S., Luminescence properties of Tb³⁺-doped CaMoO₄ nanoparticles: annealing effect, polar medium dispersible, polymer film and core-shell formation, *Dalton Trans.* 41, 11032-11045, 2012a.
- Parchur**, A.K. and Ningthoujam R. S., Preparation and structure refinement of Eu³⁺ doped CaMoO₄ nanoparticles, *Dalton Trans.*40, 7590-7594, 2011b.
- Park**, Y., Kim J. H., Lee K. T., Jeon K.-S., Na H. B., Yu J. H., Kim H. M., Lee N., Choi S. H., Baik Sung, Kim H., Park S. P., Park B.-J., Kim Y. W., Lee S. H., Yoon S.-Y., Song I. C., Moon W. K., Suh Y. D., Hyeon T., Nonblinking and Nonbleaching Upconverting Nanoparticles as an Optical Imaging Nanoprobe and T1 Magnetic Resonance Imaging Contrast Agent, *Adv. Mater.* 21, 4467-4471, 2009.
- Patra**, A., Friend C. S., Kapoor R., Prasad P. N., Effect of crystal nature on upconversion luminescence in nanocrystals, *Appl. Phys. Lett.* 83, 284-286, 2003a.
- Patra**, A., Friend C. S., Kapoor R., Prasad P. N., Fluorescence Upconversion Properties of Er³⁺-Doped TiO₂ and BaTiO₃ Nanocrystallites, *Chem. Mater.* 15, 3650-3655, 2003b.
- Patra**, A., Friend C. S., Kapoor R., Prasad P. N., Upconversion in Er³⁺:ZrO₂ Nanocrystals, *J. of Phys. Chem. B* 106, 1909-1912, 2002.
- Pavitra**, E., Raju G. S. R., Yu J. S., Solvothermal synthesis and luminescent properties of Y₂Ti₂O₇:Eu³⁺ spheres, *Phys. Status Solidi* 7, 224-227, 2013.
- Phaomei**, G., Ningthoujam R. S., Singh W. R., Singh N. S., Luwang M. N., Tewari R., Vatsa R. K., Low temperature synthesis and luminescence properties of re-dispersible Eu³⁺ doped LaPO₄ nanorods by ethylene glycol route, *Opt. Mater.* 32, 616-622, 2010.
- Podhorodecki**, A., Kudrawiec R., Nyk M., Misiewicz J., Streck W., Surface- and volume-related excitation of Eu-doped nanocrystalline GaN powders, *Opt. Mater.* 31, 1252-1255, 2009a.
- Podhorodecki**, A., Misiewicz J., Gourbilleau F., Cardin J., Dufour C., High Energy Excitation Transfer from Silicon Nanocrystals to Neodymium Ions in Silicon-Rich Oxide Film, *Electrochem. Solid-State Lett.* 13, K26-K28, 2010a.
- Podhorodecki**, A., Banski M., Misiewicz, Serafińczuk J., Gaponenko N. V., Influence of Annealing on Excitation of Terbium Luminescence in YAlO₃ Films Deposited onto Porous Anodic Alumina, *J. Electrochem. Soc.* 157, H628-H632, 2010b.
- Pollnau**, M., Gamelin D. R., Luthi S. R., Gudel H. U., Hehlen M. P., Power dependence of upconversion luminescence in lanthanide and transition-metal-ion systems, *Phys. Rev. B* 61, 3337-3346, 2000.
- Porto**, S. P. S. and Scott J. F., Raman Spectra of CaWO₄, SrWO₄, CaMoO₄, SrMoO₄, *Phys. Rev.* 157, 716-719, 1967.
- Qiu**, Z., Zhou Y., Lü M., Zhou J., Zhang A., Yang Z., Ma Q., Combustion synthesis of novel Li_{0.9}Y_(0.9-x-y)Zr_{0.1}O₂:Eu_x³⁺, R_y³⁺ (R = Ce, Bi) red luminescence nanocrystal and emission-mechanism research, *Nanotech.* 18, 495705-1-7, 2007.

- Radhakrishnan**, A. N., Rao P. P., Linsa K. S. M., Deepa M., Koshy P., Influence of disorder-to-order transition on lattice thermal expansion and oxide ion conductivity in $(\text{Ca}_x\text{Gd}_{1-x})_2(\text{Zr}_{1-x}\text{M}_x)_2\text{O}_7$ pyrochlore solid solutions, *Dalton Trans.* 40, 3839-3848, 2011.
- Rai**, V. K. and Rai A., Temperature sensing behaviour of Eu^{3+} doped tellurite and calibo glasses, *Appl. Phys. B.* 86, 333-335, 2007b.
- Rai**, V. K. and Rai S. B., A comparative study of FIR and FL based temperature sensing schemes: an example of Pr^{3+} , *Appl. Phys. B* 87, 323-326, 2007a.
- Rai**, V. K., Pandey A., Dey R., Photoluminescence study of $\text{Y}_2\text{O}_3:\text{Er}^{3+}-\text{Eu}^{3+}-\text{Yb}^{3+}$ phosphor for lighting and sensing applications, *J. Appl. Phys.* 113, 083104-1-6, 2013.
- Rai**, V. K., Rai D. K., Rai S. B., Pr^{3+} doped lithium tellurite glass as a temperature sensor, *Sens. Actu. A* 128, 14-17, 2006.
- Raju**, G. S. R., Park J. Y., Jung H. C., Moon B. K., Jeong J. H., Kim J. H., *J. Electrochem. Soc.* 158, J20-J26, 2011.
- Raju**, G. S. R., Jung H. C., Park J. Y., Moon B. K., Balakrishnaiah R., Jeong J. H., Kim J. J. H., The influence of sintering temperature on the photoluminescence properties of oxyapatite $\text{Eu}^{3+}:\text{Ca}_2\text{Gd}_8\text{Si}_6\text{O}_{26}$ nanophosphors, *Sens. Actu. B* 146, 395-402, 2010.
- Raju**, G. S. R., Pavitra E., Ko Y. H., Yu J. S., A facile and efficient strategy for the preparation of stable CaMoO_4 spherulites using ammonium molybdate as a molybdenum source and their excitation induced tunable luminescent properties for optical applications *J. Mater. Chem.* 22, 15562-15569, 2012.
- Rakov**, N. and Maciel G. S., Three-photon upconversion and optical thermometry characterization of $\text{Er}^{3+}:\text{Yb}^{3+}$ co-doped yttrium silicate powders, *Sens. Act. B: Chemical* 164, 96-100, 2012.
- Reichardt**, C. and Welton T., *Solvents and Solvent Effects in Organic Chemistry*, Wiley-VCH Publishers, 4th edn, 2011.
- Ren**, W., Tian G., Zhou L., Yin W., Yan L., Jin S., Li S., Gu Z. and Zhao Y., Lanthanide ion-doped GdPO_4 nanorods with dual-modal bio-optical and magnetic resonance imaging properties, *Nanoscale* 4, 3754-3760, 2012.
- Romanowski**, W. R., Golab S., Dzik G. D., Solarz P., Eu^{3+} luminescence and $\text{Gd}^{3+}-\text{Eu}^{3+}$ energy transfer in $\text{K}_5\text{Li}_2\text{GdF}_{10}:\text{Eu}^{3+}$, *Appl. Phys. A: Mater. Sci. Process.* 74, 581-586, 2002.
- Rotenberg**, M., Bivins R., Metropolis N., Wooten J. R., *The 3j and 6j symbols*, MIT Press, Cambridge, Mass., 1959.
- Rousseau**, D. L., Bauman R. P., Porto S. P. S., Normal mode determination in crystals *J. Raman Spectrosc.* 10, 253-290, 1981.
- Saha**, S., Das S., Ghorai U. K., Mazumder N., Gupta B. K., Chattopadhyay K. K., Charge compensation assisted enhanced photoluminescence derived from Li-codoped $\text{MgAl}_2\text{O}_4:\text{Eu}^{3+}$ nanophosphors for solid state lighting applications, *Dalton Trans.* 42, 12965-12974, 2013.

- Sahu**, N. K., Ningthoujam R. S., Bahadur D., Disappearance and recovery of luminescence in $\text{GdPO}_4:\text{Eu}^{3+}$ nanorods: Propose to water/OH release under near infrared and gamma irradiations *J. Appl. Phys.* 112, 014306-1-11, 2012.
- Sala**, G., Gutmann M. J., Prabhakaran D., Pomaranski D., Mitchelitis C., Kycia J. B., Porter D. G., Castelnovo C. and Goff J. P., Vacancy defects and monopole dynamics in oxygen-deficient pyrochlores, *Nat. Mater.* 13, 488-493, 2014.
- Sanju'an**, M. L., Guglieri C., Moreno S. D., Aquilanti G., Fuentes A. F., Olivi L., Chaboy J., Raman and x-ray absorption spectroscopy study of the phase evolution induced by mechanical milling and thermal treatments in $\text{R}_2\text{Ti}_2\text{O}_7$ pyrochlores, *Phys. Rev. B* 84, 104207-1-18, 2011.
- Sayed**, F. N., Grove V., Bhattacharyya K., Jain D., Arya A., Pillai C. G. S., Tyagi A. K., $\text{Sm}_{2-x}\text{Dy}_x\text{Zr}_2\text{O}_7$ Pyrochlores: Probing Order–Disorder Dynamics and Multi-functionality, *Inorg. Chem.* 50, 2354-2365, 2011.
- Shah**, L. R., Ali B., Zhu H., Wang W. G., Song Y. Q., Zhang H. W., Shah S. I., Xiao J. Q., Detailed study on the role of oxygen vacancies in structural, magnetic and transport behavior of magnetic insulator: Co-CeO_2 *J. Phys.: Condens. Matter* 21, 486004-1-9, 2009.
- Shang**, C., Jiang H., Shang X., Li M., Zhao L., Investigation on the Luminescence Improvement of Nanosized $\text{La}_2\text{O}_3/\text{Eu}^{3+}$ Phosphor under Charge-Transfer Excitation *J. Phys. Chem. C* 115, 2630-2635, 2011.
- Shannon**, R. D., Revised effective ionic radii and systematic studies of interatomic distances in halides and chalcogenides, *Acta Crystallographica Section A*, 32, 751-767, 1976.
- Shi**, J., Hou Y., Chu W., Shi X., Gu H., Wang B., Shun Z., Crystal Structure and Highly Luminescent Properties Studies of Bis- β -diketonate Lanthanide Complexes, *Inorg. Chem.* 52, 5013–5022, 2013.
- Shionoya**, S. Yen W. (Editors), *Phosphor Handbook*, CRC Press, 1998.
- Singh**, N. S., Ningthoujam R. S., Luwang M. N., Singh S. D., Vatsa R. K., Luminescence, lifetime and quantum yield studies of $\text{YVO}_4:\text{Ln}^{3+}$ ($\text{Ln}^{3+} = \text{Dy}^{3+}, \text{Eu}^{3+}$) nanoparticles: Concentration and annealing effects, *Chem. Phys. Lett.* 480, 237-242, 2009.
- Singh**, B. P., Parchur A. K., Ningthoujam R. S., Ansari A. A., Singh P., Rai S. B. Enhanced photoluminescence in $\text{CaMoO}_4:\text{Eu}^{3+}$ by Gd^{3+} co-doping, *Dalton Trans.* 43, 4779-4789, 2014a.
- Singh**, B. P., Parchur A. K., Ningthoujam R. S., Ansari A. A., Singh P., Rai S. B., Influence of Gd^{3+} co-doping on structural property of $\text{CaMoO}_4:\text{Eu}$ nanoparticles, *Dalton Trans.* 43, 4770-4778, 2014b.
- Singh**, B. P., Parchur A. K., Singh R. K., Ansari A. A., Singh P., Rai S. B., Structural and up-conversion properties of Er^{3+} and Yb^{3+} co-doped $\text{Y}_2\text{Ti}_2\text{O}_7$ phosphors, *Phys. Chem. Chem. Phys.* 15, 3480-3489, 2013.
- Singh**, N. K., Synthesis and characterisation of a few ceria based solid electrolytes for intermediate temperature solid oxide fuel cells, Ph. D. Thesis, Department of Physics, V. B. S. Purvanchal University, Jaunpur, UP, India, 2011.

- Singh**, N. S., Ningthoujam R. S., Devi L. R., Yaiphaba N., Sudarsan V., Singh S. D., Vatsa R. K., Tewari R., Luminescence study of Eu^{3+} doped GdVO_4 nanoparticles: Concentration, particle size, and core/shell effects, *J. Appl. Phys.*104, 104307-1-9, 2008.
- Sivakumar**, S., J. -C. Boyer, E. Bovero, F. C. J. M. van Veggel, Up-conversion of 980 nm light into white light from sol-gel derived thin film made with new combinations of $\text{LaF}_3:\text{Ln}^{3+}$ nanoparticles, *J.Mater.Chem.* 19, 2392–2399, 2009.
- Sivakumar**, S., Veggel F. C. J. M., Raudsepp M., Bright White Light through Up-Conversion of a Single NIR Source from Sol-Gel-Derived Thin Film Made with Ln^{3+} -Doped LaF_3 Nanoparticles, *J. Am. Chem. Soc.* 127, 12464–12465, 2005.
- Strohhofer**, C. and Polman A., Absorption and emission spectroscopy in Er^{3+} - Yb^{3+} doped aluminum oxide waveguides, *Opt. Mater.* 21,705-712, 2003.
- Subramanian**, M. A., Aravamudan G. and Rao G.V. S., Oxide pyrochlores : A review, *Prog. Solid State Chem.* 15, 55-143, 1983.
- Sudarsan**, V., Sivakumar S., Veggel F. C. J. M., Raudsepp M., General and Convenient Method for Making Highly Luminescent Sol–Gel Derived Silica and Alumina Films by Using LaF_3 Nanoparticles Doped with Lanthanide Ions (Er^{3+} , Nd^{3+} , and Ho^{3+}), *Chem.Mater.*,2005, 17,4736–4742.
- Sun**, L., Qian C., Liao C., Wang X., Yan C., Luminescent properties of Li^+ doped nanosized $\text{Y}_2\text{O}_3:\text{Eu}$, *Solid State Commun.* 119, 393-396, 2001.
- Svelto**, O., Principle of Lasers, 3rd ed. Plenum, New York, 1989.
- Thomas**, M., Rao P. P., Deepa M., Chandran M. R., Koshy P., *J. Solid State Chem.* 182, 203-207, 2009.
- Thongtem**, T., Kungwankunakorn S., Kuntalue B., Phuruangrat A., Thongtem S., Luminescence and absorbance of highly crystalline CaMoO_4 , SrMoO_4 , CaWO_4 and SrWO_4 nanoparticles synthesized by co-precipitation method at room temperature, *J. Alloys Compd.*506, 475-481, 2010.
- Ting**, C. C., Chiu Y.S. Han, Chang C.W., Chuang L.C. Visible and infrared luminescence properties of Er^{3+} -doped $\text{Y}_2\text{Ti}_2\text{O}_7$ nanocrystals, *J. Solid State Chem.*184, 563–571, 2011.
- Vandenborre**, M. T., Husson E., Chatry J. P., Michel D., Rare-earth titanates and stannates of pyrochlore structure; vibrational spectra and force fields *J. Raman Spectrosc.*14, 63–71, 1983.
- Vinu**, A. and Ariga K. *Adv. Porous Mater*, 1, 63-71, 2013.
- Wade**, S. A., Collins S. F., Baxter G. W., Fluorescence intensity ratio technique for optical fiber point temperature sensing, *J. Appl. Phys.* 94, 4743-4756, 2003.
- Wade**, S. A., Muscat J. C., Collins S. F., Baxter G. W., Nd^{3+} -doped optical fibre temperature sensor using the fluorescence intensity ratio technique, *Rev. Scient. Inst.* 70, 4279-4282, 1999.
- Wang**, C., Cheng L., Liu Z., Drug delivery with upconversion nanoparticles for multi-functional targeted cancer cell imaging and therapy, *Biomaterials* 32, 1110–1120, 2011.

- Wang**, F. and Liu X., Recent advances in the chemistry of lanthanide-doped upconversion nanocrystals, *Chem. Soc. Rev.*, 38, 976–989, 2009.
- Wang**, F. and X. G. Liu, Upconversion Multicolor Fine-Tuning: Visible to Near-Infrared Emission from Lanthanide-Doped NaYF₄ Nanoparticles, *J. Am. Chem. Soc.* 130, 5642–5643, 2008.
- Wang**, F., Deng R., Wang J., Wang Q., Han Y., Zhu H., Chen X., Liu X., Tuning upconversion through energy migration in core–shell nanoparticles, *Nat. Mater.* 10, 968-973, 2011.
- Wang**, F., Song F., Zhang G., Han Y., Li Q., Ming C., Tian J., Upconversion and pump saturation mechanisms in Er³⁺/Yb³⁺ co-doped Y₂Ti₂O₇ nanocrystals, *J. Appl. Phys.* 115, 134310-1-7, 2014
- Wang**, H. Q. and Nann T., Monodispersed up-converting nanocrystals by microwave-assisted synthesis, *A C S Nano* 4, 1768-1768, 2010.
- Wang**, H., Huff T. B., Zweifel D. A., He W., Low P. S., Wei A. and Cheng J. X., *In vitro* and *in vivo* two-photon luminescence imaging of single gold nanorods, *Proc. Natl. Acad. Sci. U. S. A.*, 102, 15752-15756, 2005.
- Wang**, L. Y. and Li Y. D., Green upconversion nanocrystals for DNA detection, *Chem. Commun.* 2557–2559, 2006.
- Weber**, M. J., Saroyan R. A., Ropp R. C., Optical properties of Nd³⁺ in metaphosphate glasses, *J. Non-Cryst. Solids* 44, 137–148, 1981.
- Wegh**, R. T., Donker H., Oskam K. D., Meijerink A., Visible Quantum Cutting in LiGdF₄:Eu³⁺ Through Downconversion, *Science* 283, 663-666, 1999.
- Wei**, X., Ren L. C., Sheng C. B., Bin D., Optical temperature sensor based on up-conversion fluorescence emission in Yb³⁺:Er³⁺ co-doped ceramics glass, *Chin. Phys. B* 19, 127804-1-4, 2010.
- Woo**, S. I., Kim J. S., Kwon J. H., Characterization of Ca–Bi–Mo Oxide Catalyst for Selective Propane Ammoxidation, Using XRD, XPS, TPRX/TPRO, and IR/Raman, *J. Phys. Chem. B* 108, 8941–8946, 2004.
- Wood**, D. L. and Tauc J., Weak Absorption Tails in Amorphous Semiconductors, *Phys. Rev. B: Solid State* 5, 3144-3151, 1972.
- Wybourne**, G., Spectroscopic properties of rare earths, Interscience Publishers New York, 1965.
- Xie**, A., Yuan X., Hai S., Wang J., Wang F., Li L., Enhancement emission intensity of CaMoO₄:Eu³⁺, Na⁺ phosphor via Bi co-doping and Si substitution for application to white LEDs, *J. Phys. D: Appl. Phys.* 42, 105107-1-7, 2009.
- Xiong**, L. Q., Chen Z. G., Yu M. X., Li F. Y., Liu C., Huang H. C., Synthesis, characterization, and *in vivo* targeted imaging of amine-functionalized rare-earth up-converting nanophosphors, *Biomaterials* 30, 5592–5600, 2009.
- Xu**, W., Gao X., Zheng L., Zhang Z., Cao W., Short-wavelength upconversion emissions in Ho³⁺/Yb³⁺ codoped glass ceramic and the optical thermometry behavior, *Opt. Exp.* 20, 18127-18137, 2012.
- Yaiphaba**, N., Ningthoujam R. S., Singh N. S., Vatsa R. K., Singh, N. R., Dhara S., Misra N. L., Tewari R., Luminescence, lifetime, and quantum yield studies of redispersible Eu³⁺-doped GdPO₄ crystalline nanoneedles: Core-shell and concentration effects, *J. Appl. Phys.* 107, 034301-1-9, 2010.

- Yan**, D., Zhu J., Wu H., Yang Z., Qiu J., Song Z., Yu X., Yang Y., Zhou D., Yin Z., Wang R., Energy transfer and photoluminescence modification in Yb–Er–Tm triply doped $Y_2Ti_2O_7$ upconversion inverse opal, *J. Mater. Chem.* 22, 18558-18563, 2012.
- Yan**, S., Zhang J., Zhang X., Lu S., Ren X., Nie Z., Wang X. *J. Phys. Chem. C* 111, 13256-13260, 2007.
- Yan**, S., Zhang J., Zhang X., Lu S., Ren X., Nie Z., Wang X., Enhanced Red Emission in $CaMoO_4:Bi^{3+},Eu^{3+}$, *J. Phys. Chem. C* 111, 13256-13260, 2007.
- Yang**, P., Li C., Wang W., Quan Z., Gai S., Lin J., Uniform $AMoO_4:Ln$ ($A=Sr^{2+}, Ba^{2+}; Ln=Eu^{3+}, Tb^{3+}$) submicron particles: Solvothermal synthesis and luminescent properties, *J. Solid State Chem.* 182, 2510-2520, 2009.
- Yang**, Z. M., Feng Z. M., Jiang Z. H., Upconversion emission in multi-doped glasses for full color display, *J. Phys. D: Appl. Phys.*, 38, 1629–1632, 2005.
- Yen**, W.M., Shionoya S., Yamamoto H., Practical Applications of Phosphors, CRC Press, Taylor and Francis Group, FL, 2006, ISBN 1420043692.
- Yi**, G. S. and Chow G. M., Colloidal $LaF_3:Yb,Er$, $LaF_3:Yb,Ho$ and $LaF_3:Yb,Tm$ nanocrystals with multicolor upconversion fluorescence, *J. Mater. Chem.* 15, 4460–4464, 2005.
- Yi**, G. S. and Chow G. M., Synthesis of hexagonal-phase $NaYF_4:Yb,Er$ and $NaYF_4:Yb,Tm$ nanocrystals with efficient up-Conversion fluorescence, *Adv.Funct. Mater.* 16, 2324-2329, 2006.
- Yin**, W., Zhou L., Gu Z., Tian G., Jin S., Yan L., Liu X., Xing G., Ren W., Liu F., Pan Z., Zhao Y., Lanthanide-doped $GdVO_4$ upconversion nanophosphors with tunable emissions and their applications for biomedical imaging, *J. Mater. Chem.* 22, 6974-6981, 2012,
- Yokota**, Y., Tanimoto O., Effects of diffusion on energy transfer by resonance, *J. Phys. Soc. Jpn*, 22, 779–784, 1967.
- Zhang**, X. M. and Seo H. J., Photoluminescence properties of Ce^{3+}, Mn^{2+} co-doped Sr_2LiSiO_4F phosphor, *Phys. B* 405, 2436-2439, 2010.
- Zhang**, X. M., Qiao X. B., Seo H. J., Luminescence properties of novel Ce^{3+}, Mn^{2+} doped $NaSr_4(BO_3)_3$ phosphors, *Curr. Appl. Phys.* 11, 442-446, 2011.
- Zheng**, K., Zhang D., Zhao D., Liu N., Shi F. and Qin W., Bright white upconversion emission from Yb^{3+}, Er^{3+} , and Tm^{3+} -codoped Gd_2O_3 nanotubes, *Phys. Chem. Chem. Phys.* 12, 7620-7625, 2010.
- Zhong**, J., Liang H., Su Q., Zhou J., Huang Y., Gao Z., Tao Y., Wang J., Luminescence properties of $NaGd(PO_3)_4:Eu^{3+}$ and energy transfer from Gd^{3+} to Eu^{3+} , *Appl. Phys. B: Lasers Opt.*, 98, 139-147, 2010.
- Zhou**, L., Gu Z., Liu X., Yin W., Tian G., Yan L., Jin S., Ren W., Xing G., Li W., Chang X., Hu Z., Zhao Y., Size-tunable synthesis of lanthanide-doped Gd_2O_3 nanoparticles and their applications for optical and magnetic resonance imaging, *J. Mater. Chem.* 22, 966-974, 2012.

