

BIBLIOGRAPHY

- Ackermann TF, Hörtnagl H, Wolfer DP, Colacicco G, Sohr R, Lang F, Hellweg R, Lang UE (2008). Phosphatidylinositide dependent kinase deficiency increases anxiety and decreases GABA and serotonin abundance in the amygdala. *Cell Physiol Biochem* 22:735-744.
- Agid O, Kapur S, Arenovich T, Zipursky RB (2003). Delayed- onset hypothesis of antipsychotic action: a hypothesis tested and rejected. *Arch Gen Psychiatry* 60:1228–1235.
- Aguirre V, Werner ED, Giraud J, Lee YH, Shoelson SE, White MF (2002). Phosphorylation of Ser307 in insulin receptor substrate-1 blocks interactions with the insulin receptor and inhibits insulin action. *J Biol Chem* 277:1531-1537.
- Ahearn EP, Krohn A, Connor KM, Davidson JR (2003). Pharmacologic treatment of posttraumatic stress disorder: a focus on antipsychotic use. *Ann Clin Psychiatry* 15:193-201.
- al-Ahmed FA, el-Denshary ES, Zaki M, el-Sawaf HA, Abu-Jayyab AR (1989). Interaction between diazepam and oral antidiabetic agents on serum glucose, insulin and chromium levels in rats. *Biosci Rep* 9:347-350.
- Alessi DR, Caudwell FB, Andjelkovic M, Hemming BA, Cohen P (1996). Molecular basis for the substrate specificity of protein kinase B; comparison with MAPKAP kinase-1and p70 S6 kinase. *FEBS Lett* 399:333–338.
- Alvarez EO, Beauquis J, Revsin Y, Banzan AM, Roig P, De Nicola AF and Saravia F (2009). Cognitive dysfunction and hippocampal changes in experimental type 1 diabetes. *Behav Brain Res* 198:224–230.
- Anderson RJ, Grigsby AB, Freedland KE, de Groot M, McGill JB et al. (2002). Anxiety and poor glycemic control: a meta-analytic review of the literature. *Int J Psychiatry Med* 32:235-247.

- Asensio-Lopez MC, Sanchez-Mas J, Pascual-Figal DA, de Torre C, Valdes M, Lax A (2014). Ferritin heavy chain as main mediator of preventive effect of metformin against mitochondrial damage induced by doxorubicin in cardiomyocytes. *Free Radic Biol Med* 67:19-29.
- Assié MB, Carilla-Durand E, Bardin L, Maraval M, Aliaga M, Malfètes N, Barbara M, Newman-Tancredi A (2008). The antipsychotics clozapine and olanzapine increase plasma glucose and corticosterone levels in rats: comparison with aripiprazole, ziprasidone, bifeprunox and F15063. *Eur J Pharmacol* 592:160-166.
- Ball S, Goddard A and Shekhar A (2002). Evaluating and treating anxiety disorders in medical settings. *J Postgrad Med* 48:317-321.
- Barnett AH, Brice R, Hanif W, James J, Langerman H (2013). Increasing awareness of hypoglycaemia in patients with type 2 diabetes treated with oral agents. *Curr Med Res Opin* 29:1503-1513.
- Bartzokis G, Lu PH, Turner J, Mintz J, Saunders CS (2005). Adjunctive risperidone in the treatment of chronic combatrelated posttraumatic stress disorder. *Biol Psychiatry* 57:474-479.
- Bazotte RB, Silva LG, Schiavon FP (2014). Insulin resistance in the liver: deficiency or excess of insulin? *Cell Cycle* 13:2494-2500.
- Beattie D (1977). Effect of drugs on rats exposed to cold--restraint stress. *J Pharm Pharmacol* 29:748-751.
- Beers JRF, Sizer IW (1952). A spectrophotometric method for measuring the breakdown of hydrogen peroxide by catalase. *J Biol Chem* 195:133–140.

- Belzung C, Griebel G (2001). Measuring normal and pathological anxiety-like behaviour in mice: a review. *Behav Brain Res* 125:141–149.
- Benomar Y, Naour N, Aubourg A, Bailleux V, Gertler A, Djiane J, Guerre-Millo M, Taouis M (2006). Insulin and leptin induce Glut4 plasma membrane translocation and glucose uptake in a human neuronal cell line by a phosphatidylinositol 3-kinase-dependent mechanism. *Endocrinology* 147:2550-2556.
- Bertrand L, Horman S, Beaulove C, Vanoverschelde JL (2008). Insulin signaling in the heart. *Cardiovasc Res* 79:238–248.
- Bhutada P, Mundhada Y, Bansod K, Tawari S, Patil S et al. (2011). Protection of cholinergic and antioxidant system contributes to the effect of berberine ameliorating memory dysfunction in rat model of streptozotocin-induced diabetes. *Behav Brain Res* 220:30-41.
- Birnbaum S, Gobeske KT, Auerbach J, Taylor JR, Arnsten AF (1999). A role for norepinephrine in stress-induced cognitive deficits: alpha-1-adrenoceptor mediation in the prefrontal cortex. *Biol Psychiatry* 46:1266-1274.
- Blázquez E, Velázquez E, Hurtado-Carneiro V, Ruiz-Albusac JM (2014). Insulin in the brain: its pathophysiological implications for States related with central insulin resistance, type 2 diabetes and Alzheimer's disease. *Front Endocrinol (Lausanne)* 5:161.
- Bradford M (1976). A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem* 72:248e54.
- Brady KT (1997). Posttraumatic stress disorder and comorbidity: recognizing the many faces of PTSD. *J Clin Psychiatry* 58:12-15.
- Brands AM, Henselmans JM, de Haan EH and Biessels GJ (2003). Diabetic encephalopathy: an underexposed complication of diabetes mellitus. *Ned Tijdschr Geneeskd* 147:11–14.

- Bremner JD, Krystal JH, Southwick SM, Charney DS (1996). Noradrenergic mechanisms in stress and anxiety: I. Preclinical studies. *Synapse* 23:28-38.
- Brennan FX, Ottenweller JE, Seifu Y, Zhu G, Servatius RJ (2000). Persistent stress-induced elevations of urinary corticosterone in rats. *Physiol Behav* 71:441–446.
- Bronstein PM (1972). Open field behaviour of the rat as a function of age: cross sectional and longitudinal investigations. *J Comp Physiol Psychol* 80:335–341.
- Browne JL, Nefs G, Pouwer F, Speight J (2015). Depression, anxiety and self-care behaviours of young adults with Type 2 diabetes: results from the International Diabetes Management and Impact for Long-term Empowerment and Success (MILES) Study. *Diabet Med* 32:133-140.
- Cardoso S, Santos MS, Moreno A, Moreira PI (2013). UCP2 and ANT differently modulate proton-leak in brain mitochondria of long-term hyperglycemic and recurrent hypoglycemic rats. *J Bioenerg Biomembr* 45:397-407.
- Carrizo E, Fernández V, Connell L, Sandia I, Prieto D et al. (2009). Extended release metformin for metabolic control assistance during prolonged clozapine administration: a 14 week, double-blind, parallel group, placebo-controlled study. *Schizophr Res* 113:19-26.
- Celikyurt IK, Akar FY, Ulak G, Muthu O, Erden F (2011). Effects of risperidone on learning and memory in naive and MK-801-treated rats. *Pharmacology* 87:187-194.
- Chakraborty A, Chowdhury S, Bhattacharyya M (2011). Effect of metformin on oxidative stress, nitrosative stress and inflammatory biomarkers in type 2 diabetes patients. *Diabetes Res Clin Pract* 93:56-62.
- Chance B, Williams GR (1956). The respiratory chain and oxidative phosphorylation. *Adv Enzymol* 17:65–134.

- Chelli B, Lena A, Vanacore R, Da PE, Costa B et al. (2004). Peripheral benzodiazepine receptor ligands: mitochondrial transmembrane potential depolarization and apoptosis induction in rat C6 glioma cells. *Biochem Pharmacol* 68:125-134.
- Chen F, Xiong H, Wang J, Ding X, Shu G et al. (2013). Antidiabetic effect of total flavonoids from Sanguis draxonis in type 2 diabetic rats. *J Ethnopharmacol* 149:729-736.
- Chen S, Owens GC, Crossin KL, Edelman DB (2007). Serotonin stimulates mitochondrial transport in hippocampal neurons. *Mol Cell Neurosci* 36:472-483.
- Chen S, Owens GC, Edelman DB (2008). Dopamine inhibits mitochondrial motility in hippocampal neurons. *PLoS One* 3:e2804.
- Chung MM, Chen YL, Pei D, Cheng YC, Sun B, Nicol CJ, Yen CH, Chen HM, Liang YJ, Chiang MC (2015). The neuroprotective role of metformin in advanced glycation end product treated human neural stem cells is AMPK-dependent. *Biochim Biophys Acta* 1852:720-731.
- Cleasby ME, Livingstone DE, Nyirenda MJ, Seckl JR, Walker BR (2003). Is programming of glucocorticoid receptor expression by prenatal dexamethasone in the rat secondary to metabolic derangement in adulthood? *Eur J Endocrinol* 148:129-138.
- Coffer PJ, Jin J, Woodgett JR (1998). Protein kinase B (c-Akt): a multifunctional mediator of phosphatidylinositol 3-kinase activation. *Biochem J* 335:1-13.
- Cohen G, Riahi Y, Alpert E, Gruzman A, Sasson S (2007). The roles of hyperglycaemia and oxidative stress in the rise and collapse of the natural protective mechanism against vascular endothelial cell dysfunction in diabetes. *Arch Physiol Biochem* 113:259–267.
- Cohen H, Kozlovsky N, Savion N, Matar MA, Loewenthal U, Loewenthal N, Zohar J, Kaplan Z (2009). An association between stress-induced disruption of the hypothalamic-pituitary-

- adrenal axis and disordered glucose metabolism in an animal model of post-traumatic stress disorder. *J Neuroendocrinol* 21:898-909.
- Collins MM, Corcoran P, Perry IJ (2009). Anxiety and depression symptoms in patients with diabetes. *Diabet Med* 26:153–161.
- Cosgrove MP, Sergeant LA, Caleyachetty R, Griffin SJ (2012). Work-related stress and type 2 diabetes: Systematic review and metaanalysis. *Occup Med* 62:167-173.
- Davidson MB, Peters AL (1997) An overview of metformin in the treatment of type 2 diabetes mellitus. *Am J Med*. 102:99-110.
- Davila EP, Florez H, Trepka MJ, Fleming LE, Niyonsenga T et al. (2011). Long work hours is associated with suboptimal glycemic control among US workers with diabetes. *Am J Ind Med* 54:375-383.
- De Kloet ER (2003). Hormones, brain and stress. *Endocr.Regul* 37:51–68.
- De Kloet ER, Vreugdenhil E, Oitzl MS, Joels M (1998). Brain corticosteroid receptor balance in health and disease. *Endocr Rev* 19:269–301.
- de Oliveira C, de Mattos AB, Biz C, Oyama LM, Ribeiro EB et al. (2011). High-fat diet and glucocorticoid treatment cause hyperglycemia associated with adiponectin receptor alterations. *Lipids Health Dis* 10:11.
- Dellu F, Mayo W, Cherkaoui J, Le Moal M, Simon H (1992). A two-trial memory task with automated recording: study in young and aged rats. *Brain Res* 588:132–139.
- Donath MY, Shoelson SE (2011). Type 2 diabetes as an inflammatory disease. *Nat Rev Immunol* 11:98–107.

- Duseja A, Thumbaru KK, Das A, Dhiman RK, Chawla YK, Bhadada S, Bhansali A (2007). Insulin tolerance test is comparable to homeostasis model assessment for insulin resistance in patients with nonalcoholic fatty liver disease. Indian J Gastroenterol 26:170-173.
- El-Mir MY, Detaille D, R-Villanueva G, Delgado-Esteban M, Guigas B et al. (2008). Neuroprotective role of antidiabetic drug metformin against apoptotic cell death in primary cortical neurons. J Mol Neurosci 34:77-87.
- El-Mir MY, Nogueira V, Fontaine E, Avéret N, Rigoulet M et al. (2000). Dimethylbiguanide inhibits cell respiration via an indirect effect targeted on the respiratory chain complex I. J Biol Chem 275:223-228.
- Erenmemisoglu A, Ozdogan UK, Saraymen R, Tütü A (1999). Effect of some antidepressants on glycaemia and insulin levels of normoglycaemic and alloxan-induced hyperglycaemic mice. J Pharm Pharmacol 51(6):741-743.
- Farr OM, Ko BJ, Joung KE, Zaichenko L, Usher N, Tsoukas M, Thakkar B, Davis CR, Crowell JA, Mantzoros CS (2015). Posttraumatic stress disorder, alone or additively with early life adversity, is associated with obesity and cardiometabolic risk. Nutr Metab Cardiovasc Dis 25:479-488.
- Faulenbach M, Uthoff H, Schwegler K, Spinas GA, Schmid C et al. (2012). Effect of psychological stress on glucose control in patients with Type-2 diabetes. Diabet Med 29:128-131.
- Ferry B, Roozendaal B, McGaugh JL (1999). Basolateral amygdala noradrenergic influences on memory storage are mediated by an interaction between beta- and alpha1-adrenoceptors. J Neurosci 19:5119-5123.

Fiorentino TV, Prioletta A, Zuo P, Folli F (2013). Hyperglycemia-induced Oxidative stress and its Role in Diabetes Mellitus related Cardiovascular Diseases. *Curr Pharm Des* 19:5695-5703.

Fisher L, Mullan JT, Skaff MM, Glaslow RE, Arean P et al. (2009). Predicting diabetes distress in patients with type 2 diabetes: a longitudinal study. *Diabet Med* 29:622-627.

Fiske CH, Subbarao Y (1925). The colorimetric determination of phosphorus. *J Biol Chem* 66:375–400.

Foretz M, Hébrard S, Leclerc J, Zarrinpashneh E, Soty M et al. (2010). Metformin inhibits hepatic gluconeogenesis in mice independently of the LKB1/AMPK pathway via a decrease in hepatic energy state. *J Clin Invest* 120:2355-2369.

Fukui K, Onodera K, Shinkai T, Suzuki S, Urano S (2001). Impairment of learning and memory in rats caused by oxidative stress and aging, and changes in antioxidative defense systems. *Ann NY Acad Sci* 928:168-175.

Furtado LM, Somwar R, Sweeney G, Niu W, Klip A (2002). Activation of the glucose transporter GLUT4 by insulin. *Biochem Cell Biol* 80:569-578.

Gao LH, Liu Q, Liu SN, Chen ZY, Li CN, Lei L, Sun SJ, Li LY, Liu JL, Shen ZF (2014) A refined-JinQi-JiangTang tablet ameliorates prediabetes by reducing insulin resistance and improving beta cell function in mice. *J Ethnopharmacol* 151:675-685.

Gao Y, Zhang M, Wu T, Xu M, Cai H, Zhang Z (2015) Effects of D-pinitol on insulin resistance through PI3K/Akt signaling pathway in type 2 diabetes mellitus rats. *J Agric Food Chem* [Epub ahead of print].

Garabadu D, Krishnamurthy S (2013). Temporal effect of repeated stress on type-2 experimental diabetes In: *Diabetes mellitus and human health care- A holistic approach to diagnosis and*

- treatment. Editors: Anne George, MD., Robin Augustine and Mathew Sebastian, MD. Apple Academic Press Inc, USA.357-392.
- Garabodu D, Ahmad A, Krishnamurthy S (2015). Risperidone attenuates modified Stress-Resistant paradigm-induced mitochondrial dysfunction and apoptosis in rats exhibiting Post Traumatic Stress Disorder-like symptoms. *J Mol Neurosci* (In Press).
- Garabodu D, Krishnamurthy S (2014). Asparagus racemosus attenuates anxiety-like behavior in experimental animal models. *Cell Mol Neurobiol* 34:511-521.
- Garabodu D, Krishnamurthy S (2014). Diazepam potentiates the antidiabetic, antistress and anxiolytic activities of metformin in type-2 diabetes mellitus with cooccurring stress in experimental animals. *Biomed Res Int* 2014:693074.
- Garabodu D, Ahmad A and Krishnamurthy S (2015). Risperidone attenuates modified Stress-Resistant paradigm-induced mitochondrial dysfunction and apoptosis in rats exhibiting Post Traumatic Stress Disorder-like symptoms. *J Mol Neurosci* 56:299-312.
- Garabodu D, Shah A, Ahmad A, Joshi VB, Saxena B, Palit G, Krishnamurthy S (2011). Eugenol as an anti-stress agent: modulation of hypothalamic-pituitary-adrenal axis and brain monoaminergic systems in a rat model of stress. *Stress* 14:145-155.
- Goodarzi MO, Bryer-Ash M (2005). Metformin revisited: reevaluation of its properties and role in the pharmacopoeia of modern antidiabetic agents. *Diabetes Obes Metab* 7:654-665.
- Green LC., Wagner DA, Glogowski J et al. (1982). Analysis of nitrate, nitrite, and [15N] nitrate in biological fluids. *Anal Biochem* 126:131-138.
- Griffiths DE, Houghton RL (1974). Studies on energy linked reactions: modified mitochondrial ATPase of oligomycin-resistant mutants of *Saccharomyces cerevisiae*. *Eur J Biochem* 46:157-167.

- Grynkiewicz G, Poenie M, Tsien RY (1985). A new generation of Ca^{2+} indicators with greatly improved fluorescence properties. *J Biol Chem* 260:3440-3450.
- Guigas B, Detaille D, Chauvin C, Batandier C, De Oliveira F et al. (2004). Metformin inhibits mitochondrial permeability transition and cell death: a pharmacological in vitro study. *Biochem J* 382:877-884.
- Gürpınar T, Ekerbicer N, Uysal N, Barut T, Tarakci F, Tuglu MI (2012). The effects of the melatonin treatment on the oxidative stress and apoptosis in diabetic eye and brain. *ScientificWorldJournal* 2012:498489.
- Haas JT, Biddinger SB (2009). Dissecting the role of insulin resistance in the metabolic syndrome. *Curr Opin Lipidol* 20:206-210.
- Hamner MB, Faldowski RA, Ulmer HG, Frueh BC, Huber MG, Arana GW (2003). Adjunctive risperidone treatment in post-traumatic stress disorder: a preliminary controlled trial of effects on comorbid psychotic symptoms. *Int Clin Psychopharmacol* 18:1-8.
- Harvey BH, Naciti C, Brand L, Stein DJ (2003). Endocrine, cognitive and hippocampal/cortical 5HT 1A/2A receptor changes evoked by a time-dependent sensitisation (TDS) stress model in rats. *Brain Res* 983:97-107.
- Harvey BH, Brand L, Jeeva Z, Stein DJ (2006). Cortical/hippocampal monoamines, HPA-axis changes and aversive behavior following stress and restress in an animal model of post-traumatic stress disorder. *Physiol Behav* 87:881-890.
- Hashimoto H, Hashimoto R, Shintani N, Tanaka K, Yamamoto A, Hatanaka M, Guo X, Morita Y, TanidaM, Nagai K, Takeda M, Baba A (2009). Depression-like behavior in the forced swimming test in PACAP-deficient mice: amelioration by the atypical antipsychotic risperidone. *J Neurochem* 110:595-602.

- Heraclides A, Chandola T, Witte DR, Brunner EJ (2009). Psychosocial stress at work doubles the risk of type 2 diabetes in middle-aged women. *Diabetes Care* 32:2230-2235.
- Hilakivi-Clarke LA, Wozniak KM, Durcan MJ, Linnoila M (1990). Behavior of streptozotocin-diabetic mice in tests of exploration, locomotion, anxiety, depression and aggression. *Physiol Behav* 48:429-433.
- Holman GD, Kasuga M (1997). From receptor to transporter: insulin signaling to glucose transport. *Diabetologia* 40:991-1003.
- Hotamisligil GS (2006). Inflammation and metabolic disorders. *Nature* 444:860–867.
- Hotamisligil GS, Johnson RS, Distel RJ, Ellis R, Papaioannou VE, Spiegelman BM (1996). Uncoupling of obesity from insulin resistance through a targeted mutation in aP2, the adipocyte fatty acid binding protein. *Science* 274:1377-1379.
- Huang SG (2002). Development of a high throughput screening assay for mitochondrial membrane potential in living cells. *J Biomol Screen* 7:383–389.
- Itoh J, Nabeshima T, Kameyama T (1991). Utility of an elevated plus-maze for dissociation of amnesic and behavioral effects of drugs in mice. *Eur J Pharmacol* 194:71–76.
- Janson J, Laedtke T, Parisi JE, O'Brien P, Petersen RC, Butler PC (2004). Increased risk of type 2 diabetes in Alzheimer disease. *Diabetes* 53:474–481.
- Jenkins TA, Elliott JJ, Ardis TC, Cahir M, Reynolds GP, Bell R, Cooper SJ (2010). Tryptophan depletion impairs object-recognition memory in the rat: reversal by risperidone. *Behav Brain Res* 208:479-483.
- Johannsen DL, Ravussin E (2009). The role of mitochondria in health and disease. *Curr Opin Pharmacol* 9:780–786.

- Jurysta C, Nicaise C, Giroix MH, Cetik S, Malaisse WJ, Sener A (2013). Comparison of GLUT1, GLUT2, GLUT4 and SGLT1 mRNA expression in the salivary glands and six other organs of control, streptozotocin-induced and Goto-Kakizaki diabetic rats. *Cell Physiol Biochem* 31:37-43.
- Kahl KG, Schweiger U, Correll C, Müller C, Busch ML, Bauer M and Schwarz P (2015). Depression, anxiety disorders, and metabolic syndrome in a population at risk for type 2 diabetes mellitus. *Brain Behav* e00306. [Epub ahead of print]
- Kakkar P, Das B, Viswanathan PN (1984). A modified spectrophotometric assay of superoxide dismutase. *Indian J Biochem* 21:130-132.
- Kanai T, Nemoto T, Yanagita T, Maruta T, Satoh S, Yoshikawa N, Wada A (2009). Nav1.7 sodium channel-induced Ca^{2+} influx decreases tau phosphorylation via glycogen synthase kinase-3 beta in adrenal chromaffin cells. *Neurochem Int* 54:497–505.
- Karamanos B, Thanopoulou A, Drossinos V, Charalampidou E, Sourmeli S et al. (2011). Study comparing the effect of pioglitazone in combination with either metformin or sulphonylureas on lipid profile and glycaemic control in patients with type 2 diabetes (ECLA). *Curr Med Res Opin* 27:303-313.
- Karanges E, Li KM, Motbey C, Callaghan PD, Katsifis A, McGregor IS (2011). Differential behavioural and neurochemical outcomes from chronic paroxetine treatment in adolescent and adult rats: a model of adverse antidepressant effects in human adolescents? *Int J Neuropsychopharmacol* 14:491-504.
- Karl T, Duffy L, O'brien E, Matsumoto I, Dedova I (2006). Behavioural effects of chronic haloperidol and risperidone treatment in rats. *Behav Brain Res* 171:286–294.

- Khanam R, Pillai KK (2006). Involvement of potassium channels in hypoglycemic effect of sertraline. Indian J Exp Biol 44(2):120-122.
- Kholodar' AV, Amikishieva AV, Anisimov MP (2011). Effect of intranasal administration of dopamine on anxiety and locomotor activity of two lines of mice. Ross Fiziol Zh Im I M Sechenova 97:690-699.
- Kim JA, Wei Y, Sowers JR (2008). Role of mitochondrial dysfunction in insulin resistance. Circ Res 102:401–414.
- Kim C, Speisky MB, Kharouba SN (1987). Rapid and sensitive method for measuring norepinephrine, dopamine, 5-hydroxytryptamine and their major metabolites in rat brain by high-performance liquid chromatography. J Chromatogr 386:25-35.
- Kirby LG, Lucki I (1998). The effect of repeated exposure to forced swimming on extracellular levels of 5-hydroxytryptamine in the rat. Stress 2:251–263.
- Koning EJ, Bonner-Weir S, Rabelink TJ (2008). Preservation of beta-cell function by targeting beta-cell mass. Trends Pharmacol Sci 29:218–227.
- Koob GF (1999). Corticotropin-releasing factor, norepinephrine and stress. Biol Psychiatry 46:1176–1180.
- Korte SM, Korte-Bouws GA, Koob GF, de Kloet ER, Bohus B (1996). Mineralocorticoid and glucocorticoid receptors antagonists in animal model of anxiety. Pharmacol Biochem Behav 54:261–267.
- Kozaric-Kovacic D (2008). Psychopharmacotherapy of posttraumatic stress disorder. Croat Med J 49:459-475.

- Krishnamurthy S, Garabadu D, Reddy NR (2013). Asparagus racemosus modulates the hypothalamic-pituitary-adrenal axis and brain monoaminergic systems in rats. *Nutr Neurosci* 16:255-261.
- Krishnamurthy S, Garabadu D, Reddy NR, Joy KP (2011). Risperidone in ultra-low dose protects against stress in the rodent cold restraint model by modulating stress pathways. *Neurochem Res* 36:1750-1758.
- Krystal JH, Neumeister A (2009). Noradrenergic and serotonergic mechanisms in the neurobiology of posttraumatic stress disorder and resilience. *Brain Res* 1293:13-23.
- Krystal JH, Rosenheck RA, Cramer JA, Vessicchio JC, Jones KM, Vertrees JE, et al. (2011). Adjunctive risperidone treatment for antidepressant-resistant symptoms of chronic military service-related PTSD: a randomized trial. *JAMA* 306(5):493-502.
- Kukidome D, Nishikawa T, Sonoda K, Imoto K, Fujisawa K, Yano M, Motoshima H, Taguchi T, Matsumura T, Araki E (2006). Activation of AMP-activated protein kinase reduces hyperglycemia-induced mitochondrial reactive oxygen species production and promotes mitochondrial biogenesis in human umbilical vein endothelial cells. *Diabetes* 55:120-127.
- Kumar A, Aravamudhan S, Gordic M, Bhansali S, Mohapatra SS (2007). Ultrasensitive detection of cortisol with enzyme fragment complementation technology using functionalized nanowire. *Biosens Bioelectron* 22:2138-2144.
- Kumar D, Bhat ZA, Kumar V, Raja W, Shah MY (2013). Anti-anxiety activity of Stachys tibetica Vatke. *Chin J Nat Med* 11:240-244.
- Kumar N, Dey CS (2002). Metformin enhances insulin signalling in insulin-dependent and independent pathways in insulin resistant muscle cells. *Br J Pharmacol* 137:329-336.

Kumar P, Kalonia H, Kumar A (2010). Nitric oxide mechanism in the protective effect of antidepressants against 3-nitropropionic acid-induced cognitive deficit, glutathione and mitochondrial alterations in animal model of Huntington's disease. *Behav Pharmacol* 21:217-230.

Kumari M, Head J, Marmot M (2004). Prospective study of social and other risk factors for incidence of type 2 diabetes in the Whitehall II study. *Arch Intern Med* 164:1873-1880.

Kwon DN, Chang BS, Kim JH (2014). MicroRNA dysregulation in liver and pancreas of CMP-Neu5Ac hydroxylase null mice disrupts insulin/PI3K-AKT signaling. *Biomed Res Int* 2014:236385.

Langston RF, Wood ER (2009). Associative recognition and the hippocampus: differential effects of hippocampal lesions on object-place, object-context, and object-place-context memory. *Hippocampus* 20:1139–1153.

Lazar MA (2005). How obesity causes diabetes: not a tall tale. *Science* 307:373–375.

Leney SE, Tavaré JM (2009). The molecular basis of insulin-stimulated glucose uptake: signalling, trafficking and potential drug targets. *J Endocrinol* 203:1-18.

LeRoith D, Gavrilova O (2006). Mouse models created to study the pathophysiology of Type 2 diabetes. *Int J Biochem Cell Biol* 38:904-912.

Li Q, Hosaka T, Harada N, Nakaya Y, Funaki M (2013). Activation of Akt through 5-HT2A receptor ameliorates serotonin-induced degradation of insulin receptor substrate-1 in adipocytes. *Mol Cell Endocrinol* 365:25-35.

Li Z, Okamoto K, Hayashi Y, Sheng M (2004). The importance of dendritic mitochondria in the morphogenesis and plasticity of spines and synapses. *Cell* 119:873-887.

- Liapi C, Kyriakaki A, Zarros A, Galanopoulou P, Al-Humadi H, Dontas I, Voumvourakis K, Tsakiris S (2010). Choline-deprivation alters crucial brain enzyme activities in a rat model of diabetic encephalopathy. *Metab Brain Dis* 25:269-276.
- Liberzon I, Krstov M, Young EA (1997). Stress-restress: effects on ACTH and fast feedback. *Psychoneuroendocrinology* 26:443–453.
- Liberzon I, López JF, Flagel SB, Vázquez DM, Young EA (1999). Differential regulation of hippocampal glucocorticoid receptors mRNA and fast feedback: relevance to post-traumatic stress disorder. *J. Neuroendocrinol* 11:11-17.
- Lindauer RJ, Olff M, van Meijel EP, Carlier IV, Gersons BP (2006). Cortisol, learning, memory, and attention in relation to smaller hippocampal volume in police officers with post-traumatic stress disorder. *Biol Psychiatry* 59:171–177.
- Liu D, Xiao B, Han F, et al. (2012). Single-prolonged stress induces apoptosis in dorsal raphe nucleus in the rat model of posttraumatic stress disorder. *BMC Psychiatry* 12:211.
- Lloyd C, Smith J, Weinger K (2005). Stress and diabetes: a review of the links. *Diabetes Spectrum* 18:121-127.
- Lopez F, Miller LG, Greenblatt DJ, Paul SM, Shader RI (1988). Low-dose alprazolam augments motor activity in mice. *Pharmacol Biochem Behav* 30:511-513.
- López-Rubalcava C, Paez-Martinez N, Oikawa J (2013). Blockade of corticosteroid receptors induces anxiolytic-like effects in streptozotocin-induced diabetic mice, and synergizes with diazepam. *Behav Pharmacol* 24:320-327.
- Lowell BB, Shulman GI (2005). Mitochondrial dysfunction and type 2 diabetes. *Science* 307:384–387.

- Lowry OH, Rosebrough NJ, Farr AL, Randall RJ (1951). Protein measurement with the Folin phenol reagent. *J Biol Chem* 193:265-275.
- Magliano DJ, Barr ELM, Zimmet PZ, Cameron AJ, Dunstan DW et al. (2008). Glucose indices, health behaviors, and incidence of diabetes in Australia. *Diabetes Care* 31:267-272.
- Mahmood D, Akhtar M, Vohora D, Khanam R (2010). Comparison of antinociceptive and antidiabetic effects of sertraline and amitriptyline on streptozotocin-induced diabetic rats. *Hum Exp Toxicol* 29:881-886.
- Manning BD, Cantley LC (2007). Akt/PKB signaling: navigating downstream. *Cell* 129:1261–1274.
- Marselli L, Trincavelli L, Santangelo C, Lupi R, Del GS et al. (2004). The role of peripheral benzodiazepine receptors on the function and survival of isolated human pancreatic islets. *Eur J Endocrinol* 151:207-214.
- Masiello P, Broca C, Gross R, Roye M, Manteghetti M et al. (1998). Experimental NIDDM: development of a new model in adult rats administered streptozotocin and nicotinamide. *Diabet* 47:224-229.
- Matthews DR, Hosker JP, Rudenski AS, Naylor BA, Treacher DF, Turner RC (1985). Homeostasis model assessment: insulin resistance and beta-cell function from fasting plasma glucose and insulin concentrations in man. *Diabetologia* 28:412-419.
- Maxia A, Frau MA, Foddis C, Lancioni MC, Kasture V, Kasture S (2012). Ethanolic extract of Rubia peregrina L. (Rubiaceae) inhibits haloperidol-induced catalepsy and reserpine-induced orofacial dyskinesia. *Nat Prod Res* 26:438-445.

- Menabde KO, Burdzhianadze GM, Chachua MV, Kuchukashvily ZT, Koshorydze NI (2011). Tissue specificity of lipid peroxidation under emotional stress in rats. Ukr Biokhim Zh 83:85-90.
- Menard J, Treit D (1999). Effects of centrally administered anxiolytic compounds in animal models of anxiety. Neurosci Biobehav Rev 23:591–613.
- Mezadri TJ, Batista GM, Portes AC, Marino-Neto J, Lino-de-Oliveira C (2011). Repeated rat-forced swim test: reducing the number of animals to evaluate gradual effects of antidepressants. J Neurosci Methods 195:200-205.
- Min Y, Oku S, Yoshida N (2013). Anti-emetic effect of mosapride citrate hydrate, a 5-HT₄ receptor agonist, on selective serotonin reuptake inhibitors (SSRIs)-induced emesis in experimental animals. J Pharmacol Sci 121:58-66.
- Minuk GY, Bear CE, Sarjeant EJ (1987). Sodium-independent,bicuculline-sensitive [³H]GABA binding to isolated rat hepatocytes. Am J Physiol 252:G642-647.
- Mironova VI, Rybnikova EA (2010). Stable modifications to the expression of neurohormones in the rat hypothalamus in a model of post-traumatic stress disorder. Neurosci Behav Physiol 40:111-115.
- Muniyappa R, Lee S, Chen H, Quon MJ (2008). Current approaches for assessing insulin sensitivity and resistance in vivo: advantages, limitations, and appropriate usage. Am J Physiol Endocrinol Metabol 294:E15–E26.
- Nathan DM, Buse JB, Davidson MB, Ferrannini E, Holman RR et al. (2009). Medical management of hyperglycaemia in type 2 diabetes mellitus: a consensus algorithm for the initiation and adjustment of therapy: a consensus statement from the American Diabetes

- Association and the European Association for the Study of Diabetes. *Diabetologia* 52:17-30.
- National Research Council (US) Committee for the Update of the Guide for the Care and Use of Laboratory Animals (2011) *Guide for the care and use of laboratory animals*, 8th edn. National Academies Press (US), Washington, DC.
- Nazar M, Jessa M, Plaznik A (1997). Benzodiazepine–GABA_A receptor complex ligands in two models of anxiety. *J Neural Transm* 104:733– 746.
- Neylan TC, Brunet A, Pole N, Best SR, Metzler TJ, Yehuda R, Marmar CR (2005). PTSD symptoms predict waking salivary cortisol levels in police officers. *Psychoneuroendocrinology* 30:373–381.
- Nishiumi S, Ashida H (2007). Rapid preparation of a plasma membrane fraction from adipocytes and muscle cells: application to detection of translocated glucose transporter 4 on the plasma membrane. *Biosci Biotechnol Biochem* 71:2343-2346.
- Ohkawa H, Ohishi N, Yagi K (1979). Assay for lipid peroxides in animal tissues by thiobarbituric acid reaction. *Anal Biochem* 95:351–358.
- Ojha R, Sahu AN, Muruganandam AV, Singh GK, Krishnamurthy S (2010). Asparagus recemosus enhances memory and protects against amnesia in rodent models. *Brain Cogn* 74: 1-9.
- Okada K, Hirano T, Ran J, Adachi M (2004). Olmesartan medoxomil, an angiotensin II receptor blocker ameliorates insulin resistance and decreases triglyceride production in fructose-fed rats. *Hypertens Res* 27:293-299.
- Okada S, Ichiki K, Tanokuchi S, Ishii K, Hamada H et al. (1994). Effect of an anxiolytic on lipid profile in non-insulin-dependent diabetes mellitus. *J Int Med Res* 22:338-342.

- Okada S, Ichiki K, Tanokuchi S, Ishii K, Hamada H et al. (1995). How blood pressure in patients with non-insulin-dependent diabetes mellitus is influenced by stress. *J Int Med Res* 23:377-380.
- Olff M, Güzelcan Y, De Vries GJ, Assies J, Gersons BP (2006). HPA- and HPT-axis alterations in chronic posttraumatic stress disorder. *Psychoneuroendocrinol* 31:1220–1230.
- Ott A, Stolk RP, van Harskamp F, Pols HA, Hofman A, Breteler MM (1999). Diabetes mellitus and the risk of dementia: the Rotterdam study. *Neurology* 53:1937–1942.
- Palkovits M, Brownstein MJ (1988). Maps and Guide to Microdissection of the Rat Brain, Elsevier, New York, NY, USA.
- Panahi Y, Moghaddam BR, Sahebkar A, Nazari MA, Beiraghdar F, Karami G, Saadat AR (2011). A randomized, double-blind, placebo-controlled trial on the efficacy and tolerability of sertraline in Iranian veterans with post-traumatic stress disorder. *Psychol Med* 41:2159-2166.
- Park KS, Nam KJ, Kim JW, Lee YB, Han CY, Jeong JK, Lee HK, Pak YK (2001). Depletion of mitochondrial DNA alters glucose metabolism in SK-Hep1 cells. *Am J Physiol Endocrinol Metab* 280:E1007–E1014.
- Park SY, Choi GH, Choi HI, Ryu J, Jung CY, Lee W (2005). Depletion of mitochondrial DNA causes impaired glucose utilization and insulin resistance in L6 GLUT4myc myocytes. *J Biol Chem* 280:9855–9864.
- Patil SP, Jain PD, Ghumatkar PJ, Tambe R, Sathaye S (2014). Neuroprotective effect of metformin in MPTP-induced Parkinson's disease in mice. *Neuroscience* 277:747-754.

- Pedersen PL, Greenawalt JW, Reynafarje B, Hullihen J, Decker GL, Soper JW, Bustamente E (1978). Preparation and characterization of mitochondria and sub-mitochondrial particles of rat liver-derived tissues. *Methods Cell Biol* 20:411–481.
- Pellow S, Chopin P, File SE, Briley M (1985). Validation of open: closed arm entries in an elevated plus-maze as a measure of anxiety in the rat. *J Neurosci Methods* 14:149–167.
- Perry RJ, Zhang XM, Zhang D, Kumashiro N, Camporez JP, Cline GW, Rothman DL, Shulman GI (2014). Leptin reverses diabetes by suppression of the hypothalamic-pituitary-adrenal axis. *Nat Med* 20:759-763.
- Peskind ER, Bonner LT, Hoff DJ, Raskind MA (2003). Prazosin reduces trauma-related nightmares in older men with chronic posttraumatic stress disorder. *J Geriatr Psychiatry Neurol* 16:165-171.
- Pessin JE, Saltiel AR (2000). Signaling pathways in insulin action: molecular targets of insulin resistance. *J Clin Invest* 106:165-169.
- Petersen KF, Befroy D, Dufour S, Dziura J, Ariyan C, Rothman DL, DiPietro L, Cline GW, Shulman GI (2003). Mitochondrial dysfunction in the elderly: possible role in insulin resistance. *Science* 300:1140–1142.
- Pezze MA, Feldon J (2004). Mesolimbic dopaminergic pathways in fear conditioning. *Prog Neurobiol* 74:301–320.
- Philbert J, Pichat P, Palme R, Belzung C, Griebel G (2012). The CRF₁ receptor antagonist SSR125543 attenuates long-term cognitive deficit induced by acute inescapable stress in mice, independently from the hypothalamic pituitary adrenal axis. *Pharmacol Biochem Behav* 102:415-422.

- Pintana H, Apaijai N, Pratchayasakul W, Chattipakorn N, Chattipakorn SC (2012). Effects of metformin on learning and memory behaviors and brain mitochondrial functions in high fat diet induced insulin resistant rats. *Life Sci* 91:409-414.
- Poimenova A, Markaki E, Rahiotis C, Kitraki E (2010). Corticosterone-regulated actions in the rat brain are affected by perinatal exposure to low dose of bisphenol A. *Neuroscience* 167: 741-749.
- Pryor PR, Liu SC, Clark AE, Yang J, Holman GD, Tosh D (2000). Chronic insulin effects on insulin signalling and GLUT4 endocytosis are reversed by metformin. *Biochem J* 348:83-91.
- Punn A, Levine MA, Grammatopoulos DK (2006). Identification of signaling molecules mediating corticotropin-releasing hormone-R1alpha-mitogen-activated protein kinase (MAPK) interactions: the critical role of phosphatidylinositol 3-kinase in regulating ERK1/2 but not p38 MAPK activation. *Mol Endocrinol* 20:3179-3195.
- Purwana I, Zheng J, Li X, Deurloo M, Son DO, Zhang Z, Liang C, Shen E, Tadkase A, Feng ZP, Li Y, Hasilo C, Paraskevas S, Bortell R, Greiner DL, Atkinson M, Prud'homme GJ, Wang Q (2014). GABA promotes human β -cell proliferation and modulates glucose homeostasis. *Diabetes* 63:4197-4205.
- Qiu J, Wang YM, Shi CM, Yue HN, Qin ZY, Zhu GZ, Cao XG, Ji CB, Cui Y, Guo XR (2012). NYGGF4 (PID1) effects on insulin resistance are reversed by metformin in 3T3-L1 adipocytes. *J Bioenerg Biomembr* 44:665-671.
- Rao MN, Chau A, Madden E, Inslicht S, Talbot L, Richards A, O'Donovan A, Ruoff L, Grunfeld C, Neylan TC (2014). Hyperinsulinemic response to oral glucose challenge in individuals with posttraumatic stress disorder. *Psychoneuroendocrinology* 49:171-181.

- Rasbac KA, Schnellmann RG (2007). Signaling of mitochondrial biogenesis following oxidant injury. *J Biol Chem* 282:2355-2362.
- Raskind MA, Dobie DJ, Kanter ED, Petrie EC, Thompson CE, Peskind ER, (2000). The alpha1-adrenergic antagonist prazosin ameliorates combat trauma nightmares in veterans with posttraumatic stress disorder: a report of 4 cases. *J Clin Psychiatry* 61:129-133.
- Ravindran LN, Stein M (2009). Pharmacotherapy of PTSD: premises, principles, and priorities. *Brain Res* 1293:24-39.
- Ren C, Zhang Y, Cui W, Lu G, Wang Y, Gao H, Huang L, Mu Z (2015). A polysaccharide extract of mulberry leaf ameliorates hepatic glucose metabolism and insulin signaling in rats with type 2 diabetes induced by high fat-diet and streptozotocin. *Int J BiolMacromol* 72:951-959.
- Reul JM, de Kloet ER (1985). Two receptor systems for corticosterone in rat brain: microdistribution and differential occupation. *Endocrinol* 117:2505-2511.
- Reul JM, Rothuizen J, de Kloet ER (1991). Age-related changes in the dog hypothalamic-pituitary-adrenocortical system: neuroendocrine activity and corticosteroid receptors. *J Steroid Biochem Mol Biol* 40:63-69.
- Rex A, Stephens DN, Fink H (1996). Anxiolytic action of diazepam and abecarnil in a modified open field test. *Pharmacol Biochem Behav* 53:1005– 1111.
- Rijkelijkhuisen JM, Doesburg T, Girman CJ, Mari A, Rhodes T, Gastaldelli A, Nijpels G, Dekker JM (2009). Hepatic fat is not associated with beta-cell function or postprandial free fatty acid response. *Metabolism* 58:196-203.
- Rogóź Z, Skuza G (2011). Anxiolytic-like effects of olanzapine, risperidone and fluoxetine in the elevated plus-maze test in rats. *Pharmacol Rep* 63:1547-1552.

- Rolo AP, Palmeira CM (2006). Diabetes and mitochondrial function: role of hyperglycemia and oxidative stress. *Toxicol Appl Pharmacol* 212:167–178.
- Rothbaum BO, Killeen TK, Davidson JR, Brady KT, Connor KM, Heekin MH (2008). Placebo-controlled trial of risperidone augmentation for selective serotonin reuptake inhibitor-resistant civilian posttraumatic stress disorder. *J Clin Psychiatry* 69:520-525.
- Roy-Byrne PP, Davidson KW, Kessler RC, Asmundson GJ, Goodwin RD, Kubzansky L, Lydiard RB, Massie MJ, Katon W, Laden SK, Stein MB (2008). Anxiety disorders and comorbid medical illness. *Gen Hosp Psychiatry* 30:208-225.
- Rozeboom AM, Akil H, Seasholtz AF (2007). Mineralocorticoid receptor overexpression in forebrain decreases anxiety-like behavior and alters the stress response in mice. *Proc Natl Acad Sci USA* 104:4688–4693.
- Sairam K, Rao ChV, Babu MD, Kumar KV, Agrawal VK et al. (2002). Antiulcerogenic effect of methanolic extract of *Emblica officinalis*: an experimental study. *J Ethnopharmacol* 82:1-9.
- Sakanelidze R, Lomsianidze I, Shalamberidze A (2011). Study of physiological and biochemical mechanisms of insulin action on the emotional state of anxiety. *Georgian Med News* 198:45-49.
- Sale EM, Sale GJ (2008). Protein kinase B: signaling roles and therapeutic targeting. *Cell Mol Life Sci* 65:113–127.
- Sally LO, Margaret AJ (1989). Methods of microphotometric assay of succinate dehydrogenase and cytochrome-C oxidase activities for use on human skeletal muscle. *Histochem J* 21:545–555.
- Saltiel AR, Kahn CR (2001). Insulin signalling and the regulation of glucose and lipid metabolism. *Nature* 414:799–806.

- Saltiel AR, Pessin JE (2002). Insulin signaling pathways in time and space. *Trends Cell Biol* 12:65–71.
- Sarnowska A, Beresewicz M, Zabłocka B, Domańska-Janik K (2009). Diazepam neuroprotection in excitotoxic and oxidative stress involves a mitochondrial mechanism additional to the GABAAR and hypothermic effects. *Neurochem Int* 55:164-173.
- Schotte A, Janssen PFM, Gommeren W, Luyten WHML, von Gompel P, Lesage AS, De Loore K, Leysen JE (1996). Risperidone compared with new and reference antipsychotic drugs: in vitro and in vivo receptor binding. *Psychopharmacology* 124:57–73.
- Shapiro BL, Feigal RJ, Lam FH (1979). Mitochondrial NADH dehydrogenase in cystic fibrosis. *Proc Natl Acad Sci USA* 76:2979–2983.
- Sharma AN, Elased KM, Garrett TL, Lucot JB (2010). Neurobehavioral deficits in db/db diabetic mice. *Physiol Behav* 101:381–388.
- Shaw JE, Sicree RA, Zimmet PZ (2010). Global estimates of the prevalence of diabetes for 2010 and 2030. *Diabetes Res Clin Pract* 87:4-14.
- Shoelson SE, Lee J, Goldfine AB (2006). Inflammation and insulin resistance. *J Clin Invest* 116:1793-1801.
- Skelton K, Ressler KJ, Norrholm SD, Jovanovic T, Bradley-Davino B (2011). PTSD and gene variants: new pathways and new thinking. *Neuropharmacology* [Epub ahead of print].
- Sollozo-Dupont I, Estrada-Camarena E, Carro-Juárez M, López-Rubalcava C (2015). GABAA/benzodiazepine receptor complex mediates the anxiolytic-like effect of Montanoa tomentosa. *J Ethnopharmacol* 162:278-286.
- Soltani N, Qiu H, Aleksic M, Glinka Y, Zhao F, Liu R, Li Y, Zhang N, Chakrabarti R, Ng T, Jin T, Zhang H, Lu WY, Feng ZP, Prud'homme GJ, Wang Q (2011). GABA exerts protective

- and regenerative effects on islet beta cells and reverses diabetes. Proc Natl Acad Sci USA 108:11692-11697.
- Sonntag B, Götte M, Wülfing P, Schüring AN, Kiesel L, Greb RR (2005). Metformin alters insulin signaling and viability of human granulosa cells. Fertil Steril 84:1173-1179.
- Southwick SM, Vythilingam M, Charney DS (2005). The psychobiology of depression and resilience to stress: implications for prevention and treatment. Annu Rev Clin Psychol 1:255-291.
- Stanford SC (1995). Central noradrenergic neurones and stress. Pharmacol Ther 68:297–342.
- Stein DJ, Ipser J, McAnda N (2009). Pharmacotherapy of Posttraumatic Stress Disorder: A Review of Meta-Analyses and Treatment Guidelines. CNS Spectr 14:25-31.
- Stein DJ, Zungu-Dirwayi N, van Der Linden GJ, Seedat S (2000). Pharmacotherapy for posttraumatic stress disorder. Cochrane Database Syst Rev 4:CD002795.
- Stewart R, Liolitsa D (1999). Type 2 diabetes mellitus, cognitive impairment and dementia. Diabet Med 16:93–112.
- Storrie B, Madden EA (1990). Isolation of subcellular organelles. Methods Enzymol 182:203–225.
- Stumvoll M, Goldstein BJ, van Haeften TW (2005). Type 2 diabetes: principles of pathogenesis and therapy. Lancet 365:1333-1346.
- Sullivan RM, Szechtman H (1995). Asymmetrical influence of mesocortical dopamine depletion on stress ulcer development and subcortical dopamine systems in rats: implications for psychopathology. Neuroscience 65:757-766.
- Sunderman FW, Marzouk A, Hopfer SM, Zaharia O, Reid MC (1985). Increased lipid peroxidation in tissues of nickel chloride-treated rats. Ann Clin Lab Sci 15:229-236.

- Tahara A, Matsuyama-Yokono A, Nakano R, Someya Y, Shibasaki M (2008). Hypoglycaemic effects of antidiabetic drugs in streptozotocin-nicotinamide-induced mildly diabetic and streptozotocin-induced severely diabetic rats. *Basic Clin Pharmacol Toxicol* 103:560-568.
- Taylor FB, Lowe K, Thompson C, McFall MM, Peskind ER, Kanter ED, Allison N, William J, Martin P, Raskind MA (2006). Daytime prazosin reduces psychological distress to trauma specific cues in civilian trauma posttraumatic stress disorder. *Biol Psychiatry* 59:577-581.
- Tersey SA, Bolanis E, Holman TR, Maloney DJ, Nadler JL, Mirmira RG (2015). Minireview: 12-Lipoxygenase and Islet β -Cell Dysfunction in Diabetes. *Mol Endocrinol* 29:791-800.
- Thomas AB, Anny HX, Ruth KP, Siri LK, Aura M, Jose G, Cesar O, Sylvia T, Kathleen B, Howard NH, Azen SP (2002). Preservation of pancreatic β -cell function and prevention of Type2 diabetes by pharmacological treatment of insulin resistance in high-risk Hispanic women. *Diabetes* 51:2796–2803.
- Tian J, Dang HN, Yong J, Chui WS, Dizon MP, Yaw CK, Kaufman DL (2011). Oral treatment with γ -aminobutyric acid improves glucose tolerance and insulin sensitivity by inhibiting inflammation in high fat diet-fed mice. *PLoS One* 6:e25338.
- Tian J, Lu Y, Zhang H, Chau CH, Dang HN, Kaufman DL (2004). Gammaaminobutyric acid inhibits T cell autoimmunity and the development of inflammatory responses in a mouse type 1 diabetes model. *J Immunol* 173:5298–5304.
- Tolekis PM, Godin DV (1995). Alteration of antioxidant status in diabetic rats by chronic exposure to restraint stressors. *Pharmacol Biochem Behav* 52:355-366.
- Toth I, Neumann ID, Slattery DA (2012). Social Fear Conditioning: A Novel and Specific Animal Model to Study Social Anxiety Disorder. *Neuropsychopharmacol* 37:1433–1443.

- Tsakiris S (2001). Effects of L-phenylalanine on acetylcholinesterase and Na(+), K(+)-ATPase activities in adult and aged rat brain. *Mech Ageing Dev* 122:491-501.
- Uchiyama M, Mihara M (1978). Determination of malonaldehyde precursor in tissues by thiobarbituric acid test. *Anal Biochem* 86:271–278.
- Uysal N, Yalaz G, Acikgoz O, Gonenc S, Kayatekin BM (2005). Effect of l-carnitine on diabetogenic action of streptozotocin in rats. *Neuro Endocrinol Lett* 26:419–422.
- Vaccarino V, Goldberg J, Magruder KM, Forsberg CW, Friedman MJ, Litz BT, Heagerty PJ, Huang GD, Gleason TC, Smith NL (2014). Posttraumatic stress disorder and incidence of type-2 diabetes: a prospective twin study. *J Psychiatr Res* 56:158-64.
- van Donkelaar EL, Vaessen KR, Pawluski JL, Siersma AS, Blokland A, Cañete R, Steinbusch HW (2014). Long-term corticosterone exposure decreases insulin sensitivity and induces depressive-like behaviour in the C57BL/6NCrl mouse. *PLoS One* 9:e106960.
- Vecina JF, Oliveira AG, Araujo TG, Baggio SR, Torello CO, Saad MJ, Queiroz ML (2014). Chlorella modulates insulin signaling pathway and prevents high-fat diet-induced insulin resistance in mice. *Life Sci* 95:45-52.
- Volkova IV, Davydov VV (2009). Effect of stress on the content of free radical oxidation products in subcellular brain fractions in rats of pubertal age. *Ukr Biokhim Zh* 81:102-106.
- Wang Q, Jiang C, Fang S, Wang J, Ji Y, Shang X, Ni Y, Yin Z, Zhang J (2013). Antihyperglycemic, antihyperlipidemic and antioxidant effects of ethanol and aqueous extracts of Cyclocarya paliurus leaves in type 2 diabetic rats. *J Ethnopharmacol* 150:1119-1127.
- Wang Q, Jiang C, Fang S, Wang J, Ji Y, Shang X, Ni Y, Yin Z, Zhang J (2013). Antihyperglycemic, antihyperlipidemic and antioxidant effects of ethanol and aqueous

- extracts of Cyclocarya paliurus leaves in type 2 diabetic rats. *J. Ethnopharmacol* 150:1119-1127.
- Wang TY, Chen XQ, Du JZ, Xu NY, Wei CB et al. (2004). Corticotropin-releasing factor receptor type 1 and 2 mRNA expression in the rat anterior pituitary is modulated by intermittent hypoxia, cold and restraint. *Neuroscience* 128:111-119.
- Watson RT, Kanzaki M, Pessin JE (2004). Regulated membrane trafficking of the insulin-responsive glucose transporter 4 in adipocytes. *Endocr Rev* 25:177-204.
- Wen XR, Fu YY, Liu HZ, Wu J, Shao XP, Zhang XB, Tang M, Shi Y, Ma K, Zhang F, Wang YW, Tang H, Han D, Zhang P, Wang SL, Xu Z, Song YJ (2015). Neuroprotection of Sevoflurane Against Ischemia/Reperfusion-Induced Brain Injury Through Inhibiting JNK3/Caspase-3 by Enhancing Akt Signaling Pathway. *Mol Neurobio*. [Epub ahead of print].
- Whiting DR, Guariguata L, Weil C, Shaw J (2011). IDF diabetes atlas:global estimates of the prevalence of diabetes for 2011 and 2030. *Diabetes Res Clin Pract* 94:311-321.
- Wilson CB, McLaughlin LD, Ebenezer PJ, Nair AR, Dange R, Harre JG, Shaak TL, Diamond DM, Francis J (2014). Differential effects of sertraline in a predator exposure animal model of post-traumatic stress disorder. *Front Behav Neurosci* 8:256.
- Woodward CJ, Emery PW (1987). Determination of plasma corticosterone using high-performance liquid chromatography. *J Chromatogr* 419:280-284.
- Yanardag R, Ozsoy-Sacan O, Bolkent S, Orak H, Karabulut-Bulan O (2005). Protective effects of metformin treatment on the liver injury of streptozotocin-diabetic rats. *Hum Exp Toxicol* 24:129–135.

- Yang JY, Deng W, Chen Y, Fan W, Baldwin KM, Jope RS, Wallace DC, Wang PH (2013). Impaired translocation and activation of mitochondrial Akt1 mitigated mitochondrial oxidative phosphorylation Complex V activity in diabetic myocardium. *J Mol Cell Cardiol* 59:167-175.
- Yang S, Lou JL, Wang Q (2009). Effect of puerarin on liver injury in KKAY mice with type 2 diabetes mellitus. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 29:707-710.
- Yehuda R, Antelman SM (1993). Criteria for evaluating animal models of post traumatic stress disorder. *Biol Psychiat* 33:479–486.
- Yehuda R, McFarlane AC, Shalev AY (1998). Predicting the development of posttraumatic stress disorder from the acute response to a traumatic event. *Biol Psychiatry* 44:1305–1313.
- Yuan L, Ziegler R, Hamann A (2003). Metformin modulates insulin post-receptor signaling transduction in chronically insulin-treated Hep G2 cells. *Acta Pharmacol Sin* 24:55-60.
- Zarros A, Liapi C, Galanopoulou P, Marinou K, Mellios Z, Skandali N, Al-Humadi H, Anifantaki F, Gkrouzman E, Tsakiris S (2009). Effects of adult-onset streptozotocin-induced diabetes on the rat brain antioxidant status and the activities of acetylcholinesterase, (Na⁽⁺⁾,K⁽⁺⁾)- and Mg⁽²⁺⁾-ATPase: modulation by L-cysteine. *Metab Brain Dis* 24:337-348.
- Zhang LM, Zhou WW, Ji YJ, Li Y, Zhao N, Chen HX, Xue R, Mei XG, Zhang YZ, Wang HL, Li YF (2015). Anxiolytic effects of ketamine in animal models of posttraumatic stress disorder. *Psychopharmacology (Berl)* 232:663-672.
- Zhao WQ, Townsend M (2009). Insulin resistance and amyloidogenesis as common molecular foundation for type 2 diabetes and Alzheimer's disease. *Biochim Biophys Acta* 1792:482-496.

Zhu XC, Jiang T, Zhang QQ, Cao L, Tan MS, Wang HF, Ding ZZ, Tan L, Yu JT (2014). Chronic Metformin Preconditioning Provides Neuroprotection via Suppression of NF-κB-Mediated Inflammatory Pathway in Rats with Permanent Cerebral Ischemia. *Mol Neurobiol* (In Press).