

REFERENCE

1. A. Deschanvres, B. Raveau and M. Tollermer, *Bull. Soc. Chim. Fr.*, v. 11, pp 4077-4078, (1967).
2. A. Ghosh "Ac conduction in iron bismuthate glassy semiconductors", *Phy. Rev. B*, 42, pp 1388-93, (1990).
3. A.E. Smith, T.G. Calvarese, A.W. Sleight and M.A. Subramanian "An anion substitution route to low loss colossal dielectric $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ " *J. Solid State Chem.*, v. 182, pp 409-411, (2009).
4. A.J. Moulson and J.M. Herbert "Electroceramics" Second Ed. Wiley, England, 2003.
5. A.K. Jonscher "Dielectric relaxation in solids" Chelsea Dielectrics Press, London, pp. 75-81, 1983.
6. A.P Ramirez, M.A. Subramanian, M. Gardel, G. Blumberg, D Li., T. Vogt, S.M. Shapiro "Giant dielectric constant response in a copper-titanate" *J Solid State Comm.*, v. 115, pp 217-220, (2000).
7. A.R.V. Hippel "Dielectrics and Waves" John Wiley & Sons, London (1995).
8. A.S. Bhalla, R. Guo and R. Roy "The perovskite structure - a review of its role in ceramic science and technology" *Mat. Res. Innovat.*, v. 4, 3-26, (2000).
9. Alok Kumar Rai, K. D. Mandal, D. Kumar, Om Parkash "Dielectric properties of lanthanum-doped $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ synthesized by semi-wet route" *J Phy. Chem. Solids*, v. 70, pp 834-839, (2009).
10. B. Bochu, M.N. Deschizeaux, J.C. Joubert, A. Collomb, J. Chenavas and M. Marezio "Synthesis and characterisation of a series of titanates perovskite isotopes $[\text{CaCu}_3](\text{Mn}_4)\text{O}_{12}$ " *J Solid State Chem.*, v. 29, pp 291-298, (1979).
11. B. Jaffe, J.W.R. Cook and H. Jaffe "Piezoelectric Ceramics", Chapter 5, Academic Press, New York, 1971.
12. B.A. Bender and M.J. Pan "The effect of processing on the giant dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ " *Mater. Sci. Eng. B*, v. 117, pp 339-347, (2005).

13. B.A. Chang, G. Campet, J. Claverie, P. Hagemuller and J.B. Goodenough "Sensitization of polycrystalline SrTiO₃ photoanodes by mechanical polishing" *J Solid State Chem.*, v. 49, pp 247-255, (1983).
14. B.D. Culity and S.R. Stock "Elements of X-ray Diffraction" Prentice Hall, New Jersey Ed., Chapter 1, pp 7-10, 2001.
15. B.S. Prakash and K.B.R. Varma "Microstructural and dielectric properties of donor doped (La³⁺) CaCu₃Ti₄O₁₂ ceramics" *J. Mater. Sci. Mater. Electron.*, v. 17, pp 899-907,, (2006).
16. B.S. Prakash and K.B.R. Varma "The influence of the segregation of Cu-rich phase on the microstructural and impedance characteristics of CaCu₃Ti₄O₁₂ ceramics" *J. Mater. Sci.*, v. 42, pp 7467-7477 (2007).
17. C. Chen, H.J. Kwo and M. Hong "Microstructures of YbA₂Cu₃O_{7-x} Superconducting Thin-Films Grown on a SrTiO₃ (100) Substrate" *Appl. Phys. Lett.*, v. 52, pp 841-843, (1988).
18. C. Lasaga Antonio and T. Cygan Randall "Electronic and Ionic Polarizabilities of Silicate Minerals" *American Mineralogist*, v.67, pp 328-334, (1982).
19. C. Zhao, X.Y. Huang, H. Guan and C.H. Cao "Effect of Y₂O₃ and Dy₂O₃ on dielectric properties of Ba_{0.7}Sr_{0.3}TiO₃ series capacitor ceramics" *J. Rare Earths*, v. 25, pp 197-200 (2007).
20. C.B. Alcock, R.C. Doshi and Y. Shen "Perovskite Electrodes for Sensors" *Solid State Ionics*, v. **51**, pp 281-289, (1992).
21. C.C. Calvert, W.M. Rainforth, D.C. Sinclair and A.R. West "EELS characterisation of bulk CaCu₃Ti₄O₁₂ ceramics" *Micron.*, v. 37, pp 412-419, (2006).
22. C.C. Christopher, Ph.D. Thesis, Banaras Hindu University, India (1998).
23. C.C. Homes, T. Vogt, S.M. Shapiro, S. Wakimoto and A.P. Ramirez "Optical response of high-dielectric-constant perovskite-related oxide" *Science*, v. 293, pp 673-676, (2001).
24. C.D. Prasad, O. Parkash and D. Kumar "Electrical-Properties of La_{1-x}PB_xCo_{1-x}Ti_xO₃ (x = 0.05 and 0.10)" *J Mater. Sci. Letts.* 7, 789-790, (1988).
25. C.D. Prasad, Ph.D Thesis, Banaras Hindu University, Varanasi-India (1988).
26. C.L. Chen, J. Shen, S.Y. Chen, G.P. Luo, C.W. Chu, F.A. Miranda, F.W. Van Keuls, J.C. Jiang and E.I. Meletis, H. Chang, *Appl. Phys. Lett.*, v. 78, 652, (2001).

27. C.L. Huang and Y.C. Chen “Low temperature sintering and microwave dielectric properties of SmAlO₃ ceramics” *Mater. Res. Bull.*, v. 37, pp 563-574, (2002).
28. C.M. Garner, G.K. Ioster, G.A. Twood, L. Mosley and A.C. Palanduz, *Microelectr. Reliab.*, v. 45 pp 919, (2005).
29. Clive A. Randall, Namchul Kim, John-Paul Kucera, Wenwu Cao and Thomas R. Shrout “Intrinsic and Extrinsic Size Effects in Fine-Grained Morphotropic-Phase-Boundary Lead Zirconate Titanate Ceramics” *J Am. Ceram. Soc.*, v. 81 [3] pp 677–88, (1998).
30. D. Capsoni, M. Bini, V. Massarotti, G. Chiodelli, M.C. Mozzati and C.B. Azzoni “Role of doping and CuO segregation in improving the giant permittivity of CaCu₃Ti₄O₁₂” *J Solid State Chem.*, v. 177, pp 4494-4500, (2004).
31. D. P. Almond and C. R. Bowen “Anomalous power law dispersions in ac conductivity and permittivity shown to be characteristic of microstructural electrical networks” *Physic. Rev. Lett.*, v. 92 [15], pp 157601-5, (2004).
32. D.B. Dhawajam , M. Buchi Suresh, U.S. Hareesh , J.K. Thomas , S. Solomon , Annamma John “Impedance and Modulus spectroscopic studies on 40 PrTiTaO₆+60YTbNbO₆ ceramic composite” *J Mat. Sci.: Mat. Electron.*, v. 23, 653-661, (2012). DOI no. 10.1007/s 10854-011-0464.
33. D.C Hill and H. L. Tuller “Ceramic Sensors: Theory and Practice in ceramic materials for electronics” Ed. by Buchanan R.C. Marcel Dekker, Inc. New York (1986).
34. D.E Kotecki, *Integr. Ferrorlectrics*, v. 16 pp. 1-9, (1997).
35. D.L Polla and L.R. Francis, *Annu. Rev. Mater. Sci.* v. 28, pp 563-567, (1998).
36. D.W. Kim, T.G. Kim and F.S. Hong “Low-firing of CuO-doped anatase” *Mater. Res. Bull.*, v. 34, pp 771-781, (1999).
37. Dirac C. Sinclair, Timothy B. Adams, Finlay D. Morrison and Anthony R. West “CaCu₃Ti₄O₁₂: One-step internal barrier layer capacitor” *Appl. Phy. Lett.*, v. 80, pp 2153-2155, (2002).
38. E. A. Wood “Polymorphism in potassium niobate, sodium niobate and other ABO₃ compounds” *Acta. Cryst.*, v. 4, pp 353-362, (1951).
39. E. Wainer and C. Wentworth “Niobate and Tantalate Dielectrics” *J Am. Ceram. Soc.*, v. 35, pp 207-214, (1952).

40. E.A. Patterson, S. Kwon, C.C. Huang and D.P. Cann “Effect of Al Doping on the Electric and Dielectric Properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ” *Appl. Phys. Lett.*, v. 87, pp 182911-182913, (2005).
41. F.D. Morrison, D.C. Sinclair and A.R. West “Doping mechanisms and electrical properties of La-doped BaTiO_3 ceramics” *J Inorg. Mat.*, v. 3, pp 1205- 1210, (2001).
42. F.S. Galasso “Structure, Properties & Preparation of Perovskite-Type Compounds” Pergamon Press, London, 1969.
43. G. Bator “Ac and dc conductivity around the ferroelectric phase transition in $(\text{CH}_3\text{NH}_3)_3\text{Bi}_2\text{Br}_9$ (MABB) crystal”, *Ferroelectrics*, v. 200 [1–4], pp 287–95, (1997).
44. G. Chiodelli, V. Massarotti, D. Capsoni, M. Bini, C.B. Azzoni, M.C. Mozzati. and P. Lupotto “Electric and dielectric properties of pure and doped $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ perovskite materials” *J Solid State Comm.*, v. 132, pp 241-246, (2004).
45. G. Goodman “Advances in Ceramics”, Ed. by L. M. Levinson and D.C. Hill, Am. Ceram. Soc. Westerville, Ohio, v. 1 pp 215-219, 1981.
46. G.A. Cox and R.H. Tredgold “On the electrical conductivity of calcium titanate crystals” *British J Appl. Phys.*, v. 18, pp 37-40, (1967).
47. G.H. Haertling “Piezoelectric and electro-optic Ceramics in ceramic materials for electronics” Ed. by R. C. Buchanan, Marcel Dekker, Inc. New York, 1986.
48. G.Z. Zang, J.L. Zhang, P. Zheng, J.F. Wang and C.L. Wang “Grain boundary effect on the dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics” *J Phys. D.*, v. 38, pp 1824 – 1827, (2005).
49. H.F. Kay and P. Vousden “Symmetry changes in barium titanate at low temperatures” *Phil. Mag.*, v. 40, pp 1019-1040, (1949).
50. H.F. Kay and P.C. Bailey “Structure and properties of CaTiO_3 ” *Acta. Cryst.*, v. 10, pp 219-226, (1957).
51. H.L. Yakel “On the structures of some compounds of the perovskite type” *Acta. Cryst.*, v. 8, pp 394-398, (1955).
52. H.S. Tewari Ph.D Thesis, Banaras Hindu University, Varanasi-India (1994)
53. H.S. Tewari, Om Parkash, V.B. Tare and D. Kumar “Dielectric-Properties of the System $\text{Ca}_{1-x}\text{Y}_x\text{Ti}_{1-x}\text{Co}_x\text{O}_3$ ($0.00 < x \leq 0.15$)” *J Mater. Sci.*, v. 25, pp 2181-2184, (1990).

54. Hassini, M. Gervais, J. Coulon, V. Phuoc and F. Gervais "Synthesis of $\text{Ca}_{0.25}\text{Cu}_{0.75}\text{TiO}_3$ and infrared characterization of role played by copper" *Mater. Sci. Eng. B*, v. 87, pp 164-168, (2001).
55. I. Burn and S. Neirman "Dielectric-Properties of Donor-Doped Polycrystalline SrTiO_3 " *J Mat. Sci.*, v. 17, pp 3510-3524, (1982).
56. I. G. Austin and N. F. Mott "Polarons in crystalline and non-crystalline materials", *Adv. Phy.*, 19, pp 41-102, (1969).
57. I.M. Hodge, M.D. Ingram and A.R. West "Impedance and modulus spectroscopy of polycrystalline solid electrolytes" *J. Electroanal. Chem.*, v. 74, pp 125-143, (1976).
58. I.M. Reaney and R. Ubic, "Talking Microwaves: A Review of Ceramics at the Heart of the Telecommunications Network", *International Ceram.*, v. 1, pp 48-52, (2000).
59. Inoue T, Seki N, Eguchi K. and Arai H. "Low-Temperature Operation of Solid Electrolyte Oxygen Sensors Using Perovskite-Type Oxide Electrodes and Cathodic Reaction Kinetics" *J Electrochem Soc.*, v. 137, pp 2523-2527, (1990).
60. J. Cai, Y.H. Lin, B. Cheng, C.W. Nan, J. He, Y. Wu and X. Chen "Dielectric and nonlinear electrical behaviors observed in Mn-doped $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramic" *Appl. Phys. Lett.*, v. 91, pp 252905-3, (2007).
61. J. Funayama, M. Hasuyama and N. Yamaoka "Advances in varistors Technology" *Ceram. Trans. L.M. Levinson Ed.*, New York, v. 3, pp 381-385, (1989).
62. J. Greblinger and H. Meixner "Fast oxygen sensors based on sputtered strontium titanate" *Sens. Actuators B.*, v. 4, pp 99-102, (1991).
63. J. Liu, C. Duan, W.N. Mei, R.W. Smith and J.R. Hardy "Dielectric properties and Maxwell–Wagner relaxation of compounds $\text{ACu}_3\text{Ti}_4\text{O}_{12}$ ($A = \text{Ca}, \text{Bi}_{2/3}, \text{Y}_{2/3}, \text{La}_{2/3}$)" *J. Appl. Phys.*, v. 98, pp 93703-5, (2005).
64. J. Yang, M. Shen and L. Fang "Electrode/sample effects on the dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ " *Mater. Lett.*, v. 59, pp 3990-3993, (2005).
65. J. Zhi, A. Chen, Y. Zhi, P.M. Vilarinho and J.L. Baptista. "Incorporation of Yttrium in Barium Titanate Ceramics" *J Am. Ceram. Soc.*, v. 82, pp 1345-1348, (1999).
66. J.B. Goodenough and C.N.R Rao, *Solid State Chemistry*, Chapter 6, Marcel Dekker Ed., New York 1974.
67. J.C. Jiang, X. Q. Pan, C.L. Chen, *Appl. Phys. Lett.*, v. 72, pp 909-914, (1998).

68. J.K. Hulm, B.T. Matthias and E.A. Long “A Ferromagnetic Curie Point in KTaO_3 at Very Low Temperatures” *Phys. Rev.*, v. 79, pp 885-890, (1950).
69. J.M. Herbert “Ceramic Dielectrics and Capacitors” *Electro comp. Sci. Monographs*, Gordon and Breach, New York, v. 6,(1985).
70. J.P. Lukaszewicz “Diode-Type Humidity Sensor Using Perovskite-Type Oxides Operable at Room-Temperature” *Sens. Actuators B.*, v. 4, pp 227-232, (1991).
71. Jiongxin Lu and C.P. Wong “Recent Advances in High-k Nanocomposite Materials for Embedded Capacitor Applications, *IEEE Transactions on Dielectrics and Electrical Insulation*” v. **15**, [5], pp 1322-1327, (2008).
72. Junwei Li, Pengfei Liang, Jing Yi, Xiaolian Chao,† and Zupei Yang “Phase Formation and Enhanced Dielectric Response of $\text{Y}_2/\text{3Cu}_3\text{Ti}_4\text{O}_{12}$ Ceramics Derived from the Sol–Gel Process” *J. Am. Ceram. Soc.*, v. 98 [3] pp795–803, (2015)
73. K. Funke “Jump relaxation in solid electrolytes”, *Prog. in Solid State Chem.*, v. 22[2], pp 111–95, (1993).
74. K. Shimakawa, *J. Phys. (Paris)* v. 42C4, pp 621-625, (1981).
75. K. Uchino “Electrostrictive Actuators - Materials and Applications” *Am. Ceram. Soc. Bull.*, v. 65, pp 647-652, (1986).
76. K. Uchino and S. Nomura, *Ferroelectr. Lett. Sect.* v. **44**, pp 55-60, (1982).
77. K.D. Mandal, Alok Kumar Rai, D. Kumar and Om Parkash “Dielectric properties of the $\text{Ca}_{1-x}\text{La}_x\text{Cu}_3\text{Ti}_{4-x}\text{Co}_x\text{O}_{12}$ system ($x=0.10, 0.20$ and 0.30) synthesized by semi-wet route” *J Alloys & Comp.*, v. 478, pp 771-776, (2009).
78. K.M. Nair and A.S. Bhalla, “Advances in Dielectric Ceramic Materials” *Am. Ceram. Soc.*, Westerville, Ohio, 1998.
79. K.S. Cole and R.H. Cole “Dispersion and absorption in dielectrics, I. Alternating current Characteristics” *J. Chem. Phys.* v. 9, pp 341-351, (1941).
80. K.S. Cole and R.H. Cole “Dispersion and absorption in dielectrics, II. Direct current Characteristics” *J. Chem. Phys.* v. 10, pp 98-105, (1942).
81. Kaur and S. B. Narang “Influence of increased sintering time on structure and dielectric behaviour of barium lanthanide titanates” *Ceramics-Silikaty*, v. 54, pp 108-115, (2010).

82. L Zhang and Z.J. Tang “Polaron relaxation and variable-range-hopping conductivity in the giant-dielectric-constant material $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ” *Phys. Rev. B*, v. 70, pp 174306-174312, (2004).
83. L. Liu., H. Fan, P. Fang and X. Chen “Sol–gel derived $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics: Synthesis, characterization and electrical properties” *Mater. Res. Bull.*, v. 43, pp 1800-1807, (2008).
84. L. Pengfei, Y. Zupei, C. Xiaolian, L. Zonghuai “Giant Dielectric Constant and Good Temperature Stability in $\text{Y}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ Ceramics”, *J. Am. Ceram. Soc.*, v. **95**, pp 2218-2225, (2012).
85. L. Wu, Y. Zhv, S. Park, S. Shapiro, G. Shirane and J. Tafto “Defect structure of the high-dielectric-constant perovskite $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ” *Phys. Rev. B* v. 71, pp 014118-8, (2005).
86. L.A. Chick, L.R. Pederson, G.D. Maupin, J.L. Bates, L.E. Thomas and G.J. Exarhos “Glycine-nitrate combustion synthesis of oxide ceramic powders” *Mater. Lett.*, v. 10, pp 6-12, (1990).
87. L.C. Walters and R.E. Grace “Diffusion of point defects in strontium titanate” *J Phys. Chem. Solids*, v. 28, pp 245-248, (1967).
88. L.F. Mattheiss “Energy Bands for KNiF_3 , SrTiO_3 , KMoO_3 , and KTaO_3 ” *Phys. Rev. B*, v. 6, pp 4718-4740, (1972).
89. Lei Ni and X.M. “Chen Dielectric relaxations and formation mechanism of giant dielectric constant step in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics” *Appl. Phys. Lett.* Vol 91, pp 122905-122907, (2007).
90. M. Li, A. Feteria, D.C. Sinclair and A.R. West “Influence of Mn doping on the semiconducting properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ Ceramics” *Appl. Phys. Lett.* v. 88, pp 232903- 232905, (2006).
91. M. Li, G. Cai, D.F. Zhang, W.Y. Wang, W.J. Wang and X.L. Chen “Enhanced dielectric responses in Mg-doped $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ” *J. Appl. Phys.*, v. 104, pp 074107-4, (2008).
92. M. Mitsugi, S. Asanuma, Y. Uesu, Fukunga M., W. Kobayashi and I. Terasaki “Origin of colossal dielectric response of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ studied by using $\text{CaTiO}_3/\text{CaCu}_3\text{Ti}_4\text{O}_{12}/\text{CaTiO}_3$ multilayer thin films” *Appl. Phys. Lett.*, v. 90, pp 242904-3, (2007).

93. M. Raposo, Q. Ferreira and P.A. Ribeiro, "Modern Research and Educational Topics in Microscopy: A Guide for Atomic Force Microscopy Analysis of Soft Condensed Matter" *Condensed Matter*, pp 758-763, (2007).
94. M.A. Butler, M. Abramovich, F. Deterand, J.F. Fubiao, "Subband Gap Response of TiO₂ and SrTiO₃ Photoelectrodes" *J Electrochem. Soc.*, v. 128, pp 200-204, (1981).
95. M.A. Subramanian, Li Dong, N. Duan, B.A. Reisner, A.W. Sleight "High dielectric constant in ACu₃Ti₄O₁₂ and ACu₃Ti₃FeO₁₂ phases" *J Solid State Chem.*, v. 151, pp 323-325, (2000).
96. M.E. Lines and A.M. Glass "Principles and Applications of Ferroelectric and Related materials" Ch. 12, Clarendon Press; Oxford, 1977.
97. M.H. Cohen, J.B. Neaton, L.X. He and D. Vanderbilt "Extrinsic models for the dielectric response of CaCu₃Ti₄O₁₂" *J Appl. Phys.*, v. 94, pp 3299-3306, (2003).
98. M.J. Pan and B. A. Bender "A bimodal grain size model for predicting the dielectric constant of calcium copper titanate" *J. Am. Ceram. Soc.*, v. 88, pp 2611-2614 (2005).
99. M.L. Keith and R. Roy "Structural Relations Among Double Oxides of Trivalent Element" *Am. Mineral.*, v. 39, pp 1-23, (1954).
100. M.P. Pechini, U.S. Patent, 3July, v. 330, pp 697-670, (1967).
101. Masingbon, P. Thongbai, S. Maensiri, T. Yamwong and S. Seraphin "Synthesis and giant dielectric behavior of CaCu₃Ti₄O₁₂ ceramics prepared by polymerized complex method " *Mater. Chem. Phys.*, v. 109, pp 262-270, (2008).
102. Mu, H. Zhang, Y. He, P. Liu and J. Shen "The origin of multiple dielectric relaxation processes in Fe-substituted CaCu₃Ti₄O₁₂ ceramics" *Mater. Sci. and Engg. B*, v. 162, pp 195-199, (2009).
103. N.Q. Minh "Ceramic Fuel Cells" *J Am. Ceram. Soc.*, v. 76, pp 563-588, (1993).
104. O Zedlitz, *Jb. News, A Miner*, Vol 75, pp 245-249, (1939).
105. O. Parkash, C.D. Prasad and D. Kumar "Dielectric-Properties of the System Ba_{1-x}La_xTi_{1-x}Co_xO₃" *J Mater. Sci.*, v. 26, pp 6063-6067, (1991).
106. O. Parkash, C.D. Prasad and D. Kumar "Electrical-Conduction in the Sr_{1-x}La_xTi_{1-x}Co_xO₃ (x<0.40) System" *J Phys. D:Appl.Phys.*, v.27, 1509-1512, (1994).
107. O. Parkash, C.D. Prasad and D. Kumar "Preparation and Characterization of Ca_{1-x}La_xTi_{1-x}Co_xO₃ (0.00<x≤ 0.50) system" *Bull. Mater. Sci.*, v. 11, pp 39-41, (1988).

108. O. Parkash, D. Kumar, C.D. Prasad and H.S. Tewari “Electrical-Conduction in Calcium Lanthanum Titanium Cobalt Oxide, $\text{Ca}_{1-x}\text{La}_x\text{Ti}_{1-x}\text{Co}_x\text{O}_3$ ($x \leq 0.50$)” J Phys. D: Appl. Phys. v. 23, pp 342-345, (1990).
109. O. Parkash, L. Pandey and D. Kumar “Study of electrical conduction behaviour of the $\text{Sr}_{1-x}\text{La}_x\text{Ti}_{1-x}\text{Ni}_x\text{O}_3$ ($x \leq 0.10$) system” J Alloys Comp., v. 206, pp 147-153, (1994).
110. O. Yamamoto, Y. Takada, R. Kanno and M. Noda “Perovskite-type oxides as oxygen electrodes for high temperature oxide fuel cells” Solid State Ionics, v. 22, pp 241-246, (1987).
111. Om Parkash, Devendra Kumar, Anubha Goyal, Anupriya Agrawal, Ankita Mukherjee, Sindhu Singh and Prakash Singh “Electrical behaviour of zirconium doped calcium copper titanium oxide” J Phys. D: Appl. Phys., v. 41, pp 035401-35408, (2008).
112. P. Jha, P. Arora and A.K. Ganguli “Polymeric citrate precursor route to the synthesis of the high dielectric constant oxide, $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ” Matt. Letts., v. 57, pp 2443-2446, (2003).
113. P. Leret, M.A. Rubia, F.R. Marcos, J.J. Romero and J.F. Fernandez “Effect of processing on the sintering of high dielectric constant $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics” Int. J. Appl. Ceram. Technol., v. 8, pp 1201-1207, (2011).
114. P. Lunkenheimer, R. Fichtl, S.G. Ebbinghaus and A. Loidl “Nonintrinsic origin of the colossal dielectric constants in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ” Phys. Rev. B, v. 70, pp 172102-172104, (2004).
115. P. Lunkenheimer, V. Bobnar, A.V. Pronin, A.I. Ritus, A.A. Volkov and A. Loidl “Origin of apparent colossal dielectric constants” Phys. Rev. B, v. 66, pp 052105-052108, (2002).
116. P. Pertosa and C.F.M. Michel “Covalency Effects in Transition-Metal Perovskite-Like Compounds-Partial Densities of P and D States and Photoelectron Valence-Band Spectra” Phys. Rev., v. 18, pp 5177-5183, (1978).
117. P. Shuk, A. Vecher, V. Kharton, L. Tichonova and H.D. Weimhofer “Electrodes for Oxygen Sensors Based on Rare-Earth Manganites or Cobaltites” Sens. Actuators B., v. 16, pp 401-405, (1993).
118. P. Thomas, K. Dwarakanath, K.B.R. Varma and T.R.N. Kutty “Nanoparticles of the giant dielectric material, $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ from a precursor route” J. Phys. and Chem. of Solids, v. 69, pp 2594-2604, (2008).

119. Q. Zheng, H. Fan and C. Long “Microstructures and electrical responses of pure and chromium-doped $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics” *J. Alloys and Comp.*, v. 511, pp 90-94, (2012).
120. R. Wernicke “Defect Chemistry and Electrical-Conductivity of Doped Barium-Titanate Ceramics 4: Kinetics of Equilibrium Restoration in Barium-Titanate Ceramics” *Philips. Res.*, v. 31, pp 526-543, (1976).
121. R. Wernicke “Grain boundary phenomenon in electronic ceramics” *Advances in Ceramics. Vol. 1*, Edited by L. M. Levinson (American Ceramic Society) pp. 261–271, 1981.
122. R.C. Buchanan, “Ceramic Materials for Electronics,” Marcel Dekker Inc., New York and Basel Columbus, Ohio, 1986.
123. R.E. Newnham “Microstructure Property Relationship in Ceramic Capacitors” *J. Mater Educ.*, v. 5, pp 941-982, (1983).
124. R.J. Cava “Dielectric materials for applications in microwave communications” *J Mater. Chem.*, v. 11, pp 54-62, (2001).
125. R.K Grubbs, E.L. Venturini, P.G. Clem, J.J. Clem, J.J. Richardson, B.A. Tuttle and G.A. Samara “Dielectric and Magnetic Properties of Fe- and Nb-doped $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ” *Phys. Rev. B.*, v. 72, pp 104111-104115, (2005).
126. R.K. Ulrich and W.D. Brown, “Advanced Electronic Packaging”, second Edition, New Jersey: IEEE Press, 2006.
127. R.L. Bernay and D.L. Cowan, “Photochromism of three photosensitive Fe centers in SrTiO_3 ” *Phys. Rev. B*, v. 23, pp 37-50, (1981).
128. R.R. Tummala, E.J. Rymaszewski and A.G. Klopfenstein, “Microelectronics Packaging Handbook”, Second Ed., Massachusetts: Kluwer Academic Publishers, 1999.
129. R.S. Roth “Classification of Perovskite and Other ABO_3 -Type Compounds” *J Res. Nat. Bur. Stds. Vol 58*, pp 75-88, (1957).
130. S. Jin, H. Xia, Y. Zhang, J. Guo, J. Xu “Synthesis of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramic via a sol-gel method ” *Mater. Lett.* v. 61, pp 1404-1407, (2007).
131. S. Kwon, C.C Huang., E.A. Patterson, E.F. Alberta, W.S. Hackenberger and D.P. Cann “The effect of Cr_2O_3 , Nb_2O_5 and ZrO_2 doping on the dielectric propertie of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ” *Mater. Lett.*, v. 62, pp 633-636, (2008).

132. S. Neirman and I. Burn “Dielectric-Properties of Polycrystalline CaTiO_3 Doped with Yttrium-Oxide” *J Mater. Sci.*, v. 19, pp 737-744, (1984).
133. S. Pekhson “Models of relaxation in glass” *J. Non-Cryst. Solids* v. 95-96, pp 131-147 (1987).
134. S. Waku, “Reports of Researchers and Applications at Nippon Telephone and Telegraph Corporation” Japan, pp 18-22, 1969.
135. S.C. Raya, S.K. Bhunia, A. Saha and N.R. Jana, “Graphene oxide (GO)/reduced-GO and their composite with conducting polymer nanostructure thin films for non-volatile memory device”, *Microelectronic Engineering*, v. 146, 48-52, (2013).
136. S.D. Hutagalung, L.Y. Ooi and Z.A. Ahmad “Improvement in dielectric properties of Zn-doped $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ electroceramics prepared by modified mechanical alloying technique” *J. Alloys comp.*, v. 476, pp 477-481, (2009).
137. S.D. Hutagalung, M. Ikhwan, M. Ibrahim and Z.A. Ahmad “Microwave assisted sintering of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ” *Ceram. International*, v. 34, pp 939-942, (2008).
138. S.F. Shao, J.L. Zhang, P. Zheng and C.L. Wang “Effect of Cu-stoichiometry on the dielectric and electric properties in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics” *J Solid State Comm.*, v. 142, pp 281-286, (2007).
139. S.F. Shao, J.L. Zhang, P. Zheng, C.L. Wang, J.C. Li and M.L. Zhao “High permittivity and low dielectric loss in ceramics with the nominal compositions of $\text{CaCu}_{3-x}\text{La}_{2x/3}\text{Ti}_4\text{O}_{12}$ ” *Appl. Phys. Lett.*, v. 91, pp 042905-3, (2007).
140. S.F. Shao, J.L. Zhang, P. Zheng, W.L. Zhong and C.L. Wang “Microstructure and electrical properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics” *J. Appl. Phys.*, v. 99, pp 084106-11, (2006).
141. S.R. Elliot “AC conduction in amorphous chalcogenides and pnictide semiconductors”, *Adv. Phy.*, v. 36, pp 135-217, (1987).
142. S.W. Choi and S.H. Hong “Effect of Al doping on the electric and dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ” *J. Am. Ceram. Soc.*, v. 90, pp 4009-4011, (2007).
143. S.Y. Chung “Lattice distortion and polarization switching in calcium copper titanate” *Appl. Phys. Lett.* v. 87, pp 52901-3, (2005).
144. Sen, U.N. Maiti, R. Thapa and K.K. Chattopadhyay “Effect of vanadium doping on the dielectric and nonlinear current voltage characteristics of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramic” *J. alloys and comp.*, v. 506, pp 853-857, (2010).

145. Shri B. Prakash and K.B.R. Varma “Influence of sintering conditions and doping on the dielectric relaxation originating from the surface layer effects in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics” *J Phy. Chem. Solids*, v. 68, pp 490–502, (2007).
146. Shri B. Prakash and K.B.R. Varma “Microstructural and dielectric properties of donor doped (La^{3+}) $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics” *J Mater. Sci. Mater. Electron.*, v. 17, pp 899-907, (2006).
147. Shri B. Prakash and K.B.R. Varma “The influence of the segregation of Cu-rich phase on the microstructural and impedance characteristics of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics” *J Mater. Sci.*, v. 42, pp 7467–7477, (2007).
148. Sunita Sharma, M.M. Singh, K.D. Mandal and Narsingh B. Singh, Dielectric Properties of low temperature nano-engineered Yttrium Copper Titanate Ceramic, *Proc. SPIE 9493, Energy Harvesting and Storage: Materials, Devices and Applications VI*, pp 949307-1-14, (2015) Doi: 10.1117/12.2177954.
149. T. M. Meaz, S. M. Attia, A. M. Abo and El Ata “Effect of tetravalent titanium ions substitution on the dielectric properties of Co–Zn ferrites”, *J. Magn. Mater*, v. 257, pp 296-05, (2003).
150. T. Maiti, R. Guo and A.S. Bhalla, *Appl. Phys. Lett.*, v. 90, 182901 (2007).
151. T. Mitsui and W.B. Westphal “Dielectric and X-Ray Studies of $\text{Ca}_x\text{Ba}_{1-x}\text{TiO}_3$ and $\text{Ca}_x\text{Sr}_{1-x}\text{TiO}_3$ ” *Phys. Rev.*, v. 124, pp 1354-1359, (1961).
152. T.B. Adams, D.C. Sinclair and A.R West, “Characterization of grain boundary impedances in fine- and coarse-grained $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics” *Phys. Rev. B*, v. 73, pp 094124 – 094133, (2006).
153. T.B. Adams, D.C. Sinclair and A.R. West “Giant barrier layer capacitance effects in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics” *Adv. Mater.*, v. 14, pp 1321-1323, (2002).
154. T.T. Fang and Hsu-Kai Shiau “Mechanism for Developing the Boundary Barrier Layers of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ” *J Am. Ceram. Soc.*, v. 87, pp 2072– 2079, (2004).
155. T.T. Fang and Li Mei Then “Evidence of Cu deficiency: A key point for the understanding of the mystery of the giant dielectric constant in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ” *J Am. Ceram. Soc.*, v. 90 [2], pp 638–640, (2007).
156. T.T. Fang, Wei Lin Jie and Chia-Ying Lin “Evidence of the ultrahigh dielectric constant of CaSiO_3 -doped $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ from its dielectric response, impedance spectroscopy and microstructure” *Phys. Rev. B*, v. 76, pp 045115, (2007).

157. Taguchi Hideki "Spin state of cobalt ion in $\text{Nd}(\text{Cr}_{1-x}\text{Co}_x)\text{O}_3$ " *J Solid State Chem.*, v. 122, pp 297–302, (1996).
158. V. M. Goldschmidt, *Videnskaps Shrifte Nofke Akad, Mat. Nature K, Oslo, I*, v. 2, pp 8, (1926).
159. W. Kobayashi and I. Terasaki "Unusual impurity effects on the dielectric properties of $\text{CaCu}_{3-x}\text{Mn}_x\text{Ti}_4\text{O}_{12}$ " *Physica B.*, v. 329-333, pp 771-772, (2003).
160. W. L. Warren, K. Vanheusden, D. Dimos, G. E. Pike and B.A. Tuttle "Oxygen Vacancy motion in perovskite oxides", *J Am. Ceram. Soc.*, v. 79[2], pp 536-38, (1996).
161. W. Phills and Z.J. Kiss "Cathodochromism in Photochromic Materials" *Phys. Rev.*, v. 180, pp 924-925, (1969).
162. W.D. Kingery, H.K. Bowen and D.R. Uhlmann "Introduction to Ceramics" Second Ed., John Wiley and Sons, New York 1991.
163. X. Dai, Z. Xu and D. Viehland "Effect of oxygen octahedron rotations on the phase stability, transformational characteristics, and polarization behavior in the lead zirconate titanate" crystalline solution series", *J. Am. Ceram. Soc.*, v. 78 [10], pp 2815–2827, (1995).
164. X.J. Chou, J.W. Zhai, H.T. Jiang and X. Yao "Dielectric properties and relaxor behaviour of rare earth (La, Sm, Eu, Dy, Y) substituted barium zirconium titanate ceramics" *J. Appl. Phys.*, v. 102, pp 084106-084112, (2007).
165. Xu, C. Zhang, X.N. Cheng, Y. Fan, T. Yang and H.M. Yuan "Dielectric properties of Zn Doped CCTO Ceramics by Sol-Gel Method" *Advanced Mater. Res.*, v. 197, pp 302-305, (2011).
166. Y. Hongtao, H. Liu, D. Luo and M. Cao "Microwave synthesis of high dielectric constant $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ " *J. Mater. Proces. and Tech.*, v. 208, pp 145-148, (2008).
167. Y. Shimizu, M. Shimabukuro, H. Arai and T. Seiyama "Enhancement of Humidity Sensitivity for Perovskite-Type Oxides Having Semiconductivity" *Chem. Lett.* pp 917-920, (1985).
168. Y. Zhu, J.C. Zheng, L. Wu, A.I. Frenkel, J. Hanson, P. Northrup and W. Ku "Nanoscale disorder in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$: a new route to the enhanced dielectric response" *Phys. Rev. Lett.* v. 99, pp 037602-4, (2007).

169. Y.J. Kim, S.W. Akimoto, S.M. Shapiro, P.M. Gehring, A.P. Ramirez "Neutron scattering study of antiferromagnetic order in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ " J Solid State Comm., v. 121, pp 625-629, (2002).
170. Yu Hongtao, Liu Hanxing, Hao Hua, Guo Liling and Jin Chengjun "Grain Size dependence of relaxor behavior in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics" Appl. Phys. Lett., v. 91, pp 222911-222913, (2007).

LIST OF PUBLICATIONS

1. **S. Sharma**, M.M.Singh, U.S.Rai and K.D.Mandal,
"Rationalization of dielectric properties of nano-sized iron doped yttrium copper titanate using impedance and modulus studies", *Material Science & Semiconductor Processing* (2015) **Vol.31, 720–727**, ISSN: 1369-8001.
2. **Sunita Sharma**, M.M. Singh and K.D. Mandal,
"Dielectric and electrical properties of un-doped and Fe-doped Yttrium copper Titanate", *Processing and Properties of Advanced Ceramics and Composites VII: Ceramic Transactions* (2015) **Vol. 252**, 95-106, ISBN: 978-1-119-18387-7.
3. **Sunita. Sharma**, M.M. Singh, K.D. Mandal and Narsingh B. Singh,
"Dielectric properties of low temperature nano engineered YttriumCopper Titanate ceramic", *Proc. of SPIE Energy Harvesting & Storage Material, Device and Applications, Ceramic Transactions (ACS)* (2015), **Vol. 9493, 949307-1-14**, DOI: 10.1117/12/ 2177954.
4. **Sunita Sharma**, Shiv Sundar Yadav, M. M. Singh and K. D. Mandal,
"Impedance Spectroscopic and Dielectric Properties of nano-sized $Y_{2/3}Cu_3Ti_4O_{12}$ Ceramic Synthesized by Semi-wet Route" (2014), **Vol. 4, No. 4, 1450030-1-8**, DOI: 10.1142/S2010135X14500301.
5. **Sunita Sharma** and K. D. Mandal,
"An Insight into Particle Size and Strain Analysis of $Y_{2/3}Cu_3Ti_4O_{12}$ (YCTO) sample by XRD" (2014), *INROADS* **Vol. 3, 31-34**.
6. K. D. Mandal, Laxman Singh, **Sunita Sharma**,U. S. Rai and M. M. Singh,
"Dielectric and ac impedance studies of nanostructured $CaCu_3Ti_{3.90}Ce_{0.10}O_{12}$ electro-ceramic synthesized by citrate-gel Route" *J Sol-Gel Science and Technology* (2013), **Vol. 66, 50–58**, DOI 10.1007/s10971-013-2965-1.