
Dedicated to the Almighty God & My beloved Family...



Copyright © Indian Institute of Technology, (Banaras Hindu University), Varanasi, INDIA, 2016, All rights reserved.

## **UNDERTAKING BY THE CANDIDATE**

I, **Mr. Ashutosh Srivastava**, declare that I have pursued my research work under the supervision of **Dr. Suresh C. Gupta** from March 2011 to April 2016. I hereby supplicate my thesis entitled **"Performance Analysis of MANETs Routing Protocols with Disaster Application and Security Issues"** for the award of Ph.D. degree.

Date:

Place: IIT (BHU), Varanasi

(Ashutosh Srivastava)

#### **ANNEXURE-E**

## **CANDIDATE'S DECLARATION**

I, **Mr. Ashutosh Srivastava**, certify that the work embodied in this Ph.D. thesis is my own bonafide work carried out by me under the supervision of **Dr. Suresh C. Gupta for a period of March 2011 to April 2016 at Department of Electrical Engineering, Indian Institute of Technology (Banaras Hindu University), Varanasi.** The matter embodied in this Ph.D. thesis has not been submitted for the award of any other degree/diploma.

I declare that I have faithfully acknowledged, given credit to and referred to the research workers wherever their works have been cited in the text and the body of the thesis. I further certify that I have not willfully lifted up some other's work, para, text, data, results, etc. reported in the journals, books, magazines, reports, dissertations, theses, etc., or available at web-sites and included them in this Ph.D. thesis and cited as my own work.

Date:

Place: IIT (BHU), Varanasi

(Ashutosh Srivastava)

#### Certificate from the Supervisor and Head of the Department

This is to certify that the above statement made by the candidate is correct to the best of our knowledge.

Supervisor Signature Dr. Suresh C. Gupta

(Signature of Head of the Department with Seal)

Professor Department of Electrical Engineering

#### ANNEXURE-F

# <u>COURSE WORK/COMPREHENSIVE EXAMINATION COMPLETION</u> <u>CERTIFICATE</u>

This is to certify that **Mr. Ashutosh Srivastava**, a bonafide research scholar of Systems Engineering in the Department of Electrical Engineering, has successfully completed the course work/comprehensive examination requirement, which is a part of his Ph.D. programme.

Date:

Place: IIT (BHU), Varanasi

(Head of the Department)

### ANNEXURE-F

## **PRE-SUBMISSION SEMINAR COMPLETION CERTIFICATE**

This is to certify that **Mr. Ashutosh Srivastava**, a bonafide research scholar of Systems Engineering in the Department of Electrical Engineering, has successfully completed the pre–submission seminar requirement on the topic **"Performance Analysis of MANETs Routing Protocols with Disaster Application and Security Issues"** on 27.10.2015, which is a part of his Ph.D. programme

Date:

Place: IIT (BHU), Varanasi

(Head of the Department)

#### ANNEXURE-G

## **COPYRIGHT TRANSFER CERTIFICATE**

Title of the Thesis :	"Performance Analysis of MANETs Routing Protocols with Disaster Application and Security Issues"
Candidate's Name :	Mr. Ashutosh Srivastava

#### **Copyright Transfer**

The undersigned hereby assigns to the Indian Institute of Technology (Banaras Hindu University), Varanasi all rights under copyright that may exist in and for the above thesis submitted for the award of the Ph.D. degree.

Date:

## (Signature of the candidate)

**Note:** However, the author may reproduce or authorize others to reproduce material extracted verbatim from the thesis or derivative of the thesis for author's personal use provided that the source and University's copyright notice are indicated.

## ACKNOWLEDGEMENTS

At the very outset I would like to thank, the **ALMIGHTY GOD** for raining his continuous blessing on me. I show gratitude of respect for **Mahamana Pandit Madan Mohan MalaviyaJi**, the founder of the Banaras Hindu University, for creating this glorious temple of learning.

I express my sincere gratitude and indebtedness to my venerated teacher and Supervisor **Dr. Suresh C. Gupta** for his expert supervision, constant encouragement and persistent support which made it possible to conduct the research work smoothly and successfully. He always stood behind me, whenever needed. It is with immense gratitude that I acknowledge the support and help of RPC members **Prof. D. Singh (Electrical Engineering), Prof R. B. Mishra (Computer Science and Engineering) and Prof. P. K. Jain (Electronics Engineering)** whose guidance was influential in accomplishing the research work.

I am sincerely thankful and grateful to **Prof. R. Mahanty**, Head, Department of Electrical Engineering, Indian Institute of Technology, Banaras Hindu University and **Late Prof. J. P. Tiwari** (Former Heads) for allowing me to use the facilities in the department to carrying out my research work and for their kind help during the course of my study.

I shall remain thankful to the RPC members and all my respected teachers **Prof**. S. K. Nagar, Prof. A. K. kapoor, Prof. D. N. Vishwakarma, Prof. R. K. Pandey, Prof. R. K. Srivastava, Prof. R. K. Mishra, Late Prof. R. S. Gorayan, Dr. R. K. Saket, Dr. M. K. verma, Dr. (Mrs.) Kalpana Chaudhary, Dr. Manish Kumar, Dr. S. K. Singh, Dr. R. K. Singh, Mr. V. N. Lal, Mr. J. C. Pandey and Ms. Sobhita Meher for their continuous co-operation and valuable suggestions during my research work. Ministry of Human Resource Development (MHRD), Government of India, New Delhi is gratefully acknowledged for providing financial support as senior research fellowship (JRF/SRF/TASHIP) during the tenure of my research work.

I pay my sincere thanks to all the departmental non-teaching staff Mr satish Singh , Mr R. yadav, Mr. Nand Lal, Mr. K. P. Sharma and Mr. L. P. Patel for their assistance and co-operation throughout my research work.

My special thanks to my big brother **Mr. Deepak kumar** for his help, suggestion and continuous support. My thanks also go to all departmental colleagues and to all my Ph.D. seniors and juniors for their presence and support.

Last but not the least; words are incapable of expressing the depth of one's feeling. I am at this juncture facing such a difficulty being incapable to find the correct words which could aptly express my heartfelt and immense gratitude to my beloved PARENTS (Dr. Jagat Narayan Srivastava and Mrs. Pushpa Srivastava) and my Sister (Ms. Shikha Srivastava and Ms. Priyanka Srivastava) who had been the great pillars of my life. They always stood beside me through good times and bad times, through suffering and happiness. Without them, I would never have been succeeded in achieving such a prestigious position.

Date:

**Place: Varanasi** 

(Ashutosh Srivastava)

CONTENTS		Page No.
List of tables List of figures Preface		
CHAPTER 1:	Introduction	1-7
	<ul><li>1.1 Mobile Ad hoc Network</li><li>1.2 Objective of the Thesis</li><li>1.3 Plan of the thesis</li></ul>	
CHAPTER 2:	<b>Background</b> 2.1 Routing in Mobile Ad Hoc Network	8-36
	2.2 Mobility Models 2.3 Prologue of Network Simulators	
CHAPTER 3:	Manet based comparison of network Simulators: Ns2 & Qualnet	37-49
	<ul> <li>3.1 Introduction for NS2 &amp; Qualnet</li> <li>3.2 Simulation Setup &amp; result discussion</li> </ul>	F0 70
CHAPTER 4:	MANETPerformanceinaDisasterManagement Scenario4.1 A Layered framework for Mobility Modelling	50-79
	4.2 Features of Layered framework	
	<ul><li>4.3 Logical setup of framework</li><li>4.4 Performance evaluation of proposed Layered framework</li></ul>	
	<ul><li>4.5 Results and discussion for Layered framework</li><li>4.6 Four way directional movement model</li><li>4.7 Designed Scenarios for Simulation</li></ul>	

	4.8 Results & assessment of four way directional movement	
CHAPTER 5:	A Secure Acknowledgement Method for MANETS 5.1 Vulnerabilities of the Mobile Ad Hoc Networks 5.2 Attacks in Mobile Ad-hoc Network 5.3 Safety Solutions to the Mobile Ad Hoc Network 5.4 Problem Definition 5.5 Proposed Method: DSSAM	80-105
CHAPTER 6:	<ul> <li>SROA: Shortest route with obstacle avoidance in Manet</li> <li>6.1 Brief overview of previous work done</li> <li>6.2 Random Way Point Mobility Model (RWP)</li> <li>6.3 Proposed SROA Mobility Method</li> <li>6.4 Performance Evaluation of Proposed "SROA" Mobility Method</li> <li>6.5 Simulation Results</li> </ul>	106-121
CHAPTER 7:	Conclusion	122-123
References Appendix I	List of publications	124-134

- Appendix II Reprints of published research papers
- Appendix III Personal profile of the candidate

## LIST OF TABLES

Table	Table captions	Page
No.		No.
3.1	Parameters for simulation setup case1	40
3.2	Parameters for simulation setup case2	41
3.3	Simulation parameters	46
4.1	Parameters for traffic pattern & framework scenario	63
4.2	Scenarios parameters	73
4.3	Simulation setup	74
5.1	Attacks on different layers	86
5.2	Security issues for MANET	87
5.3	Parameters for simulation	99
5.4	Case 1-Packet delivery fraction	101
5.5	Case 1-Routing overhead	102
5.6	Case 2- Packet delivery fraction	103
5.7	Case 2-Routing overhead	104
6.1	Parameters for traffic pattern & framework scenario	115
6.2	NxN Transmission range matrix	119
6.3	Average broken links versus node speed	120

## **LIST OF FIGURES**

Figure No.	Figure captions	Page No.
1.1	Structure of the Networks	1
1.2	Mobile ad hoc network	2
2.1	Classification of manet routing protocols	9
2.2	AODV working Structure	21
2.3	Classification of mobility models.	28
3.1	Topology run shot of the simulation in Qualnet for case 1	41
3.2	Good put performance with minimum side length between pair of nodes & fixed simulation area 500x500.	43
3.3	Good put performance with minimum side length between pair of nodes & fixed simulation area 250x250.	43
3.4	Shows the topology of the simulation in Qualnet for case 2.	44
3.5	Computation time performance with network-size & simulation area 500x500.	44
3.6	Computation time performance with network-size & simulation area 250x250	44
3.7	Memory usage performance with nodes increment & simulation area 500x500	45
3.8	Memory usage performance with nodes increment & simulation area 250x250	45
3.9	computation time performance with change in simulation Area for fixed network size 200 nodes	45
3.10	Throughput under variable node density	47
3.11	End to end delay for variable node density	48
3.12	End to end delay for variable node density (lower values)	48
4.1	Post disaster mitigation layered rescue model	56
4.2	Movement in A-RPGM, providing two snapshots at time T=t0 (left circle) and time T=t0+Δt (right circle)	57
4.3	Group mobility view	58
4.4	Logical Setup of Framework	60
4.5	Layer to layer movements	60
4.6	Packet delivery ratios for AODV, OLSR & ZRP for the defined -case a	64

4.7	Packet delivery ratios for AODV, OLSR & ZRP for the defined -case b	65
4.8	Packet delivery ratios for AODV, OLSR & ZRP for the defined -case c	65
4.9	Normalized packet delivery ratios for AODV, OLSR & ZRP	66
	for group mobility-case a	
4.10	Normalized packet delivery ratios for AODV, OLSR & ZRP	66
	for group mobility -case b	
4.11	Normalized packet delivery ratios for AODV, OLSR & ZRP	67
	for group mobility-case c	
4.12	Simulation design model	69
4.13	LAR BOX –P Protocol	71
4.14	LAR Step Protocol	72
4.15	PDR versus scenario x –Ranomize movement	76
4.16	PDR versus scenario x – 4 way directional movement	76
4.17	End to End delay versus scenario x –Ranomize movement	76
4.18	End to End delay versus scenario x –4 way directional movement	77
4.19	NRL versus scenario x –Ranomize movement	77
4.20	NRL versus scenario x – 4 way directional movement	77
4.21	DPF versus scenario x –Ranomize movement	78
4.22	DPF versus scenario x – 4 way directional movement	78
5.1	Chart of reasons for Packets dropping	88
5.2	Watch-Dog technique	93
5.3	TWO-ACK Method	94
5.4	Receiver collisions	96
5.5	Limited transmission power	97
5.6	False Misbehavior acknowledge	97
5.7	Case 1-Packet delivery fraction	101
5.8	Case 1-Routing overhead	102

5.9	Case 2-Packet delivery fraction	103
5.10	Case 2-Routing overhead	104
6.1	RWP Mobility	110
6.2	Pattern of SROA Mobility Method	112
6.3	Snapshot of simulation	115
6.4	packet delivery fraction with obstacle avoidance	117
6.5	Average end to end delay with obstacle avoidance	118
6.6	Average broken links versus node speed	120

# PREFACE

Mobile Ad-Hoc Networks (MANETs) are infrastructure-less, dynamic, rapidly changing, decentralised, multi-hop arbitrary networks composed of bandwidth constrained wireless links and no centrally accessed routers or servers. Due to these properties, it has got potential applications in both civilian and military systems.

Mobility model is the pattern in which the nodes travel from a point to another in a network. It defines the location of a node at a particular time. Its also have an effect on the performance of routing protocols. The most common are Random waypoint mobility model, Manhattan Grid Model and Reference point group mobility model. The routing protocols in MANET are classified into two groups: single path routing protocols and multipath routing protocols. Single-path routing protocols are further classified into four groups namely proactive, reactive, hybrid and geographic routing protocols.

Simulation is the imitation of the operation of a real-world process or system over time. The act of simulating something first requires that a model is developed representing the essential functions or characteristics of the selected physical or abstract system or process. The model represents the system itself, whereas the simulation represents the operation of the scheme over time. Simulation is used in many contexts, such as simulation of technology for performance optimization, safety engineering, testing, training, education, etc. It can be used to show the eventual real effects of alternative conditions and courses of action.

Efficient communication and coordination among rescue teams are needed in the post-disaster mitigation process. Exchange of real-time information among responders and emergency management centres is crucial for saving lives. In such scenario, MANETs are suitable for providing communication mechanism, as they are easy to deploy and do not require elaborate infrastructure. The performance of a MANET system depends on mobility modelling.

Mobile ad hoc networks have more vulnerabilities than the traditional wired networks; due to their characteristcs MANETs are easy targets of attackers which inject non-cooperative nodes into the network. Hence, the security issues are an important consideration, so it is important to develop an efficient intrusion detection system for protection against attacks. We propose and simulate a secure Digitally Signed Secure Acknowledgement Method (DSSAM) with the use of digital signature. Three parameters are considered viz, first secure acknowledgement, second node authentication and third packet authentication as an improvement on watchdog and twoack techniques with to overcome three weakness of watchdog namely Receiver Collision, Limited Transmission power and False identity problem. We have observed the performance of DSSAM and compared with two standard methods namely Watchdog and Twoack and reactive routing protocol DSR. The rate of detection of malicious behaviour is more for the proposed system. However, associated overheads are high. A tradeoff between performance and cost has been considered.

At the time of Post-disaster mitigation, process demands optimise and short way for covering all permanent check positions with obstacle avoidance. It also requires an exchange of real-time information among responders for saving lives. The communication between the layers or stages is considered to be provided by a MANET based network setup. Here mobility of MANET nodes between stages has been modelled with "SROA" (Shortest route with obstacle avoidance) shortest route from Source to destination covering all checkpoints (here in levels there are defined checkpoints) with obstacle avoidance principle.

We observe the performance of SROA and RWP mobility method with respect to average links broken.

The subject matter of the thesis has been divided into the following seven chapters:

Chapter 1 It is the introductory part of the research work, comprising of a general introduction of MANET. An overview of the simulation studies is detailed.

- Chapter 2 Presents the fundamentals of MANET, routing protocols, mobility models and simulators.
- Chapter 3 It explains the comparison of two popular simulation platforms NS2 and Qualnet for both proactive and reactive routing protocols.
- Chapter 4 In this chapter, we provide the view and simulate a framework of the post-disaster mitigation management system using MANET consisting of three stages namely Disaster core location (incidentlocation), first aid treatment area and hospital area with two interfaces, one between the first and second layer and other between first and third layer. The relief ambulance provides the links. The co-ordination task is managed by a four-way movement.
- Chapter 5. We explain and simulate a secure Digitally Signed Secure Acknowledgement Method (DSSAM) with the use of digital signature. Three parameters are considered viz, first secure acknowledgement, second node authentication and third packet authentication as an improvement on watchdog and twoack techniques with to overcome three weakness of watchdog namely Receiver Collision, Limited Transmission power and False identity problem. We have observed the performance of DSSAM and compared with two standard methods namely Watchdog and Twoack and reactive routing protocol DSR.
- Chapter 6 We propose and simulate SROA: Shortest route with obstacle avoidance method for MANET. It is access best possible short route with obstacle avoidance and applicable in every real time of mitigation scenario of people and vehicular moment. As we discussed previously, the communication between the layers or stages is considered to be provided by a MANET based network setup. In this chapter, we first observed the effect of variation in pause time on AODV, OLSR and ZRP. We observed

that as movement increases, the alogorithms require more time to find the path for destination, so the average end to end delay is high.ZRP gives the best performance followed by OLSR and AODV. The end-to-end delay also decreases with pause time. In the second part, we calculated the average value for broken links and connected ties with each node for particular node speed. We have taken nodes speed from 1 to 10 m/s. For each node speed we have taken all transmission ranges and made the average ceiling value of broken links and connected links by taking SROA and RWP mobility method one by one. We observed that SROA performs better than RWP. This is because of the obstacle avoidance by SROA.

Chapter 7 This chapter concludes the thesis. The comparison study of MANET routing protocols with decisive application framework guides to choose proper routing protocols for MANETs. Analysis and conclusions may prove to be useful while selecting routing protocols for MANET applications.