CONTENTS		Page No.
List of tables		
List of figures		
Preface		
CHAPTER 1:	Introduction	1-7
	1.1 Mobile Ad hoc Network	
	1.2 Objective of the Thesis	
	1.3 Plan of the thesis	
CHAPTER 2:	Background	8-36
	2.1 Routing in Mobile Ad Hoc Network	
	2.2 Mobility Models	
	2.3 Prologue of Network Simulators	
CHAPTER 3:	Manet based comparison of network Simulators: Ns2 & Qualnet	37-49
	3.1 Introduction for NS2 & Qualnet	
	3.2 Simulation Setup & result discussion	
CHAPTER 4:	MANET Performance in a Disaster Management Scenario	50-79
	4.1 A Layered framework for Mobility Modelling	
	4.2 Features of Layered framework	
	4.3 Logical setup of framework	
	4.4 Performance evaluation of proposed Layered	
	framework	
	4.5 Results and discussion for Layered framework	
	4.6 Four way directional movement model	
	4.7 Designed Scenarios for Simulation	

	4.8 Results & assessment of four way directional	
CHAPTER 5:	movementA Secure Acknowledgement Method forMANETs5.1 Vulnerabilities of the Mobile Ad Hoc Networks5.2 Attacks in Mobile Ad-hoc Network5.3 Safety Solutions to the Mobile Ad Hoc Network5.4 Problem Definition5.5 Proposed Method: DSSAM	80-105
CHAPTER 6:	 SROA: Shortest route with obstacle avoidance in Manet 6.1 Brief overview of previous work done 6.2 Random Way Point Mobility Model (RWP) 6.3 Proposed SROA Mobility Method 6.4 Performance Evaluation of Proposed "SROA" Mobility Method 6.5 Simulation Results 	106-121
CHAPTER 7:	Conclusion	122-123
References Appendix I	List of publications	124-134

- Appendix II Reprints of published research papers
- Appendix III Personal profile of the candidate

LIST OF TABLES

Table	Table captions	Page
No.		No.
3.1	Parameters for simulation setup case1	40
3.2	Parameters for simulation setup case2	41
3.3	Simulation parameters	46
4.1	Parameters for traffic pattern & framework scenario	63
4.2	Scenarios parameters	73
4.3	Simulation setup	74
5.1	Attacks on different layers	86
5.2	Security issues for MANET	87
5.3	Parameters for simulation	99
5.4	Case 1-Packet delivery fraction	101
5.5	Case 1-Routing overhead	102
5.6	Case 2- Packet delivery fraction	103
5.7	Case 2-Routing overhead	104
6.1	Parameters for traffic pattern & framework scenario	115
6.2	NxN Transmission range matrix	119
6.3	Average broken links versus node speed	120

LIST OF FIGURES

Figure No.	Figure captions	Page No.
1.1	Structure of the Networks	1
1.2	Mobile ad hoc network	2
2.1	Classification of manet routing protocols	9
2.2	AODV working Structure	21
2.3	Classification of mobility models.	28
3.1	Topology run shot of the simulation in Qualnet for case 1	41
3.2	Good put performance with minimum side length between pair of nodes & fixed simulation area 500x500.	43
3.3	Good put performance with minimum side length between pair of nodes & fixed simulation area 250x250.	43
3.4	Shows the topology of the simulation in Qualnet for case 2.	44
3.5	Computation time performance with network-size & simulation area 500x500.	44
3.6	Computation time performance with network-size & simulation area 250x250	44
3.7	Memory usage performance with nodes increment & simulation area 500x500	45
3.8	Memory usage performance with nodes increment & simulation area 250x250	45
3.9	computation time performance with change in simulation Area for fixed network size 200 nodes	45
3.10	Throughput under variable node density	47
3.11	End to end delay for variable node density	48
3.12	End to end delay for variable node density (lower values)	48
4.1	Post disaster mitigation layered rescue model	56
4.2	Movement in A-RPGM, providing two snapshots at time T=t0 (left circle) and time T=t0+Δt (right circle)	57
4.3	Group mobility view	58
4.4	Logical Setup of Framework	60
4.5	Layer to layer movements	60
4.6	Packet delivery ratios for AODV, OLSR & ZRP for the defined -case a	64

4.7	Packet delivery ratios for AODV, OLSR & ZRP for the defined -case b	65
4.8	Packet delivery ratios for AODV, OLSR & ZRP for the defined -case c	65
4.9	Normalized packet delivery ratios for AODV, OLSR & ZRP	66
	for group mobility-case a	
4.10	Normalized packet delivery ratios for AODV, OLSR & ZRP	66
	for group mobility -case b	
4.11	Normalized packet delivery ratios for AODV, OLSR & ZRP	67
	for group mobility-case c	
4.12	Simulation design model	69
4.13	LAR BOX –P Protocol	71
4.14	LAR Step Protocol	72
4.15	PDR versus scenario x –Ranomize movement	76
4.16	PDR versus scenario x – 4 way directional movement	76
4.17	End to End delay versus scenario x –Ranomize movement	76
4.18	End to End delay versus scenario x –4 way directional	77
4.19	NRL versus scenario x –Ranomize movement	77
4.20	NRL versus scenario x – 4 way directional movement	77
4.21	DPF versus scenario x –Ranomize movement	78
4.22	DPF versus scenario x – 4 way directional movement	78
5.1	Chart of reasons for Packets dropping	88
5.2	Watch-Dog technique	93
5.3	TWO-ACK Method	94
5.4	Receiver collisions	96
5.5	Limited transmission power	97
5.6	False Misbehavior acknowledge	97
5.7	Case 1-Packet delivery fraction	101
5.8	Case 1-Routing overhead	102

5.9	Case 2-Packet delivery fraction	103
5.10	Case 2-Routing overhead	104
6.1	RWP Mobility	110
6.2	Pattern of SROA Mobility Method	112
6.3	Snapshot of simulation	115
6.4	packet delivery fraction with obstacle avoidance	117
6.5	Average end to end delay with obstacle avoidance	118
6.6	Average broken links versus node speed	120