

References:

1. Lawn JE, Kerber K, Enweronu-Laryea C, Cousens S (2010) 3.6 Million Neonatal Deaths—What Is Progressing and What Is Not? *Seminars in Perinatology* 34: 371-386. DOI <http://dx.doi.org/10.1053/j.semperi.2010.09.011>
2. Azra Haider B, Bhutta ZA (2006) Birth asphyxia in developing countries: current status and public health implications. *Current problems in pediatric and adolescent health care* 36: 178-188
3. Lawn JE, Cousens S, Zupan J (2005) 4 million neonatal deaths: When? Where? Why? *The Lancet* 365: 891-900. DOI [http://dx.doi.org/10.1016/S0140-6736\(05\)71048-5](http://dx.doi.org/10.1016/S0140-6736(05)71048-5)
4. Blencowe H, Cousens S, Jassir FB, Say L, Chou D, Mathers C, Hogan D, Shiekh S, Qureshi ZU, You D, Lawn JE (2016) National, regional, and worldwide estimates of stillbirth rates in 2015, with trends from 2000: a systematic analysis. *The Lancet Global Health* 4: e98-e108. DOI 10.1016/S2214-109X(15)00275-2
5. Fottrell E, Osrin D, Alcock G, Azad K, Bapat U, Beard J, Bondo A, Colbourn T, Das S, King C, Manandhar D, Manandhar S, Morrison J, Mwansambo C, Nair N, Nambiar B, Neuman M, Phiri T, Saville N, Sen A, Seward N, Shah Moore N, Shrestha BP, Singini B, Tumbahangphe KM, Costello A, Prost A (2015) Cause-specific neonatal mortality: analysis of 3772 neonatal deaths in Nepal, Bangladesh, Malawi and India. *Archives of disease in childhood Fetal and neonatal edition* 100: F439-447. DOI 10.1136/archdischild-2014-307636
6. Kurinczuk JJ, White-Koning M, Badawi N (2010) Epidemiology of neonatal encephalopathy and hypoxic–ischaemic encephalopathy. *Early human development* 86: 329-338. DOI <http://dx.doi.org/10.1016/j.earlhumdev.2010.05.010>
7. Lally PJ, Price DL, Pauliah SS, Bainbridge A, Kurien J, Sivasamy N, Cowan FM, Balraj G, Ayer M, Satheesan K, Ceebi S, Wade A, Swamy R, Padinjattel S, Hutchon B, Vijayakumar M, Nair M, Padinharath K, Zhang H, Cady EB, Shankaran S, Thayyil S (2014) Neonatal encephalopathic cerebral injury in South India assessed by perinatal magnetic resonance biomarkers and early childhood neurodevelopmental outcome. *PLoS One* 9: e87874. DOI 10.1371/journal.pone.0087874
8. Matuszczak-Wleklak M, Szymankiewicz M (2003) Perinatal asphyxia, known topic, new diagnostic prospects--advisability of troponin T in perinatal medicine. *Ginekologia polska* 74: 487-493
9. Apgar V (2015) A Proposal for a New Method of Evaluation of the Newborn Infant. Originally published in July 1953, volume 32, pages 250-259. *Anesthesia and analgesia* 120: 1056-1059. DOI 10.1213/ANE.0b013e31829bdc5c

10. Sarnat HB, Sarnat MS (1976) Neonatal encephalopathy following fetal distress: a clinical and electroencephalographic study. *Archives of Neurology* 33: 696
11. Bakr AF, Habib HS (2005) Combining pulse oximetry and clinical examination in screening for congenital heart disease. *Pediatric cardiology* 26: 832-835. DOI 10.1007/s00246-005-0981-9
12. Gorenberg DM, Pattillo C, Hendi P, Rumney PJ, Garite TJ (2003) Fetal pulse oximetry: correlation between oxygen desaturation, duration, and frequency and neonatal outcomes. *American journal of obstetrics and gynecology* 189: 136-138
13. Shah S, Tracy M, Smyth J (2004) Postnatal lactate as an early predictor of short-term outcome after intrapartum asphyxia. *Journal of perinatology : official journal of the California Perinatal Association* 24: 16-20. DOI 10.1038/sj.jp.7211023
14. Herpin P, Le Dividich J, Hulin JC, Fillaut M, De Marco F, Bertin R (1996) Effects of the level of asphyxia during delivery on viability at birth and early postnatal vitality of newborn pigs. *Journal of Animal Science* 74: 2067-2075
15. Nyakas C, Buwalda B, Luiten PG (1996) Hypoxia and brain development. *Progress in neurobiology* 49: 1-51
16. Rice JE, 3rd, Vannucci RC, Brierley JB (1981) The influence of immaturity on hypoxic-ischemic brain damage in the rat. *Ann Neurol* 9: 131-141. DOI 10.1002/ana.410090206
17. Vannucci RC, Connor JR, Mauger DT, Palmer C, Smith MB, Towfighi J, Vannucci SJ (1999) Rat model of perinatal hypoxic-ischemic brain damage. *Journal of neuroscience research* 55: 158-163
18. Dell'Anna E, Chen Y, Loidl F, Andersson K, Luthman J, Goiny M, Rawal R, Lindgren T, Herrera-Marschitz M (1995) Short-term effects of perinatal asphyxia studied with Fos-immunocytochemistry and in vivo microdialysis in the rat. *Experimental neurology* 131: 279-287
19. Dell'Anna ME, Geloso MC, Draisci G, Luthman J (1995) Transient changes in Fos and GFAP immunoreactivity precede neuronal loss in the rat hippocampus following neonatal anoxia. *Experimental neurology* 131: 144-156. DOI [http://dx.doi.org/10.1016/0014-4886\(95\)90016-0](http://dx.doi.org/10.1016/0014-4886(95)90016-0)
20. Strata F, Coq JO, Byl N, Merzenich MM (2004) Effects of sensorimotor restriction and anoxia on gait and motor cortex organization: Implications for a rodent model of cerebral palsy. *Neuroscience* 129: 141-156. DOI <http://dx.doi.org/10.1016/j.neuroscience.2004.07.024>

21. Mehta SL, Manhas N, Raghubir R (2007) Molecular targets in cerebral ischemia for developing novel therapeutics. *Brain Res Rev* 54: 34-66. DOI 10.1016/j.brainresrev.2006.11.003
22. Newnam KM, DeLoach DL (2011) Neonatal Hypothermia: A Method to Provide Neuroprotection After Hypoxic Ischemic Encephalopathy. *Newborn and Infant Nursing Reviews* 11: 113-124. DOI 10.1053/j.nainr.2011.07.003
23. Roka A, Azzopardi D (2010) Therapeutic hypothermia for neonatal hypoxic ischaemic encephalopathy. *Early human development* 86: 361-367. DOI 10.1016/j.earlhumdev.2010.05.013
24. Bel Fv, Groenendaal F (2016) Drugs for neuroprotection after birth asphyxia: Pharmacologic adjuncts to hypothermia. *Seminars in Perinatology* 40: 152-159. DOI <http://dx.doi.org/10.1053/j.semperi.2015.12.003>
25. Ma D, Hossain M, Chow A, Arshad M, Battson RM, Sanders RD, Mehmet H, Edwards AD, Franks NP, Maze M (2005) Xenon and hypothermia combine to provide neuroprotection from neonatal asphyxia. *Ann Neurol* 58: 182-193. DOI 10.1002/ana.20547
26. Gonzalez FF, Ferriero DM (2008) Therapeutics for neonatal brain injury. *Pharmacology & therapeutics* 120: 43-53. DOI <http://dx.doi.org/10.1016/j.pharmthera.2008.07.003>
27. Lai M-C, Yang S-N (2010) Perinatal hypoxic-ischemic encephalopathy. *BioMed Research International* 2011
28. Borutaite V, Toleikis A, Brown GC (2013) In the eye of the storm: mitochondrial damage during heart and brain ischaemia. *The FEBS journal* 280: 4999-5014. DOI 10.1111/febs.12353
29. Er E, Oliver L, Cartron P-F, Juin P, Manon S, Vallette FM (2006) Mitochondria as the target of the pro-apoptotic protein Bax. *Biochimica et Biophysica Acta (BBA) - Bioenergetics* 1757: 1301-1311. DOI <http://dx.doi.org/10.1016/j.bbabbio.2006.05.032>
30. Bradley JR, Pober JS (2001) Tumor necrosis factor receptor-associated factors (TRAFs). *Oncogene* 20: 6482
31. Holler N, Tardivel A, Kovacsovics-Bankowski M, Hertig S, Gaide O, Martinon F, Tinel A, Deperthes D, Calderara S, Schulthess T (2003) Two adjacent trimeric Fas ligands are required for Fas signaling and formation of a death-inducing signaling complex. *Molecular and cellular biology* 23: 1428-1440
32. Ow Y-LP, Green DR, Hao Z, Mak TW (2008) Cytochrome c: functions beyond respiration. *Nature Reviews Molecular Cell Biology* 9: 532-542

33. Rousset CI, Baburamani AA, Thornton C, Hagberg H (2012) Mitochondria and perinatal brain injury. *The journal of maternal-fetal & neonatal medicine : the official journal of the European Association of Perinatal Medicine, the Federation of Asia and Oceania Perinatal Societies, the International Society of Perinatal Obstet* 25 Suppl 1: 35-38. DOI 10.3109/14767058.2012.666398
34. Rosenberg AA (1986) Cerebral blood flow and O₂ metabolism after asphyxia in neonatal lambs. *Pediatric research* 20: 778-782. DOI 10.1203/00006450-198608000-00016
35. Riedl SJ, Salvesen GS (2007) The apoptosome: signalling platform of cell death. *Nature Reviews Molecular Cell Biology* 8: 405-413
36. Iriyama T, Kamei Y, Kozuma S, Taketani Y (2009) Bax-inhibiting peptide protects glutamate-induced cerebellar granule cell death by blocking Bax translocation. *Neuroscience letters* 451: 11-15. DOI 10.1016/j.neulet.2008.12.021
37. Lee HC, Wei YH (2012) Mitochondria and aging. *Advances in experimental medicine and biology* 942: 311-327. DOI 10.1007/978-94-007-2869-1_14
38. Wallace DC (2005) A mitochondrial paradigm of metabolic and degenerative diseases, aging, and cancer: a dawn for evolutionary medicine. *Annual review of genetics* 39: 359-407. DOI 10.1146/annurev.genet.39.110304.095751
39. Mattson MP, Gleichmann M, Cheng A (2008) Mitochondria in neuroplasticity and neurological disorders. *Neuron* 60: 748-766
40. Balaban RS, Nemoto S, Finkel T (2005) Mitochondria, oxidants, and aging. *Cell* 120: 483-495
41. Singh IN, Sullivan PG, Hall ED (2007) Peroxynitrite-mediated oxidative damage to brain mitochondria: Protective effects of peroxynitrite scavengers. *Journal of neuroscience research* 85: 2216-2223. DOI 10.1002/jnr.21360
42. Wong R, Steenbergen C, Murphy E (2012) Mitochondrial permeability transition pore and calcium handling. *Methods Mol Biol* 810: 235-242. DOI 10.1007/978-1-61779-382-0_15
43. Xiong Y, Hall ED (2009) Pharmacological evidence for a role of peroxynitrite in the pathophysiology of spinal cord injury. *Experimental neurology* 216: 105-114. DOI 10.1016/j.expneurol.2008.11.025
44. Pivovarova NB, Andrews SB (2010) Calcium-dependent mitochondrial function and dysfunction in neurons. *The FEBS journal* 277: 3622-3636. DOI 10.1111/j.1742-4658.2010.07754.x

45. Brown MR, Sullivan PG, Geddes JW (2006) Synaptic mitochondria are more susceptible to Ca²⁺ overload than nonsynaptic mitochondria. *The Journal of biological chemistry* 281: 11658-11668. DOI 10.1074/jbc.M510303200
46. Green, John C, nbsp, Reed DR (1998) Mitochondria and Apoptosis. *Science* 281: 1309-1312. DOI 10.1126/science.281.5381.1309
47. Belzacq AS, Vieira HLA, Verrier F, Vandecasteele G, Cohen I, Prévost MC, Larquet E, Pariselli F, Petit PX, Kahn A (2003) Bcl-2 and Bax modulate adenine nucleotide translocase activity. *Cancer research* 63: 541-546
48. Blomgren K, Zhu C, Hallin U, Hagberg H (2003) Mitochondria and ischemic reperfusion damage in the adult and in the developing brain. *Biochemical and biophysical research communications* 304: 551-559. DOI [http://dx.doi.org/10.1016/S0006-291X\(03\)00628-4](http://dx.doi.org/10.1016/S0006-291X(03)00628-4)
49. Northington FJ, Graham EM, Martin LJ (2005) Apoptosis in perinatal hypoxic–ischemic brain injury: How important is it and should it be inhibited? *Brain Research Reviews* 50: 244-257. DOI <http://dx.doi.org/10.1016/j.brainresrev.2005.07.003>
50. Schlagowski AI, Singh F, Charles AL, Gali Ramamoorthy T, Favret F, Piquard F, Geny B, Zoll J (2014) Mitochondrial uncoupling reduces exercise capacity despite several skeletal muscle metabolic adaptations. *Journal of applied physiology* (Bethesda, Md : 1985) 116: 364-375. DOI 10.1152/jappphysiol.01177.2013
51. Kenwood BM, Weaver JL, Bajwa A, Poon IK, Byrne FL, Murrow BA, Calderone JA, Huang L, Divakaruni AS, Tomsig JL, Okabe K, Lo RH, Cameron Coleman G, Columbus L, Yan Z, Saucerman JJ, Smith JS, Holmes JW, Lynch KR, Ravichandran KS, Uchiyama S, Santos WL, Rogers GW, Okusa MD, Bayliss DA, Hoehn KL (2014) Identification of a novel mitochondrial uncoupler that does not depolarize the plasma membrane. *Molecular metabolism* 3: 114-123. DOI 10.1016/j.molmet.2013.11.005
52. Xiong Y, Rabchevsky AG, Hall ED (2007) Role of peroxynitrite in secondary oxidative damage after spinal cord injury. *J Neurochem* 100: 639-649. DOI 10.1111/j.1471-4159.2006.04312.x
53. Alvarez MN, Trujillo M, Radi R (2002) Peroxynitrite formation from biochemical and cellular fluxes of nitric oxide and superoxide. *Methods in enzymology* 359: 353-366
54. Salvi A, Patki G, Khan E, Asghar M, Salim S (2016) Protective Effect of Tempol on Buthionine Sulfoximine-Induced Mitochondrial Impairment in Hippocampal Derived HT22 Cells. *Oxidative medicine and cellular longevity* 2016: 5059043. DOI 10.1155/2016/5059043

55. Tovmasyan A, Maia CG, Weitner T, Carballal S, Sampaio RS, Lieb D, Ghazaryan R, Ivanovic-Burmazovic I, Ferrer-Sueta G, Radi R, Reboucas JS, Spasojevic I, Benov L, Batinic-Haberle I (2015) A comprehensive evaluation of catalase-like activity of different classes of redox-active therapeutics. *Free radical biology & medicine* 86: 308-321. DOI 10.1016/j.freeradbiomed.2015.05.018
56. Herrera-Marschitz M, Neira-Pena T, Rojas-Mancilla E, Espina-Marchant P, Esmar D, Perez R, Munoz V, Gutierrez-Hernandez M, Rivera B, Simola N, Bustamante D, Morales P, Gebicke-Haerter PJ (2014) Perinatal asphyxia: CNS development and deficits with delayed onset. *Frontiers in neuroscience* 8: 47. DOI 10.3389/fnins.2014.00047
57. Magistretti PJ, Allaman I (2013) Brain energy metabolism *Neuroscience in the 21st Century* Springer, pp. 1591-1620.
58. Sun D, Gilboe DD (1994) Ischemia-induced changes in cerebral mitochondrial free fatty acids, phospholipids, and respiration in the rat. *Journal of neurochemistry* 62: 1921-1928
59. Morin C, Zini R, Tillement J-P (2003) Anoxia-reoxygenation-induced cytochrome c and cardiolipin release from rat brain mitochondria. *Biochemical and biophysical research communications* 307: 477-482. DOI [http://dx.doi.org/10.1016/S0006-291X\(03\)01203-8](http://dx.doi.org/10.1016/S0006-291X(03)01203-8)
60. Bolaños JP, Almeida A, Medina JM (1998) Nitric oxide mediates brain mitochondrial damage during perinatal anoxia. *Brain Research* 787: 117-122. DOI [http://dx.doi.org/10.1016/S0006-8993\(97\)01530-8](http://dx.doi.org/10.1016/S0006-8993(97)01530-8)
61. Reddy NR, Krishnamurthy S, Chourasia TK, Kumar A, Joy KP (2011) Glutamate antagonism fails to reverse mitochondrial dysfunction in late phase of experimental neonatal asphyxia in rats. *Neurochemistry international* 58: 582-590. DOI 10.1016/j.neuint.2011.01.021
62. Rosenberg AA, Parks JK, Murdaugh E, Parker WD, Jr. (1989) Mitochondrial function after asphyxia in newborn lambs. *Stroke; a journal of cerebral circulation* 20: 674-679
63. Puka-Sundvall M, Wallin C, Gilland E, Hallin U, Wang X, Sandberg M, Karlsson J-O, Blomgren K, Hagberg H (2000) Impairment of mitochondrial respiration after cerebral hypoxia-ischemia in immature rats: relationship to activation of caspase-3 and neuronal injury. *Developmental Brain Research* 125: 43-50
64. Takada SH, Sampaio CAG, Allemandi W, Ito PH, Takase LF, Nogueira MI (2011) A modified rat model of neonatal anoxia: Development and evaluation by pulseoximetry, arterial gasometry and Fos immunoreactivity *Journal of neuroscience methods*, pp. 62-69.

65. Fan L-W, Lin S, Pang Y, Lei M, Zhang F, Rhodes PG, Cai Z (2005) Hypoxia-ischemia induced neurological dysfunction and brain injury in the neonatal rat. *Behavioural brain research* 165: 80-90. DOI <http://dx.doi.org/10.1016/j.bbr.2005.06.033>
66. Berman SB, Hastings TG (1999) Dopamine oxidation alters mitochondrial respiration and induces permeability transition in brain mitochondria. *Journal of neurochemistry* 73: 1127-1137
67. Lowry OH, Rosebrough NJ, Farr AL, Randall RJ (1951) Protein measurement with the Folin phenol reagent. *The Journal of biological chemistry* 193: 265-275
68. Gilmer LK, Ansari MA, Roberts KN, Scheff SW (2010) Age-related changes in mitochondrial respiration and oxidative damage in the cerebral cortex of the Fischer 344 rat. *Mechanisms of ageing and development* 131: 133-143. DOI 10.1016/j.mad.2009.12.011
69. Green LC, Wagner DA, Glogowski J, Skipper PL, Wishnok JS, Tannenbaum SR (1982) Analysis of nitrate, nitrite, and [15N]nitrate in biological fluids. *Analytical biochemistry* 126: 131-138
70. Singh IN, Sullivan PG, Deng Y, Mbye LH, Hall ED (2006) Time course of post-traumatic mitochondrial oxidative damage and dysfunction in a mouse model of focal traumatic brain injury: implications for neuroprotective therapy. *Journal of cerebral blood flow and metabolism : official journal of the International Society of Cerebral Blood Flow and Metabolism* 26: 1407-1418. DOI 10.1038/sj.jcbfm.9600297
71. Benz R, McLaughlin S (1983) The molecular mechanism of action of the proton ionophore FCCP (carbonylcyanide p-trifluoromethoxyphenylhydrazone). *Biophysical journal* 41: 381-398
72. Kaizaki A, Tien L-T, Pang Y, Cai Z, Tanaka S, Numazawa S, Bhatt AJ, Fan L-W (2013) Celecoxib reduces brain dopaminergic neuronal dysfunction, and improves sensorimotor behavioral performance in neonatal rats exposed to systemic lipopolysaccharide. *Journal of neuroinflammation* 10: 45
73. Yue X, Mehmet H, Penrice J, Cooper C, Cady E, Wyatt JS, Reynolds EO, Edwards AD, Squier MV (1997) Apoptosis and necrosis in the newborn piglet brain following transient cerebral hypoxia-ischaemia. *Neuropathology and applied neurobiology* 23: 16-25
74. Wei L, Ying DJ, Cui L, Langsdorf J, Yu SP (2004) Necrosis, apoptosis and hybrid death in the cortex and thalamus after barrel cortex ischemia in rats. *Brain Res* 1022: 54-61. DOI 10.1016/j.brainres.2004.06.080

75. Beilharz EJ, Williams CE, Dragunow M, Sirimanne ES, Gluckman PD (1995) Mechanisms of delayed cell death following hypoxic-ischemic injury in the immature rat: evidence for apoptosis during selective neuronal loss. *Brain research Molecular brain research* 29: 1-14
76. Samaiya PK, Krishnamurthy S (2015) Characterization of mitochondrial bioenergetics in neonatal anoxic model of rats. *J Bioenerg Biomembr* 47: 217-222. DOI 10.1007/s10863-015-9603-2
77. Wei ZZ, Gu X, Ferdinand A, Lee JH, Ji X, Ji XM, Yu SP, Wei L (2015) Intranasal delivery of bone marrow mesenchymal stem cells improved neurovascular regeneration and rescued neuropsychiatric deficits after neonatal stroke in rats. *Cell transplantation* 24: 391-402. DOI 10.3727/096368915x686887
78. Badawi Y, Ramamoorthy P, Shi H (2012) Hypoxia-inducible factor 1 protects hypoxic astrocytes against glutamate toxicity. *ASN neuro* 4: 231-241. DOI 10.1042/an20120006
79. Vannucci RC, Lyons DT, Vasta F (1988) Regional cerebral blood flow during hypoxia-ischemia in immature rats. *Stroke; a journal of cerebral circulation* 19: 245-250
80. Dunn AK, Bolay H, Moskowitz MA, Boas DA (2001) Dynamic imaging of cerebral blood flow using laser speckle. *Journal of cerebral blood flow and metabolism : official journal of the International Society of Cerebral Blood Flow and Metabolism* 21: 195-201. DOI 10.1097/00004647-200103000-00002
81. Jarskog LF, Selinger ES, Lieberman JA, Gilmore JH (2004) Apoptotic proteins in the temporal cortex in schizophrenia: high Bax/Bcl-2 ratio without caspase-3 activation. *The American journal of psychiatry* 161: 109-115
82. Soane L, Kahraman S, Kristian T, Fiskum G (2007) Mechanisms of impaired mitochondrial energy metabolism in acute and chronic neurodegenerative disorders. *Journal of neuroscience research* 85: 3407-3415. DOI 10.1002/jnr.21498
83. Seppet E, Gruno M, Peetsalu A, Gizatullina Z, Nguyen HP, Vielhaber S, Wussling MH, Trumbeckaite S, Arandarcikaite O, Jerzembeck D, Sonnabend M, Jegorov K, Zierz S, Striggow F, Gellerich FN (2009) Mitochondria and energetic depression in cell pathophysiology. *Int J Mol Sci* 10: 2252-2303. DOI 10.3390/ijms10052252
84. Adam-Vizi V, Starkov AA (2010) Calcium and mitochondrial reactive oxygen species generation: how to read the facts. *Journal of Alzheimer's disease : JAD* 20 Suppl 2: S413-426. DOI 10.3233/jad-2010-100465
85. Szydłowska K, Tymianski M (2010) Calcium, ischemia and excitotoxicity. *Cell Calcium* 47: 122-129. DOI <http://dx.doi.org/10.1016/j.ceca.2010.01.003>

86. Chowdhury I, Tharakan B, Bhat GK (2008) Caspases — An update. *Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology* 151: 10-27. DOI <http://dx.doi.org/10.1016/j.cbpb.2008.05.010>
87. Kuranaga E, Miura M (2007) Nonapoptotic functions of caspases: caspases as regulatory molecules for immunity and cell-fate determination. *Trends in Cell Biology* 17: 135-144. DOI <http://dx.doi.org/10.1016/j.tcb.2007.01.001>
88. Hermans RHM, Hunter DE, McGivern RF, Cain CD, Longo LD (1992) Behavioral sequelae in young rats of acute intermittent antenatal hypoxia. *Neurotoxicology and Teratology* 14: 119-129. DOI [http://dx.doi.org/10.1016/0892-0362\(92\)90060-N](http://dx.doi.org/10.1016/0892-0362(92)90060-N)
89. Decker MJ, Conrad KP, Strohl KP (1989) Noninvasive oximetry in the rat. *Biomedical instrumentation & technology / Association for the Advancement of Medical Instrumentation* 23: 222-228
90. Ohshima M, Tsuji M, Taguchi A, Kasahara Y, Ikeda T (2012) Cerebral blood flow during reperfusion predicts later brain damage in a mouse and a rat model of neonatal hypoxic-ischemic encephalopathy. *Experimental neurology* 233: 481-489. DOI <http://dx.doi.org/10.1016/j.expneurol.2011.11.025>
91. Gilmer LK, Roberts KN, Joy K, Sullivan PG, Scheff SW (2009) Early mitochondrial dysfunction after cortical contusion injury. *Journal of neurotrauma* 26: 1271-1280. DOI 10.1089/neu.2008.0857
92. Huang SG (2002) Development of a high throughput screening assay for mitochondrial membrane potential in living cells. *Journal of biomolecular screening* 7: 383-389. DOI 10.1089/108705702320351240
93. Tedeschi H, Harris DL (1958) Some observations on the photometric estimation of mitochondrial volume. *Biochimica et biophysica acta* 28: 392-402
94. Sunderman F, Marzouk A, Hopfer S, Zaharia O, Reid M (1985) Increased lipid peroxidation in tissues of nickel chloride-treated rats. *Annals of Clinical & Laboratory Science* 15: 229-236
95. Kakkar P, Das B, Viswanathan PN (1984) A modified spectrophotometric assay of superoxide dismutase. *Indian journal of biochemistry & biophysics* 21: 130-132
96. Beers RF, Jr., Sizer IW (1952) A spectrophotometric method for measuring the breakdown of hydrogen peroxide by catalase. *The Journal of biological chemistry* 195: 133-140
97. Bradford MM (1976) A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Analytical biochemistry* 72: 248-254

98. Liu D, Xiao B, Han F, Wang E, Shi Y (2012) Single-prolonged stress induces apoptosis in dorsal raphe nucleus in the rat model of posttraumatic stress disorder. *BMC psychiatry* 12: 211. DOI 10.1186/1471-244x-12-211
99. Bloom SL, Swindle RG, McIntire DD, Leveno KJ (1999) Fetal pulse oximetry: duration of desaturation and intrapartum outcome. *Obstetrics & Gynecology* 93: 1036-1040. DOI [http://dx.doi.org/10.1016/S0029-7844\(98\)00565-1](http://dx.doi.org/10.1016/S0029-7844(98)00565-1)
100. Malonek D, Dirnagl U, Lindauer U, Yamada K, Kanno I, Grinvald A (1997) Vascular imprints of neuronal activity: relationships between the dynamics of cortical blood flow, oxygenation, and volume changes following sensory stimulation. *Proceedings of the National Academy of Sciences of the United States of America* 94: 14826-14831
101. Diaz G, Setzu MD, Zucca A, Isola R, Diana A, Murru R, Sogos V, Gremo F (1999) Subcellular heterogeneity of mitochondrial membrane potential: relationship with organelle distribution and intercellular contacts in normal, hypoxic and apoptotic cells. *Journal of Cell Science* 112: 1077-1084
102. Huang SH, Lin SP, Liang CK, Chen JJ (2013) Impedimetric monitoring of IGF-1 protection of in vitro cortical neurons under ischemic conditions. *Biomedical microdevices* 15: 135-143. DOI 10.1007/s10544-012-9695-y
103. Korenic A, Boltze J, Deten A, Peters M, Andjus P, Radenovic L (2014) Astrocytic mitochondrial membrane hyperpolarization following extended oxygen and glucose deprivation. *PLoS One* 9: e90697. DOI 10.1371/journal.pone.0090697
104. Youle RJ, Strasser A (2008) The BCL-2 protein family: opposing activities that mediate cell death. *Nature Reviews Molecular Cell Biology* 9: 47-59
105. Dewson G (2015) Investigating bax subcellular localization and membrane integration. *Cold Spring Harbor protocols* 2015: pdb prot086447. DOI 10.1101/pdb.prot086447
106. Infante SK, Oberhauser AF, Perez-Polo JR (2013) Bax phosphorylation association with nucleus and oligomerization after neonatal hypoxia-ischemia. *Journal of neuroscience research* 91: 1152-1164. DOI 10.1002/jnr.23224
107. Monaco G, Decrock E, Arbel N, van Vliet AR, La Rovere RM, De Smedt H, Parys JB, Agostinis P, Leybaert L, Shoshan-Barmatz V, Bultynck G (2015) The BH4 Domain of Anti-apoptotic Bcl-XL, but Not That of the Related Bcl-2, Limits the Voltage-dependent Anion Channel 1 (VDAC1)-mediated Transfer of Pro-apoptotic Ca²⁺ Signals to Mitochondria. *The Journal of biological chemistry* 290: 9150-9161. DOI 10.1074/jbc.M114.622514

108. Blaschke AJ, Weiner JA, Chun J (1998) Programmed cell death is a universal feature of embryonic and postnatal neuroproliferative regions throughout the central nervous system. *The Journal of comparative neurology* 396: 39-50
109. Van de Berg WD, Schmitz C, Steinbusch HW, Blanco CE (2002) Perinatal asphyxia induced neuronal loss by apoptosis in the neonatal rat striatum: a combined TUNEL and stereological study. *Experimental neurology* 174: 29-36. DOI 10.1006/exnr.2001.7855
110. Volpe JJ (2008) *Neurology of the newborn* Elsevier Health Sciences
111. Riikonen RS, Korhonen LT, Lindholm DB (1999) Cerebrospinal nerve growth factor—a marker of asphyxia? *Pediatric Neurology* 20: 137-141. DOI [http://dx.doi.org/10.1016/S0887-8994\(98\)00122-2](http://dx.doi.org/10.1016/S0887-8994(98)00122-2)
112. Aggarwal R, Deorari AK, Paul VK (2001) Post-resuscitation management of asphyxiated neonates. *The Indian Journal of Pediatrics* 68: 1149-1153
113. Banasiak KJ, Xia Y, Haddad GG (2000) Mechanisms underlying hypoxia-induced neuronal apoptosis. *Progress in neurobiology* 62: 215-249
114. Dell'Anna E, Chen Y, Engidawork E, Andersson K, Lubec G, Luthman J, Herrera-Marschitz M (1997) Delayed neuronal death following perinatal asphyxia in rat. *Experimental brain research Experimentelle Hirnforschung Experimentation cerebrale* 115: 105-115
115. Vannucci RC, Towfighi J, Vannucci SJ (2004) Secondary energy failure after cerebral hypoxia-ischemia in the immature rat. *Journal of cerebral blood flow and metabolism : official journal of the International Society of Cerebral Blood Flow and Metabolism* 24: 1090-1097. DOI 10.1097/01.wcb.0000133250.03953.63
116. Mehmet H, Edwards AD (1996) Hypoxia, ischaemia, and apoptosis. *Archives of disease in childhood Fetal and neonatal edition* 75: F73-75
117. Eisenberg-Lerner A, Bialik S, Simon HU, Kimchi A (2009) Life and death partners: apoptosis, autophagy and the cross-talk between them. *Cell death and differentiation* 16: 966-975. DOI 10.1038/cdd.2009.33
118. Satchell MA, Lai Y, Kochanek PM, Wisniewski SR, Fink EL, Siedberg NA, Berger RP, DeKosky ST, Adelson PD, Clark RS (2005) Cytochrome c, a biomarker of apoptosis, is increased in cerebrospinal fluid from infants with inflicted brain injury from child abuse. *Journal of Cerebral Blood Flow & Metabolism* 25: 919-927
119. Thompson CB (1995) Apoptosis in the pathogenesis and treatment of disease. *Science* 267: 1456-1462

120. Samaiya PK, Narayan G, Kumar A, Krishnamurthy S (2016) Neonatal anoxia leads to time dependent progression of mitochondrial linked apoptosis in rat cortex and associated long term sensorimotor deficits. *International Journal of Developmental Neuroscience* 52: 55-65. DOI <http://dx.doi.org/10.1016/j.ijdevneu.2016.05.005>
121. Ergenekon E, Gücüyener K, Erbaş D, Aral S, Koç E, Atalay Y (2004) Cerebrospinal fluid and serum vascular endothelial growth factor and nitric oxide levels in newborns with hypoxic ischemic encephalopathy. *Brain and Development* 26: 283-286. DOI [http://dx.doi.org/10.1016/S0387-7604\(03\)00166-9](http://dx.doi.org/10.1016/S0387-7604(03)00166-9)
122. Savman K, Heyes MP, Svedin P, Karlsson A (2013) Microglia/macrophage-derived inflammatory mediators galectin-3 and quinolinic acid are elevated in cerebrospinal fluid from newborn infants after birth asphyxia. *Translational stroke research* 4: 228-235. DOI 10.1007/s12975-012-0216-3
123. Hagberg H, Mallard C, Rousset CI, Xiaoyang W (2009) Apoptotic mechanisms in the immature brain: involvement of mitochondria. *Journal of child neurology* 24: 1141-1146. DOI 10.1177/0883073809338212
124. Northington FJ, Zelaya ME, O'Riordan DP, Blomgren K, Flock DL, Hagberg H, Ferriero DM, Martin LJ (2007) Failure to complete apoptosis following neonatal hypoxia-ischemia manifests as "continuum" phenotype of cell death and occurs with multiple manifestations of mitochondrial dysfunction in rodent forebrain. *Neuroscience* 149: 822-833. DOI 10.1016/j.neuroscience.2007.06.060
125. Deng Y, Ren X, Yang L, Lin Y, Wu X (2003) A JNK-dependent pathway is required for TNFalpha-induced apoptosis. *Cell* 115: 61-70
126. Kim JY, Park JH (2003) ROS-dependent caspase-9 activation in hypoxic cell death. *FEBS Lett* 549: 94-98
127. Cerio FGd, Lara-Celador I, Alvarez A, Hilario E (2013) Neuroprotective Therapies after Perinatal Hypoxic-Ischemic Brain Injury. *Brain Sciences* 3: 191-214
128. Perez-Pinzon MA, Xu GP, Born J, Lorenzo J, Busto R, Rosenthal M, Sick TJ (1999) Cytochrome C is released from mitochondria into the cytosol after cerebral anoxia or ischemia. *Journal of cerebral blood flow and metabolism : official journal of the International Society of Cerebral Blood Flow and Metabolism* 19: 39-43. DOI 10.1097/00004647-199901000-00004
129. Wassink G, Gunn ER, Drury PP, Bennet L, Gunn AJ (2014) The mechanisms and treatment of asphyxial encephalopathy. *Frontiers in neuroscience* 8: 40. DOI 10.3389/fnins.2014.00040
130. Diano S, Matthews RT, Patrylo P, Yang L, Beal MF, Barnstable CJ, Horvath TL (2003) Uncoupling protein 2 prevents neuronal death including that occurring during

- seizures: a mechanism for preconditioning. *Endocrinology* 144: 5014-5021. DOI 10.1210/en.2003-0667
131. Liu D, Chan SL, de Souza-Pinto NC, Slevin JR, Wersto RP, Zhan M, Mustafa K, de Cabo R, Mattson MP (2006) Mitochondrial UCP4 mediates an adaptive shift in energy metabolism and increases the resistance of neurons to metabolic and oxidative stress. *NeuroMolecular Medicine* 8: 389-413
 132. Shapiro BL, Feigal RJ, Lam LF (1979) Mitochondrial NADH dehydrogenase in cystic fibrosis. *Proceedings of the National Academy of Sciences of the United States of America* 76: 2979-2983
 133. Old SL, Johnson MA (1989) Methods of microphotometric assay of succinate dehydrogenase and cytochrome c oxidase activities for use on human skeletal muscle. *The Histochemical journal* 21: 545-555
 134. Storrie B, Amadden E (1990) [16] Isolation of subcellular organelles. In: Murray PD (ed) *Methods in enzymology* Academic Press, pp. 203-225.
 135. Griffiths DE, Houghton RL (1974) Studies on energy-linked reactions: modified mitochondrial ATPase of oligomycin-resistant mutants of *Saccharomyces cerevisiae*. *European journal of biochemistry / FEBS* 46: 157-167
 136. Fiske CH, Subbarow Y (1925) The colorimetric determination of phosphorus. *J Biol Chem* 66: 375-400
 137. Cheng G, Kong RH, Zhang LM, Zhang JN (2012) Mitochondria in traumatic brain injury and mitochondrial-targeted multipotential therapeutic strategies. *British journal of pharmacology* 167: 699-719. DOI 10.1111/j.1476-5381.2012.02025.x
 138. Pandya JD, Pauly JR, Nukala VN, Sebastian AH, Day KM, Korde AS, Maragos WF, Hall ED, Sullivan PG (2007) Post-injury administration of mitochondrial uncouplers increases tissue sparing and improves behavioral outcome following traumatic brain injury in rodents. *Journal of neurotrauma* 24: 798-811
 139. Zhang Y, Marcillat O, Giulivi C, Ernster L, Davies KJ (1990) The oxidative inactivation of mitochondrial electron transport chain components and ATPase. *The Journal of biological chemistry* 265: 16330-16336
 140. Utkina-Sosunova IV, Niatetskaya ZV, Sosunov SA, Ratner VI, Matsiukevich D, Ten VS (2013) Nelfinavir inhibits intra-mitochondrial calcium influx and protects brain against hypoxic-ischemic injury in neonatal mice. *PLoS One* 8: e62448. DOI 10.1371/journal.pone.0062448
 141. Mattiasson G, Shamloo M, Gido G, Mathi K, Tomasevic G, Yi S, Warden CH, Castilho RF, Melcher T, Gonzalez-Zulueta M, Nikolich K, Wieloch T (2003)

- Uncoupling protein-2 prevents neuronal death and diminishes brain dysfunction after stroke and brain trauma. *Nature medicine* 9: 1062-1068. DOI 10.1038/nm903
142. Korde AS, Pettigrew LC, Craddock SD, Maragos WF (2005) The mitochondrial uncoupler 2,4-dinitrophenol attenuates tissue damage and improves mitochondrial homeostasis following transient focal cerebral ischemia. *J Neurochem* 94: 1676-1684. DOI 10.1111/j.1471-4159.2005.03328.x
 143. Fan X, Kavelaars A, Heijnen CJ, Groenendaal F, van Bel F (2010) Pharmacological neuroprotection after perinatal hypoxic-ischemic brain injury. *Current neuropharmacology* 8: 324-334. DOI 10.2174/157015910793358150
 144. Xiong Y, Singh IN, Hall ED (2009) Tempol protection of spinal cord mitochondria from peroxynitrite-induced oxidative damage. *Free radical research* 43: 604-612. DOI 10.1080/10715760902977432
 145. Pacher P, Beckman JS, Liaudet L (2007) Nitric oxide and peroxynitrite in health and disease. *Physiological reviews* 87: 315-424
 146. Cobb CA, Cole MP (2015) Oxidative and nitrative stress in neurodegeneration. *Neurobiol Dis*. DOI 10.1016/j.nbd.2015.04.020
 147. Ham PB, 3rd, Raju R (2016) Mitochondrial function in hypoxic ischemic injury and influence of aging. *Progress in neurobiology*. DOI 10.1016/j.pneurobio.2016.06.006
 148. Wilcox CS, Pearlman A (2008) Chemistry and antihypertensive effects of tempol and other nitroxides. *Pharmacological reviews* 60: 418-469. DOI 10.1124/pr.108.000240
 149. Schnackenberg CG, Wilcox CS (2001) The SOD mimetic tempol restores vasodilation in afferent arterioles of experimental diabetes. *Kidney international* 59: 1859-1864. DOI 10.1046/j.1523-1755.2001.0590051859.x
 150. Chipuk JE, Green DR (2008) How do BCL-2 proteins induce mitochondrial outer membrane permeabilization? *Trends in Cell Biology* 18: 157-164. DOI <http://dx.doi.org/10.1016/j.tcb.2008.01.007>
 151. McGuire A (2006) Response: Is there a case for risk-based premiums in health care insurance? *Health economics, policy, and law* 1: 189-193; discussion 201-182. DOI 10.1017/s1744133105001088
 152. Strackx E, Van den Hove DL, Prickaerts J, Zimmermann L, Steinbusch HW, Blanco CE, Gavilanes AW, Vles JS (2010) Fetal asphyctic preconditioning protects against perinatal asphyxia-induced behavioral consequences in adulthood. *Behavioural brain research* 208: 343-351. DOI 10.1016/j.bbr.2009.11.040

153. Weitzdoerfer R, Gerstl N, Pollak D, Hoeger H, Dreher W, Lubec G (2004) Long-term influence of perinatal asphyxia on the social behavior in aging rats. *Gerontology* 50: 200-205. DOI 10.1159/000078348
154. Burke RE, Macaya A, DeVivo D, Kenyon N, Janec EM (1992) Neonatal hypoxic-ischemic or excitotoxic striatal injury results in a decreased adult number of substantia nigra neurons. *Neuroscience* 50: 559-569
155. Charles MS, Ostrowski RP, Manaenko A, Duris K, Zhang JH, Tang J (2012) Role of the pituitary-adrenal axis in granulocyte-colony stimulating factor-induced neuroprotection against hypoxia-ischemia in neonatal rats. *Neurobiol Dis* 47: 29-37
156. Rogalska J, Caputa M (2010) Neonatal asphyxia under hyperthermic conditions alters HPA axis function in juvenile rats. *Neuroscience letters* 472: 68-72. DOI 10.1016/j.neulet.2010.01.060
157. Rogalska J, Kang P, Wotherspoon W, Macleod MR, Lai M (2009) Effect of hyperthermia and anoxia on glucocorticoid and mineralocorticoid receptor expression in neonatal rat hippocampus. *Neuroscience letters* 450: 196-200. DOI <http://dx.doi.org/10.1016/j.neulet.2008.11.033>
158. Samaiya PK, Narayan G, Kumar A, Krishnamurthy S (2017) Tempol (4 hydroxy-tempo) inhibits anoxia-induced progression of mitochondrial dysfunction and associated neurobehavioral impairment in neonatal rats. *Journal of the Neurological Sciences* 375: 58-67. DOI <http://dx.doi.org/10.1016/j.jns.2017.01.021>
159. Rojas JJ, Deniz BF, Miguel PM, Diaz R, Hermel Edo E, Achaval M, Netto CA, Pereira LO (2013) Effects of daily environmental enrichment on behavior and dendritic spine density in hippocampus following neonatal hypoxia-ischemia in the rat. *Experimental neurology* 241: 25-33. DOI 10.1016/j.expneurol.2012.11.026
160. Sweis BM, Veverka KK, Dhillon ES, Urban JH, Lucas LR (2013) Individual differences in the effects of chronic stress on memory: Behavioral and neurochemical correlates of resiliency. *Neuroscience* 246: 142-159. DOI <http://dx.doi.org/10.1016/j.neuroscience.2013.04.052>
161. Cohen H, Matar MA, Buskila D, Kaplan Z, Zohar J (2008) Early Post-Stressor Intervention with High-Dose Corticosterone Attenuates Posttraumatic Stress Response in an Animal Model of Posttraumatic Stress Disorder. *Biological Psychiatry* 64: 708-717. DOI <http://dx.doi.org/10.1016/j.biopsych.2008.05.025>
162. Hansen F, Pandolfo P, Galland F, Torres FV, Dutra MF, Batassini C, Guerra MC, Leite MC, Gonçalves C-A (2016) Methylglyoxal can mediate behavioral and neurochemical alterations in rat brain. *Physiology & behavior* 164, Part A: 93-101. DOI <http://dx.doi.org/10.1016/j.physbeh.2016.05.046>

163. Markostamou I, Ioannidis A, Dandi E, Mandyla MA, Nousiopoulou E, Simeonidou C, Spandou E, Tata D (2016) Maternal separation prior to neonatal hypoxia-ischemia: Impact on emotional aspects of behavior and markers of synaptic plasticity in hippocampus. *International journal of developmental neuroscience : the official journal of the International Society for Developmental Neuroscience* 52: 1-12. DOI 10.1016/j.ijdevneu.2016.04.002
164. Woodward CJ, Emery PW (1987) Determination of plasma corticosterone using high-performance liquid chromatography. *Journal of chromatography* 419: 280-284
165. Caputa M, Rogalska J, Wentowska K, Nowakowska A (2005) Perinatal asphyxia, hyperthermia and hyperferremia as factors inducing behavioural disturbances in adulthood: A rat model. *Behavioural brain research* 163: 246-256. DOI <http://dx.doi.org/10.1016/j.bbr.2005.05.015>
166. Heim C, Shugart M, Craighead WE, Nemeroff CB (2010) Neurobiological and psychiatric consequences of child abuse and neglect. *Developmental psychobiology* 52: 671-690. DOI 10.1002/dev.20494
167. Takada SH, Motta-Teixeira LC, Machado-Nils AV, Lee VY, Sampaio CA, Polli RS, Malheiros JM, Takase LF, Kihara AH, Covolan L, Xavier GF, Nogueira MI (2016) Impact of neonatal anoxia on adult rat hippocampal volume, neurogenesis and behavior. *Behavioural brain research* 296: 331-338. DOI 10.1016/j.bbr.2015.08.039
168. Fan JM, Chen XQ, Du JZ (2014) Prenatal stress, anxiety and depression: a mechanism involving CRH peptide family. *Neuro endocrinology letters* 35: 429-439
169. Sweis BM, Bachour SP, Brekke JA, Gewirtz JC, Sadeghi-Bazargani H, Hevesi M, Divani AA (2016) A modified beam-walking apparatus for assessment of anxiety in a rodent model of blast traumatic brain injury. *Behavioural brain research* 296: 149-156. DOI <http://dx.doi.org/10.1016/j.bbr.2015.09.015>
170. Patel B, Das SK, Das S, Das L, Patri M (2016) Neonatal exposure to benzo[a]pyrene induces oxidative stress causing altered hippocampal cytomorphometry and behavior during early adolescence period of male Wistar rats. *International Journal of Developmental Neuroscience* 50: 7-15. DOI <http://dx.doi.org/10.1016/j.ijdevneu.2016.01.006>
171. Buwalda B, Nyakas C, Vosselman HJ, Luiten PGM (1995) Effects of early postnatal anoxia on adult learning and emotion in rats. *Behavioural brain research* 67: 85-90. DOI [http://dx.doi.org/10.1016/0166-4328\(94\)00108-R](http://dx.doi.org/10.1016/0166-4328(94)00108-R)
172. Heim C, Nemeroff CB (2001) The role of childhood trauma in the neurobiology of mood and anxiety disorders: preclinical and clinical studies. *Biol Psychiatry* 49: 1023-1039