

PUBLICATIONS

S.No.	Publication	Impact factor	Citations
1.	Prakash, S. , U. Rai, R. Kosuru, V. Tiwari, and S. Singh, Amelioration of diet-induced metabolic syndrome and fatty liver with sitagliptin via regulation of adipose tissue inflammation and hepatic Adiponectin/AMPK levels in mice, <i>Biochimie</i> , 168 (2020) 198-209.	<u>3.362</u>	<u>11</u>
2.	Prakash, S. , U. Rai, A. Uniyal, V. Tiwari, and S. Singh. Sitagliptin mitigates oxidative stress and up-regulates Mitochondrial Biogenesis markers in Brown adipose tissues of High-Fat Diet fed obese mice through AMPK phosphorylation, <i>Obesity Medicine</i> .	<u>0.9</u>	<u>02</u>
3.	Muthu, MS., S. Sanjay., Swati Prakash., Adiponectin Enhancers: Treatment Option for Obesity and Diabetes. <i>Research & Reviews: Journal of Pharmacology and Toxicological Studies</i> , 4(2016) 24-26. (Editorial)	=	<u>01</u>

REFERENCES

- Abu-Elheiga, L., Oh, W., Kordari, P. and Wakil, S. J. "Acetyl-CoA carboxylase 2 mutant mice are protected against obesity and diabetes induced by high-fat/high-carbohydrate diets". *Proceedings of the National Academy of Sciences*, **100** (2003) 10207-10212.
- Aguilera-Mendez, A., Hernandez-Equihua, M. G., Rueda-Rocha, A. C., Guajardo-Lopez, C., Nieto-Aguilar, R., Serrato-Ochoa, D., Ruiz Herrera, L. F. and Guzman-Nateras, J. A. "Protective effect of supplementation with biotin against high-fructose-induced metabolic syndrome in rats". *Nutritional Research*, **57** (2018) 86-96.
- Aguirre, V., Werner, E. D., Giraud, J., Lee, Y. H., Shoelson, S. E. and White, M. F. "Phosphorylation of Ser307 in insulin receptor substrate-1 blocks interactions with the insulin receptor and inhibits insulin action". *Journal of Biological Chemistry*, **277** (2002) 1531-1537.
- Ahmed, A., Wong, R. J. and Harrison, S. A. "Nonalcoholic Fatty Liver Disease Review: Diagnosis, Treatment, and Outcomes". *Clinical Gastroenterology and Hepatology*, **13** (2015) 2062-2070.
- Alcalá, M., Calderon-Dominguez, M., Bustos, E., Ramos, P., Casals, N., Serra, D., Viana, M. and Herrero, L. "Increased inflammation, oxidative stress and mitochondrial respiration in brown adipose tissue from obese mice". *Scientific Reports*, **7** (2017) 1-12.
- Amano, S. U., Cohen, J. L., Vangala, P., Tencerova, M., Nicoloro, S. M., Yawe, J. C., Shen, Y., Czech, M. P. and Aouadi, M. "Local proliferation of macrophages contributes to obesity-associated adipose tissue inflammation". *Cell Metabolism*, **19** (2014) 162-171.
- Ameer, F., Scanduzzi, L., Hasnain, S., Kalbacher, H. and Zaidi, N. "De novo lipogenesis in health and disease". *Metabolism*, **63** (2014) 895-902.
- Amirkhizi, F., Siassi, F., Minaie, S., Djalali, M., Rahimi, A. and Chamari, M. "Is obesity associated with increased plasma lipid peroxidation and oxidative stress in women?". *Arya Atherosclerosis*, **2** (2010).
- Arase, Y., Kawamura, Y., Seko, Y., Kobayashi, M., Suzuki, F., Suzuki, Y., Akuta, N., Kobayashi, M., Sezaki, H. and Saito, S. "Efficacy and safety in sitagliptin therapy for diabetes complicated by non-alcoholic fatty liver disease". *Hepatology Research*, **43** (2013) 1163-1168.
- Araújo, T. G., De Oliveira, A. G., Vecina, J. F., Marin, R. M., Franco, E. S., Saad, M. J. A. and de Sousa Maia, M. B. "Parkinsonia aculeata (Caesalpinaeaceae) improves high-fat diet-induced insulin resistance in mice through the enhancement of insulin

- signaling and mitochondrial biogenesis". *Journal of Ethnopharmacology*, **183** (2016) 95-102.
- Arita, Y., Kihara, S., Ouchi, N., Takahashi, M., Maeda, K., Miyagawa, J.-i., Hotta, K., Shimomura, I., Nakamura, T. and Miyaoka, K. "Paradoxical decrease of an adipose-specific protein, adiponectin, in obesity". *Biochemical and Biophysical Research Communications*, **257** (1999) 79-83.
- Arner, P., Bernard, S., Salehpour, M., Possnert, G., Liebl, J., Steier, P., Buchholz, B. A., Eriksson, M., Arner, E. and Hauner, H. "Dynamics of human adipose lipid turnover in health and metabolic disease". *Nature*, **478** (2011) 110-113.
- Aronne, L. J., Nelinson, D. S. and Lillo, J. L. "Obesity as a disease state: a new paradigm for diagnosis and treatment". *Clinical Cornerstone*, **9** (2009) 9-29.
- Avramoglu, R. K., Basciano, H. and Adeli, K. "Lipid and lipoprotein dysregulation in insulin resistant states". *Clinica Chimica Acta*, **368** (2006) 1-19.
- Aydin, S., Aksoy, A., Aydin, S., Kalayci, M., Yilmaz, M., Kuloglu, T., Ctil, C. and Catak, Z. "Today's and yesterday's of pathophysiology: biochemistry of metabolic syndrome and animal models". *Nutrition*, **30** (2014) 1-9.
- Bajaj, M., Suraamornkul, S., Pratipanawatr, T., Hardies, L. J., Pratipanawatr, W., Glass, L., Cersosimo, E., Miyazaki, Y. and DeFronzo, R. A. "Pioglitazone reduces hepatic fat content and augments splanchnic glucose uptake in patients with type 2 diabetes". *Diabetes*, **52** (2003) 1364-1370.
- Bal, N. C., Singh, S., Reis, F. C., Maurya, S. K., Pani, S., Rowland, L. A. and Periasamy, M. "Both brown adipose tissue and skeletal muscle thermogenesis processes are activated during mild to severe cold adaptation in mice". *Journal of Biological Chemistry*, **292** (2017) 16616-16625.
- Balakumar, M., Prabhu, D., Sathishkumar, C., Prabu, P., Rokana, N., Kumar, R., Raghavan, S., Soundarajan, A., Grover, S. and Batish, V. K. "Improvement in glucose tolerance and insulin sensitivity by probiotic strains of Indian gut origin in high-fat diet-fed C57BL/6J mice". *European Journal of Nutrition*, **57** (2018) 279-295.
- Bandyopadhyay, G. K., Joseph, G. Y., Ofrecio, J. and Olefsky, J. M. "Increased malonyl-CoA levels in muscle from obese and type 2 diabetic subjects lead to decreased fatty acid oxidation and increased lipogenesis; thiazolidinedione treatment reverses these defects". *Diabetes*, **55** (2006) 2277-2285.
- Bargut, T. C. L., Martins, F. F., Santos, L. P., Aguilá, M. B. and Mandarim-de-Lacerda, C. A. "Administration of eicosapentaenoic and docosahexaenoic acids may improve the remodeling and browning in subcutaneous white adipose tissue and thermogenic

References

- markers in brown adipose tissue in mice". Molecular and Cellular Endocrinology, **482** (2019) 18-27.
- Bartelt, A. and Heeren, J. "Adipose tissue browning and metabolic health". Nature Reviews Endocrinology, **10** (2014) 24.
- Bartlett, K. and Eaton, S. "Mitochondrial β -oxidation". European Journal of Biochemistry, **271** (2004) 462-469.
- Basu, A., Basu, R., Shah, P., Vella, A., Rizza, R. A. and Jensen, M. D. "Systemic and regional free fatty acid metabolism in type 2 diabetes". American Journal of Physiology-Endocrinology And Metabolism, **280** (2001) E1000-E1006.
- Bayly, G. R. (2014). Lipids and disorders of lipoprotein metabolism. Clinical Biochemistry: Metabolic and Clinical Aspects, Elsevier: 702-736.
- Bays, H. E. "Sick fat," Metabolic disease, and Atherosclerosis". The American Journal of Medicine, **122** (2009) S26-S37.
- Bays, H. E., González-Campoy, J. M., Bray, G. A., Kitabchi, A. E., Bergman, D. A., Schorr, A. B., Rodbard, H. W. and Henry, R. R. "Pathogenic potential of adipose tissue and metabolic consequences of adipocyte hypertrophy and increased visceral adiposity". Expert Review of Cardiovascular Therapy, **6** (2008) 343-368.
- Bays, H. E., Toth, P. P., Kris-Etherton, P. M., Abate, N., Aronne, L. J., Brown, W. V., Gonzalez-Campoy, J. M., Jones, S. R., Kumar, R. and La Forge, R. "Obesity, adiposity, and dyslipidemia: a consensus statement from the National Lipid Association". Journal of Clinical Lipidology, **7** (2013) 304-383.
- Bennett, R. G., Sitagliptin. Reference Module in Biomedical Sciences, (2018).
- Bergeron, R., Ren, J. M., Cadman, K. S., Moore, I. K., Perret, P., Pypaert, M., Young, L. H., Semenkovich, C. F. and Shulman, G. I. "Chronic activation of AMP kinase results in NRF-1 activation and mitochondrial biogenesis". American Journal of Physiology-Endocrinology and Metabolism, **281** (2001) E1340-E1346.
- Bergman, A. J., Stevens, C., Zhou, Y., Yi, B., Laethem, M., De Smet, M., Snyder, K., Hilliard, D., Tanaka, W. and Zeng, W. "Pharmacokinetic and pharmacodynamic properties of multiple oral doses of sitagliptin, a dipeptidyl peptidase-IV inhibitor: a double-blind, randomized, placebo-controlled study in healthy male volunteers". Clinical Therapeutics, **28** (2006) 55-72.
- Bettaieb, A., Cremonini, E., Kang, H., Kang, J. Y., Haj, F. G. and Oteiza, P. I. "Anti-inflammatory actions of (-)-epicatechin in the adipose tissue of obese mice". International Journal of Biochemistry & Cell Biology, **81** (2016) 383-392.

References

- Bijland, S., Mancini, S. J. and Salt, I. P. "Role of AMP-activated protein kinase in adipose tissue metabolism and inflammation". *Clinical Science*, **124** (2013) 491-507.
- Blüher, M. "Adipose tissue dysfunction in obesity". *Experimental and Clinical Endocrinology & Diabetes*, **117** (2009) 241-250.
- Blüher, M. "Adipose tissue dysfunction contributes to obesity related metabolic diseases". *Best Practice & Research Clinical Endocrinology & Metabolism*, **27** (2013) 163-177.
- Blüher, M. "Adipokines—removing road blocks to obesity and diabetes therapy". *Molecular metabolism*, **3** (2014) 230-240.
- Blüher, M. "Obesity: global epidemiology and pathogenesis". *Nature Reviews Endocrinology*, **15** (2019) 288-298.
- Blüher, M. and Mantzoros, C. S. "From leptin to other adipokines in health and disease: facts and expectations at the beginning of the 21st century". *Metabolism*, **64** (2015) 131-145.
- Blum, J. and Fridovich, I. "Inactivation of glutathione peroxidase by superoxide radical". *Archives of Biochemistry and Biophysics*, **240** (1985) 500-508.
- Blundell, J. E., Dulloo, A. G., Salvador, J. and Frühbeck, G. "Beyond BMI-phenotyping the obesities". *Obesity Facts*, **7** (2014) 322-328.
- Bournat, J. C. and Brown, C. W. "Mitochondrial dysfunction in obesity". *Current Opinion in Endocrinology, Diabetes, and Obesity*, **17** (2010) 446.
- Boutayeb, A. "The burden of communicable and non-communicable diseases in developing countries". *Handbook of disease burdens and quality of life measures*, Springer, New York, NY (2010).
- Boyle, J., Salt, I. and McKay, G. "Metformin action on AMP-activated protein kinase: a translational research approach to understanding a potential new therapeutic target". *Diabetic Medicine*, **27** (2010) 1097-1106.
- Braud, L., Battault, S., Meyer, G., Nascimento, A., Gaillard, S., de Sousa, G., Rahmani, R., Riva, C., Armand, M. and Maixent, J.-M. "Antioxidant properties of tea blunt ROS-dependent lipogenesis: beneficial effect on hepatic steatosis in a high fat-high sucrose diet NAFLD obese rat model". *The Journal of Nutritional Biochemistry*, **40** (2017) 95-104.
- Braune, J., Weyer, U., Hobusch, C., Mauer, J., Brüning, J. C., Bechmann, I. and Gericke, M. "IL-6 regulates M2 polarization and local proliferation of adipose tissue macrophages in obesity". *The Journal of Immunology*, **198** (2017) 2927-2934.

References

- Bray, G. A. "Medical consequences of obesity". *The Journal of Clinical Endocrinology & Metabolism*, **89** (2004) 2583-2589.
- Brownlee, M. "The pathobiology of diabetic complications: a unifying mechanism". *Diabetes*, **54** (2005) 1615-1625.
- Bruun, J. M., Lihn, A. S., Verdich, C., Pedersen, S. B., Toubro, S., Astrup, A. and Richelsen, B. "Regulation of adiponectin by adipose tissue-derived cytokines: in vivo and in vitro investigations in humans". *American Journal of Physiology-Endocrinology and Metabolism*, **285** (2003) E527-E533.
- Buzzetti, E., Pinzani, M. and Tsochatzis, E. A. "The multiple-hit pathogenesis of non-alcoholic fatty liver disease (NAFLD)". *Metabolism*, **65** (2016) 1038-1048.
- Calzadilla Bertot, L. and Adams, L. A. "The Natural Course of Non-Alcoholic Fatty Liver Disease". *International Journal of Molecular Sciences*, **17** (2016) 774.
- Cannon, B. and Nedergaard, J. "Brown adipose tissue: function and physiological significance". *Physiological Reviews*, **84** (2004) 277-359.
- Cannon, B. and Nedergaard, J. "Neither fat nor flesh". *Nature*, **454** (2008) 947-948.
- Caputo, T., Gilardi, F. and Desvergne, B. "From chronic overnutrition to metaflammation and insulin resistance: adipose tissue and liver contributions". *FEBS letters*, **591** (2017) 3061-3088.
- Cardiology, A. C. o. and Guidelines, A. H. A. T. F. o. P. "Expert Panel Report: Guidelines (2013) for the management of overweight and obesity in adults". *Obesity (Silver Spring, Md.)*, **22** (2014) S41.
- Carey, A. L., Steinberg, G. R., Macaulay, S. L., Thomas, W. G., Holmes, A. G., Ramm, G., Prelovsek, O., Hohnen-Behrens, C., Watt, M. J. and James, D. E. "Interleukin-6 increases insulin-stimulated glucose disposal in humans and glucose uptake and fatty acid oxidation in vitro via AMP-activated protein kinase". *Diabetes*, **55** (2006) 2688-2697.
- Carling, D., Thornton, C., Woods, A. and Sanders, M. J. "AMP-activated protein kinase: new regulation, new roles?". *Biochemical Journal*, **445** (2012) 11-27.
- Catalán, V., Gómez-Ambrosi, J., Ramirez, B., Rotellar, F., Pastor, C., Silva, C., Rodríguez, A., Gil, M. J., Cienfuegos, J. A. and Frühbeck, G. "Proinflammatory cytokines in obesity: impact of type 2 diabetes mellitus and gastric bypass". *Obesity Surgery*, **17** (2007) 1464-1474.

References

- Cawthorn, W. P. and Sethi, J. K. "TNF- α and adipocyte biology". FEBS letters, **582** (2008) 117-131.
- Charbonnel, B., Karasik, A., Liu, J., Wu, M. and Meininger, G. "Efficacy and safety of the dipeptidyl peptidase-4 inhibitor sitagliptin added to ongoing metformin therapy in patients with type 2 diabetes inadequately controlled with metformin alone". Diabetes Care, **29** (2006) 2638-2643.
- Charradi, K., Elkahoui, S., Limam, F. and Aouani, E. "High-fat diet induced an oxidative stress in white adipose tissue and disturbed plasma transition metals in rat: prevention by grape seed and skin extract". The Journal of Physiological Sciences, **63** (2013) 445-455.
- Cho, A. S., Jeon, S. M., Kim, M. J., Yeo, J., Seo, K. I., Choi, M. S. and Lee, M. K. "Chlorogenic acid exhibits anti-obesity property and improves lipid metabolism in high-fat diet-induced-obese mice". Food and Chemical Toxicology, **48** (2010) 937-943.
- Choi, K.-M., Lee, Y.-S., Kim, W., Kim, S. J., Shin, K.-O., Yu, J.-Y., Lee, M. K., Lee, Y.-M., Hong, J. T. and Yun, Y.-P. "Sulforaphane attenuates obesity by inhibiting adipogenesis and activating the AMPK pathway in obese mice". The Journal of Nutritional Biochemistry, **25** (2014) 201-207.
- Choi, R.-Y., Ham, J. R. and Lee, M.-K. "Esculetin prevents non-alcoholic fatty liver in diabetic mice fed high-fat diet". Chemico-Biological Interactions, **260** (2016) 13-21.
- Christiansen, T., Richelsen, B. and Bruun, J. "Monocyte chemoattractant protein-1 is produced in isolated adipocytes, associated with adiposity and reduced after weight loss in morbid obese subjects". International Journal of Obesity, **29** (2005) 146-150.
- Combs, T. P. and Marliss, E. B. "Adiponectin signaling in the liver". Reviews in Endocrine and Metabolic Disorders, **15** (2014) 137-147.
- Cooke, A. A., Connaughton, R. M., Lyons, C. L., McMorrow, A. M. and Roche, H. M. "Fatty acids and chronic low grade inflammation associated with obesity and the metabolic syndrome". European Journal of Pharmacology, **785** (2016) 207-214.
- Cool, B., Zinker, B., Chiou, W., Kifle, L., Cao, N., Perham, M., Dickinson, R., Adler, A., Gagne, G., Iyengar, R., Zhao, G., Marsh, K., Kym, P., Jung, P., Camp, H. S. and Frevert, E. "Identification and characterization of a small molecule AMPK activator that treats key components of type 2 diabetes and the metabolic syndrome". Cell Metabolism, **3** (2006) 403-416.
- Coskun, Z. M., Koyuturk, M., Karabulut, S. and Bolkent, S. "CB-1R and GLP-1R gene expressions and oxidative stress in the liver of diabetic rats treated with sitagliptin". Pharmacological Reports, **69** (2017) 822-829.

References

- Costa-Font, J. and Mas, N. "‘Globesity’? The effects of globalization on obesity and caloric intake". *Food Policy*, **64** (2016) 121-132.
- Cottam, D. R., Mattar, S. G., Barinas-Mitchell, E., Eid, G., Kuller, L., Kelley, D. E. and Schauer, P. R. "The chronic inflammatory hypothesis for the morbidity associated with morbid obesity: implications and effects of weight loss". *Obesity Surgery*, **14** (2004) 589-600.
- Cui, M., Kim, H.-Y., Lee, K. H., Jeong, J.-K., Hwang, J.-H., Yeo, K.-Y., Ryu, B.-H., Choi, J.-H. and Park, K.-Y. "Antibesity effects of kimchi in diet-induced obese mice". *Journal of Ethnic Foods*, **2** (2015) 137-144.
- Curzio, M., Esterbauer, H., Poli, G., Biasi, F., Cecchini, G., Di, C. M., Cappello, N. and Dianzani, M. "Possible role of aldehydic lipid peroxidation products as chemoattractants". *International Journal of Tissue Reactions*, **9** (1987) 295-306.
- Cusi, K. "Role of insulin resistance and lipotoxicity in non-alcoholic steatohepatitis". *Clinics in Liver Disease*, **13** (2009) 545-563.
- Cypess, A. M. and Kahn, C. R. "Brown fat as a therapy for obesity and diabetes". *Current opinion in Endocrinology, Diabetes, and Obesity*, **17** (2010) 143.
- Cypess, A. M., Lehman, S., Williams, G., Tal, I., Rodman, D., Goldfine, A. B., Kuo, F. C., Palmer, E. L., Tseng, Y.-H. and Doria, A. "Identification and importance of brown adipose tissue in adult humans". *New England Journal of Medicine*, **360** (2009) 1509-1517.
- Daneschvar, H. L., Aronson, M. D. and Smetana, G. W. "FDA-approved anti-obesity drugs in the United States". *The American Journal of Medicine*, **129** (2016) 879. e1-6.
- Davies, S. P., Hawley, S. A., Woods, A., Carling, D., Haystead, T. A. and Hardie, D. G. "Purification of the AMP-activated protein kinase on ATP- γ -Sepharose and analysis of its subunit structure". *European Journal of Biochemistry*, **223** (1994) 351-357.
- Day, C. "Pathogenesis of steatohepatitis". *Best Practice & Research Clinical Gastroenterology*, **16** (2002) 663-678.
- Day, E. A., Ford, R. J. and Steinberg, G. R. "AMPK as a therapeutic target for treating metabolic diseases". *Trends in Endocrinology & Metabolism*, **28** (2017) 545-560.
- De Heer, J., Rasmussen, C., Coy, D. and Holst, J. J. "Glucagon-like peptide-1, but not glucose-dependent insulinotropic peptide, inhibits glucagon secretion via somatostatin (receptor subtype 2) in the perfused rat pancreas". *Diabetologia*, **51** (2008) 2263.

References

- de Oliveira Leal, V. and Mafra, D. "Adipokines in obesity". *Clinica Chimica Acta*, **419** (2013) 87-94.
- Dong, J.-l., Zhu, Y.-y., Ma, Y.-l., Xiang, Q.-s., Shen, R.-l. and Liu, Y.-q. "Oat products modulate the gut microbiota and produce anti-obesity effects in obese rats". *Journal of Functional Foods*, **25** (2016) 408-420.
- Donnelly, K. L., Smith, C. I., Schwarzenberg, S. J., Jessurun, J., Boldt, M. D. and Parks, E. J. "Sources of fatty acids stored in liver and secreted via lipoproteins in patients with nonalcoholic fatty liver disease". *The Journal of Clinical Investigation*, **115** (2005) 1343-1351.
- Drolet, R., Bélanger, C., Fortier, M., Huot, C., Mailloux, J., Légaré, D. and Tchernof, A. "Fat depot-specific impact of visceral obesity on adipocyte adiponectin release in women". *Obesity*, **17** (2009) 424-430.
- Drucker, D. J. "Incretin action in the pancreas: potential promise, possible perils, and pathological pitfalls". *Diabetes*, **62** (2013) 3316-3323.
- Duez, H., Smith, A. C., Xiao, C., Giacca, A., Szeto, L., Drucker, D. J. and Lewis, G. F. "Acute dipeptidyl peptidase-4 inhibition rapidly enhances insulin-mediated suppression of endogenous glucose production in mice". *Endocrinology*, **150** (2009) 56-62.
- Dukhi, N. "Over nutrition in children and adolescents". *Acta Scientific Nutritional Health*, **3** (2019) 172-173.
- Egger, G. and Swinburn, B. "An “ecological” approach to the obesity pandemic". *British Medical Journal*, **315** (1997) 477-480.
- Ekpenyong, C. E. and Daniel, N. "Roles of diets and dietary factors in the pathogenesis, management and prevention of abnormal serum uric acid levels". *PharmaNutrition*, **3** (2015) 29-45.
- Engel, S. S., Golm, G. T., Shapiro, D., Davies, M. J., Kaufman, K. D. and Goldstein, B. J. "Cardiovascular safety of sitagliptin in patients with type 2 diabetes mellitus: a pooled analysis". *Cardiovascular Diabetology*, **12** (2013) 3.
- Fabbrini, E., Sullivan, S. and Klein, S. "Obesity and nonalcoholic fatty liver disease: biochemical, metabolic, and clinical implications". *Hepatology*, **51** (2010) 679-689.
- Fakhoury-Sayegh, N., Trak-Smayra, V., Khazzaka, A., Esseily, F., Obeid, O., Lahoud-Zouein, M. and Younes, H. "Characteristics of nonalcoholic fatty liver disease induced in wistar rats following four different diets". *Nutrition Research and Practice*, **9** (2015) 350-357.

References

- Falcão-Pires, I., Castro-Chaves, P., Miranda-Silva, D., Lourenco, A. P. and Leite-Moreira, A. F. "Physiological, pathological and potential therapeutic roles of adipokines". *Drug Discovery Today*, **17** (2012) 880-889.
- Fantuzzi, G. "Adipose tissue, adipokines, and inflammation". *Journal of Allergy and Clinical Immunology*, **115** (2005) 911-919.
- Farooqi, I. S. "Defining the neural basis of appetite and obesity: from genes to behaviour". *Clinical Medicine*, **14** (2014) 286.
- Farooqi, I. S. and O'Rahilly, S. "20 years of leptin: human disorders of leptin action". *Journal of Endocrinology*, **223** (2014) T63-T70.
- Fasshauer, M. and Blüher, M. "Adipokines in health and disease". *Trends in Pharmacological Sciences*, **36** (2015) 461-470.
- Fasshauer, M., Kralisch, S., Klier, M., Lossner, U., Bluher, M., Klein, J. and Paschke, R. "Adiponectin gene expression and secretion is inhibited by interleukin-6 in 3T3-L1 adipocytes". *Biochemical and Biophysical Research Communications*, **301** (2003) 1045-1050.
- Feldman, A. T. and Wolfe, D. (2014). *Tissue processing and hematoxylin and eosin staining*. Histopathology, Springer: 31-43.
- Feldmann, H. M., Golozoubova, V., Cannon, B. and Nedergaard, J. "UCP1 ablation induces obesity and abolishes diet-induced thermogenesis in mice exempt from thermal stress by living at thermoneutrality". *Cell Metabolism*, **9** (2009) 203-209.
- Feng, B., Zhang, T. and Xu, H. "Human adipose dynamics and metabolic health". *Annals of the New York Academy of Sciences*, **1281** (2013) 160.
- Fernández Vázquez, G., Reiter, R. J. and Agil, A. "Melatonin increases brown adipose tissue mass and function in Zucker diabetic fatty rats: implications for obesity control". *Journal of pineal research*, **64** (2018) e12472.
- Folch, J., Lees, M. and Sloane Stanley, G. H. "A simple method for the isolation and purification of total lipides from animal tissues". *Journal of biological Chemistry*, **226** (1957) 497-509.
- Ford, E. S., Giles, W. H. and Dietz, W. H. "Prevalence of the metabolic syndrome among US adults: findings from the third National Health and Nutrition Examination Survey". *Jama*, **287** (2002) 356-359.
- Foretz, M., Ancellin, N., Andreelli, F., Saintillan, Y., Grondin, P., Kahn, A., Thorens, B., Vaulont, S. and Viollet, B. "Short-term overexpression of a constitutively active form of AMP-activated protein kinase in the liver leads to mild hypoglycemia and fatty liver". *Diabetes*, **54** (2005) 1331-1339.

References

- Foretz, M., Hébrard, S., Leclerc, J., Zarrinpassneh, E., Soty, M., Mithieux, G., Sakamoto, K., Andreelli, F. and Viollet, B. "Metformin inhibits hepatic gluconeogenesis in mice independently of the LKB1/AMPK pathway via a decrease in hepatic energy state". *The Journal of Clinical Investigation*, **120** (2010) 2355-2369.
- Forlani, G., Giorda, C., Manti, R., Mazzella, N., De Cosmo, S., Rossi, M. C., Nicolucci, A., Di Bartolo, P., Ceriello, A., Guida, P. and Group, A. M.-A. S. "The Burden of NAFLD and Its Characteristics in a Nationwide Population with Type 2 Diabetes". *Journal of Diabetes Research*, 2016 (2016) 2931985.
- Friedewald, W. T., Levy, R. I. and Fredrickson, D. S. "Estimation of the concentration of low-density lipoprotein cholesterol in plasma, without use of the preparative ultracentrifuge". *Clinical Chemistry*, **18** (1972) 499-502.
- Frühbeck, G. (2008). Overview of adipose tissue and its role in obesity and metabolic disorders. *Adipose tissue protocols*, Springer: 1-22.
- Frühbeck, G., Becerril, S., Sáinz, N., Garrastachu, P. and García-Veloso, M. J. "BAT: a new target for human obesity?". *Trends in Pharmacological Sciences*, **30** (2009) 387-396.
- Frühbeck, G., Catalán, V., Rodríguez, A., Ramírez, B., Becerril, S., Portincasa, P. and Gómez-Ambrosi, J. "Normalization of adiponectin concentrations by leptin replacement in ob/ob mice is accompanied by reductions in systemic oxidative stress and inflammation". *Scientific Reports*, **7** (2017) 1-12.
- Fruhbeck, G., Gómez-Ambrosi, J., Muruzábal, F. J. and Burrell, M. A. "The adipocyte: a model for integration of endocrine and metabolic signaling in energy metabolism regulation". *American Journal of Physiology-Endocrinology And Metabolism*, **280** (2001) E827-E847.
- Frühbeck, G. and Gómez-Ambrosi, J. "Rationale for the existence of additional adipostatic hormones". *The FASEB Journal*, **15** (2001) 1996-2006.
- Fulop, T., Tessier, D. and Carpentier, A. "The metabolic syndrome". *Pathologie Biologique*, **54** (2006) 375-386.
- Furukawa, S., Fujita, T., Shimabukuro, M., Iwaki, M., Yamada, Y., Nakajima, Y., Nakayama, O., Makishima, M., Matsuda, M. and Shimomura, I. "Increased oxidative stress in obesity and its impact on metabolic syndrome". *The Journal of Clinical Investigation*, **114** (2017) 1752-1761.
- Gadde, K. M., Martin, C. K., Berthoud, H.-R. and Heymsfield, S. B. "Obesity: pathophysiology and management". *Journal of the American College of Cardiology*, **71** (2018) 69-84.

References

- Gallwitz, B. "Review of sitagliptin phosphate: a novel treatment for type 2 diabetes". *Vascular Health and Risk Management*, **3** (2007) 203.
- Garg, A. "Clinical review#: Lipodystrophies: genetic and acquired body fat disorders". *The Journal of Clinical Endocrinology and Metabolism*, **96** (2011) 3313-3325.
- Garvey, W. T., Mechanick, J. I., Brett, E. M., Garber, A. J., Hurley, D. L., Jastreboff, A. M., Nadolsky, K., Pessah-Pollack, R., Plodkowski, R. and Guidelines, R. o. t. A. A. O. C. P. "American Association of Clinical Endocrinologists and American College of Endocrinology comprehensive clinical practice guidelines for medical care of patients with obesity". *Endocrine Practice*, **22** (2016) 1-203.
- Gault, V. A., Lennox, R., Flatt, P.R. Sitagliptin, a dipeptidyl peptidase-4 inhibitor, improves recognition memory, oxidative stress and hippocampal neurogenesis and upregulates key genes involved in cognitive decline. *Diabetes Obesity and Metabolism*. **17** (2015) 403-413.
- Gauthier, M.-S., O'Brien, E. L., Bigornia, S., Mott, M., Cacicedo, J. M., Xu, X. J., Gokce, N., Apovian, C. and Ruderman, N. "Decreased AMP-activated protein kinase activity is associated with increased inflammation in visceral adipose tissue and with whole-body insulin resistance in morbidly obese humans". *Biochemical and Biophysical Research Communications*, **404** (2011) 382-387.
- Gautron, L. and Elmquist, J. K. "Sixteen years and counting: an update on leptin in energy balance". *The Journal of clinical investigation*, **121** (2011) 2087-2093.
- Ghadge, A. A., Khaire, A. A. and Kuvalekar, A. A. "Adiponectin: A potential therapeutic target for metabolic syndrome". *Cytokine & Growth Factor Reviews*, **39** (2018) 151-158.
- Ghibaudi, L., Cook, J., Farley, C., Van Heek, M. and Hwa, J. J. "Fat intake affects adiposity, comorbidity factors, and energy metabolism of sprague-dawley rats". *Obesity Research*, **10** (2002) 956-963.
- Giampieri, F., Alvarez-Suarez, J. M., Cordero, M. D., Gasparrini, M., Forbes-Hernandez, T. Y., Afrin, S., Santos-Buelga, C., Gonzalez-Paramas, A. M., Astolfi, P., Rubini, C., Zizzi, A., Tulipani, S., Quiles, J. L., Mezzetti, B. and Battino, M. "Strawberry consumption improves aging-associated impairments, mitochondrial biogenesis and functionality through the AMP-activated protein kinase signaling cascade". *Food Chemistry*, **234** (2017) 464-471.
- Giannocco, G., Oliveira, K. C., Crajoinas, R. O., Venturini, G., Salles, T. A., Fonseca-Alaniz, M. H., Maciel, R. M. and Girardi, A. C. "Dipeptidyl peptidase IV inhibition upregulates GLUT4 translocation and expression in heart and skeletal muscle of spontaneously hypertensive rats". *European Journal of Pharmacology*, **698** (2013) 74-86.

References

- Glass, C. K. and Olefsky, J. M. "Inflammation and lipid signaling in the etiology of insulin resistance". *Cell Metabolism*, **15** (2012) 635-645.
- Goldsmith, F., Keenan, M. J., Raggio, A. M., Ye, X., Hao, Z., Durham, H., Geaghan, J., Jia, W. P., Martin, R. J. and Ye, J. P. "Induction of Energy Expenditure by Sitagliptin Is Dependent on GLP-1 Receptor". *PLoS One*, **10** (2015) e0126177.
- Gómez-Ambrosi, J., Silva, C., Galofré, J. C., Escalada, J., Santos, S., Gil, M. J., Valentí, V., Rotellar, F., Ramírez, B. and Salvador, J. "Body adiposity and type 2 diabetes: increased risk with a high body fat percentage even having a normal BMI". *Obesity*, **19** (2011) 1439-1444.
- Green, B. D., Flatt, P. R. and Bailey, C. J. "Dipeptidyl peptidase IV (DPP IV) inhibitors: A newly emerging drug class for the treatment of type 2 diabetes". *Diabetes and Vascular Disease Research*, **3** (2006) 159-165.
- Green, J. B., Bethel, M. A., Armstrong, P. W., Buse, J. B., Engel, S. S., Garg, J., Josse, R., Kaufman, K. D., Koglin, J. and Korn, S. "Effect of sitagliptin on cardiovascular outcomes in type 2 diabetes". *New England Journal of Medicine*, **373** (2015) 232-242.
- Grundy, S. M., Brewer Jr, H. B., Cleeman, J. I., Smith Jr, S. C. and Lenfant, C. "Definition of metabolic syndrome: report of the National Heart, Lung, and Blood Institute/American Heart Association conference on scientific issues related to definition". *Circulation*, **109** (2004) 433-438.
- Guebre-Egziabher, F., Alix, P. M., Koppe, L., Pelletier, C. C., Kalbacher, E., Fouque, D. and Soulage, C. O. "Ectopic lipid accumulation: A potential cause for metabolic disturbances and a contributor to the alteration of kidney function". *Biochimie*, **95** (2013) 1971-1979.
- Guo, P., Kai, Q., Gao, J., Lian, Z. Q., Wu, C. M., Wu, C. A. and Zhu, H. B. "Cordycepin prevents hyperlipidemia in hamsters fed a high-fat diet via activation of AMP-activated protein kinase". *Journal of Pharmacological Sciences*, **113** (2010) 395-403.
- Handelsman, Y. "Metabolic syndrome pathophysiology and clinical presentation". *Toxicologic Pathology*, **37** (2009) 18-20.
- Hansen, J. B. and Kristiansen, K. "Regulatory circuits controlling white versus brown adipocyte differentiation". *Biochemical Journal*, **398** (2006) 153-168.
- Haque, W. A., Shimomura, I., Matsuzawa, Y. and Garg, A. "Serum adiponectin and leptin levels in patients with lipodystrophies". *The Journal of Clinical Endocrinology & Metabolism*, **87** (2002) 2395-2398.

References

- Hardie, D. G. "AMP-activated/SNF1 protein kinases: conserved guardians of cellular energy". *Nature Reviews Molecular Cell Biology*, **8** (2007) 774-785.
- Hardie, D. G. "AMPK: positive and negative regulation, and its role in whole-body energy homeostasis". *Current Opinion in Cell Biology*, **33** (2015) 1-7.
- Hardie, D. G. and Hawley, S. A. "AMP-activated protein kinase: the energy charge hypothesis revisited". *BioEssays*, **23** (2001) 1112-1119.
- Hardie, D. G., Ross, F. A. and Hawley, S. A. "AMPK: a nutrient and energy sensor that maintains energy homeostasis". *Nature Reviews Molecular Cell Biology*, **13** (2012) 251-262.
- Hariri, N. and Thibault, L. "High-fat diet-induced obesity in animal models". *Nutrition Research Reviews*, **23** (2010) 270-299.
- Hauner, H. "Secretory factors from human adipose tissue and their functional role". *Proceedings of the Nutrition Society*, **64** (2005) 163-169.
- Hawley, S. A., Fullerton, M. D., Ross, F. A., Schertzer, J. D., Chevtzoff, C., Walker, K. J., Peggie, M. W., Zibrova, D., Green, K. A. and Mustard, K. J. "The ancient drug salicylate directly activates AMP-activated protein kinase". *Science*, **336** (2012) 918-922.
- Hawley, S. A., Pan, D. A., Mustard, K. J., Ross, L., Bain, J., Edelman, A. M., Frenguelli, B. G. and Hardie, D. G. "Calmodulin-dependent protein kinase kinase- β is an alternative upstream kinase for AMP-activated protein kinase". *Cell Metabolism*, **2** (2005) 9-19.
- Hawley, S. A., Ross, F. A., Chevtzoff, C., Green, K. A., Evans, A., Fogarty, S., Towler, M. C., Brown, L. J., Ogunbayo, O. A. and Evans, A. M. "Use of cells expressing γ subunit variants to identify diverse mechanisms of AMPK activation". *Cell Metabolism*, **11** (2010) 554-565.
- Herman, G., Bergman, A. and Wagner, J. Sitagliptin, a DPP-4 inhibitor: an overview of the pharmacokinetic (PK) profile and the propensity for drug-drug interactions (DDI). *Diabetologia*, Springer 233 Spring Street, New York, NY 10013 USA, (2006).
- Herman, G., Stein, P., Thornberry, N. and Wagner, J. "Dipeptidyl peptidase-4 inhibitors for the treatment of type 2 diabetes: focus on sitagliptin". *Clinical Pharmacology & Therapeutics*, **81** (2007) 761-767.
- Herman, G. A., Bergman, A., Yi, B., Kipnes, M. and Group, S. S. "Tolerability and pharmacokinetics of metformin and the dipeptidyl peptidase-4 inhibitor sitagliptin when co-administered in patients with type 2 diabetes". *Current medical research and opinion*, **22** (2006b) 1939-1947.

References

- Hermansen, K., Kipnes, M., Luo, E., Fanurik, D., Khatami, H., Stein, P. and Group, S. S. "Efficacy and safety of the dipeptidyl peptidase-4 inhibitor, sitagliptin, in patients with type 2 diabetes mellitus inadequately controlled on glimepiride alone or on glimepiride and metformin". *Diabetes, Obesity and Metabolism*, **9** (2007) 733-745.
- Heymsfield, S. B. and Wadden, T. A. "Mechanisms, pathophysiology, and management of obesity". *New England Journal of Medicine*, **376** (2017) 254-266.
- Hibuse, T., Maeda, N., Kishida, K., Kimura, T., Minami, T., Takeshita, E., Hirata, A., Nakagawa, Y., Kashine, S. and Oka, A. "A pilot three-month sitagliptin treatment increases serum adiponectin level in Japanese patients with type 2 diabetes mellitus-a randomized controlled trial START-J study". *Cardiovascular Diabetology*, **13** (2014) 96.
- Hill, J. O., Melanson, E. L. and Wyatt, H. T. "Dietary fat intake and regulation of energy balance: implications for obesity". *The Journal of nutrition*, **130** (2000) 284S-288S.
- Hill, J. O., Wyatt, H. R. and Peters, J. C. "Energy balance and obesity". *Circulation*, **126** (2012) 126-132.
- Hira, T., Koga, T., Sasaki, K. and Hara, H. "Canagliflozin potentiates GLP-1 secretion and lowers the peak of GIP secretion in rats fed a high-fat high-sucrose diet". *Biochemical and Biophysical Research Communications*, **492** (2017) 161-165.
- Hirosumi, J., Tuncman, G., Chang, L., Görgün, C. Z., Uysal, K. T., Maeda, K., Karin, M. and Hotamisligil, G. S. "A central role for JNK in obesity and insulin resistance". *Nature*, **420** (2002) 333-336.
- Holland, W. L., Bikman, B. T., Wang, L.-P., Yuguang, G., Sargent, K. M., Bulchand, S., Knotts, T. A., Shui, G., Clegg, D. J. and Wenk, M. R. "Lipid-induced insulin resistance mediated by the proinflammatory receptor TLR4 requires saturated fatty acid-induced ceramide biosynthesis in mice". *The Journal of Clinical Investigation*, **121** (2011) 1858-1870.
- Holland, W. L., Miller, R. A., Wang, Z. V., Sun, K., Barth, B. M., Bui, H. H., Davis, K. E., Bikman, B. T., Halberg, N. and Rutkowski, J. M. "Receptor-mediated activation of ceramidase activity initiates the pleiotropic actions of adiponectin". *Nature Medicine*, **17** (2011) 55-63.
- Hotamisligil, G. S., Arner, P., Caro, J. F., Atkinson, R. L. and Spiegelman, B. M. "Increased adipose tissue expression of tumor necrosis factor-alpha in human obesity and insulin resistance". *The Journal of Clinical Investigation*, **95** (1995) 2409-2415.

References

- Hotamisligil, G. S., Budavari, A., Murray, D. and Spiegelman, B. M. "Reduced tyrosine kinase activity of the insulin receptor in obesity-diabetes. Central role of tumor necrosis factor-alpha". *The Journal of Clinical Investigation*, **94** (1994) 1543-1549.
- Hotamisligil, G. S., Shargill, N. S. and Spiegelman, B. M. "Adipose expression of tumor necrosis factor-alpha: direct role in obesity-linked insulin resistance". *Science*, **259** (1993) 87-91.
- Houstis, N., Rosen, E. D. and Lander, E. S. "Reactive oxygen species have a causal role in multiple forms of insulin resistance". *Nature*, **440** (2006) 944.
- Hu, F., Niu, Y., Xu, X., Hu, Q., Su, Q. and Zhang, H. "Resistant dextrin improves high-fat-high-fructose diet induced insulin resistance". *Nutrition & Metabolism*, **17** (2020) 1-11.
- Ibrahim, M. M. "Subcutaneous and visceral adipose tissue: structural and functional differences". *Obesity Reviews*, **11** (2010) 11-18.
- Inoguchi, T., Li, P., Umeda, F., Yu, H. Y., Kakimoto, M., Imamura, M., Aoki, T., Etoh, T., Hashimoto, T. and Naruse, M. "High glucose level and free fatty acid stimulate reactive oxygen species production through protein kinase C--dependent activation of NAD (P) H oxidase in cultured vascular cells". *Diabetes*, **49** (2000) 1939-1945.
- Ito, A., Suganami, T., Yamauchi, A., Degawa-Yamauchi, M., Tanaka, M., Kouyama, R., Kobayashi, Y., Nitta, N., Yasuda, K. and Hirata, Y. "Role of CC chemokine receptor 2 in bone marrow cells in the recruitment of macrophages into obese adipose tissue". *Journal of Biological Chemistry*, **283** (2008) 35715-35723.
- Iwabu, M., Yamauchi, T., Okada-Iwabu, M., Sato, K., Nakagawa, T., Funata, M., Yamaguchi, M., Namiki, S., Nakayama, R. and Tabata, M. "Adiponectin and AdipoR1 regulate PGC-1 α and mitochondria by Ca 2+ and AMPK/SIRT1". *Nature*, **464** (2010) 1313-1319.
- Iwamoto, Y., Taniguchi, T., Nonaka, K., Okamoto, T., Okuyama, K., Ferreira, J. C. A. and Amatruda, J. "Dose-ranging efficacy of sitagliptin, a dipeptidyl peptidase-4 inhibitor, in Japanese patients with type 2 diabetes mellitus". *Endocrine Journal*, **57** (2010) 383-394.
- Iwasaki, T., Yoneda, M., Inamori, M., Shirakawa, J., Higurashi, T., Maeda, S., Terauchi, Y. and Nakajima, A. "Sitagliptin as a novel treatment agent for non-alcoholic Fatty liver disease patients with type 2 diabetes mellitus". *Hepato-gastroenterology*, **58** (2011) 2103-2105.
- Jäger, S., Handschin, C., Pierre, J. S.-. and Spiegelman, B. M. "AMP-activated protein kinase (AMPK) action in skeletal muscle via direct phosphorylation of PGC-1 α ". *Proceedings of the National Academy of Sciences*, **104** (2007) 12017-12022.

References

- Jeong, H.-S., Kim, K.-H., Lee, I.-S., Park, J. Y., Kim, Y., Kim, K.-S. and Jang, H.-J. "Ginkgolide A ameliorates non-alcoholic fatty liver diseases on high fat diet mice". *Biomedicine & Pharmacotherapy*, **88** (2017) 625-634.
- Jiang, S., Chen, H., Wang, Z., Riethoven, J.-J., Xia, Y., Miner, J. and Fromm, M. "Activated AMPK and prostaglandins are involved in the response to conjugated linoleic acid and are sufficient to cause lipid reductions in adipocytes". *The Journal of Nutritional Biochemistry*, **22** (2011) 656-664.
- Jo, J., Gavrilova, O., Pack, S., Jou, W., Mullen, S., Sumner, A. E., Cushman, S. W. and Periwal, V. "Hypertrophy and/or hyperplasia: dynamics of adipose tissue growth". *PLoS Computational Biology*, **5** (2009) e1000324.
- Johnson, A. R., Justin Milner, J. and Makowski, L. "The inflammation highway: metabolism accelerates inflammatory traffic in obesity". *Immunological Reviews*, **249** (2012) 218-238.
- Jornayvaz, F. R. and Shulman, G. I. "Diacylglycerol activation of protein kinase C ϵ and hepatic insulin resistance". *Cell Metabolism*, **15** (2012) 574-584.
- Jung, T. W., Kim, H.-C., Abd El-Aty, A. and Jeong, J. H. "Protectin DX ameliorates palmitate-or high-fat diet-induced insulin resistance and inflammation through an AMPK-PPAR α -dependent pathway in mice". *Scientific Reports*, **7** (2017) 1-9.
- Jung, U. J. and Choi, M.-S. "Obesity and its metabolic complications: the role of adipokines and the relationship between obesity, inflammation, insulin resistance, dyslipidemia and nonalcoholic fatty liver disease". *International Journal of Molecular Sciences*, **15** (2014) 6184-6223.
- Kadowaki, T. and Yamauchi, T. "Adiponectin and adiponectin receptors". *Endocrine Reviews*, **26** (2005) 439-451.
- Kahn, B. B., Alquier, T., Carling, D. and Hardie, D. G. "AMP-activated protein kinase: ancient energy gauge provides clues to modern understanding of metabolism". *Cell Metabolism*, **1** (2005) 15-25.
- Kahn, S. E., Hull, R. L. and Utzschneider, K. M. "Mechanisms linking obesity to insulin resistance and type 2 diabetes". *Nature*, **444** (2006) 840-846.
- Kamada, Y., Matsumoto, H., Tamura, S., Fukushima, J., Kiso, S., Fukui, K., Igura, T., Maeda, N., Kihara, S. and Funahashi, T. "Hypo adiponectinemia accelerates hepatic tumor formation in a nonalcoholic steatohepatitis mouse model". *Journal of Hepatology*, **47** (2007) 556-564.
- Kanbay, M., Jensen, T., Solak, Y., Le, M., Roncal-Jimenez, C., Rivard, C., Lanasa, M. A., Nakagawa, T. and Johnson, R. J. "Uric acid in metabolic syndrome: from an

- innocent bystander to a central player". European Journal of Internal Medicine, **29** (2016) 3-8.
- Kanda, H., Tateya, S., Tamori, Y., Kotani, K., Hiasa, K.-i., Kitazawa, R., Kitazawa, S., Miyachi, H., Maeda, S. and Egashira, K. "MCP-1 contributes to macrophage infiltration into adipose tissue, insulin resistance, and hepatic steatosis in obesity". The Journal of Clinical Investigation, **116** (2006) 1494-1505.
- Kang, H. S., Cho, H.-C., Lee, J.-H., Oh, G. T., Koo, S.-H., Park, B.-H., Lee, I.-K., Choi, H.-S., Song, D.-K. and Im, S.-S. "Metformin stimulates IGFBP-2 gene expression through PPARalpha in diabetic states". Scientific Reports, **6** (2016) 1-13.
- Karabulut, S., Coskun, Z. M. and Bolkent, S. "Immunohistochemical, apoptotic and biochemical changes by dipeptidyl peptidase-4 inhibitor-sitagliptin in type-2 diabetic rats". Pharmacological Reports, **67** (2015) 846-853.
- Karri, S., Sharma, S., Hatware, K. and Patil, K. "Natural anti-obesity agents and their therapeutic role in management of obesity: A future trend perspective". Biomedicine & Pharmacotherapy, **110** (2019) 224-238.
- Kato, H., Nagai, Y., Ohta, A., Tenjin, A., Nakamura, Y., Tsukiyama, H., Sasaki, Y., Fukuda, H., Ohshige, T., Terashima, Y., Sada, Y., Kondo, A., Sasaoka, T. and Tanaka, Y. "Effect of sitagliptin on intrahepatic lipid content and body fat in patients with type 2 diabetes". Diabetes Research and Clinical Practice, **109** (2015) 199-205.
- Katsuyama, H., Adachi, H., Hamasaki, H., Moriyama, S., Sako, A. and Yanai, H. "Significant differences in effects of sitagliptin treatment on body weight and lipid metabolism between obese and non-obese patients with type 2 diabetes". Journal of Endocrinology and Metabolism, **4** (2015) 136-142.
- Kemp, B. E., Oakhill, J. S. and Scott, J. W. "AMPK structure and regulation from three angles". Structure, **15** (2007) 1161-1163.
- Khan Afridi, A. and Khan, A. "Prevalence and etiology of obesity-An overview". Pakistan Journal of Nutrition, **3** (2004) 14-25.
- Khan, N. I., Naz, L. and Yasmeen, G. "Obesity: an independent risk factor for systemic oxidative stress". Pakistan Journal of Pharmaceutical Sciences, **19** (2006) 62-65.
- Khushwaha, S., Behl, T., Pandey, R. K., Kamboj, A., Babu, A. and Goyal, A. "Beneficial effect of sitagliptin on high fat diet induced obesity in wistar rats". Obesity Medicine, **14** (2019) 100084.
- Kiefer, F. W., Vernochet, C., O'brien, P., Spoerl, S., Brown, J. D., Nallamshetty, S., Zeyda, M., Stulnig, T. M., Cohen, D. E. and Kahn, C. R. "Retinaldehyde

References

- dehydrogenase 1 regulates a thermogenic program in white adipose tissue". *Nature Medicine*, **18** (2012) 918-925.
- Kim, H. J., Kim, J. H., Noh, S., Hur, H. J., Sung, M. J., Hwang, J. T., Park, J. H., Yang, H. J., Kim, M. S., Kwon, D. Y. and Yoon, S. H. "Metabolomic analysis of livers and serum from high-fat diet induced obese mice". *Journal of Proteome Research*, **10** (2011) 722-731.
- Kim, J., Yang, G., Kim, Y., Kim, J. and Ha, J. "AMPK activators: mechanisms of action and physiological activities". *Experimental & Molecular Medicine*, **48** (2016) e224.
- Kim, M.-S., Park, J.-Y., Namkoong, C., Jang, P.-G., Ryu, J.-W., Song, H.-S., Yun, J.-Y., Namgoong, I.-S., Ha, J. and Park, I.-S. "Anti-obesity effects of α -lipoic acid mediated by suppression of hypothalamic AMP-activated protein kinase". *Nature Medicine*, **10** (2004) 727-733.
- Kim, S.-J., Nian, C., Doudet, D. J. and McIntosh, C. H. "Inhibition of dipeptidyl peptidase IV with sitagliptin (MK0431) prolongs islet graft survival in streptozotocin-induced diabetic mice". *Diabetes*, **57** (2008) 1331-1339.
- Kim, S., Shim, W. H., Lee, E. H., Lee, Y. M., Beom, S. H., Kim, E. S., Yoo, J. S., Nam, J. S., Cho, M. H. and Park, J. S. "Predictive clinical parameters for the therapeutic efficacy of sitagliptin in Korean type 2 diabetes mellitus". *Diabetes & Metabolism Journal*, **35** (2011) 159-165.
- Kirn, D., Wang, L. and Beconi, M. "4-oxo-4-[3-(trifluoromethyl)-5, 6-dihydro [1, 2, 4] triazolo [4, 3-a] pyrazin-7 (8H)-yl] 1-(2, 4, 5-trifluorophenyl) butan-2-amine: a potent, orally active dipeptidyl peptidase FV inhibitor for the treatment of type 2 diabetes". *Journal of Medicinal Chemistry*, **48** (2005) 141-151.
- Klionsky, D. J., Abdalla, F. C., Abielovich, H., Abraham, R. T., Acevedo-Arozena, A., Adeli, K., Agholme, L., Agnello, M., Agostinis, P. and Aguirre-Ghiso, J. A. "Guidelines for the use and interpretation of assays for monitoring autophagy". *Autophagy*, **8** (2012) 445-544.
- Klöting, N. and Blüher, M. "Adipocyte dysfunction, inflammation and metabolic syndrome". *Reviews in Endocrine and Metabolic Disorders*, **15** (2014) 277-287.
- Koek, G., Liedorp, P. and Bast, A. "The role of oxidative stress in non-alcoholic steatohepatitis". *Clinica Chimica acta*, **412** (2011) 1297-1305.
- Kola, B., Hubina, E., Tucci, S. A., Kirkham, T. C., Garcia, E. A., Mitchell, S. E., Williams, L. M., Hawley, S. A., Hardie, D. G. and Grossman, A. B. "Cannabinoids and ghrelin have both central and peripheral metabolic and cardiac effects via AMP-activated protein kinase". *Journal of Biological Chemistry*, **280** (2005) 25196-25201.

References

- Kopelman, P. G. "Obesity as a medical problem". *Nature*, **404** (2000) 635-643.
- Korenblat, K. M., Fabbrini, E., Mohammed, B. S. and Klein, S. "Liver, muscle, and adipose tissue insulin action is directly related to intrahepatic triglyceride content in obese subjects". *Gastroenterology*, **134** (2008) 1369-1375.
- Kosacka, J., Kern, M., Klöting, N., Paeschke, S., Rudich, A., Haim, Y., Gericke, M., Serke, H., Stumvoll, M. and Bechmann, I. "Autophagy in adipose tissue of patients with obesity and type 2 diabetes". *Molecular and Cellular Endocrinology*, **409** (2015) 21-32.
- Kosuru, R. and Singh, S. "Pterostilbene ameliorates insulin sensitivity, glycemic control and oxidative stress in fructose-fed diabetic rats". *Life Sciences*, **182** (2017) 112-121.
- Kozak, L. and Anunciado-Koza, R. "UCP1: its involvement and utility in obesity". *International Journal of Obesity*, **32** (2008) S32-S38.
- Kushwaha, P. S., Raj, V., Singh, A. K., Keshari, A. K., Saraf, S. A., Mandal, S. C., Yadav, R. K. and Saha, S. "Antidiabetic effects of isolated sterols from Ficus racemosa leaves". *Rsc Advances*, **5** (2015) 35230-35237.
- Kusminski, C. M., Bickel, P. E. and Scherer, P. E. "Targeting adipose tissue in the treatment of obesity-associated diabetes". *Nature Reviews Drug Discovery*, **15** (2016) 639.
- Lage, R., Diéguez, C., Vidal-Puig, A. and López, M. "AMPK: a metabolic gauge regulating whole-body energy homeostasis". *Trends in Molecular Medicine*, **14** (2008) 539-549.
- Lahlou, N., Issad, T., Lebouc, Y., Carel, J.-C., Camoin, L., Roger, M. and Girard, J. "Mutations in the human leptin and leptin receptor genes as models of serum leptin receptor regulation". *Diabetes*, **51** (2002) 1980-1985.
- Lai, C. S., Wu, J. C., Ho, C. T. and Pan, M. H. "Chemoprevention of obesity by dietary natural compounds targeting mitochondrial regulation". *Molecular Nutrition & Food research*, **61** (2017) 1600721.
- Lake, A. and Townshend, T. "Obesogenic environments: exploring the built and food environments". *The Journal of the Royal society for the Promotion of Health*, **126** (2006) 262-267.
- Lama, A., Pirozzi, C., Mollica, M. P., Trinchese, G., Di Guida, F., Cavaliere, G., Calignano, A., Mattace Raso, G., Berni Canani, R. and Meli, R. "Polyphenol-rich virgin olive oil reduces insulin resistance and liver inflammation and improves mitochondrial dysfunction in high-fat diet fed rats". *Molecular Nutrition & Food Research*, **61** (2017) 1600418.

References

- Lamont, B. J. and Drucker, D. J. "Differential antidiabetic efficacy of incretin agonists versus DPP-4 inhibition in high fat-fed mice". *Diabetes*, **57** (2008) 190-198.
- Lan, F., Cacicedo, J. M., Ruderman, N. and Ido, Y. "SIRT1 modulation of the acetylation status, cytosolic localization, and activity of LKB1 possible role in AMP-activated protein kinase activation". *Journal of Biological Chemistry*, **283** (2008) 27628-27635.
- Landsberg, L., Aronne, L. J., Beilin, L. J., Burke, V., Igel, L. I., Lloyd-Jones, D. and Sowers, J. "Obesity-related hypertension: Pathogenesis, cardiovascular risk, and treatment—A position paper of the The Obesity Society and the American Society of Hypertension". *Obesity*, **21** (2013) 8-24.
- Lê, K.-A., Ith, M., Kreis, R., Faeh, D., Bortolotti, M., Tran, C., Boesch, C. and Tappy, L. "Fructose overconsumption causes dyslipidemia and ectopic lipid deposition in healthy subjects with and without a family history of type 2 diabetes". *The American Journal of Clinical Nutrition*, **89** (2009) 1760-1765.
- Le Lay, S., Simard, G., Martinez, M. C. and Andriantsitohaina, R. "Oxidative stress and metabolic pathologies: from an adipocentric point of view". *Oxidative Medicine and Cellular Longevity*, **2014** (2014) 908539.
- Le, M. H., Devaki, P., Ha, N. B., Jun, D. W., Te, H. S., Cheung, R. C. and Nguyen, M. H. "Prevalence of non-alcoholic fatty liver disease and risk factors for advanced fibrosis and mortality in the United States". *PloS one*, **12** (2017) e0173499.
- Lee, M.-S., Shin, Y., Jung, S. and Kim, Y. "Effects of epigallocatechin-3-gallate on thermogenesis and mitochondrial biogenesis in brown adipose tissues of diet-induced obese mice". *Food & Nutrition Research*, **61** (2017) 1325307.
- Lee, P. C. and Dixon, J. "Medical devices for the treatment of obesity". *Nature Reviews Gastroenterology & Hepatology*, **14** (2017) 553.
- Lee, T. I., Kao, Y. H., Chen, Y. C., Huang, J. H., Hsu, M. I. and Chen, Y. J. "The dipeptidyl peptidase-4 inhibitor-sitagliptin modulates calcium dysregulation, inflammation, and PPARs in hypertensive cardiomyocytes". *International Journal of Cardiology*, **168** (2013) 5390-5395.
- Lehman, J. J., Barger, P. M., Kovacs, A., Saffitz, J. E., Medeiros, D. M. and Kelly, D. P. "Peroxisome proliferator-activated receptor γ coactivator-1 promotes cardiac mitochondrial biogenesis". *The Journal of Clinical Investigation*, **106** (2000) 847-856.
- Lewis, G., O'meara, N., Soltys, P., Blackman, J., Iverius, P., Druetzler, A., Getz, G. and Polonsky, K. "Postprandial lipoprotein metabolism in normal and obese subjects: comparison after the vitamin A fat-loading test". *The Journal of Clinical Endocrinology & Metabolism*, **71** (1990) 1041-1050.

References

- Li, S. F. and Li, X. "Leptin in normal physiology and leptin resistance". *Science Bulletin*, **61** (2016) 1480-1488.
- Li, T. E., Gao, J., Du, M. and Mao, X. Y. "Milk fat globule membrane supplementation modulates the gut microbiota and attenuates metabolic endotoxemia in high-fat diet-fed mice". *Journal of Functional Foods*, **47** (2018) 56-65.
- Li, Y., Xu, S., Mihaylova, M. M., Zheng, B., Hou, X., Jiang, B., Park, O., Luo, Z., Lefai, E. and Shyy, J. Y.-J. "AMPK phosphorylates and inhibits SREBP activity to attenuate hepatic steatosis and atherosclerosis in diet-induced insulin-resistant mice". *Cell Metabolism*, **13** (2011) 376-388.
- Lieber, C. S., Leo, M. A., Mak, K. M., Xu, Y., Cao, Q., Ren, C., Ponomarenko, A. and DeCarli, L. M. "Model of nonalcoholic steatohepatitis". *The American Journal of Clinical Nutrition*, **79** (2004) 502-509.
- Lin, H. Z., Yang, S. Q., Chuckaree, C., Kuhajda, F., Ronnet, G. and Diehl, A. M. "Metformin reverses fatty liver disease in obese, leptin-deficient mice". *Nature Medicine*, **6** (2000) 998-1003.
- Lindholm, C. R., Ertel, R. L., Bauwens, J. D., Schmuck, E. G., Mulligan, J. D. and Saupe, K. W. "A high-fat diet decreases AMPK activity in multiple tissues in the absence of hyperglycemia or systemic inflammation in rats". *Journal of Physiology and Biochemistry*, **69** (2013) 165-175.
- Lindström, P. "The physiology of obese-hyperglycemic mice [ob/ob mice]". *The Scientific World Journal*, **7** (2007).
- Linton, M. F. and Fazio, S. "Macrophages, inflammation, and atherosclerosis". *International Journal of Obesity*, **27** (2003) S35-S40.
- Lomonaco, R., Ortiz-Lopez, C., Orsak, B., Webb, A., Hardies, J., Darland, C., Finch, J., Gastaldelli, A., Harrison, S. and Tio, F. "Effect of adipose tissue insulin resistance on metabolic parameters and liver histology in obese patients with nonalcoholic fatty liver disease". *Hepatology*, **55** (2012) 1389-1397.
- López, M. and Tena-Sempere, M. "Estradiol effects on hypothalamic AMPK and BAT thermogenesis: A gateway for obesity treatment?". *Pharmacology & Therapeutics*, **178** (2017) 109-122.
- López, M., Varela, L., Vázquez, M. J., Rodríguez-Cuenca, S., González, C. R., Velagapudi, V. R., Morgan, D. A., Schoenmakers, E., Agassandian, K. and Lage, R. "Hypothalamic AMPK and fatty acid metabolism mediate thyroid regulation of energy balance". *Nature Medicine*, **16** (2010) 1001-1008.
- Lozano, I., Van der Werf, R., Bietiger, W., Seyfritz, E., Peronet, C., Pinget, M., Jeandidier, N., Maillard, E., Marchionni, E. and Sigrist, S. "High-fructose and high-

References

- fat diet-induced disorders in rats: impact on diabetes risk, hepatic and vascular complications". *Nutrition & Metabolism*, **13** (2016) 15.
- Lumeng, C. N., DelProposto, J. B., Westcott, D. J. and Saltiel, A. R. "Phenotypic switching of adipose tissue macrophages with obesity is generated by spatiotemporal differences in macrophage subtypes". *Diabetes*, **57** (2008) 3239-3246.
- Lyseng-Williamson, K. A. "Sitagliptin". *Drugs*, **67** (2007) 587-597.
- Ma, H., Gomez, V., Lu, L., Yang, X., Wu, X. and Xiao, S. Y. "Expression of adiponectin and its receptors in livers of morbidly obese patients with non-alcoholic fatty liver disease". *Journal of Gastroenterology and Hepatology*, **24** (2009) 233-237.
- Madden, C. J. "Brown fat in obesity: Uncoupling protein-1 versus thermogenic activity". *Temperature: Multidisciplinary Biomedical Journal*, **4** (2017) 126.
- Maeda, N., Shimomura, I., Kishida, K., Nishizawa, H., Matsuda, M., Nagaretani, H., Furuyama, N., Kondo, H., Takahashi, M. and Arita, Y. "Diet-induced insulin resistance in mice lacking adiponectin/ACRP30". *Nature Medicine*, **8** (2002) 731-737.
- Magdy, Y. M., El-Kharashi, O. A., Nabih, E. S., Shaker, S. M., Abd-Elaziz, L. F. and Aboul-Fotouh, S. "Potential involvement of JNK1 repression in the hepatic effect of sitagliptin and metformin in rats subjected to high fat diet and chronic mild distress". *Biomedicine Pharmacotherapy*, **85** (2017) 225-238.
- Marti, A., Moreno-Aliaga, M., Hebebrand, J. and Martinez, J. "Genes, lifestyles and obesity". *International Journal of Obesity*, **28** (2004) S29-S36.
- Matsubara, J., Sugiyama, S., Akiyama, E., Iwashita, S., Kurokawa, H., Ohba, K., Maeda, H., Fujisue, K., Yamamoto, E. and Kaikita, K. "Dipeptidyl peptidase-4 inhibitor, sitagliptin, improves endothelial dysfunction in association with its anti-inflammatory effects in patients with coronary artery disease and uncontrolled diabetes". *Circulation Journal*, **77** (2013) 1337-1344.
- Matsuda, M. and Shimomura, I. "Increased oxidative stress in obesity: implications for metabolic syndrome, diabetes, hypertension, dyslipidemia, atherosclerosis, and cancer". *Obesity Research & Clinical practice*, **7** (2013) e330-e341.
- Matsunami, T., Sato, Y., Ariga, S., Sato, T., Shimomura, T., Kashimura, H., Hasegawa, Y. and Yukawa, M. "Regulation of synthesis and oxidation of fatty acids by adiponectin receptors (AdipoR1/R2) and insulin receptor substrate isoforms (IRS-1/-2) of the liver in a nonalcoholic steatohepatitis animal model". *Metabolism*, **60** (2011) 805-814.

References

- Matthews, D., Hosker, J., Rudenski, A., Naylor, B., Treacher, D. and Turner, R. "Homeostasis model assessment: insulin resistance and β -cell function from fasting plasma glucose and insulin concentrations in man". *Diabetologia*, **28** (1985) 412-419.
- Matthews, V. B., Allen, T., Risis, S., Chan, M., Henstridge, D. C., Watson, N., Zaffino, L., Babb, J. R., Boon, J. and Meikle, P. J. "Interleukin-6-deficient mice develop hepatic inflammation and systemic insulin resistance". *Diabetologia*, **53** (2010) 2431-2441.
- Mauer, J., Denson, J. L. and Brüning, J. C. "Versatile functions for IL-6 in metabolism and cancer". *Trends in Immunology*, **36** (2015) 92-101.
- McCormick, L. M., Kydd, A. C., Read, P. A., Ring, L. S., Bond, S. J., Hoole, S. P. and Dutka, D. P. "Chronic dipeptidyl peptidase-4 inhibition with sitagliptin is associated with sustained protection against ischemic left ventricular dysfunction in a pilot study of patients with type 2 diabetes mellitus and coronary artery disease". *Circulation: Cardiovascular Imaging*, **7** (2014) 274-281.
- Meigs, J. B., Larson, M. G., Fox, C. S., Keaney, J. F., Vasan, R. S. and Benjamin, E. J. "Association of oxidative stress, insulin resistance, and diabetes risk phenotypes: the Framingham Offspring Study". *Diabetes Care*, **30** (2007) 2529-2535.
- Migoya, E., Bergeron, R., Miller, J., Snyder, R., Tanen, M., Hilliard, D., Weiss, B., Larson, P., Gutierrez, M. and Jiang, G. "Dipeptidyl peptidase-4 inhibitors administered in combination with metformin result in an additive increase in the plasma concentration of active GLP-1". *Clinical Pharmacology & Therapeutics*, **88** (2010) 801-808.
- Mihaylova, M. M. and Shaw, R. J. "The AMPK signalling pathway coordinates cell growth, autophagy and metabolism". *Nature Cell Biology*, **13** (2011) 1016-1023.
- Miller, S. A. and St. Onge, E. L. "Sitagliptin: a dipeptidyl peptidase IV inhibitor for the treatment of type 2 diabetes". *Annals of Pharmacotherapy*, **40** (2006) 1336-1343.
- Minokoshi, Y., Kim, Y.-B., Peroni, O. D., Fryer, L. G., Müller, C., Carling, D. and Kahn, B. B. "Leptin stimulates fatty-acid oxidation by activating AMP-activated protein kinase". *Nature*, **415** (2002) 339-343.
- Moctezuma-Velázquez, C. "Current treatment for non-alcoholic fatty liver disease". *Revista de Gastroenterología de México (English Edition)*, **83** (2018) 125-133.
- Mojto, V., Singh, R. B., Gvozdjakova, A., Mojtová, M., Kucharská, J., Jaglan, P., Vančová, O. and Takahashi, T. (2019). Dietary Sugar Intake and Risk of Noncommunicable Diseases. The Role of Functional Food Security in Global Health, Elsevier: 287-299.

References

- Montague, C. T., Prins, J. B., Sanders, L., Zhang, J., Sewter, C. P., Digby, J., Byrne, C. D. and O'Rahilly, S. "Depot-related gene expression in human subcutaneous and omental adipocytes". *Diabetes*, **47** (1998) 1384-1391.
- Moore, J. B. "Non-alcoholic fatty liver disease: the hepatic consequence of obesity and the metabolic syndrome". *Proceedings of the Nutrition Society*, **69** (2010) 211-220.
- Morakinyo, A. O., Samuel, T. A., Adekunbi, D. A. and Adegoke, O. A. "Niacin improves adiponectin secretion, glucose tolerance and insulin sensitivity in diet-induced obese rats". *Egyptian Journal of Basic and Applied Sciences*, **2** (2015) 261-267.
- Morigny, P., Houssier, M., Mouisel, E. and Langin, D. "Adipocyte lipolysis and insulin resistance". *Biochimie*, **125** (2016) 259-266.
- Mottillo, E. P., Desjardins, E. M., Crane, J. D., Smith, B. K., Green, A. E., Ducommun, S., Henriksen, T. I., Rebalka, I. A., Razi, A., Sakamoto, K., Scheele, C., Kemp, B. E., Hawke, T. J., Ortega, J., Granneman, J. G. and Steinberg, G. R. "Lack of Adipocyte AMPK Exacerbates Insulin Resistance and Hepatic Steatosis through Brown and Beige Adipose Tissue Function". *Cell Metabolism*, **24** (2016) 118-129.
- Munday, M. R., Campbell, D. G., Carling, D. and Hardie, D. G. "Identification by amino acid sequencing of three major regulatory phosphorylation sites on rat acetyl-CoA carboxylase". *European Journal of Biochemistry*, **175** (1988) 331-338.
- Nagai, S., Wakai, E., Shibano, M. and Fujimori, K. "Anti-obesity effects of Asian dayflower, Commelina communis, in mice with high-fat diet-induced obesity and in 3T3-L1 cells". *Journal of Functional Foods*, **22** (2016) 490-503.
- Nagle, C. A., An, J., Shiota, M., Torres, T. P., Cline, G. W., Liu, Z.-X., Wang, S., Catlin, R. L., Shulman, G. I. and Newgard, C. B. "Hepatic overexpression of glycerol-sn-3-phosphate acyltransferase 1 in rats causes insulin resistance". *Journal of Biological Chemistry*, **282** (2007) 14807-14815.
- Nakamura, T., Furuhashi, M., Li, P., Cao, H., Tuncman, G., Sonenberg, N., Gorgun, C. Z. and Hotamisligil, G. S. "Double-stranded RNA-dependent protein kinase links pathogen sensing with stress and metabolic homeostasis". *Cell*, **140** (2010) 338-348.
- Nauck, M. "Sitagliptin Study 024 Group. Efficacy and safety of the dipeptidyl peptidase-4 inhibitor, sitagliptin, compared with the sulfonylurea, glipizide, in patients with type 2 diabetes inadequately controlled on metformin alone: a randomized, double-blind, non-inferiority trial". *Diabetes, Obesity and Metabolism*, **9** (2007) 194-205.
- Nguyen, P. H., Le, T. V. T., Kang, H. W., Chae, J., Kim, S. K., Kwon, K.-i., Seo, D. B., Lee, S. J. and Oh, W. K. "AMP-activated protein kinase (AMPK) activators from

References

- Myristica fragrans (nutmeg) and their anti-obesity effect". Bioorganic & Medicinal Chemistry Letters, **20** (2010) 4128-4131.
- Nigro, E., Scudiero, O., Monaco, M. L., Palmieri, A., Mazzarella, G., Costagliola, C., Bianco, A. and Daniele, A. "New insight into adiponectin role in obesity and obesity-related diseases". BioMed Research International, **2014** (2014).
- Nishimura, S., Manabe, I., Nagasaki, M., Eto, K., Yamashita, H., Ohsugi, M., Otsu, M., Hara, K., Ueki, K. and Sugiura, S. "CD8+ effector T cells contribute to macrophage recruitment and adipose tissue inflammation in obesity". Nature Medicine, **15** (2009) 914-920.
- Norrbom, J., Sällstedt, E.-K., Fischer, H., Sundberg, C. J., Rundqvist, H. and Gustafsson, T. "Alternative splice variant PGC-1 α -b is strongly induced by exercise in human skeletal muscle". American Journal of Physiology-Endocrinology and Metabolism, **301** (2011) E1092-E1098.
- O'Neill, H. M., Holloway, G. P. and Steinberg, G. R. "AMPK regulation of fatty acid metabolism and mitochondrial biogenesis: implications for obesity". Molecular and Cellular Endocrinology, **366** (2013) 135-151.
- Oakhill, J. S., Steel, R., Chen, Z.-P., Scott, J. W., Ling, N., Tam, S. and Kemp, B. E. "AMPK is a direct adenylate charge-regulated protein kinase". Science, **332** (2011) 1433-1435.
- Odegaard, J. I. and Chawla, A. "Pleiotropic actions of insulin resistance and inflammation in metabolic homeostasis". Science, **339** (2013) 172-177.
- Oh, S., Lee, M.-S., Jung, S., Kim, S., Park, H., Park, S., Kim, S.-Y., Kim, C.-T., Jo, Y.-H. and Kim, I.-H. "Ginger extract increases muscle mitochondrial biogenesis and serum HDL-cholesterol level in high-fat diet-fed rats". Journal of Functional Foods, **29** (2017) 193-200.
- Ohkawa, H., Ohishi, N. and Yagi, K. "Assay for lipid peroxides in animal tissues by thiobarbituric acid reaction". Analytical Biochemistry, **95** (1979) 351-358.
- Omoto, S., Taniura, T., Nishizawa, T., Tamaki, T., Shouzu, A. and Nomura, S. "Anti-atherosclerotic effects of sitagliptin in patients with type 2 diabetes mellitus". Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, **8** (2015) 339.
- Ouchi, N., Parker, J. L., Lugus, J. J. and Walsh, K. "Adipokines in inflammation and metabolic disease". Nature Reviews Immunology, **11** (2011) 85-97.
- Panchal, S. K. and Brown, L. "Rodent models for metabolic syndrome research". BioMed Research International, **2011** (2010).

References

- Pang, J., Choi, Y. and Park, T. "Ilex paraguariensis extract ameliorates obesity induced by high-fat diet: potential role of AMPK in the visceral adipose tissue". *Archives of Biochemistry and Biophysics*, **476** (2008) 178-185.
- Pannacciulli, N., Vettor, R., Milan, G., Granzotto, M., Catucci, A., Federspil, G., De Giacomo, P., Giorgino, R. and De Pergola, G. "Anorexia nervosa is characterized by increased adiponectin plasma levels and reduced nonoxidative glucose metabolism". *The Journal of Clinical Endocrinology & Metabolism*, **88** (2003) 1748-1752.
- Park, A., Kim, W. K. and Bae, K.-H. "Distinction of white, beige and brown adipocytes derived from mesenchymal stem cells". *World Journal of Stem Cells*, **6** (2014) 33.
- Pedersen, S. D. "Metabolic complications of obesity". *Best Practice & Research Clinical Endocrinology & Metabolism*, **27** (2013) 179-193.
- Pessayre, D., Berson, A., Fromenty, B. and Mansouri, A., Mitochondria in steatohepatitis, *Seminars in liver disease*, Thieme Medical Publishers, Inc., 333 Seventh Avenue, New York NY 10001 (2001).
- Picatoste, B., Ramírez, E., Caro-Vadillo, A., Iborra, C., Egido, J., Tuñón, J. and Lorenzo, Ó. "Sitagliptin reduces cardiac apoptosis, hypertrophy and fibrosis primarily by insulin-dependent mechanisms in experimental type-II diabetes. Potential roles of GLP-1 isoforms". *PLoS One*, **8** (2013) e78330.
- Picon-Ruiz, M., Morata-Tarifa, C., Valle-Goffin, J. J., Friedman, E. R. and Slingerland, J. M. "Obesity and adverse breast cancer risk and outcome: Mechanistic insights and strategies for intervention". *CA: A Cancer Journal for Clinicians*, **67** (2017) 378-397.
- Pintana, H., Apaijai, N., Chattipakorn, N. and Chattipakorn, S. C. "DPP-4 inhibitors improve cognition and brain mitochondrial function of insulin-resistant rats". *J Endocrinology*, **218** (2013) 1-11.
- Polekhina, G., Gupta, A., Michell, B. J., Van Denderen, B., Murthy, S., Feil, S. C., Jennings, I. G., Campbell, D. J., Witters, L. A. and Parker, M. W. "AMPK β subunit targets metabolic stress sensing to glycogen". *Current Biology*, **13** (2003) 867-871.
- Polyzos, S. A., Kountouras, J. and Mantzoros, C. S. "Obesity and nonalcoholic fatty liver disease: From pathophysiology to therapeutics". *Metabolism*, **92** (2019) 82-97.
- Polyzos, S. A. and Mantzoros, C. S. "Leptin in health and disease: facts and expectations at its twentieth anniversary". *Metabolism-Clinical and Experimental*, **64** (2015) 5-12.
- Popkin, B. M., Adair, L. S. and Ng, S. W. "Global nutrition transition and the pandemic of obesity in developing countries". *Nutrition Reviews*, **70** (2012) 3-21.

References

- Poudyal, H., Campbell, F. and Brown, L. "Olive leaf extract attenuates cardiac, hepatic, and metabolic changes in high carbohydrate-, high fat-fed rats". *The Journal of Nutrition*, **140** (2010) 946-953.
- Powell, D. J., Turban, S., Gray, A., Hajduch, E. and Hundal, H. S. "Intracellular ceramide synthesis and protein kinase C ζ activation play an essential role in palmitate-induced insulin resistance in rat L6 skeletal muscle cells". *Biochemical Journal*, **382** (2004) 619-629.
- Prayitno, J., Tjokroprawiro, A., Murtiwi, S., Pranoto, A., Sutjahjo, A., Adi, S. and Wibisono, S. "PO189 Gliptin Therapy Improve Adiponectin Levels in T2DM METS". *Diabetes Research and Clinical Practice*, **106** (2014) S143-S144.
- Prieto-Hontoria, P. L., Perez-Matute, P., Fernandez-Galilea, M., Bustos, M., Martinez, J. A. and Moreno-Aliaga, M. J. "Role of obesity-associated dysfunctional adipose tissue in cancer: a molecular nutrition approach". *Biochimica et Biophysica Acta*, **1807** (2011) 664-678.
- Prieto-Hontoria, P. L., Pérez-Matute, P., Fernández-Galilea, M., Martinez, J. A. and Moreno-Aliaga, M. J. "Effects of lipoic acid on AMPK and adiponectin in adipose tissue of low-and high-fat-fed rats". *European Journal of Nutrition*, **52** (2013) 779-787.
- Pushpakom, S., Iorio, F., Evers, P. A., Escott, K. J., Hopper, S., Wells, A., Doig, A., Guilliams, T., Latimer, J. and McNamee, C. "Drug repurposing: progress, challenges and recommendations". *Nature Reviews Drug Discovery*, **18** (2019) 41-58.
- Rajwal, S. and McClean, P. "Non-alcoholic fatty liver disease". *Paediatrics and Child Health*, **27** (2017) 556-560.
- Randy, A., Kim, M. and Nho, C. W. "Ligularia fischeri and its constituent 3, 4-dicaffeoylquinic acid improve obesity-induced nonalcoholic fatty liver disease by regulating lipid metabolism and activating AMPK". *Journal of Functional Foods*, **27** (2016) 1-16.
- Rasineni, K. and Casey, C. A. "Molecular mechanism of alcoholic fatty liver". *Indian Journal of Pharmacology*, **44** (2012) 299-303.
- Rayyan, Y. M. and Tayyem, R. F. "Non-alcoholic fatty liver disease and associated dietary and lifestyle risk factors". *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, **12** (2018) 569-575.
- Read, P. A., Khan, F. Z., Heck, P. M., Hoole, S. P. and Dutka, D. P. "DPP-4 inhibition by sitagliptin improves the myocardial response to dobutamine stress and mitigates stunning in a pilot study of patients with coronary artery disease". *Circulation: Cardiovascular Imaging*, **3** (2010) 195-201.

References

- Reagan-Shaw, S., Nihal, M. and Ahmad, N. "Dose translation from animal to human studies revisited". *The FASEB journal*, **22** (2008) 659-661.
- Reccia, I., Kumar, J., Akladios, C., Virdis, F., Pai, M., Habib, N. and Spalding, D. "Non-alcoholic fatty liver disease: A sign of systemic disease". *Metabolism*, **72** (2017) 94-108.
- Reuter, T. Y. "Diet-induced models for obesity and type 2 diabetes". *Drug Discovery Today: Disease Models*, **4** (2007) 3-8.
- Roberts, C. K. and Sindhu, K. K. "Oxidative stress and metabolic syndrome". *Life Sciences*, **84** (2009) 705-712.
- Roden, M. "Mechanisms of disease: hepatic steatosis in type 2 diabetes—pathogenesis and clinical relevance". *Nature Clinical Practice Endocrinology & Metabolism*, **2** (2006) 335-348.
- Rodríguez, A., Catalán, V., Gómez-Ambrosi, J. and Frühbeck, G. "Visceral and subcutaneous adiposity: are both potential therapeutic targets for tackling the metabolic syndrome?". *Current Pharmaceutical Design*, **13** (2007) 2169-2175.
- Rodríguez, A., Ezquerro, S., Méndez-Giménez, L., Becerril, S. and Frühbeck, G. "Revisiting the adipocyte: a model for integration of cytokine signaling in the regulation of energy metabolism". *American Journal of Physiology-Endocrinology And Metabolism*, **309** (2015) E691-714.
- Rong, J. X., Qiu, Y., Hansen, M. K., Zhu, L., Zhang, V., Xie, M., Okamoto, Y., Mattie, M. D., Higashiyama, H., Asano, S., Strum, J. C. and Ryan, T. E. "Adipose mitochondrial biogenesis is suppressed in db/db and high-fat diet-fed mice and improved by rosiglitazone". *Diabetes*, **56** (2007) 1751-1760.
- Rosen, E. D. and Spiegelman, B. M. "What we talk about when we talk about fat". *Cell*, **156** (2014) 20-44.
- Rotter, V., Nagaev, I. and Smith, U. "Interleukin-6 (IL-6) induces insulin resistance in 3T3-L1 adipocytes and is, like IL-8 and tumor necrosis factor- α , overexpressed in human fat cells from insulin-resistant subjects". *Journal of Biological Chemistry*, **278** (2003) 45777-45784.
- Ruan, H., Hacohen, N., Golub, T. R., Van Parijs, L. and Lodish, H. F. "Tumor necrosis factor- α suppresses adipocyte-specific genes and activates expression of preadipocyte genes in 3T3-L1 adipocytes: nuclear factor- κ B activation by TNF- α is obligatory". *Diabetes*, **51** (2002) 1319-1336.
- Ruan, H. and Lodish, H. F. "Insulin resistance in adipose tissue: direct and indirect effects of tumor necrosis factor- α ". *Cytokine & Growth Factor Reviews*, **14** (2003) 447-455.

References

- Ruderman, N. and Prentki, M. "AMP kinase and malonyl-CoA: targets for therapy of the metabolic syndrome". *Nature Reviews Drug discovery*, **3** (2004) 340-351.
- Ruderman, N. B., Carling, D., Prentki, M. and Cacicedo, J. M. "AMPK, insulin resistance, and the metabolic syndrome". *The Journal of Clinical Investigation*, **123** (2013) 2764-2772.
- Ruderman, N. B., Xu, X. J., Nelson, L., Cacicedo, J. M., Saha, A. K., Lan, F. and Ido, Y. "AMPK and SIRT1: a long-standing partnership?". *American Journal of Physiology-Endocrinology and Metabolism*, **298** (2010) E751-60.
- Saha, S., New, L. S., Ho, H. K., Chui, W. K. and Chan, E. C. "Direct toxicity effects of sulfo-conjugated troglitazone on human hepatocytes". *Toxicology Letters*, **195** (2010) 135-141.
- Saito, M., Okamatsu-Ogura, Y., Matsushita, M., Watanabe, K., Yoneshiro, T., Nio-Kobayashi, J., Iwanaga, T., Miyagawa, M., Kameya, T. and Nakada, K. "High incidence of metabolically active brown adipose tissue in healthy adult humans: effects of cold exposure and adiposity". *Diabetes*, **58** (2009) 1526-1531.
- Sakamoto, K., Zarrinpasheh, E., Budas, G. R., Pouleur, A.-C., Dutta, A., Prescott, A. R., Vanoverschelde, J.-L., Ashworth, A., Jovanovic, A. and Alessi, D. R. "Deficiency of LKB1 in heart prevents ischemia-mediated activation of AMPK α 2 but not AMPK α 1". *American Journal of Physiology-Endocrinology and Metabolism*, **290** (2006) E780-E788.
- Sakamoto, Y., Oyama, J., Ikeda, H., Kuroki, S., Gondo, S., Iwamoto, T., Uchida Y.. Effects of sitagliptin beyond glycemic control: focus on quality of life. *Cardiovascular Diabetology* **12** (2013).
- Salaga, M., Binienda, A., Draczkowski, P., Kosson, P., Kordek, R., Jozwiak, K. and Fichna, J. "Novel peptide inhibitor of dipeptidyl peptidase IV (Tyr-Pro-D-Ala-NH2) with anti-inflammatory activity in the mouse models of colitis". *Peptides*, **108** (2018) 34-45.
- Samuel, V. T. and Shulman, G. I. "Mechanisms for insulin resistance: common threads and missing links". *Cell*, **148** (2012) 852-871.
- Sanders, M. J., Grondin, P. O., Hegarty, B. D., Snowden, M. A. and Carling, D. "Investigating the mechanism for AMP activation of the AMP-activated protein kinase cascade". *Biochemical Journal*, **403** (2007) 139-148.
- Santiago, J. V. A., Jayachitra, J., Shenbagam, M. and Nalini, N. "Dietary d-limonene alleviates insulin resistance and oxidative stress-induced liver injury in high-fat diet and L-NAME-treated rats". *European Journal of Nutrition*, **51** (2012) 57-68.

References

- Saravanan, M., Pandikumar, P., Saravanan, S., Toppo, E., Pazhanivel, N. and Ignacimuthu, S. "Lipolytic and antiadipogenic effects of (3,3-dimethylallyl) halfordinol on 3T3-L1 adipocytes and high fat and fructose diet induced obese C57/BL6J mice". European Journal of Pharmacology, **740** (2014) 714-721.
- Sartipy, P. and Loskutoff, D. J. "Monocyte chemoattractant protein 1 in obesity and insulin resistance". Proceedings of the National Academy of Sciences, **100** (2003) 7265-7270.
- Satoh-Asahara, N., Sasaki, Y., Wada, H., Tochiya, M., Iguchi, A., Nakagawachi, R., Odori, S., Kono, S., Hasegawa, K. and Shimatsu, A. "A dipeptidyl peptidase-4 inhibitor, sitagliptin, exerts anti-inflammatory effects in type 2 diabetic patients". Metabolism, **62** (2013) 347-351.
- Schipper, H. S., Prakken, B., Kalkhoven, E. and Boes, M. "Adipose tissue-resident immune cells: key players in immunometabolism". Trends in Endocrinology & Metabolism, **23** (2012) 407-415.
- Schulz, T. J., Huang, T. L., Tran, T. T., Zhang, H., Townsend, K. L., Shadrach, J. L., Cerletti, M., McDougall, L. E., Giorgadze, N. and Tchkonia, T. "Identification of inducible brown adipocyte progenitors residing in skeletal muscle and white fat". Proceedings of the National Academy of Sciences, **108** (2011) 143-148.
- Scott, J. W., Hawley, S. A., Green, K. A., Anis, M., Stewart, G., Scullion, G. A., Norman, D. G. and Hardie, D. G. "CBS domains form energy-sensing modules whose binding of adenosine ligands is disrupted by disease mutations". The Journal of Clinical Investigation, **113** (2004) 274-284.
- Sethi, J. K. and Vidal-Puig, A. J. (2011). Adipose Tissue Development, Structure and Function. Metabolic Basis of Obesity, Springer: 53-68.
- Sharma, A. K., Sharma, A., Kumari, R., Kishore, K., Sharma, D., Srinivasan, B. P., Sharma, A., Singh, S. K., Gaur, S. and Jatav, V. S. "Sitagliptin, sitagliptin and metformin, or sitagliptin and amitriptyline attenuate streptozotocin-nicotinamide induced diabetic neuropathy in rats". Journal of Biomedical Research, **26** (2012) 200-210.
- Sharma, A. M. and Padwal, R. "Obesity is a sign—over-eating is a symptom: an aetiological framework for the assessment and management of obesity". Obesity Reviews, **11** (2010) 362-370.
- Shimomura, I., Funahasm, T., Takahashi, M., Maeda, K., Kotani, K., Nakamura, T., Yamashita, S., Miura, M., Fukuda, Y. and Takemura, K. "Enhanced expression of PAI-1 in visceral fat: Possible contributor to vascular disease in obesity". Nature Medicine, **2** (1996) 800-803.

References

- Shiose, A., Kuroda, J., Tsuruya, K., Hirai, M., Hirakata, H., Naito, S., Hattori, M., Sakaki, Y. and Sumimoto, H. "A novel superoxide-producing NAD (P) H oxidase in kidney". *Journal of Biological Chemistry*, **276** (2001) 1417-1423.
- Shoelson, S., Lee, J. and Goldfine, A. B. "Inflammation and insulin resistance.". *Journal of Clinical Investigation*, **116** (2006) 1793-1801.
- Shulman, G. I. "Cellular mechanisms of insulin resistance". *The Journal of Clinical Investigation*, **106** (2000) 171-176.
- Singh, S. P., Singh, A., Misra, D., Misra, B., Pati, G. K., Panigrahi, M. K., Kar, S. K., Bhuyan, P., Pattnaik, K. and Meher, C. "Risk factors associated with non-alcoholic fatty liver disease in Indians: a case-control study". *Journal of Clinical and Experimental Hepatology*, **5** (2015) 295-302.
- So, M., Gaidhu, M. P., Maghdoori, B. and Ceddia, R. B. "Analysis of time-dependent adaptations in whole-body energy balance in obesity induced by high-fat diet in rats". *Lipids in Health and Disease*, **10** (2011) 99.
- Soliman, A. R., Fathy, A., Khashab, S., Shaheen, N. and Soliman, M. A. "Sitagliptin might be a favorable antiobesity drug for new onset diabetes after a renal transplant". *Experimental and clinical transplantation: official journal of the Middle East Society for Organ Transplantation*, **11** (2013) 494-498.
- Son, Y., Nam, J.-S., Jang, M.-K., Jung, I.-A., Cho, S.-I. and Jung, M.-H. "Antiobesity activity of Vigna nakashimae extract in high-fat diet-induced obesity". *Bioscience, Biotechnology, and Biochemistry*, **77** (2013) 332-338.
- Souza-Mello, V., Gregorio, B. M., Cardoso-de-Lemos, F. S., de Carvalho, L., Aguila, M. B. and Mandarim-de-Lacerda, C. A. "Comparative effects of telmisartan, sitagliptin and metformin alone or in combination on obesity, insulin resistance, and liver and pancreas remodelling in C57BL/6 mice fed on a very high-fat diet". *Clinical Science*, **119** (2010) 239-250.
- Speakman, J. R. and Selman, C. "Physical activity and resting metabolic rate". *Proceedings of the Nutrition Society*, **62** (2003) 621-634.
- Stunkard, A. J., Harris, J. R., Pedersen, N. L. and McClearn, G. E. "The body-mass index of twins who have been reared apart". *New England Journal of Medicine*, **322** (1990) 1483-1487.
- Suganami, T., Nishida, J. and Ogawa, Y. "A paracrine loop between adipocytes and macrophages aggravates inflammatory changes: role of free fatty acids and tumor necrosis factor α ". *Arteriosclerosis, Thrombosis, and Vascular Biology*, **25** (2005) 2062-2068.

References

- Sun, K., Kusminski, C. M. and Scherer, P. E. "Adipose tissue remodeling and obesity". *The Journal of Clinical Investigation*, **121** (2011) 2094-2101.
- Sun, W., Lee, T.-S., Zhu, M., Gu, C., Wang, Y., Zhu, Y. and Shyy, J. "Statins activate AMP-activated protein kinase in vitro and in vivo". *Circulation*, **114** (2006) 2655-2662.
- Tadaishi, M., Miura, S., Kai, Y., Kawasaki, E., Koshinaka, K., Kawanaka, K., Nagata, J., Oishi, Y. and Ezaki, O. "Effect of exercise intensity and AICAR on isoform-specific expressions of murine skeletal muscle PGC-1 α mRNA: a role of β 2-adrenergic receptor activation". *American Journal of Physiology-Endocrinology and Metabolism*, **300** (2011) E341-E349.
- Tahara, A., Matsuyama-Yokono, A. and Shibasaki, M. "Effects of antidiabetic drugs in high-fat diet and streptozotocin-nicotinamide-induced type 2 diabetic mice". *European Journal of Pharmacology*, **655** (2011) 108-116.
- Taher, J., Baker, C. L., Cuizon, C., Masoudpour, H., Zhang, R., Farr, S., Naples, M., Bourdon, C., Pausova, Z. and Adeli, K. "GLP-1 receptor agonism ameliorates hepatic VLDL overproduction and de novo lipogenesis in insulin resistance". *Molecular Metabolism*, **3** (2014) 823-833.
- Takahashi, K., Mizuarai, S., Araki, H., Mashiko, S., Ishihara, A., Kanatani, A., Itadani, H. and Kotani, H. "Adiposity elevates plasma MCP-1 levels leading to the increased CD11b-positive monocytes in mice". *Journal of Biological Chemistry*, **278** (2003) 46654-46660.
- Talior, I., Yarkoni, M., Bashan, N. and Eldar-Finkelman, H. "Increased glucose uptake promotes oxidative stress and PKC- δ activation in adipocytes of obese, insulin-resistant mice". *American Journal of Physiology-Endocrinology and Metabolism*, **285** (2003) E295-E302.
- Tchkonia, T., Thomou, T., Zhu, Y., Karagiannides, I., Pothoulakis, C., Jensen, M. D. and Kirkland, J. L. "Mechanisms and metabolic implications of regional differences among fat depots". *Cell Metabolism*, **17** (2013) 644-656.
- Tilg, H. and Moschen, A. R. "Adipocytokines: mediators linking adipose tissue, inflammation and immunity". *Nature Reviews Immunology*, **6** (2006) 772-783.
- Tilg, H., Moschen, A. R. and Roden, M. "NAFLD and diabetes mellitus". *Nature Reviews Gastroenterology & Hepatology*, **14** (2017) 32-42.
- Timmons, J. A., Wennmalm, K., Larsson, O., Walden, T. B., Lassmann, T., Petrovic, N., Hamilton, D. L., Gimeno, R. E., Wahlestedt, C., Baar, K., Nedergaard, J. and Cannon, B. "Myogenic gene expression signature establishes that brown and white adipocytes originate from distinct cell lineages". *Proceedings of the National Academy of Sciences of the United States of America*, **104** (2007) 4401-4406.

References

- Torres-Leal, F. L., Fonseca-Alaniz, M. H., Rogero, M. M. and Tirapegui, J. "The role of inflamed adipose tissue in the insulin resistance". *Cell Biochemistry and Function*, **28** (2010) 623-631.
- Toth, M.E., Dukay, B., Peter, M., Balogh, G., Szucs, G., Zvara, A., Szebeni, G.J., Hajdu, B., Sarkozy, M., Pukas, L.G., Torok, Z., Csont, T., Vigh, L., and santha, M. Male and female animals respond differently to high-fat diet and regular exercise training in a mouse model of hyperlipidemia. *International Journal of Molecular Sciences*, **22** (2021) 4198.
- Tran, L. T., Yuen, V. G. and McNeill, J. H. "The fructose-fed rat: a review on the mechanisms of fructose-induced insulin resistance and hypertension". *Molecular and Cellular Biochemistry*, **332** (2009) 145-159.
- Trayhurn, P. "Hypoxia and adipose tissue function and dysfunction in obesity". *Physiological Reviews*, **93** (2013) 1-21.
- Trujillo, M. E. and Scherer, P. E. "Adipose tissue-derived factors: impact on health and disease". *Endocrine Reviews*, **27** (2006) 762-778.
- Trzeciak-Ryczek, A., Tokarz-Deptula, B., Niedzwiedzka-Rystwej, P. and Deptula, W. "Adipose tissue—component of the immune system". *Central European Journal of Immunology*, **36** (2011) 95-99.
- Tseng, Y.-H., Cypess, A. M. and Kahn, C. R. "Cellular bioenergetics as a target for obesity therapy". *Nature Reviews Drug Discovery*, **9** (2010) 465-482.
- Tsushima, Y., Nishizawa, H., Tochino, Y., Nakatsuji, H., Sekimoto, R., Nagao, H., Shirakura, T., Kato, K., Imaizumi, K. and Takahashi, H. "Uric acid secretion from adipose tissue and its increase in obesity". *Journal of Biological Chemistry*, **288** (2013) 27138-27149.
- Ueki, K., Kondo, T. and Kahn, C. R. "Suppressor of cytokine signaling 1 (SOCS-1) and SOCS-3 cause insulin resistance through inhibition of tyrosine phosphorylation of insulin receptor substrate proteins by discrete mechanisms". *Molecular and Cellular Biology*, **24** (2004) 5434-5446.
- Újhelyi, J., Újhelyi, Z., Szalai, A., László, J. F., Cayasso, M., Vecsernyés, M. and Pórszász, R. "Analgesic and anti-inflammatory effectiveness of sitagliptin and vildagliptin in mice". *Regulatory Peptides*, **194** (2014) 23-29.
- Unamuno, X., Frühbeck, G. and Catalán, V, Adipose Tissue, *Encyclopedia of Endocrine Diseases*, Academic Press, USA (2018).
- Valerio, A., Cardile, A., Cozzi, V., Bracale, R., Tedesco, L., Pisconti, A., Palomba, L., Cantoni, O., Clementi, E. and Moncada, S. "TNF- α downregulates eNOS expression

References

- and mitochondrial biogenesis in fat and muscle of obese rodents". *The Journal of Clinical Investigation*, **116** (2006) 2791-2798.
- van Dam, A. D., Kooijman, S., Schilperoort, M., Rensen, P. C. and Boon, M. R. "Regulation of brown fat by AMP-activated protein kinase". *Trends in Molecular Medicine*, **21** (2015) 571-579.
- Vázquez-Vela, M. E. F., Torres, N. and Tovar, A. R. "White adipose tissue as endocrine organ and its role in obesity". *Archives of Medical Research*, **39** (2008) 715-728.
- Vila-Bedmar, R., Lorenzo, M. and Fernandez-Veledo, S. "Adenosine 5'-monophosphate-activated protein kinase-mammalian target of rapamycin cross talk regulates brown adipocyte differentiation". *Endocrinology*, **151** (2010) 980-992.
- Vilar-Gomez, E., Martinez-Perez, Y., Calzadilla-Bertot, L., Torres-Gonzalez, A., Gra-Oramas, B., Gonzalez-Fabian, L., Friedman, S. L., Diago, M. and Romero-Gomez, M. "Weight Loss Through Lifestyle Modification Significantly Reduces Features of Nonalcoholic Steatohepatitis". *Gastroenterology*, **149** (2015) 367-378.
- Villarroya, F., Cereijo, R., Villarroya, J. and Giralt, M. "Brown adipose tissue as a secretory organ". *Nature Reviews Endocrinology*, **13** (2017) 26.
- Viollet, B., Guigas, B., Leclerc, J., Hébrard, S., Lantier, L., Mounier, R., Andreelli, F. and Foretz, M. "AMP-activated protein kinase in the regulation of hepatic energy metabolism: from physiology to therapeutic perspectives". *Acta Physiologica*, **196** (2009) 81-98.
- Wang, J., Li, D., Wang, P., Hu, X. and Chen, F. "Ginger prevents obesity through regulation of energy metabolism and activation of browning in high-fat diet-induced obese mice". *The Journal of Nutritional Biochemistry*, **70** (2019) 105-115.
- Wang, Z., Xue, L., Guo, C., Han, B., Pan, C., Zhao, S., Song, H. and Ma, Q. "Stevioside ameliorates high-fat diet-induced insulin resistance and adipose tissue inflammation by downregulating the NF-κB pathway". *Biochemical and Biophysical Research Communications*, **417** (2012) 1280-1285.
- Watt, M. J., Dzamko, N., Thomas, W. G., Rose-John, S., Ernst, M., Carling, D., Kemp, B. E., Febbraio, M. A. and Steinberg, G. R. "CNTF reverses obesity-induced insulin resistance by activating skeletal muscle AMPK". *Nature Medicine*, **12** (2006) 541-548.
- Wellen, K. E. and Hotamisligil, G. S. "Obesity-induced inflammatory changes in adipose tissue". *The Journal of Clinical Investigation*, **112** (2003) 1785-1788.
- Wellen, K. E. and Hotamisligil, G. S. "Inflammation, stress, and diabetes". *The Journal of Clinical Investigation*, **115** (2005) 1111-1119.

References

- Whittle, A. J., Carobbio, S., Martins, L., Slawik, M., Hondares, E., Vázquez, M. J., Morgan, D., Csikasz, R. I., Gallego, R. and Rodriguez-Cuenca, S. "BMP8B increases brown adipose tissue thermogenesis through both central and peripheral actions". *Cell*, **149** (2012) 871-885.
- Wilson-Fritch, L., Nicoloro, S., Chouinard, M., Lazar, M. A., Chui, P. C., Leszyk, J., Straubhaar, J., Czech, M. P. and Corvera, S. "Mitochondrial remodeling in adipose tissue associated with obesity and treatment with rosiglitazone". *The Journal of Clinical Investigation*, **114** (2004) 1281-1289.
- Winder, W. W., Holmes, B. F., Rubink, D. S., Jensen, E., Chen, M. and Holloszy, J. O. "Activation of AMP-activated protein kinase increases mitochondrial enzymes in skeletal muscle". *Journal of Applied Physiology*, **88** (2000) 2219-2226.
- Winer, D. A., Winer, S., Shen, L., Wadia, P. P., Yantha, J., Paltser, G., Tsui, H., Wu, P., Davidson, M. G. and Alonso, M. N. "B cells promote insulin resistance through modulation of T cells and production of pathogenic IgG antibodies". *Nature Medicine*, **17** (2011) 610-617.
- Wolsk, E., Mygind, H., Grøndahl, T. S., Pedersen, B. K. and van Hall, G. "IL-6 selectively stimulates fat metabolism in human skeletal muscle". *American Journal of Physiology-Endocrinology And Metabolism*, **299** (2010) E832-E840.
- Woo, S.-L., Xu, H., Li, H., Zhao, Y., Hu, X., Zhao, J., Guo, X., Guo, T., Botchlett, R. and Qi, T. "Metformin ameliorates hepatic steatosis and inflammation without altering adipose phenotype in diet-induced obesity". *PLoS One*, **9** (2014) e91111.
- Woods, A., Williams, J. R., Muckett, P. J., Mayer, F. V., Liljevald, M., Bohlooly-Y, M. and Carling, D. "Liver-specific activation of AMPK prevents steatosis on a high-fructose diet". *Cell Reports*, **18** (2017) 3043-3051.
- World Health Organization. "Global action plan for the prevention and control of noncommunicable diseases 2013-2020". (2013). https://www.who.int/nmh/events/ncd_action_plan/en/.
- World Health Organization. "Obesity and Overweight: Factsheet No 311. Updated June 2016". Accessed september, (2016). <https://www.who.int/news-room/factsheets/detail/obesity-and-overweight>.
- Wouter, D., Lichtenbelt, V. and Vanhommering, J. "Cold-activated brown adipose tissue in health men". *New England Journal of Medicine*, **360** (2009) 1500-1508.
- Wu, J., Boström, P., Sparks, L. M., Ye, L., Choi, J. H., Giang, A.-H., Khandekar, M., Virtanen, K. A., Nuutila, P. and Schaart, G. "Beige adipocytes are a distinct type of thermogenic fat cell in mouse and human". *Cell*, **150** (2012) 366-376.

References

- Wu, J., Cohen, P. and Spiegelman, B. M. "Adaptive thermogenesis in adipocytes: is beige the new brown?". *Genes & Development*, **27** (2013) 234-250.
- Wu, J., He, S. M., Xu, H. Q., Chi, X. M., Sun, J., Wang, X. M., Gao, X. Z., Wu, R. H., Shao, M. B., Zhao, H., Jia, J., Wang, C. Y. and Niu, J. Q. "Non-alcoholic fatty liver disease incidence, remission and risk factors among a general Chinese population with a 6-year follow-up". *Scientific Reports*, **8** (2018) 7557.
- Wu, L., Zhang, L., Li, B., Jiang, H., Duan, Y., Xie, Z., Shuai, L., Li, J. and Li, J. "AMP-activated protein kinase (AMPK) regulates energy metabolism through modulating thermogenesis in adipose tissue". *Frontiers in Physiology*, **9** (2018) 122.
- Wu, Q. M., Ni, H. X. and Lu, X. "Changes of adipocytokine expression after diabetic rats received sitagliptin and the molecular mechanism". *Asian Pacific Journal of Tropical Medicine*, **9** (2016) 893-897.
- Xie, M., Zhang, D., Dyck, J. R., Li, Y., Zhang, H., Morishima, M., Mann, D. L., Taffet, G. E., Baldini, A. and Khouri, D. S. "A pivotal role for endogenous TGF- β -activated kinase-1 in the LKB1/AMP-activated protein kinase energy-sensor pathway". *Proceedings of the National Academy of Sciences*, **103** (2006) 17378-17383.
- Xu, H., Barnes, G. T., Yang, Q., Tan, G., Yang, D., Chou, C. J., Sole, J., Nichols, A., Ross, J. S., Tartaglia, L. A. and Chen, H. "Chronic inflammation in fat plays a crucial role in the development of obesity-related insulin resistance". *The Journal of Clinical Investigation*, **112** (2003) 1821-1830.
- Xu, X. J., Gauthier, M.-S., Hess, D. T., Apovian, C. M., Cacicedo, J. M., Gokce, N., Farb, M., Valentine, R. J. and Ruderman, N. B. "Insulin sensitive and resistant obesity in humans: AMPK activity, oxidative stress, and depot-specific changes in gene expression in adipose tissue". *Journal of Lipid Research*, **53** (2012) 792-801.
- Yamauchi, T., Iwabu, M., Okada-Iwabu, M. and Kadowaki, T. "Adiponectin receptors: a review of their structure, function and how they work". *Best practice & research Clinical endocrinology & metabolism*, **28** (2014) 15-23.
- Yamauchi, T., Kamon, J., Ito, Y., Tsuchida, A., Yokomizo, T., Kita, S., Sugiyama, T., Miyagishi, M., Hara, K. and Tsunoda, M. "Cloning of adiponectin receptors that mediate antidiabetic metabolic effects". *Nature*, **423** (2003) 762-769.
- Yamauchi, T., Kamon, J., Minokoshi, Y. a., Ito, Y., Waki, H., Uchida, S., Yamashita, S., Noda, M., Kita, S. and Ueki, K. "Adiponectin stimulates glucose utilization and fatty-acid oxidation by activating AMP-activated protein kinase". *Nature Medicine*, **8** (2002) 1288-1295.
- Yamauchi, T., Kamon, J., Waki, H., Imai, Y., Shimozawa, N., Hioki, K., Uchida, S., Ito, Y., Takakuwa, K. and Matsui, J. "Globular adiponectin protected ob/ob mice from

- diabetes and ApoE-deficient mice from atherosclerosis". *Journal of Biological Chemistry*, **278** (2003) 2461-2468.
- Yamauchi, T., Kamon, J., Waki, H., Terauchi, Y., Kubota, N., Hara, K., Mori, Y., Ide, T., Murakami, K. and Tsuboyama-Kasaoka, N. "The fat-derived hormone adiponectin reverses insulin resistance associated with both lipoatrophy and obesity". *Nature Medicine*, **7** (2001) 941-946.
- Yamauchi, T., Nio, Y., Maki, T., Kobayashi, M., Takazawa, T., Iwabu, M., Okada-Iwabu, M., Kawamoto, S., Kubota, N. and Kubota, T. "Targeted disruption of AdipoR1 and AdipoR2 causes abrogation of adiponectin binding and metabolic actions". *Nature Medicine*, **13** (2007) 332-339.
- Yan, W., Zhang, H., Liu, P., Wang, H., Liu, J., Gao, C., Liu, Y., Lian, K., Yang, L. and Sun, L. "Impaired mitochondrial biogenesis due to dysfunctional adiponectin-AMPK-PGC-1 α signaling contributing to increased vulnerability in diabetic heart". *Basic Research in Cardiology*, **108** (2013) 329.
- Yang, W.-S., Lee, W.-J., Funahashi, T., Tanaka, S., Matsuzawa, Y., Chao, C.-L., Chen, C.-L., Tai, T.-Y. and Chuang, L.-M. "Weight reduction increases plasma levels of an adipose-derived anti-inflammatory protein, adiponectin". *The Journal of Clinical Endocrinology & Metabolism*, **86** (2001) 3815-3819.
- Yanovski, S. Z. and Yanovski, J. A. "Long-term drug treatment for obesity: a systematic and clinical review". *Jama*, **311** (2014) 74-86.
- Yao, J., Zhi, M. and Minhu, C. "Effect of silybin on high-fat-induced fatty liver in rats". *Brazilian Journal of Medical and Biological Research*, **44** (2011) 652-659.
- Yilmaz, Y., Yonal, O., Deyneli, O., Celikel, C. A., Kalayci, C. and Duman, D. G. "Effects of sitagliptin in diabetic patients with nonalcoholic steatohepatitis". *Acta Gastro-enterologica Belgica*, **75** (2012) 240-244.
- Yin, J., Gao, Z., Liu, D., Liu, Z. and Ye, J. "Berberine improves glucose metabolism through induction of glycolysis". *American Journal of Physiology-Endocrinology and Metabolism*, **294** (2008) E148-156.
- Ying-Ying, C., Yan, Y., Zheng, Z., Mei-Jing, S. and Zhang, Y.-B. "Bofutsushosan ameliorates obesity in mice through modulating PGC-1 α expression in brown adipose tissues and inhibiting inflammation in white adipose tissues". *Chinese Journal of Natural Medicines*, **14** (2016) 449-456.
- Yoshida, H., Watanabe, H., Ishida, A., Watanabe, W., Narumi, K., Atsumi, T., Sugita, C. and Kurokawa, M. "Naringenin suppresses macrophage infiltration into adipose tissue in an early phase of high-fat diet-induced obesity". *Biochemical and Biophysical Research Communications*, **454** (2014) 95-101.

- You, M., Matsumoto, M., Pacold, C. M., Cho, W. K. and Crabb, D. W. "The role of AMP-activated protein kinase in the action of ethanol in the liver". *Gastroenterology*, **127** (2004) 1798-1808.
- Youssef, M. I., Mahmoud, A. A. and Abdelghany, R. H. "A new combination of sitagliptin and furosemide protects against remote myocardial injury induced by renal ischemia/reperfusion in rats". *Biochemical Pharmacology*, **96** (2015) 20-29.
- Yu, Y. H. and Ginsberg, H. N. "Adipocyte signaling and lipid homeostasis: sequelae of insulin-resistant adipose tissue". *Circulation Research*, **96** (2005) 1042-1052.
- Zabielski, P., Hady, H. R., Chacinska, M., Roszczyc, K., Gorski, J. and Blachnio-Zabielska, A. U. "The effect of high fat diet and metformin treatment on liver lipids accumulation and their impact on insulin action". *Scientific Reports*, **8** (2018) 1-11.
- Zhang, B. B., Zhou, G. and Li, C. "AMPK: an emerging drug target for diabetes and the metabolic syndrome". *Cell Metabolism*, **9** (2009) 407-416.
- Zhang, Y., Proenca, R., Maffei, M., Barone, M., Leopold, L. and Friedman, J. M. "Positional cloning of the mouse obese gene and its human homologue". *Nature*, **372** (1994) 425-432.
- Zhang, Z., Zhang, H., Li, B., Meng, X., Wang, J., Zhang, Y., Yao, S., Ma, Q., Jin, L. and Yang, J. "Berberine activates thermogenesis in white and brown adipose tissue". *Nature Communications*, **5** (2014) 1-15.
- Zheng, S., Hoos, L., Cook, J., Tetzloff, G., Davis Jr, H., van Heek, M. and Hwa, J. J. "Ezetimibe improves high fat and cholesterol diet-induced non-alcoholic fatty liver disease in mice". *European Journal of Pharmacology*, **584** (2008) 118-124.
- Zheng, W., Zhou, J., Song, S., Kong, W., Xia, W., Chen, L. and Zeng, T. "Dipeptidyl-Peptidase 4 Inhibitor Sitagliptin Ameliorates Hepatic Insulin Resistance by Modulating Inflammation and Autophagy in ob/ob Mice". *International Journal of Endocrinology*, **2018** (2018) 8309723.
- Zhong, J., Gong, W., Lu, L., Chen, J., Lu, Z., Li, H., Liu, W., Liu, Y., Wang, M. and Hu, R. "Irbesartan ameliorates hyperlipidemia and liver steatosis in type 2 diabetic db/db mice via stimulating PPAR- γ , AMPK/Akt/mTOR signaling and autophagy". *International Immunopharmacology*, **42** (2017) 176-184.
- Zhou, G., Myers, R., Li, Y., Chen, Y., Shen, X., Fenyk-Melody, J., Wu, M., Ventre, J., Doepper, T. and Fujii, N. "Role of AMP-activated protein kinase in mechanism of metformin action". *The Journal of Clinical Investigation*, **108** (2001) 1167-1174.
- Zhou, J., Xu, G., Ma, S., Li, F., Yuan, M., Xu, H. and Huang, K. "Catalpol ameliorates high-fat diet-induced insulin resistance and adipose tissue inflammation by

References

- suppressing the JNK and NF-κB pathways". Biochemical and Biophysical Research Communications, **467** (2015) 853-858.
- Zivkovic, A. M., German, J. B. and Sanyal, A. J. "Comparative review of diets for the metabolic syndrome: implications for nonalcoholic fatty liver disease". The American Journal of Clinical Nutrition, **86** (2007) 285-300.
- Zou, T., Wang, B., Yang, Q., de Avila, J. M., Zhu, M. J., You, J., Chen, D. and Du, M. "Raspberry promotes brown and beige adipocyte development in mice fed high-fat diet through activation of AMP-activated protein kinase (AMPK) $\alpha 1$ ". The Journal of Nutritional Biochemistry, **55** (2018) 157-164.

