
References

- Abdizadeh H., Ashuri M., Moghadam P. T., Nouribahadory A., Baharvandi H. R., "Improvement in physical and mechanical properties of aluminum/zircon composites fabricated by powder metallurgy method", Materials and Design, 32, 4417-4423, 2011.
- Bathias C., "An engineering point of view about fatigue of polymer matrix composite materials", International Journal of Fatigue , 28, 1094-1099, 2006.
- Cullity B. D., "Elements of X Ray Diffraction", Addison and Wesley Publishing Company. Massachusetts, 1956.
- Bolzoni L., Ruiz-Navas E.M., Gordo E., "Influence of sintering parameters on the properties of powder metallurgy Ti-3Al-2.5V alloy", Materials Characterization, 84, 48-57, 2013.
- C.S. Ramesh, C.K. Srinivas, "Friction and wear behavior of laser-sintered iron–silicon carbide composites", Journal of Materials Processing Technology, 209, 5429-5436, 2009.
- Chang Q., Chen D.L., Ru H.Q., Yue X.Y., Yu L., Zhang C.P., "Toughening mechanisms in iron-containing hydroxyapatite/titanium composites", Biomaterials, 31, 1493-1501, 2010.
- Chawla N. and Chawla K. K., "Metal Matrix Composites", Kluwer Academic Publishers, Boston, 2004.
- Chen C. and Mansfeld F., "Corrosion Protection of an Al 6092/SiCp Metal Matrix Composite", Corrosion Science, 39, 1075-1082, 1997.

Chen S. H. and Wang T. C., “Size effects in the particle-reinforced metal-matrix composites”, *Acta Mechanica*, 157, 113-127, 2002.

Cheng Y. T. and Cheng C. M., “What is indentation hardness?”, *Surface and Coatings Technology*, 133-134, 417-424, 2000.

Chua B. W., Lu L., Lai M. O., “Influence of SiC particles on mechanical properties of Mg based composite”, *Composite Structures*, 47, 595-601, 1999.

Davis L. C., Andres C. and Allison J. E., “Microstructure and Strengthening of Metal Matrix Composites”, *Journal of Material Science and Engineering A*, 249, 40–45, 1998.

Deng K. K., Wang X. J., Wu Y. W., Hu X. S., Wu K., Gan W. M., “Effect of particle size on microstructure and mechanical properties of SiC_p/AZ91 magnesium matrix composite”, *Materials Science and Engineering A*, 543, 158-163, 2012.

Escalera-Lozano R., Gutiérrez C.A., Pech-Canul M. A., Pech-Canul M. I., “Corrosion characteristics of hybrid Al/SiCp/MgAl₂O₄ composites fabricated with fly ash and recycled aluminium”, *Materials Characterization*, 58, 953-960, 2007.

Ezatpour H. R., Parizi M. T., Sajjadi S.A., “Microstructure and mechanical properties of extruded Al/Al₂O₃ composites fabricated by stir-casting process”, *Transactions of Nonferrous Metals Society of China*, 23, 1262-1268, 2013.

Falcon-Franco L., Bedolla-Becerril E., Lemus-Ruiz J., Gonzalez-Rodríguez J.G., Guardian R., Rosales I., “Wear performance of TiC as reinforcement of a magnesium alloy matrix composite”, *Composites: Part B*, 42, 275–279, 2011.

Frankel G. S., “Pitting Corrosion of Metals: A Review of the Critical Factors” Journal of the Electrochemical Society, 145, 2186-2198, 1998.

Gupta R. K. and Birbilis N., “The influence of nanocrystalline structure and processing route on corrosion of stainless steel: A review”, Corrosion Science, 92, 1–15, 2015.

Hassani A., Bagherpour E. and Qods F., “Influence of pores on workability of porous Al/SiC composites fabricated through powder metallurgy + mechanical alloying”, Journal of Alloy and Composites, 591, 132-142, 2014.

Hihara L. H. and Latanision R. M., “Corrosion of metal matrix composites” International Materials Reviews, 39, 245-264, 1994.

He C., Lou D., Wang J., Cai Q., “Corrosion protection and formation mechanism of anodic coating on SiCp/Al metal matrix composite”, Thin Solid Films, 519, 4759-4764, 2011.

Holmberg K., “Reliability aspects of tribology”, Tribology International, 34, 801–808, 2001.

Hu Q., Zhang G., Qiu Y., Guo X., “The crevice corrosion behaviour of stainless steel in sodium chloride solution”, Corrosion Science, 53, 4065–4072, 2011.

Ilango S. V. and Ramakrishnan P., “High temperature sintering of recycled cast iron powder”, Journal of Materials Science Letters, 9, 246-248, 1990.

Istomin P., Nadutkin A., Grass V., “Fabrication of Ti_3SiC_2 -based ceramic matrix composites by a powder-free SHS technique”, Ceramics International, 39, 3663-3667, 2013.

Jha A. K. and Kumar S. "Cold Forging of Sintered Iron Powder Preforms", Journal of Institution of Engineers, 68, 110-118, 1988.

Jha P., Gupta P., Kumar D. and Parkash O. "Synthesis and Characterization of Fe-ZrO₂ Metal Matrix Composites", Journal of Composite Materials, 48, 2107-2115, 2014.

Kainer Karl Ulrich, "Basics of Metal Matrix Composites", Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim ISBN: 3-527-31360-5, 2006.

Kazemiana P., Mentink S.A.M., Rodenburg C., Humphreys C.J., "Quantitative secondary electron energy filtering in a scanning electron microscope and its applications", Ultramicroscopy, 107, 140-150, 2007.

Khan H. M. and Siddiqui M. A., "Characterization of Al-Fe-Cr-Al₂O₃ composites with varying weight percentage of alumina fabricated through mechanical alloying", Int. Journal of Applied Sciences and Engineering Research, 3, 782-791, 2014.

Konopka K. and Ozieblo A., "Microstructure and the fracture toughness of the Al₂O₃-Fe composites", Materials Characterization, 46, 125-129, 2001.

Lei T., Tang W., Cai S. H., Feng F. F., Li N. F., "On the corrosion behaviour of newly developed biodegradable Mg-based metal matrix composites produced by in situ reaction", Corrosion Science, 54, 270–277, 2012.

Lin Y. C., Li H. C., Liou S. S., Shie M. T., "Mechanism of plastic deformation of powder metallurgy metal matrix composites of Cu-Sn/SiC and 6061/SiC under compressive stress", Materials Science and Engineering A, 373, 363–369, 2004.

Liu Y. B., Lim S. C., Lu L., Lai M. O., “Recent development in the fabrication of metal matrix-particulate composites using powder metallurgy techniques”, Journal of Materials Science, 29, 1999-2007, 1994.

Lopez A. J., Proy M., Utrilla V., Otero E., Rams J., “High-temperature corrosion behavior of Ni–50Cr coating deposited by high velocity oxygen-fuel technique on low alloy ferritic steel” Materials and Design, 59, 94–102, 2014.

Luo X., Yang Y. Q., Liu Y. C., Ma Z. J., Yuan M. N., Chen Y., “The fabrication and property of SiC fiber reinforced copper matrix composites”, Materials Science and Engineering A, 459, 244-250, 2007.

Rosso M., “Ceramic and metal matrix composites: Routes and properties”, Journal of Materials Processing Technology, 175, 364-375, 2006.

Ma B., Wang H., Wang Y., and Jiang Q., “Fabrication of (TiB₂–TiC_p)/AZ91 magnesium matrix hybrid composite”, Journal of Materials Science, 40, 4501-4504, 2005.

Mansfeld F., “Area Relationships in Galvanic Corrosion”, Corrosion, 27, 436-442, 1971.

Marchesini S., He H., Chapman H. N., Hau-Riege S. P., Noy A., Howells M. R., Weierstall U., and Spence J. C. H., “X-ray image reconstruction from a diffraction pattern alone” Physical Review B, 68, 1-4, 2003.

Mazahery A. and Shabani M. O., “Study on microstructure and abrasive wear behavior of sintered Al matrix composites” Ceramics International, 38, 4263–4269, 2012.

Miracle D.B., “Metal Matrix Composites – From Science to Technological significance”, Composites Science and Technology, 65, 2526-2540, 2005.

Mishra S. K., Bhople A., Paswan S., “Microstructure, hardness, toughness and oxidation resistance of Al_2O_3 - ZrB_2 composite with different Ti percentages prepared by in-situ SHS dynamic compaction”, Int. Journal of Refractory Metals and Hard Materials, 43, 7–12, 2014.

Moustafa S.F., Abdel-Hamid Z. and Abd-Elhay A.M., “Copper matrix SiC and Al_2O_3 particulate composites by powder metallurgy technique”, Materials Letters, 53, 244-249, 2002.

Oksa M., Auerkari P., Salonen J., Varis T., “Nickel-based HVOF coatings promoting high temperature corrosion resistance of biomass-fired power plant boilers”, Fuel Processing Technology, 125, 236–245, 2014.

Palta A., Sun Y., Ahlatci H., “Effect of copper addition on wear and corrosion behaviours of Mg_2Si particle reinforced composites”, Materials and Design, 36, 451–458, 2012.

Pogasian A. K., “Tribology science, technology and education in Armenia”, Tribology International, 31, 597-599, 1998.

Priest M. and Taylor C. M., “Automobile engine tribology - approaching the surface” Wear, 241, 193–203, 2000.

Rabiei A., L Vendra. and Kishi T., “Fracture behavior of particle reinforced metal matrix composites”, Composites: Part A, 39, 294-300, 2008.

Rahimian Mehdi, Ehsani Naser, Parvin Nader, Baharvandi Hamid reza, “The effect of particle size, sintering temperature and sintering time on the

properties of Al-Al₂O₃ composites, made by powder metallurgy”, Journal of Materials Processing Technology, 209, 5387-5393, 2009.

Ralph B., Yuen H.C. and Lee W. B., “The processing of metal matrix composites - an overview”, Journal of Materials Processing Technology, 63, 339-353, 1997.

Ram Prabhu T., Varma V.K and Srikanth V., “Effect of reinforcement type, size, and volume fraction on the tribological behavior of Fe matrix composites at high sliding speed condition”, Wear, 309, 247-255, 2014.

Ramesh C. S., Srinivas C. K., “Friction and wear behavior of laser-sintered iron–silicon carbide composites”, Journal of Materials Processing Technology, 209, 5429–5436, 2009.

Ravindran P., Manisekar K., Narayanasamy R., Narayanasamy P., “Tribological behaviour of powder metallurgy-processed aluminium hybrid composites with the addition of graphite solid lubricant” Ceramics International, 39, 1169-1182, 2013.

Rawal S. P., “Metal-Matrix Composites for Space Applications”, The Journal of The Minerals, Metals and Materials Society, 53, 14-17, 2001.

Rees D. W. A., “Deformation and fracture of metal matrix particulate composites under combined loadings”, Composites Part A, 29, 171-182, 1998.

Sakai Y., Yamada T., Suzuki T., Ichinokawa T., “Contrast mechanisms of secondary electron images in scanning electron and ion microscopy”, Applied Surface Science, 144–145, 96–100, 1999.

Samal C. P., Parihar J. S., Chaira D., “The effect of milling and sintering techniques on mechanical properties of Cu-graphite metal matrix composite prepared by powder metallurgy route”, Journal of Alloys and Compound, 569, 95-101, 2013.

Schneibel J. H., Carmichael C. A., Specht E. D. and Subramanian R., “Liquid-phase sintered iron aluminide-ceramic composites”, Intermetallics, 5, 61-67, 1997.

Seo Y. H. and Kang C.G., “The effect of applied pressure on particle dispersion characteristics and mechanical properties in melt-stirring squeeze-cast SiC/Al composites”, Journal of Materials Processing Technology, 55, 370-379, 1995.

Shen M. J., Wang X. J., Li C. D., Zhang M. F., Hu X. S., Zheng M. Y., Wu K., “Effect of submicron size SiC particles on microstructure and mechanical properties of AZ31B magnesium matrix composites”, Materials and Design, 54, 436-442, 2014.

Shreepathi S., Bajaj P., Mallik B. P., “Electrochemical impedance spectroscopy investigations of epoxy zinc rich coatings: Role of Zn content on corrosion protection mechanism”, Electrochimica Acta, 55, 5129–5134, 2010.

Slipenyuk A., Kuprin V., Milman Yu., Goncharuk V. and Eckert J. , “Properties of P/M processed particle reinforced metal matrix composites specified by reinforcement concentration and matrix-to-reinforcement particle size ratio”, Acta Materialia, 54, 157-166, 2006.

Song G., “Transpassivation of Fe–Cr–Ni stainless steels”, Corrosion Science, 47, 1953–1987, 2005.

Sozhamannan G.G., Balasivanandha Prabu S., Paskaramoorthy R., “Failures analysis of particle reinforced metal matrix composites by microstructure based models”, Materials and Design, 31, 3785-3790, 2010.

Srivatsan T. S., Ibrahim I. A., Mohamed F. A., Lavernia E. J., “Processing techniques for particulate-reinforced metal aluminium matrix composites” Journal of Materials Science, 26, 5965-5978, 1991.

Stanjek H. and Häusler W., “Basics of X-ray Diffraction” Hyperfine Interactions 154, 107-119, 2004.

Stanley L. F., John W H., Karen L. K., “Scanning and Transmission Electron Microscopy: An Introduction”, 1993.

Straffolini G., Pellizzari M., Molinari A., “Influence of load and temperature on the dry sliding behaviour of Al-based metal-matrix-composites against friction material” Wear, 256, 754–763, 2004.

Surappa M. K., Rohatgi P. K., “Preparation and properties of cast aluminium-ceramic particle composites”, Journal of Materials Science, 16, 983-993, 1981.

Tahamtan S., Halvaei A., Emamy M., Zabihi M. S., “Fabrication of Al/A206-Al₂O₃ nano/micro composite by combining ball milling and stir casting technology”, Materials and Design, 49, 347–359, 2013.

Tatar C, Ozdemir N., “Investigation of thermal conductivity and microstructure of the α -Al₂O₃ particulate reinforced aluminum composites (Al/Al₂O₃-MMC) by powder metallurgy method”, Physica B, 405, 896-899, 2010.

Taylor C. M., “Automobile engine tribology—design considerations for efficiency and durability”, Wear, 221, 1-8, 1998.

Tiwari S., Balasubramaniam R., Gupta M., “Corrosion behavior of SiC reinforced magnesium composites”, Corrosion Science, 49, 711-725, 2007.

Tjong S.C. and Ma Z.Y., “Microstructural and mechanical characteristics of in situ metal matrix matrix composites”, Materials Science and Engineering (Reports), 29, 49-113, 2000.

Torralba J.M., da Costa C.E., Velasco F., “P/M aluminum matrix composites: an overview”, Journal of Materials Processing Technology, 133, 203-206, 2003.

Trzaskoma P. P., McCafferty E. and Crowe C. R., “Corrosion Behavior of SiC/Al Metal Matrix Composites”, 130, 1804-1809, 1983.

Upadhyaya A. and Upadhyaya G. S., “Sintering of copper-alumina composites through blending and mechanical alloying powder metallurgy routes”, Materials & Design, 16, 41-45, 1995.

Wan Y., Gong J., “Influence of TiC particle size on the load-independent hardness of Al₂O₃-TiC composites” Materials Letters, 57, 3439-3443, 2003.

Wight S. A. and Konicek A. R., “Electron scattering cross section measurements in a variable pressure scanning electron microscope”, Micron, 43, 985-991, 2012.

Xie Y. B., “On the tribology design”, Tribology International, 32, 351–358, 1999.

Xiuqing Z, Haowei W., Lihua L., Xinying T., Naiheng M., “The mechanical properties of magnesium matrix composites reinforced with (TiB₂+TiC) ceramic particulates”, Materials Letters, 59, 2105-2109, 2005.

Xu J., Tao J., Jiang S., Xu Z., “Investigation on corrosion and wear behaviors of nanoparticles reinforced Ni-based composite alloying layer”, Applied Surface Science, 254, 4036–4043, 2008.

Yueguang W., “Particulate size effects in the particle - reinforced metal matrix composites”, Acta Mechanica Sinica (English series) 17 - 1 ISSN 0567-7718, 2001.

Zarasvand K. A., Rai V. R., “Microorganisms: Induction and inhibition of corrosion in metals”, International Biodeterioration & Biodegradation, 87, 66-74, 2014.

Zhang D. L., Brindley C., Cantor B. ,“The microstructures of aluminium alloy metal-matrix composites manufactured by squeeze casting”, Journal of Materials Science, 28, 2267-2272, 1993.

Zhang P., Li S. X., Zhang Z. F., “General relationship between strength and hardness”, Materials Science and Engineering A, 529, 62– 73, 2011.

Zuhailwati Hussain, Geok Tan Chew and Basu Projjal, “Microstructure and hardness characterization of mechanically alloyed Fe-C elemental powder mixture”, Materials and Design, 31, 2211-2215, 2010.