

References

- AASETH, J., BOIVIN, G. & ANDERSEN, O. 2012. Osteoporosis and trace elements—an overview. *Journal of Trace Elements in Medicine and Biology*, 26, 149-152.
- ALBREKTSSON, T. & JOHANSSON, C. 2001. Osteoinduction, osteoconduction and osseointegration. *European spine journal*, 10, S96-S101.
- ALESSANDRI, G., RAJU, K. & GULLINO, P. 1984. Angiogenesis in vivo and selective mobilization of capillary endothelium in vitro by heparin-copper complex. *Microcirculation, endothelium, and lymphatics*, 1, 329.
- ALI, A., ERSHAD, M., HIRA, S., PYARE, R. & SINGH, S. P. 2020a. Mechanochemical and in vitro cytocompatibility evaluation of zirconia modified silver substituted 1393 bioactive glasses. *Boletín de la Sociedad Española de Cerámica y Vidrio*.
- ALI, A., ERSHAD, M., VYAS, V. K., HIRA, S. K., MANNA, P. P., SINGH, B., YADAV, S., SRIVASTAVA, P., SINGH, S. & PYARE, R. 2018. Studies on effect of CuO addition on mechanical properties and in vitro cytocompatibility in 1393 bioactive glass scaffold. *Materials Science and Engineering: C*, 93, 341-355.
- ALI, A., SINGH, B. N., HIRA, S. K., SINGH, S. & PYARE, R. 2019. ZnO modified 1393 bioactive scaffolds with enhanced cytocompatibility and mechanical performance. *Ceramics International*.
- ALI, A., SINGH, B. N., HIRA, S. K., SINGH, S. & PYARE, R. 2020b. ZnO modified 1393 bioactive scaffolds with enhanced cytocompatibility and mechanical performance. *Ceramics International*, 46, 6703-6713.
- ALI, A., SINGH, B. N., YADAV, S., ERSHAD, M., SINGH, S. K., MALLICK, S. P. & PYARE, R. 2020c. CuO assisted borate 1393B3 glass scaffold with enhanced mechanical performance and cytocompatibility: An In vitro study. *Journal of the Mechanical Behavior of Biomedical Materials*, 114, 104231.
- ALI, A., SINGH, S. & PYARE, R. 2020d. SrO assisted 1393 glass scaffold with enhanced biological compatibility. *Journal of Non-Crystalline Solids*, 550, 120392.
- ALI, A. M., ISMAIL, A. A., NAJMY, R. & AL-HAJRY, A. 2014. Preparation and characterization of ZnO–SiO₂ thin films as highly efficient photocatalyst. *Journal of Photochemistry and Photobiology A: Chemistry*, 275, 37-46.
- AREPALLI, S. K., TRIPATHI, H., HIRA, S. K., MANNA, P. P., PYARE, R. & SINGH, S. 2016. Enhanced bioactivity, biocompatibility and mechanical behavior of strontium substituted bioactive glasses. *Materials Science and Engineering: C*, 69, 108-116.
- AREPALLI, S. K., TRIPATHI, H., VYAS, V. K., JAIN, S., SUMAN, S. K., PYARE, R. & SINGH, S. 2015. Influence of barium substitution on bioactivity, thermal and physico-mechanical properties of bioactive glass. *Materials Science and Engineering: C*, 49, 549-559.
- ASOKAN, A. & CHO, M. J. 2002. Exploitation of intracellular pH gradients in the cellular delivery of macromolecules. *Journal of pharmaceutical sciences*, 91, 903-913.
- AXINTE, D., GUO, Y., LIAO, Z., SHIH, A. J., M'SAOUBI, R. & SUGITA, N. 2019. Machining of biocompatible materials—Recent advances. *CIRP Annals*, 68, 629-652.
- BAIER, M., STAUDT, P., KLEIN, R., SOMMER, U., WENZ, R., GRAFE, I., MEEDER, P. J., NAWROTH, P. P. & KASPERK, C. 2013. Strontium enhances osseointegration of calcium phosphate cement: a histomorphometric pilot study in ovariectomized rats. *Journal of orthopaedic surgery and research*, 8, 16.
- BAINO, F., FIUME, E., BARBERI, J., KARGOZAR, S., MARCHI, J., MASSERA, J. & VERNÉ, E. 2019. Processing methods for making porous bioactive glass-based scaffolds—A state-of-the-art review. *International Journal of Applied Ceramic Technology*, 16, 1762-1796.
- BAINO, F., HAMZEHLOU, S. & KARGOZAR, S. 2018. Bioactive glasses: where are we and where are we going? *Journal of functional biomaterials*, 9, 25.
- BAINO, F. & VITALE-BROVARONE, C. 2014. Mechanical properties and reliability of glass–ceramic foam scaffolds for bone repair. *Materials Letters*, 118, 27-30.

- BAINO, F. & VITALE-BROVARONE, C. 2011. Three-dimensional glass-derived scaffolds for bone tissue engineering: current trends and forecasts for the future. *Journal of biomedical materials research Part A*, 97, 514-535.
- BALAMURUGAN, A., BALOSSIER, G., KANNAN, S., MICHEL, J., REBELO, A. H. & FERREIRA, J. M. 2007. Development and in vitro characterization of sol-gel derived CaO-P2O5-SiO2-ZnO bioglass. *Acta biomaterialia*, 3, 255-262.
- BALASUBRAMANIAN, P., STROBEL, L. A., KNESER, U. & BOCCACCINI, A. R. 2015. Zinc-containing bioactive glasses for bone regeneration, dental and orthopedic applications. *Biomedical glasses*, 1.
- BANG, H.-G., KIM, S.-J. & PARK, S.-Y. 2008. Biocompatibility and the physical properties of bio-glass ceramics in the Na₂O-CaO-SiO₂-P₂O₅ system with CaF₂ and MgF₂ additives. *J Ceram Process Res*, 9, 588-590.
- BARTH, R. F., SOLOWAY, A. H. & FAIRCHILD, R. G. 1990. Boron neutron capture therapy for cancer. *Scientific American*, 263, 100-107.
- BASKO-PLLUSKA, J. L., THYSSEN, J. P. & SCHALOCK, P. C. 2011. Cutaneous and systemic hypersensitivity reactions to metallic implants. *Dermatitis*, 22, 65-79.
- BEJARANO, J., CAVIEDES, P. & PALZA, H. 2015. Sol-gel synthesis and in vitro bioactivity of copper and zinc-doped silicate bioactive glasses and glass-ceramics. *Biomedical materials*, 10, 025001.
- BI, L., RAHAMAN, M. N., DAY, D. E., BROWN, Z., SAMUJH, C., LIU, X., MOHAMMADKHAH, A., DUDEVICH, V., EICK, J. D. & BONEWALD, L. F. 2013. Effect of bioactive borate glass microstructure on bone regeneration, angiogenesis, and hydroxyapatite conversion in a rat calvarial defect model. *Acta biomaterialia*, 9, 8015-8026.
- BLACK, J., SHERK, H., BONINI, J., ROSTOKER, W., SCHAJOWICZ, F. & GALANTE, J. 1990. Metallosis associated with a stable titanium-alloy femoral component in total hip replacement. A case report. *JBJS*, 72, 126-130.
- BONARTSEV, A., ZHARKOVA, I., YAKOVLEV, S., MYSHKINA, V., MAHINA, T., VOINOVA, V., ZERNOV, A., ZHUIKOV, V., AKOULINA, E. & IVANOVA, E. 2017. Biosynthesis of poly (3-hydroxybutyrate) copolymers by Azotobacter chroococcum 7B: A precursor feeding strategy. *Preparative Biochemistry and Biotechnology*, 47, 173-184.
- BORDEN, M., EL-AMIN, S., ATTAWIA, M. & LAURENCIN, C. 2003. Structural and human cellular assessment of a novel microsphere-based tissue engineered scaffold for bone repair. *Biomaterials*, 24, 597-609.
- BOSE, S., FIELDING, G., TARAFDER, S. & BANDYOPADHYAY, A. 2013. Understanding of dopant-induced osteogenesis and angiogenesis in calcium phosphate ceramics. *Trends in biotechnology*, 31, 594-605.
- BOSE, S., ROY, M. & BANDYOPADHYAY, A. 2012. Recent advances in bone tissue engineering scaffolds. *Trends in biotechnology*, 30, 546-554.
- BOYAN, B. D., HUMMERT, T. W., DEAN, D. D. & SCHWARTZ, Z. 1996. Role of material surfaces in regulating bone and cartilage cell response. *Biomaterials*, 17, 137-146.
- BROWN, R. P., FOWLER, B. A., FUSTINONI, S. & NORDBERG, M. 2015. Toxicity of metals released from implanted medical devices. *Handbook on the toxicology of metals*. Elsevier.
- BRÜCKNER, R., TYLKOWSKI, M., HUPA, L. & BRAUER, D. S. 2016. Controlling the ion release from mixed alkali bioactive glasses by varying modifier ionic radii and molar volume. *Journal of Materials Chemistry B*, 4, 3121-3134.
- CARTWRIGHT, F. F. 1963. *Joseph Lister, the Man who Made Surgery Safe. [With Plates, Including a Portrait.]*, Weidenfeld & Nicolson.
- CHEN, Q. Z., THOMPSON, I. D. & BOCCACCINI, A. R. 2006. 45S5 Bioglass®-derived glass-ceramic scaffolds for bone tissue engineering. *Biomaterials*, 27, 2414-2425.

- CHO, Y.-E., LOMEDA, R.-A. R., RYU, S.-H., SOHN, H.-Y., SHIN, H.-I., BEATTIE, J. H. & KWUN, I.-S. 2007. Zinc deficiency negatively affects alkaline phosphatase and the concentration of Ca, Mg and P in rats. *Nutrition research and practice*, 1, 113-119.
- CHOI, Y., FACCIO, R., TEITELBAUM, S. L. & TAKAYANAGI, H. 2016. Osteoclast Biology: Regulation of Formation and Function. *Osteoimmunology*. Elsevier.
- CIANFEROTTI, L., D'ASTA, F. & BRANDI, M. L. 2013. A review on strontium ranelate long-term antifracture efficacy in the treatment of postmenopausal osteoporosis. *Therapeutic advances in musculoskeletal disease*, 5, 127-139.
- CUI, X., HUANG, W., ZHANG, Y., HUANG, C., YU, Z., WANG, L., LIU, W., WANG, T., ZHOU, J. & WANG, H. 2017. Evaluation of an injectable bioactive borate glass cement to heal bone defects in a rabbit femoral condyle model. *Materials Science and Engineering: C*, 73, 585-595.
- DELIORMANLI, A. M. 2015. Preparation, in vitro mineralization and osteoblast cell response of electrospun 13–93 bioactive glass nanofibers. *Materials Science and Engineering: C*, 53, 262-271.
- DELIORMANLI, A. M. 2016. Electrospun cerium and gallium-containing silicate based 13-93 bioactive glass fibers for biomedical applications. *Ceramics International*, 42, 897-906.
- DOIPHODE, N. D., HUANG, T., LEU, M. C., RAHAMAN, M. N. & DAY, D. E. 2011. Freeze extrusion fabrication of 13–93 bioactive glass scaffolds for bone repair. *Journal of Materials Science: Materials in Medicine*, 22, 515-523.
- DOUBLIER, A., FARLAY, D., KHEBBAB, M. T., JAURAND, X., MEUNIER, P. J. & BOIVIN, G. 2011. Distribution of strontium and mineralization in iliac bone biopsies from osteoporotic women treated long-term with strontium ranelate. *European journal of endocrinology*, 165, 469-476.
- ERSHAD, M., ALI, A., MEHTA, N. S., SINGH, R. K., SINGH, S. K. & PYARE, R. 2020. Mechanical and biological response of (CeO₂ + La₂O₃)-substituted 45S5 bioactive glasses for biomedical application. *Journal of the Australian Ceramic Society*, 1-10.
- ERSHAD, M., VYAS, V. K., PRASAD, S., ALI, A. & PYARE, R. Synthesis and characterization of cerium- and lanthanum containing bioactive glass. Key Engineering Materials, 2017. Trans Tech Publ, 617-628.
- ERSHAD, M., VYAS, V. K., PRASAD, S., ALI, A. & PYARE, R. 2018. Effect of Sm₂O₃ substitution on mechanical and biological properties of 45S5 bioactive glass. *Journal of the Australian Ceramic Society*, 54, 621-630.
- FERNANDES, H. R., GADDAM, A., REBELO, A., BRAZETE, D., STAN, G. E. & FERREIRA, J. M. 2018. Bioactive glasses and glass-ceramics for healthcare applications in bone regeneration and tissue engineering. *Materials*, 11, 2530.
- FINNEY, L., VOGT, S., FUKAI, T. & GLESNE, D. 2009. Copper and angiogenesis: unravelling a relationship key to cancer progression. *Clinical and Experimental Pharmacology and Physiology*, 36, 88-94.
- FIUME, E., BARBERI, J., VERNÉ, E. & BAINO, F. 2018. Bioactive glasses: from parent 45S5 composition to scaffold-assisted tissue-healing therapies. *Journal of functional biomaterials*, 9, 24.
- FRANGOULIS, M., GEORGIOU, P., CHRISOSTOMIDIS, C., PERREA, D., DONTAS, I., KAVANTZAS, N., KOSTAKIS, A. & PAPADOPOULOS, O. 2007. Rat epigastric flap survival and VEGF expression after local copper application. *Plastic and reconstructive surgery*, 119, 837-843.
- FREDHOLM, Y. C., KARPUKHINA, N., BRAUER, D. S., JONES, J. R., LAW, R. V. & HILL, R. G. 2011. Influence of strontium for calcium substitution in bioactive glasses on degradation, ion release and apatite formation. *Journal of the Royal Society Interface*, 9, 880-889.
- FREDHOLM, Y. C., KARPUKHINA, N., BRAUER, D. S., JONES, J. R., LAW, R. V. & HILL, R. G. 2012. Influence of strontium for calcium substitution in bioactive glasses on degradation, ion release and apatite formation. *Journal of the Royal Society Interface*, 9, 880-889.
- FU, Q. 2009. Freeze casting of bioactive glass and ceramic scaffolds for bone tissue engineering.

- FU, Q., RAHAMAN, M. N., BAL, B. S., BROWN, R. F. & DAY, D. E. 2008. Mechanical and in vitro performance of 13–93 bioactive glass scaffolds prepared by a polymer foam replication technique. *Acta biomaterialia*, 4, 1854-1864.
- FU, Q., RAHAMAN, M. N., BAL, B. S., HUANG, W. & DAY, D. E. 2007. Preparation and bioactive characteristics of a porous 13–93 glass, and fabrication into the articulating surface of a proximal tibia. *Journal of Biomedical Materials Research Part A*, 82, 222-229.
- FU, Q., RAHAMAN, M. N., FU, H. & LIU, X. 2010. Silicate, borosilicate, and borate bioactive glass scaffolds with controllable degradation rate for bone tissue engineering applications. I. Preparation and in vitro degradation. *Journal of biomedical materials research Part A*, 95, 164-171.
- FU, Q., SAIZ, E., RAHAMAN, M. N. & TOMSIA, A. P. 2011. Bioactive glass scaffolds for bone tissue engineering: state of the art and future perspectives. *Materials Science and Engineering: C*, 31, 1245-1256.
- FUJIKURA, K., KARPUKHINA, N., KASUGA, T., BRAUER, D., HILL, R. & LAW, R. 2012. Influence of strontium substitution on structure and crystallisation of Bioglass® 45S5. *Journal of Materials Chemistry*, 22, 7395-7402.
- GENTLEMAN, E., FREDHOLM, Y. C., JELL, G., LOTFIBAKHSHAIESH, N., O'DONNELL, M. D., HILL, R. G. & STEVENS, M. M. 2010. The effects of strontium-substituted bioactive glasses on osteoblasts and osteoclasts in vitro. *Biomaterials*, 31, 3949-3956.
- GÉRARD, C., BORDELEAU, L.-J., BARRALET, J. & DOILLON, C. J. 2010. The stimulation of angiogenesis and collagen deposition by copper. *Biomaterials*, 31, 824-831.
- GERGELY, G., WÉBER, F., LUKÁCS, I., ILLÉS, L., TÓTH, A. L., HORVÁTH, Z. E., MIHÁLY, J. & BALÁZSI, C. 2010. Nano-hydroxyapatite preparation from biogenic raw materials. *Central European Journal of Chemistry*, 8, 375-381.
- GERHARDT, L.-C. & BOCCACCINI, A. R. 2010. Bioactive glass and glass-ceramic scaffolds for bone tissue engineering. *Materials*, 3, 3867-3910.
- GIACOMELLI, C., TRINCAVELLI, M. L., SATRIANO, C., HANSSON, Ö., LA MENDOLA, D., RIZZARELLI, E. & MARTINI, C. 2015. ♦ Copper (II) ions modulate Angiogenin activity in human endothelial cells. *The international journal of biochemistry & cell biology*, 60, 185-196.
- GOEL, A., RAJAGOPAL, R. R. & FERREIRA, J. M. 2011. Influence of strontium on structure, sintering and biodegradation behaviour of CaO–MgO–SrO–SiO₂–P₂O₅–CaF₂ glasses. *Acta Biomaterialia*, 7, 4071-4080.
- GOH, Y.-F., ALSHEMARY, A. Z., AKRAM, M., KADIR, M. R. A. & HUSSAIN, R. 2013. In vitro study of nano-sized zinc doped bioactive glass. *Materials Chemistry and Physics*, 137, 1031-1038.
- GOLDSTEIN, S. A., PATIL, P. V. & MOALLI, M. R. 1999. Perspectives on tissue engineering of bone. *Clinical Orthopaedics and Related Research®*, 367, S419-S423.
- GOMES, D., SANTOS, A., NEVES, G. & MENEZES, R. 2019. A brief review on hydroxyapatite production and use in biomedicine. *Cerâmica*, 65, 282-302.
- GRIFFITH, L. 2000. Polymeric biomaterials. *Acta materialia*, 48, 263-277.
- HABRAKEN, W. J., TAO, J., BRYLKA, L. J., FRIEDRICH, H., BERTINETTI, L., SCHENK, A. S., VERCH, A., DMITROVIC, V., BOMANS, P. H. & FREDERIK, P. M. 2013. Ion-association complexes unite classical and non-classical theories for the biomimetic nucleation of calcium phosphate. *Nature communications*, 4, 1507.
- HALL, S., DIMAI, H. & FARLEY, J. 1999. Effects of zinc on human skeletal alkaline phosphatase activity in vitro. *Calcified tissue international*, 64, 163-172.
- HASAN, K. M. M., TAMANNA, N. & HAQUE, M. A. 2018. Biochemical and histopathological profiling of Wistar rat treated with Brassica napus as a supplementary feed. *Food science and human wellness*, 7, 77-82.
- HENCH, L. L. 1991. Bioceramics: from concept to clinic. *Journal of the american ceramic society*, 74, 1487-1510.

- HENCH, L. L. 2006. The story of Bioglass®. *Journal of Materials Science: Materials in Medicine*, 17, 967-978.
- HENCH, L. L. 2013. *An introduction to bioceramics*, World Scientific Publishing Company.
- HENCH, L. L. & PASCHALL, H. 1973. Direct chemical bond of bioactive glass-ceramic materials to bone and muscle. *Journal of biomedical materials research*, 7, 25-42.
- HENCH, L. L., SPLINTER, R. J., ALLEN, W. & GREENLEE, T. 1971. Bonding mechanisms at the interface of ceramic prosthetic materials. *Journal of biomedical materials research*, 5, 117-141.
- HESARAKI, S., ALIZADEH, M., NAZARIAN, H. & SHARIFI, D. 2010. Physico-chemical and in vitro biological evaluation of strontium/calcium silicophosphate glass. *Journal of Materials Science: Materials in Medicine*, 21, 695-705.
- HILL, R., STAMBOULIS, A., LAW, R., CLIFFORD, A., TOWLER, M. & CROWLEY, C. 2004. The influence of strontium substitution in fluorapatite glasses and glass-ceramics. *Journal of Non-Crystalline Solids*, 336, 223-229.
- HIRA, S. K., MISHRA, A. K., RAY, B. & MANNA, P. P. 2014a. Targeted delivery of doxorubicin-loaded poly (ϵ -caprolactone)-b-poly (N-vinylpyrrolidone) micelles enhances antitumor effect in lymphoma. *PloS one*, 9, e94309.
- HIRA, S. K., MONDAL, I., BHATTACHARYA, D. & MANNA, P. P. 2014b. Downregulation of endogenous STAT3 augments tumoricidal activity of interleukin 15 activated dendritic cell against lymphoma and leukemia via TRAIL. *Experimental cell research*, 327, 192-208.
- HO, M.-H., LIAO, M.-H., LIN, Y.-L., LAI, C.-H., LIN, P.-I. & CHEN, R.-M. 2014. Improving effects of chitosan nanofiber scaffolds on osteoblast proliferation and maturation. *International journal of nanomedicine*, 9, 4293.
- HOPPE, A., GÜLDAL, N. S. & BOCCACCINI, A. R. 2011. A review of the biological response to ionic dissolution products from bioactive glasses and glass-ceramics. *Biomaterials*, 32, 2757-2774.
- HU, G. F. 1998. Copper stimulates proliferation of human endothelial cells under culture. *Journal of cellular biochemistry*, 69, 326-335.
- HUANG, W., DAY, D. E., KITTIRATANAPIBOON, K. & RAHAMAN, M. N. 2006. Kinetics and mechanisms of the conversion of silicate (45S5), borate, and borosilicate glasses to hydroxyapatite in dilute phosphate solutions. *Journal of Materials Science: Materials in Medicine*, 17, 583-596.
- ISLAM, M. T., FELFEL, R. M., ABOU NEEL, E. A., GRANT, D. M., AHMED, I. & HOSSAIN, K. M. Z. 2017a. Bioactive calcium phosphate-based glasses and ceramics and their biomedical applications: a review. *Journal of tissue engineering*, 8, 2041731417719170.
- ISLAM, M. T., FELFEL, R. M., ABOU NEEL, E. A., GRANT, D. M., AHMED, I. & HOSSAIN, K. M. Z. J. J. O. T. E. 2017b. Bioactive calcium phosphate-based glasses and ceramics and their biomedical applications: a review. 8, 2041731417719170.
- IVANOVA, E., BAZAKA, K. & CRAWFORD, R. 2014. Metallic biomaterials: types and advanced applications. *New Functional Biomaterials for Medicine and Healthcare*; Woodhead Publishing: Cambridge, UK, 121-147.
- IZQUIERDO-BARBA, I., SALINAS, A. & VALLET-REGÍ, M. 1999. In vitro calcium phosphate layer formation on sol-gel glasses of the CaO-SiO₂ system. *Journal of biomedical materials research*, 47, 243-250.
- JACOBS, J. J., GILBERT, J. L. & URBAN, R. M. 1998. Current concepts review-corrosion of metal orthopaedic implants. *Jbjs*, 80, 268-82.
- JONES, J. R. & HENCH, L. L. 2003. Regeneration of trabecular bone using porous ceramics. *Current Opinion in Solid State and Materials Science*, 7, 301-307.
- JUNG, S. B. & DAY, D. E. 2009. Conversion kinetics of silicate, borosilicate, and borate bioactive glasses to hydroxyapatite. *Physics and Chemistry of Glasses-European Journal of Glass Science and Technology Part B*, 50, 85-88.

- KAMMULA, R. G. & MORRIS, J. M. 2001. Considerations for the biocompatibility evaluation of medical devices. *Medical Device and Diagnostic Industry*, 23, 82-92.
- KARGOZAR, S., BAINO, F., HAMZEHLOU, S., HILL, R. G. & MOZAFARI, M. 2018. Bioactive glasses: sprouting angiogenesis in tissue engineering. *Trends in biotechnology*, 36, 430-444.
- KARGOZAR, S., MONTAZERIAN, M., FIUME, E. & BAINO, F. 2019. Multiple and Promising Applications of Sr-containing Bioactive Glasses in Bone Tissue Engineering. *Frontiers in bioengineering and biotechnology*, 7, 161.
- KAZANTZIS, G. 1978. The role of hypersensitivity and the immune response in influencing susceptibility to metal toxicity. *Environmental Health Perspectives*, 25, 111-118.
- KNESER, U., SCHAEFER, D., MUNDER, B., KLEMT, C., ANDREE, C. & STARK, G. 2002. Tissue engineering of bone. *Minimally Invasive Therapy & Allied Technologies*, 11, 107-116.
- KOKUBO, T. & TAKADAMA, H. 2006. How useful is SBF in predicting in vivo bone bioactivity? *Biomaterials*, 27, 2907-2915.
- KRISHNAMACHARYULU, N., MOHINI, G. J., BASKARAN, G. S., KUMAR, V. R. & VEERAIAH, N. 2016. Effect of ZrO₂ on the bioactive properties of B2O₃-SiO₂-P2O₅-Na₂O-CaO glass system. *Journal of Non-Crystalline Solids*, 452, 23-29.
- KUDA, O., PINCHUK, N., BYKOV, O., TOMILA, T., OLIFAN, O. & GOLOVKOVA, M. 2018. Development and Characterization of Sr-Containing Glass-Ceramic Composites Based on Biogenic Hydroxyapatite. *Nanoscale research letters*, 13, 155.
- KUHN, T. 2012. Biomaterials Introduction to Biomedical Engineering. Elsevier Press.
- LAI, G.-J., SHALUMON, K. & CHEN, J.-P. 2015. Response of human mesenchymal stem cells to intrafibrillar nanohydroxyapatite content and extrafibrillar nanohydroxyapatite in biomimetic chitosan/silk fibroin/nanohydroxyapatite nanofibrous membrane scaffolds. *International journal of nanomedicine*, 10, 567.
- LAO, J., NEDELEC, J.-M. & JALLOT, E. 2009. New strontium-based bioactive glasses: physicochemical reactivity and delivering capability of biologically active dissolution products. *Journal of Materials Chemistry*, 19, 2940-2949.
- LEGEROS, J., TRAUTZ, O. & LEGEROS, R. 1965. A computer-diffractometer method for assessing crystallinity. *Trans Am Cryst Assn*, 40.
- LEHMANN, I. 2017. Environmental pollutants as adjuvant factors of immune system derived diseases. *Bundesgesundheitsblatt, Gesundheitsforschung, Gesundheitsschutz*, 60, 592-596.
- LEWANDROWSKI, K.-U., WISE, D. L., YASZEMSKI, M. J., GRESSER, J. D., TRANTOLO, D. J. & ALTOBELL, D. E. 2002. *Tissue engineering and biodegradable equivalents, scientific and clinical applications*, CRC Press.
- LIN, T., WANG, H., WANG, H. & WANG, X. 2004. The charge effect of cationic surfactants on the elimination of fibre beads in the electrospinning of polystyrene. *Nanotechnology*, 15, 1375.
- LIN, Y., XIAO, W., BAL, B. S. & RAHAMAN, M. N. 2016. Effect of copper-doped silicate 13-93 bioactive glass scaffolds on the response of MC3T3-E1 cells in vitro and on bone regeneration and angiogenesis in rat calvarial defects in vivo. *Materials Science and Engineering: C*, 67, 440-452.
- LIU, X., RAHAMAN, M. N. & FU, Q. 2013a. Bone regeneration in strong porous bioactive glass (13-93) scaffolds with an oriented microstructure implanted in rat calvarial defects. *Acta biomaterialia*, 9, 4889-4898.
- LIU, X., RAHAMAN, M. N., HILMAS, G. E. & BAL, B. S. 2013b. Mechanical properties of bioactive glass (13-93) scaffolds fabricated by robotic deposition for structural bone repair. *Acta biomaterialia*, 9, 7025-7034.
- LL, H. 1998. Bioceramics. *J. Am. Ceram. Soc*, 81, 1705-1728.
- LOH, Q. L. & CHOONG, C. 2013. Three-dimensional scaffolds for tissue engineering applications: role of porosity and pore size. *Tissue Engineering Part B: Reviews*, 19, 485-502.

- LU, H. H., POLLACK, S. R. & DUCHEYNE, P. 2001. 45S5 Bioactive glass surface charge variations and the formation of a surface calcium phosphate layer in a solution containing fibronectin. *Journal of Biomedical Materials Research: An Official Journal of The Society for Biomaterials and The Japanese Society for Biomaterials*, 54, 454-461.
- MA, P. X. & ZHANG, R. 2001. Microtubular architecture of biodegradable polymer scaffolds. *Journal of Biomedical Materials Research: An Official Journal of The Society for Biomaterials, The Japanese Society for Biomaterials, and The Australian Society for Biomaterials and the Korean Society for Biomaterials*, 56, 469-477.
- MAQUET, V., BOCCACCINI, A. R., PRAVATA, L., NOTINGHER, I. & JÉRÔME, R. 2003. Preparation, characterization, and in vitro degradation of bioresorbable and bioactive composites based on Bioglass®-filled polylactide foams. *Journal of Biomedical Materials Research Part A: An Official Journal of The Society for Biomaterials, The Japanese Society for Biomaterials, and The Australian Society for Biomaterials and the Korean Society for Biomaterials*, 66, 335-346.
- MARIA, S., SWANSON, M. H., ENDERBY, L. T., D'AMICO, F., ENDERBY, B., SAMSONRAJ, R. M., DUDAKOVIC, A., VAN WIJNEN, A. J. & WITT-ENDERBY, P. A. 2017. Melatonin-micronutrients Osteopenia Treatment Study (MOTS): A translational study assessing melatonin, strontium (citrate), vitamin D3 and vitamin K2 (MK7) on bone density, bone marker turnover and health related quality of life in postmenopausal osteopenic women following a one-year double-blind RCT and on osteoblast-osteoclast co-cultures. *Aging (Albany NY)*, 9, 256.
- MARIE, P. 2005. Strontium ranelate: a novel mode of action optimizing bone formation and resorption. *Osteoporosis international*, 16, S7-S10.
- MARIE, P. 2006. Strontium ranelate: a physiological approach for optimizing bone formation and resorption. *Bone*, 38, 10-14.
- MELNYK, L. J., DONOHUE, M. J., PHAM, M. & DONOHUE, J. 2019. Absorption of strontium by foods prepared in drinking water. *Journal of Trace Elements in Medicine and Biology*, 53, 22-26.
- MERLE, C., VIGAN, M., DEVRED, D., GIRARDIN, P. & ADESSI, B. 1992. Generalized eczema from vitallium osteosynthesis material. *Contact Dermatitis*, 27, 257-258.
- MERRITT, K. & BROWN, S. A. 1996. Distribution of cobalt chromium wear and corrosion products and biologic reactions. *Clinical Orthopaedics and Related Research®*, 329, S233-S243.
- MIYAJI, F., KONO, Y. & SUYAMA, Y. 2005. Formation and structure of zinc-substituted calcium hydroxyapatite. *Materials Research Bulletin*, 40, 209-220.
- MUNRO-ASHMAN, D. & MILLER, A. 1976. Rejection of metal to metal prosthesis and skin sensitivity to cobalt. *Contact dermatitis*, 2, 65-67.
- NITIPUTRI, K. A. P. 2015. Morphological and chemical changes in in vitro bone mineral and the effect of strontium on in vitro mineralisation.
- O'DONNELL, M., FREDHOLM, Y., DE ROUFFIGNAC, A. & HILL, R. 2008. Structural analysis of a series of strontium-substituted apatites. *Acta Biomaterialia*, 4, 1455-1464.
- O'DONNELL, M. & HILL, R. 2010. Influence of strontium and the importance of glass chemistry and structure when designing bioactive glasses for bone regeneration. *Acta Biomaterialia*, 6, 2382-2385.
- OGATA, K., IMAZATO, S., EHARA, A., EBISU, S., KINOMOTO, Y., NAKANO, T. & UMAKOSHI, Y. 2005. Comparison of osteoblast responses to hydroxyapatite and hydroxyapatite/soluble calcium phosphate composites. *Journal of Biomedical Materials Research Part A: An Official Journal of The Society for Biomaterials, The Japanese Society for Biomaterials, and The Australian Society for Biomaterials and the Korean Society for Biomaterials*, 72, 127-135.
- OYANE, A., ONUMA, K., ITO, A., KIM, H. M., KOKUBO, T. & NAKAMURA, T. 2003. Formation and growth of clusters in conventional and new kinds of simulated body fluids. *Journal of Biomedical Materials Research Part A: An Official Journal of The Society for Biomaterials*,

- The Japanese Society for Biomaterials, and The Australian Society for Biomaterials and the Korean Society for Biomaterials, 64, 339-348.
- PARK, K. H., CHOI, Y., YOON, D. S., LEE, K.-M., KIM, D. & LEE, J. W. 2018. Zinc promotes osteoblast differentiation in human mesenchymal stem cells via activation of the cAMP-PKA-CREB signaling pathway. *Stem cells and development*, 27, 1125-1135.
- PAUKSCH, L., HARTMANN, S., ROHNKE, M., SZALAY, G., ALT, V., SCHNETTLER, R. & LIPS, K. S. 2014. Biocompatibility of silver nanoparticles and silver ions in primary human mesenchymal stem cells and osteoblasts. *Acta biomaterialia*, 10, 439-449.
- PAUL, A. 1977. Chemical durability of glasses; a thermodynamic approach. *Journal of materials science*, 12, 2246-2268.
- PILMANE, M., SALMA-ANCANE, K., LOCA, D., LOCS, J. & BERZINA-CIMDINA, L. 2017. Strontium and strontium ranelate: Historical review of some of their functions. *Materials Science and Engineering: C*, 78, 1222-1230.
- PIZZORNO, L. 2015. Nothing boring about boron. *Integrative Medicine: A Clinician's Journal*, 14, 35.
- PRASAD, K., BAZAKA, O., CHUA, M., ROCHFORD, M., FEDRICK, L., SPOOR, J., SYMES, R., TIEPPO, M., COLLINS, C. & CAO, A. 2017. Metallic biomaterials: Current challenges and opportunities. *Materials*, 10, 884.
- PRASHANTH, L., KATTAPAGARI, K. K., CHITTURI, R. T., BADDAM, V. R. R. & PRASAD, L. K. 2015. A review on role of essential trace elements in health and disease. *Journal of dr. ntr university of health sciences*, 4, 75.
- PULEO, D. & NANCI, A. 1999. Understanding and controlling the bone-implant interface. *Biomaterials*, 20, 2311-2321.
- QIAN, G., XU, X., SUN, W., XU, Y. & LIU, Q. 2008. Preparation, characterization, and stability of calcium zinc hydrophosphate. *Materials Research Bulletin*, 43, 3463-3473.
- RAEVSKAYA, A., PANASIUK, Y. V., STROYUK, O., KUCHMIY, S. Y., DZHAGAN, V., MILEKHIN, A., YERYUKOV, N., SVESHNIKOVA, L., RODYAKINA, E. & PLYUSNIN, V. 2014. Spectral and luminescent properties of ZnO-SiO₂ core-shell nanoparticles with size-selected ZnO cores. *RSC Advances*, 4, 63393-63401.
- RAGHAVENDRA, G. M., VARAPRASAD, K. & JAYARAMUDU, T. 2015. Biomaterials: design, development and biomedical applications. *Nanotechnology applications for tissue engineering*. Elsevier.
- RAHAMAN, M. N., DAY, D. E., BAL, B. S., FU, Q., JUNG, S. B., BONEWALD, L. F. & TOMSIA, A. P. 2011. Bioactive glass in tissue engineering. *Acta biomaterialia*, 7, 2355-2373.
- RAJU, K. S., ALESSANDRI, G., ZICHE, M. & GULLINO, P. M. 1982. Ceruloplasmin, copper ions, and angiogenesis. *Journal of the National Cancer Institute*, 69, 1183-1188.
- RATH, S. N., BRANDL, A., HILLER, D., HOPPE, A., GBURECK, U., HORCH, R. E., BOCCACCINI, A. R. & KNESER, U. 2014. Bioactive copper-doped glass scaffolds can stimulate endothelial cells in co-culture in combination with mesenchymal stem cells. *PLoS One*, 9, e113319.
- RATNER, B. D. 2004. A history of biomaterials. *Biomaterials science: an introduction to materials in medicine*, 2.
- RAY, C. S., SINGH, B., JENA, I., BEHERA, S. & RAY, S. 2017. Low Alkaline Phosphatase (ALP) in adult population an indicator of Zinc (Zn) and Magnesium (Mg) deficiency. *Current Research in Nutrition and Food Science Journal*, 5, 347-352.
- REGINSTER, J.-Y. 2014. Cardiac concerns associated with strontium ranelate. *Expert opinion on drug safety*, 13, 1209-1213.
- REGINSTER, J.-Y., BRANDI, M.-L., CANNATA-ANDIA, J., COOPER, C., CORSET, B., FERON, J.-M., GENANT, H., PALACIOS, S., RINGE, J. & RIZZOLI, R. 2015. The position of strontium ranelate in today's management of osteoporosis. *Osteoporosis International*, 26, 1667-1671.

- REZAEI, Y., MOZTARZADEH, F., SHAHABI, S. & TAHRIRI, M. 2014. Synthesis, characterization, and in vitro bioactivity of sol-gel-derived SiO₂–CaO–P₂O₅–MgO–SrO bioactive glass. *Synthesis and Reactivity in Inorganic, Metal-Organic, and Nano-Metal Chemistry*, 44, 692-701.
- RODRIGUEZ, J. A., VALENTINE, J. S., EGGERS, D. K., ROE, J. A., TIWARI, A., BROWN, R. H. & HAYWARD, L. J. 2002. Familial amyotrophic lateral sclerosis-associated mutations decrease the thermal stability of distinctly metallated species of human copper/zinc superoxide dismutase. *Journal of Biological Chemistry*, 277, 15932-15937.
- ROSTOKER, G., ROBIN, J., BINET, O., BLAMOUTIER, J., PAUPE, J., LESSANA-LEIBOWITCH, M., BEDOUELLE, J., SONNECK, J., GARREL, J. & MILLET, P. 1987. Dermatitis due to orthopaedic implants. *J Bone Joint Surg Am*, 69, 1408-1412.
- RUIZ, C., ABRIL, N., TARIN, J., GARCIA-PEREZ, M. & CANO, A. 2009. The new frontier of bone formation: a breakthrough in postmenopausal osteoporosis? *Climacteric*, 12, 286-300.
- SALMAN, S. M., SALAMA, S. N. & ABO-MOSALLAM, H. A. 2017. Crystallization characteristics and physico-chemical properties of glass-ceramics based on Li₂O–ZnO–SiO₂ system. *Boletín de la Sociedad Española de Cerámica y Vidrio*, 56, 205-214.
- SCHALOCK, P. C. & THYSSEN, J. P. 2013. Metal hypersensitivity reactions to implants: opinions and practices of patch testing dermatologists. *Dermatitis*, 24, 313-320.
- SCHMELZER, J., RÖPKE, G. & PRIEZHEV, V. B. 2005. *Nucleation theory and applications*, Wiley-VCH Weinheim.
- SEN, C. K., KHANNA, S., VENOJARVI, M., TRIKHA, P., ELLISON, E. C., HUNT, T. K. & ROY, S. 2002. Copper-induced vascular endothelial growth factor expression and wound healing. *American Journal of Physiology-Heart and Circulatory Physiology*, 282, H1821-H1827.
- SHARMA, U., PAL, D. & PRASAD, R. 2014. Alkaline phosphatase: an overview. *Indian Journal of Clinical Biochemistry*, 29, 269-278.
- SILVER, I. A., DEAS, J. & ERECIŃSKA, M. 2001. Interactions of bioactive glasses with osteoblasts in vitro: effects of 45S5 Bioglass®, and 58S and 77S bioactive glasses on metabolism, intracellular ion concentrations and cell viability. *Biomaterials*, 22, 175-185.
- SINGH, B. N., VEERESH, V., MALLICK, S. P., SINHA, S., RASTOGI, A. & SRIVASTAVA, P. 2020. Generation of scaffold incorporated with nanobioglass encapsulated in chitosan/chondroitin sulfate complex for bone tissue engineering. *International Journal of Biological Macromolecules*, 153, 1-16.
- STÄHLI, C., JAMES-BHASIN, M., HOPPE, A., BOCCACCINI, A. R. & NAZHAT, S. N. 2015. Effect of ion release from Cu-doped 45S5 Bioglass® on 3D endothelial cell morphogenesis. *Acta Biomaterialia*, 19, 15-22.
- STANTON, J. 2012. *Innovations in health and medicine: diffusion and resistance in the twentieth century*, Routledge.
- STUART, B. 2000. Infrared spectroscopy. *Kirk-Othmer Encyclopedia of Chemical Technology*, 1-18.
- SUN, J., ZHAO, J., BAO, X., WANG, Q. & YANG, X. 2018. Alkaline phosphatase assay based on the chromogenic interaction of diethanolamine with 4-aminophenol. *Analytical chemistry*, 90, 6339-6345.
- TAKADAMA, H., HASHIMOTO, M., MIZUNO, M. & KOKUBO, T. 2004. Round-robin test of SBF for in vitro measurement of apatite-forming ability of synthetic materials. *Phosphorus Research Bulletin*, 17, 119-125.
- TAKATA, M., SAIKI, M., SUMITA, N., SALDIVA, P. & PASQUALUCCI, C. 2005. Activation analysis methods and applications. *Journal of Radioanalytical and Nuclear Chemistry*, 264, 5-8.
- TEO, W. Z. & SCHALOCK, P. C. 2017. Metal hypersensitivity reactions to orthopedic implants. *Dermatology and Therapy*, 7, 53-64.
- TRIPATHI, H., HIRA, S. K., KUMAR, A. S., GUPTA, U., MANNA, P. P. & SINGH, S. 2015. Structural characterization and in vitro bioactivity assessment of SiO₂–CaO–P₂O₅–K₂O–Al₂O₃ glass as bioactive ceramic material. *Ceramics International*, 41, 11756-11769.

- ULIAN, G., VALDRÈ, G., CORNO, M. & UGLIENGO, P. 2013. The vibrational features of hydroxylapatite and type A carbonated apatite: A first principle contribution. *American Mineralogist*, 98, 752-759.
- VYAS, V. K., KUMAR, A. S., ALI, A., PRASAD, S., SRIVASTAVA, P., MALLICK, S. P., ERSHAD, M., SINGH, S. P. & PYARE, R. 2016. Assessment of nickel oxide substituted bioactive glass-ceramic on in vitro bioactivity and mechanical properties. *Boletín de la Sociedad Española de Cerámica y Vidrio*, 55, 228-238.
- VYAS, V. K., KUMAR, A. S., PRASAD, S., SINGH, S. & PYARE, R. 2015. Bioactivity and mechanical behaviour of cobalt oxide-doped bioactive glass. *Bulletin of Materials Science*, 38, 957-964.
- WANG, H., ZHAO, S., ZHOU, J., SHEN, Y., HUANG, W., ZHANG, C., RAHAMAN, M. N. & WANG, D. 2014. Evaluation of borate bioactive glass scaffolds as a controlled delivery system for copper ions in stimulating osteogenesis and angiogenesis in bone healing. *Journal of Materials Chemistry B*, 2, 8547-8557.
- WANG, J. Y., WICKLUND, B. H., GUSTILO, R. B. & TSUKAYAMA, D. T. 1997. Prosthetic metals impair murine immune response and cytokine release in vivo and in vitro. *Journal of orthopaedic research*, 15, 688-699.
- WHITTINGHAM-JONES, P. M., DUNSTAN, E., ALTAF, H., CANNON, S. R., REVELL, P. A. & BRIGGS, T. W. 2008. Immune responses in patients with metal-on-metal hip articulations: a long-term follow-up. *The Journal of arthroplasty*, 23, 1212-1218.
- WILLIAMS, D. European Society for Biomaterials. Definitions in biomaterials: proceedings of a consensus conference of the European Society for Biomaterials, Chester, England, March 3-5, 1986.
- WILLIAMS, D. F. 1999. *The Williams dictionary of biomaterials*, Liverpool University Press.
- WOESZ, A. 2008. Rapid prototyping to produce porous scaffolds with controlled architecture for possible use in bone tissue engineering. *Virtual Prototyping & Bio Manufacturing in Medical Applications*. Springer.
- WORBOYS, M. 2013. Joseph Lister and the performance of antiseptic surgery. *Notes and Records of the Royal Society*, 67, 199-209.
- WRAY, P. 2011. 'Cotton candy' that heals? Borate glass nanofibers look promising. *American Ceramic Society Bulletin*, 90, 25.
- WU, C., ZHOU, Y., XU, M., HAN, P., CHEN, L., CHANG, J. & XIAO, Y. 2013. Copper-containing mesoporous bioactive glass scaffolds with multifunctional properties of angiogenesis capacity, osteostimulation and antibacterial activity. *Biomaterials*, 34, 422-433.
- XIA, L., MA, W., ZHOU, Y., GUI, Z., YAO, A., WANG, D., TAKEMURA, A., UEMURA, M., LIN, K. & XU, Y. 2019. Stimulatory Effects of Boron Containing Bioactive Glass on Osteogenesis and Angiogenesis of Polycaprolactone: In Vitro Study. *BioMed research international*, 2019.
- YADAV, S. K., RAY, S., ERSHAD, M., VYAS, V. K., PRASAD, S., ALI, A., YADAV, S., MAJHI, M. R. & PYARE, R. 2017. Development of zirconia substituted 1393 bioactive glass for orthopaedic application.
- YADAV, S. K., VYAS, V. K., RAY, S., ERSHAD, M., ALI, A., PRASAD, S., MAJHI, M. R. & PYARE, R. In vitro bioactivity and mechanical properties of zirconium dioxide doped 1393 bioactive glass.
- YAMAGUCHI, M. 2012. Nutritional factors and bone homeostasis: synergistic effect with zinc and genistein in osteogenesis. *Molecular and cellular biochemistry*, 366, 201-221.
- YAN, H., ZHANG, K., BLANFORD, C. F., FRANCIS, L. F. & STEIN, A. 2001. In vitro hydroxycarbonate apatite mineralization of CaO-SiO₂ sol-gel glasses with a three-dimensionally ordered macroporous structure. *Chemistry of Materials*, 13, 1374-1382.
- YAO, A., WANG, D., HUANG, W., FU, Q., RAHAMAN, M. N. & DAY, D. E. 2007. In vitro bioactive characteristics of borate-based glasses with controllable degradation behavior. *Journal of the American Ceramic Society*, 90, 303-306.

References

- YU, Y., BACSIK, Z. & EDÉN, M. 2018. Contrasting In Vitro Apatite Growth from Bioactive Glass Surfaces with that of Spontaneous Precipitation. *Materials*, 11, 1690.
- YUN, J., HOLMES, B., FOK, A. & WANG, Y. 2018. A kinetic model for hydroxyapatite precipitation in mineralizing solutions. *Crystal Growth & Design*, 18, 2717-2725.

PUBLICATIONS

1. **Akher Ali**, M. Ershad, V.K. Vyas, S.K. Hira, P.P. Manna, B. Singh, S. Yadav, P. Srivastava, S. Singh, R. Pyare, Studies on effect of CuO addition on mechanical properties and in vitro cytocompatibility in 1393 bioactive glass scaffold, *Materials Science and Engineering: C* 93 (2018) 341-355.
2. **Akher Ali**, B.N. Singh, S.K. Hira, S. Singh, R. Pyare, ZnO modified 1393 bioactive scaffolds with enhanced cytocompatibility and mechanical performance, *Ceramics International* 46(5) (2020) 6703-6713
3. **Akher Ali**, M. Ershad, S. Hira, S. Singh, R. Pyare, Mechanochemical and in vitro cytocompatibility evaluation of zirconia modified silver substituted 1393 bioactive glasses, *Boletín de la Sociedad Española de Cerámica y Vidrio*, <https://doi.org/10.1016/j.bsecv.2020.07.002>.
4. **Akher Ali**, S. P. Singh, and Ram Pyare. "SrO assisted 1393 glass scaffold with enhanced biological compatibility." *Journal of Non-Crystalline Solids* 550 (2020): 120392.
5. **Akher Ali**, B. N Singh, Sushma Yadav, Md Ershad, Satyendra K Singh, Sarada P Mallick, Ram Pyare, CuO assisted borate 1393B3 glass scaffold with enhanced mechanical performance and cytocompatibility: An *In vitro* study, *Journal of the Mechanical Behavior of Biomedical Materials* (2020) 104231.
6. V.K. Vyas, A.S. Kumar, **Akher Ali**, S. Prasad, P. Srivastava, S.P. Mallick, M. Ershad, S.P. Singh, R. Pyare, Assessment of nickel oxide substituted bioactive glass-ceramic on in vitro bioactivity and mechanical properties, *Boletín de la Sociedad Española de Cerámica y Vidrio* 55(6) (2016) 228-238.
7. M. Ershad, V.K. Vyas, S. Prasad, **Akher Ali**, R. Pyare, Synthesis and characterization of cerium-and lanthanum containing bioactive glass, *Key Engineering Materials*, Trans Tech Publ, 2017, pp. 617-628..
8. M. Ershad, V.K. Vyas, S. Prasad, **Akher Ali**, R. Pyare, Effect of Sm₂O₃ substitution on mechanical and biological properties of 45S5 bioactive glass, *Journal of the Australian Ceramic Society* 54(4) (2018) 621-630.
9. S.K. Yadav, S. Ray, M. Ershad, V.K. Vyas, S. Prasad, **Akher Ali**, S. Yadav, M.R. Majhi, R. Pyare, Development of zirconia substituted 1393 bioactive glass for orthopaedic application, *Oriental Journal of Chemistry* 33 (2017) 2720–2730.
10. S.K. Yadav, V.K. Vyas, S. Ray, M. Ershad, **Akher Ali**, S. Prasad, M.R. Majhi, R. Pyare, In vitro bioactivity and mechanical properties of zirconium dioxide doped 1393 bioactive glass, *international journal of scientific & engineering research*, (2017) 1321-1330.
11. M. Ershad, **Akher Ali**, N.S. Mehta, R.K. Singh, S.K. Singh, R. Pyare, Mechanical and biological response of (CeO₂+La₂O₃)-substituted 45S5 bioactive glasses for biomedical application, *Journal of the Australian Ceramic Society* (2020) 1-10.
12. S. Yadav, S. Majumdar, **Akher Ali**, P. Singh, R. Pyare, In-vitro analysis of bioactivity, hemolysis, and mechanical properties of Zn substituted calcium zirconium silicate (Baghdadite), *Ceramics International*, 47(11), 16037-16053.