

## REFERENCES

### **A**

Ahn, Y. U., Kim, E. J., Kim, H. T. and Hahn, S. H., Variation of structural and optical properties of sol-gel TiO<sub>2</sub> thin films with catalyst concentration and calcination temperature, *Mater. Lett.*, 57, 4660-4666, 2003.

Akdogan, N., Nefedov, A., Zabel, H., Westerholt, K., Becker, H.-W., Somsen, C., Gök, Ş., Bashir, A., Khaibullin, R. and Tagirov, L., High-temperature ferromagnetism in Co-implanted TiO<sub>2</sub> rutile, *J. Phys. Appl. Phys.*, 42, 115005, 2009.

Angelescu, D. E. and Bhatt, R. N., Effective interaction Hamiltonian of polaron pairs in diluted magnetic semiconductors, *Phys. Rev. B*, 65, 075211, 2002.

Armstrong, A. R., Armstrong, G., Canales, J. and Bruce, P. G., TiO<sub>2</sub>-B nanowires, *Angew. Chem. Int. Ed.*, 43, 2286-2288, 2004.

Armstrong, G., Armstrong, A. R., Bruce, P. G., Reale, P. and Scrosati, B., TiO<sub>2</sub> (B) nanowires as an improved anode material for lithium-ion batteries containing LiFePO<sub>4</sub> or LiNi<sub>0.5</sub>Mn<sub>1.5</sub>O<sub>4</sub> cathodes and a polymer electrolyte, *Adv. Mater.*, 18, 2597-2600, 2006.

Arroyo, R., Cordoba, G., Padilla, J. and Lara, V. H., Influence of manganese ions on the anatase–rutile phase transition of TiO<sub>2</sub> prepared by the sol-gel process, *Mater. Lett.*, 54, 397-402, 2002.

Avasthi, D. K., Assmann, W., Nolte, H., Mieskes, H. D., Ghosh, S. and Mishra, N. C., Transport of oxygen atoms mediated by electronic excitation, *Nucl. Instrum. Methods Phys. Res. Sect. B Beam Interact. Mater. At.*, 166, 345-349, 2000.

Ayon, A. A., Cantu, M., Chava, K., Agrawal, C. M., Feldman, M. D., Johnson, D., Patel, D., Marton, D. and Shi, E., Drug loading of nanoporous TiO<sub>2</sub> films, *Biomed. Mater.*, 1, L11, 2006.

### **B**

Baik, J. M., Kim, M. H., Larson, C., Chen, X., Guo, S., Wodtke, A. M. and Moskovits, M., High-yield TiO<sub>2</sub> nanowire synthesis and single nanowire field-effect transistor fabrication, *Appl. Phys. Lett.*, 92, 242111, 2008.

Banfield, J., Thermodynamic analysis of phase stability of nanocrystalline titania, *J. Mater. Chem.*, 8, 2073-2076, 1998.

Bao, S.-J., Li, C. M., Zang, J.-F., Cui, X.-Q., Qiao, Y. and Guo, J., New nanostructured TiO<sub>2</sub> for direct electrochemistry and glucose sensor applications, *Adv. Funct. Mater.*, 18, 591-599, 2008.

Bapna, K., Choudhary, R. J., Pandey, S. K. and Phase, D. M., Implication of local moment at Ti and Fe sites for the electrical and magneto-transport properties of degenerate semiconducting  $\text{Ti}_{1-x}\text{Fe}_x\text{O}_{2-d}$  epitaxial films, *J. Phys. D: Condens. Matter*, 24, 056004, 2012.

Barakat, M. A., Hayes, G. and Shah, S. I., Effect of cobalt doping on the phase transformation of  $\text{TiO}_2$  nanoparticles, *J. Nanosci. Nanotechnol.*, 5, 759-765, 2005.

Bessergenev, V. G., Pereira, R. J. F., Mateus, M. C., Khmelinskii, I. V., Vasconcelos, D. A., Nicula, R., Burkel, E., Botelho do Rego, A. M. and Saprykin, A. I., Study of physical and photocatalytic properties of titanium dioxide thin films prepared from complex precursors by chemical vapour deposition, *Thin Solid Films*, 503, 29-39, 2006.

Bricogne, G., A Bayesian statistical theory of the phase problem. I. A multichannel maximum-entropy formalism for constructing generalized joint probability distributions of structure factors, *Acta Crystallogr. A*, 44, 517-545, 1988.

Bryan, J. D., Heald, S. M., Chambers, S. A. and Gamelin, D. R., Strong room-temperature ferromagnetism in  $\text{Co}^{2+}$ -doped  $\text{TiO}_2$  made from colloidal nanocrystals, *J. Am. Chem. Soc.*, 126, 11640-11647, 2004.

Burdett, J. K., Hughbanks, T., Miller, G. J., Richardson Jr, J. W. and Smith, J. V., Structural-electronic relationships in inorganic solids: powder neutron diffraction studies of the rutile and anatase polymorphs of titanium dioxide at 15 and 295 K, *J. Am. Chem. Soc.*, 109, 3639-3646, 1987.

Byrappa, K. and Yoshimura, M., *Handbook of hydrothermal technology*, William Andrew.

Byun, C., Jang, J. W., Kim, I. T., Hong, K. S. and Lee, B.-W., Anatase-to-rutile transition of titania thin films prepared by MOCVD, *Mater. Res. Bull.*, 32, 431-440, 1997.

## C

Calderon, M. J. and Das Sarma, S., Theory of carrier mediated ferromagnetism in dilute magnetic oxides, *Ann. Phys.*, 322, 2618-2634, 2007.

Calderón, M. J. and Sarma, S. D., Reentrant ferromagnetism in a class of diluted magnetic semiconductors, *Phys. Rev. B*, 75, 235203, 2007.

Chambers, S. A., Thevuthasan, S., Farrow, R. F. C., Marks, R. F., Thiele, J. U., Folks, L., Samant, M. G., Kellock, A. J., Ruzycski, N. and Ederer, D. L.,

Epitaxial growth and properties of ferromagnetic co-doped TiO<sub>2</sub> anatase, *Appl. Phys. Lett.*, 79, 3467-3469, 2001.

Chang, G. S., Forrest, J., Kurmaev, E. Z., Morozovska, A. N., Glinchuk, M. D., McLeod, J. A., Moewes, A., Surkova, T. P. and Hong, N. H., Oxygen-vacancy-induced ferromagnetism in undoped SnO<sub>2</sub> thin films, *Phys. Rev. B*, 85, 165319, 2012.

Chauvet, O., Forro, L., Kos, I. and Miljak, M., Magnetic Properties of the Antase Phase of TiO<sub>2</sub>, *Solid State Communications* 93, 667,1995

Chaves, A., Katiyar, R. S. and Porto, S. P. S., Coupled modes with A 1 symmetry in tetragonal BaTiO<sub>3</sub>, *Phys. Rev. B*, 10, 3522, 1974.

Chiba, D., Takamura, K., Matsukura, F. and Ohno, H., Effect of low-temperature annealing on (Ga, Mn) As trilayer structures, *Appl. Phys. Lett.*, 82, 3020, 2003.

Cho, J. H., Kim, B. Y., Kim, H. D., Woo, S. I., Moon, S. H., Kim, J. P., Cho, C. R., Joh, Y. G., Kim, E. C. and Kim, D. H., Enhanced ferromagnetism in Co-doped TiO<sub>2</sub> powders, *Phys. Status Solidi B*, 241, 1537-1540, 2004.

Choi, H. C., Jung, Y. M. and Kim, S. B., Size effects in the Raman spectra of TiO<sub>2</sub> nanoparticles, *Vib. Spectrosc.*, 37, 33-38, 2005.

Chong, L. H., Mallik, K., De Groot, C. H. and Kersting, R., The structural and electrical properties of thermally grown TiO<sub>2</sub> thin films, *J. Phys. Condens. Matter*, 18, 645, 2006.

Chu, W.-K., *Backscattering spectrometry*, Elsevier.

Clarke, J., SQUID fundamentals, *SQUID Sensors: Fundamentals, Fabrication and Applications*, Springer, pp.1-62.

Clegg, I. M., Everall, N. J., King, B., Melvin, H. and Norton, C., On-line analysis using Raman spectroscopy for process control during the manufacture of titanium dioxide, *Appl. Spectrosc.*, 55, 1138-1150, 2001.

Coey, J. M. D., Venkatesan, M. and Fitzgerald, C. B., Donor impurity band exchange in dilute ferromagnetic oxides, *Nat. Mater.*, 4, 173-179, 2005.

Coey, J. M. D., Venkatesan, M., Stamenov, P., Fitzgerald, C. B. and Dorneles, L. S., Magnetism in hafnium dioxide, *Phys. Rev. B*, 72, 024450, 2005.

Coey, J. M. D., Wongsaprom, K., Alaria, J. and Venkatesan, M., Charge-transfer ferromagnetism in oxide nanoparticles, *J. Phys. D: Appl. Phys.*, 41, 134012, 2008.

Collins, D. M., Electron density images from imperfect data by iterative entropy maximization, *Nature*, 298, 49–51, 1982.

Colthup, N. B., Daly, L. H. and Wiberley, S. E., *Introduction to infrared and Raman spectroscopy*, Elsevier.

Contado, C. and Pagnoni, A., TiO<sub>2</sub> in commercial sunscreen lotion: Flow field-flow fractionation and ICP-AES together for size analysis, *Anal. Chem.*, 80, 7594-7608, 2008.

Costantini, J. M., Brisard, F., Flament, J. L., Meftah, A., Toulemonde, M. and Hage-Ali, M., High energy heavy ion irradiation damage in yttrium iron garnet, *Nucl. Instrum. Methods Phys. Res. Sect. B Beam Interact. Mater. At.*, 65, 568-575, 1992.

Cruz, M. M., da Silva, R. C., Franco, N. and Godinho, M., Ferromagnetism induced in rutile single crystals by argon and nitrogen implantation, *J. Phys. Condens. Matter*, 21, 206002, 2009.

Cullity, B. D. and Graham, C. D., *Introduction to magnetic materials*, John Wiley & Sons.

Cullity, B. D., *Elements of X-Ray Diffraction*, 2, 1978.

## D

Dammak, H., Barbu, A., Dunlop, A., Lesueur, D. and Lorenzelli, N.,  $\alpha \rightarrow \omega$  phase transformation induced in titanium during ion irradiations in the electronic slowing-down regime, *Philos. Mag. Lett.*, 67, 253-259, 1993.

Dar, M. I., Chandiran, A. K., Grätzel, M., Nazeeruddin, M. K. and Shivashankar, S. A., Controlled synthesis of TiO<sub>2</sub> nanoparticles and nanospheres using a microwave assisted approach for their application in dye-sensitized solar cells, *J. Mater. Chem. A*, 2, 1662-1667, 2014.

De La Rubia, T. D., Averback, R., Benedek, R. and King, W. E., Role of thermal spikes in energetic displacement cascades, *Phys. Rev. Lett.*, 59, 1930, 1987.

Dearnaley, G., Freeman, J. H., Nelson, R. S. and Stephen, J., *Ion implantation*, North-Holland Publishing Company.

Ding, K., Miao, Z., Liu, Z., Zhang, Z., Han, B., An, G., Miao, S. and Xie, Y., Facile synthesis of high quality TiO<sub>2</sub> nanocrystals in ionic liquid via a microwave-assisted process, *J. Am. Chem. Soc.*, 129, 6362-6363, 2007.

Ding, X. and Liu, X., Correlation between anatase-to-rutile transformation and grain growth in nanocrystalline titania powders, *J. Mater. Res.*, 13, 2556-2559, 1998.

Dong-Xiang, L., Xiu-Bo, Q., Li-Rong, Z., Yu-Xiao, L., Xing-Zhong, C., Zhuo-Xin, L., Jing, Y. and Bao-Yi, W., Defect types and room-temperature ferromagnetism in undoped rutile TiO<sub>2</sub> single crystals, *Chin. Phys. B*, 22, 037504, 2013.

Doniach, S., The Kondo lattice and weak antiferromagnetism, *Phys. B C*, 91, 231-234, 1977.

Droubay, T., Heald, S. M., Shutthanandan, V., Thevuthasan, S., Chambers, S. A. and Osterwalder, J., Cr-doped TiO<sub>2</sub> anatase: A ferromagnetic insulator, *J. Appl. Phys.*, 97, 046103, 2005.

Du, G. H., Chen, Q., Han, P. D., Yu, Y. and Peng, L.-M., Potassium titanate nanowires: Structure, growth, and optical properties, *Phys. Rev. B*, 67, 035323, 2003.

Dufour, C., Audouard, A., Beuneu, F., Dural, J., Girard, J. P., Hairie, A., Levalois, M., Paumier, E. and Toulemonde, M., A high-resistivity phase induced by swift heavy-ion irradiation of Bi: a probe for thermal spike damage?, *J. Phys. Condens. Matter*, 5, 4573, 1993.

Duhalde, S., Vignolo, M. F., Golmar, F., Chliotte, C., Torres, C. R., Errico, L. A., Cabrera, A. F., Renteria, M., Sánchez, F. H. and Weissmann, M., Appearance of room-temperature ferromagnetism in Cu-doped TiO<sub>2-δ</sub> films, *Phys. Rev. B*, 72, 161313, 2005.

Dunlop, A., Lesueur, D., Morillo, J., Dural, J., Spohr, R. and Vetter, J., High electronic excitations and damage production in GeV-ion-irradiated metals, *Nucl. Instrum. Methods Phys. Res. Sect. B Beam Interact. Mater. At.*, 48, 419-424, 1990.

Durst, A. C., Bhatt, R. N. and Wolff, P. A., Bound magnetic polaron interactions in insulating doped diluted magnetic semiconductors, *Phys. Rev. B*, 65, 235205, 2002.

## E

Edmonds, K. W., Wang, K. Y., Campion, R. P., Neumann, A. C., Farley, N. R. S., Gallagher, B. L. and Foxon, C. T., High-Curie-temperature Ga<sub>1-x</sub>Mn<sub>x</sub>As obtained by resistance-monitored annealing, *Appl. Phys. Lett.*, 81, 4991-4993, 2002.

Efros, A. L. and Pollak, M., *Electron-electron interactions in disordered systems*, Elsevier.

Errico, L. A., Rentería, M. and Weissmann, M., Theoretical study of magnetism in transition-metal-doped TiO<sub>2</sub> and TiO<sub>2-δ</sub>, *Phys. Rev. B*, 72, 184425, 2005.

## F

Ferrand, D., Cibert, J., Wasiela, A., Bourgognon, C., Tatarenko, S., Fishman, G., Andrearczyk, T., Jaroszyński, J., Koleśnik, S. and Dietl, T., Carrier-induced ferromagnetism in p-Zn<sub>1-x</sub>Mn<sub>x</sub>Te, *Phys. Rev. B*, 63, 085201, 2001.

Fink, D. and Chadderton, L. T., Ion-solid interaction: status and perspectives, *Braz. J. Phys.*, 35, 735-740, 2005.

Fleischer, R. L., Price, P. B. and Walker, R. M., Ion Explosion Spike Mechanism for Formation of Charged-Particle Tracks in Solids, *J. Appl. Phys.*, 36, 3645-3652, 1965.

Fleisher, R. L., Price, P. B. and Walker, R. M., Nuclear tracks in solids: Principles and applications, *Berkeley Calif Univ. Calif. Press 1975 626 P*, 1, 1975.

Foner, S., Versatile and Sensitive Vibrating-Sample Magnetometer, *Rev. Sci. Instrum.*, 30, 548-557, 1959.

Forro, L., Chauvet, O., Emin, D., Zuppiroli, L., Berger, H. and Levy, F., High mobility n-type charge carriers in large single crystals of anatase (TiO<sub>2</sub>), *J. Appl. Phys.*, 75, 633-635, 1994.

Fu, L. F., Browning, N. D., Zhang, S. X., Ogale, S. B., Kundaliya, D. C. and Venkatesan, T., Defects in Co-doped and (Co, Nb)-doped TiO<sub>2</sub> ferromagnetic thin films, *J. Appl. Phys.*, 100, 123910-123910-6, 2006.

Fukumura, T., Toyosaki, H., Ueno, K., Nakano, M. and Kawasaki, M., Role of charge carriers for ferromagnetism in cobalt-doped rutile TiO<sub>2</sub>, *New J. Phys.*, 10, 055018, 2008.

Furdyna, J. K., Diluted magnetic semiconductors, *J. Appl. Phys.*, 64, R29-R64, 1988.

## G

Ghosh, S., Khan, G. G., Mandal, K., Samanta, A. and Nambissan, P. M. G., Evolution of vacancy-type defects, phase transition, and intrinsic

ferromagnetism during annealing of nanocrystalline TiO<sub>2</sub> studied by positron annihilation spectroscopy, *J. Phys. Chem. C*, 117, 8458-8467, 2013.

Goh, G. K. L., Chan, K. Y. S. and Liu, T., Hydrothermal epitaxy of ferromagnetic cobalt doped titanium dioxide films at 120° C, *CrystEngComm*, 13, 524-529, 2011.

Goodenough, J. B., Metallic oxides, *Prog. Solid State Chem.*, 5, 145-399, 1971.

Grant, F. A., Properties of rutile (titanium dioxide), *Rev. Mod. Phys.*, 31, 646, 1959.

Griffin, K. A., Pakhomov, A. B., Wang, C. M., Heald, S. M. and Krishnan, K. M., Intrinsic ferromagnetism in insulating cobalt doped anatase TiO<sub>2</sub>, *Phys. Rev. Lett.*, 94, 157204, 2005.

Gull, S. F. and Daniell, G. J., Image reconstruction from incomplete and noisy data, *Nature*, 272, 686, 1978.

## H

Han, W.-Q. and Wang, X.-L., Carbon-coated Magnéli-phase Ti<sub>n</sub>O<sub>2n-1</sub> nanobelts as anodes for Li-ion batteries and hybrid electrochemical cells, *Appl. Phys. Lett.*, 97, 243104-243104-3, 2010.

Han, Y., Wu, G., Li, H., Wang, M. and Chen, H., Highly efficient ultraviolet photodetectors based on TiO<sub>2</sub> nanocrystal-polymer composites via wet processing, *Nanotechnology*, 21, 185708, 2010.

Hanaor, D. A. and Sorrell, C. C., Review of the anatase to rutile phase transformation, *J. Mater. Sci.*, 46, 855-874, 2011.

He, H. T., Yang, C. L., Ge, W.-K., Wang, J. N., Dai, X. and Wang, Y. Q., Resistivity minima and Kondo effect in ferromagnetic GaMnAs films, *Appl. Phys. Lett.*, 87, 162506-162506-3, 2005.

Heald, E. F. and Weiss, C. W., Kinetics and mechanism of anatase/rutile transformation, as catalyzed by ferric oxide and reducing conditions, *Am. Mineral.*, 57, 10, 1972.

Hench, L. L. and West, J. K., The sol-gel process, *Chem. Rev.*, 90, 33-72, 1990.

Henrich, V. E., The surfaces of metal oxides, *Rep. Prog. Phys.*, 48, 1481, 1985.

Henry, J., Barbu, A., Leridon, B., Lesueur, D. and Dunlop, A., Electron microscopy observations of titanium irradiated with GeV heavy ions, *Nucl.*

*Instrum. Methods Phys. Res. Sect. B Beam Interact. Mater. At.*, 67, 390-395, 1992.

Herranz, G., Sánchez, F., Fontcuberta, J., Laukhin, V., Galibert, J., García-Cuenca, M. V., Ferrater, C. and Varela, M., Magnetic field effect on quantum corrections to the low-temperature conductivity in metallic perovskite oxides, *Phys. Rev. B*, 72, 014457, 2005.

Herranz, G., Sánchez, F., Fontcuberta, J., Laukhin, V., Galibert, J., García-Cuenca, M. V., Ferrater, C. and Varela, M., Magnetic field effect on quantum corrections to the low-temperature conductivity in metallic perovskite oxides, *Phys. Rev. B*, 72, 014457, 2005.

Hoa, N. T. Q. and Huyen, D. N., Comparative study of room temperature ferromagnetism in undoped and Ni-doped TiO<sub>2</sub> nanowires synthesized by solvothermal method, *J. Mater. Sci. Mater. Electron.*, 24, 793-798, 2013.

Hong, N. H., Ruyter, A., Prellier, W. and Sakai, J., Room temperature ferromagnetism in anatase Ti<sub>0.95</sub>Cr<sub>0.05</sub>O<sub>2</sub> thin films: Clusters or not?, *Appl. Phys. Lett.*, 85, 6212-6214, 2004a.

Hong, N. H., Sakai, J. and Hassini, A., Ferromagnetism at room temperature with a large magnetic moment in anatase V-doped TiO<sub>2</sub> thin films, *Appl. Phys. Lett.*, 84, 2602-2604, 2004b.

Hong, N. H., Sakai, J., Poirot, N. and Brizé, V., Room-temperature ferromagnetism observed in undoped semiconducting and insulating oxide thin films, *Phys. Rev. B*, 73, 132404, 2006.

Hong, N. H., Sakai, J., Prellier, W., Hassini, A., Ruyter, A. and Gervais, F., Ferromagnetism in transition-metal-doped TiO<sub>2</sub> thin films, *Phys. Rev. B*, 70, 195204, 2004c.

Hou, D. L., Meng, H. J., Jia, L. Y., Ye, X. J., Zhou, H. J. and Li, X. L., Oxygen vacancy enhanced the room temperature ferromagnetism in Ni-doped TiO<sub>2</sub> thin films, *Phys. Lett. A*, 364, 318-322, 2007.

Hu, E., von Molnár, S., Stampe, P. A., Kennedy, R. J. and Xin, Y., Investigation of oxygen growth pressure effects on TiO<sub>2-δ</sub>: Co, *Appl. Phys. Lett.*, 92, 012114-012114-3, 2008.

Hubler, G. K., Pulsed laser deposition, *MRS Bull.*, 17, 26-29, 1992.

## I



Ishikawa, N., Yamamoto, S. and Chimi, Y., Structural changes in anatase TiO<sub>2</sub> thin films irradiated with high-energy heavy ions, *Nucl. Instrum. Methods Phys. Res. Sect. B Beam Interact. Mater. At.*, 250, 250-253, 2006.

Itoh, N., Duffy, D. M., Khakshouri, S. and Stoneham, A. M., Making tracks: electronic excitation roles in forming swift heavy ion tracks, *J. Phys. Condens. Matter*, 21, 474205, 2009.

Iwase, A., Sasaki, S., Iwata, T. and Nihira, T., Anomalous reduction of stage-I recovery in nickel irradiated with heavy ions in the energy range 100-120 MeV, *Phys. Rev. Lett.*, 58, 2450, 1987.

## J

Jaffe, J. E., Droubay, T. C. and Chambers, S. A., Oxygen vacancies and ferromagnetism in Co<sub>x</sub>Ti<sub>1-x</sub>O<sub>2-x-y</sub>, *J. Appl. Phys.*, 97, 073908, 2005.

Janisch, R., Gopal, P. and Spaldin, N. A., Transition metal-doped TiO<sub>2</sub> and ZnO-present status of the field, *J. Phys. Condens. Matter*, 17, R657, 2005.

Jeong, B.-S., Heo, Y. W., Norton, D. P., Hebard, A. F., Budai, J. D. and Park, Y. D., Properties of anatase Co<sub>x</sub>Ti<sub>1-x</sub>O<sub>2</sub> thin films epitaxially grown by reactive sputtering, *Thin Solid Films*, 488, 194-199, 2005.

Jia, C. W., Xie, E. Q., Zhao, J. G., Duan, H. G. and Zhang, Y. Z., Annealing temperature dependence of ferromagnetism in Co-doped TiO<sub>2</sub> nanofibres, *Mater. Sci. Eng. B*, 140, 10-14, 2007.

Joyce, B. A., Molecular beam epitaxy, *Rep. Prog. Phys.*, 48, 1637, 1985.

Jungwirth, T., Sinova, J., Mašek, J., Kučera, J. and MacDonald, A. H., Theory of ferromagnetic (III, Mn) V semiconductors, *Rev. Mod. Phys.*, 78, 809, 2006.

## K

Kallel, W., Bouattour, S., Ferreira, L. F. and Botelho do Rego, A. M., Synthesis, XPS and luminescence (investigations) of Li<sup>+</sup> and/or Y<sup>3+</sup> doped nanosized titanium oxide, *Mater. Chem. Phys.*, 114, 304-308, 2009.

Kanjilal, D., Improvement of the properties of cuprate superconductors by creating controlled columnar defects, *Vacuum*, 48, 979-982, 1997.

Kaspar, T. C., Heald, S. M., Wang, C. M., Bryan, J. D., Droubay, T., Shutthanandan, V., Thevuthasan, S., McCready, D. E., Kellock, A. J. and Gamelin, D. R., Negligible magnetism in excellent structural quality Cr<sub>x</sub>Ti<sub>1-x</sub>O<sub>2</sub> anatase: contrast with high-T<sub>C</sub> ferromagnetism in structurally defective Cr<sub>x</sub>Ti<sub>1-x</sub>O<sub>2</sub>, *Phys. Rev. Lett.*, 95, 217203, 2005.

- Kasuga, T., Hiramatsu, M., Hoson, A., Sekino, T. and Niihara, K., Formation of titanium oxide nanotube, *Langmuir*, 14, 3160–3163, 1998.
- Katz, R. and Kobetich, E. J., Particle tracks in emulsion, *Phys. Rev.*, 186, 344, 1969.
- Kennedy, R. J. and Stampe, P. A., The influence of lattice mismatch and film thickness on the growth of TiO<sub>2</sub> on LaAlO<sub>3</sub> and SrTiO<sub>3</sub> substrates, *J. Cryst. Growth*, 252, 333-342, 2003.
- Kennedy, R. J. and Stampe, P. A., The influence of lattice mismatch and film thickness on the growth of TiO<sub>2</sub> on LaAlO<sub>3</sub> and SrTiO<sub>3</sub> substrates, *J. Cryst. Growth*, 252, 333-342, 2003.
- Khalid, M., Setzer, A., Ziese, M., Esquinazi, P., Spemann, D., Pöppel, A. and Goering, E., Ubiquity of ferromagnetic signals in common diamagnetic oxide crystals, *Phys. Rev. B*, 81, 214414, 2010.
- Kim, D. H., Yang, J. S., Kim, Y. S., Kim, D.-W., Noh, T. W., Bu, S. D., Kim, Y.-W., Park, Y. D., Pearson, S. J. and Jo, Y., Superparamagnetism in Co-ion-implanted anatase TiO<sub>2</sub> thin films and effects of postannealing, *Appl. Phys. Lett.*, 83, 4574-4576, 2003a.
- Kim, D. H., Yang, J. S., Lee, K. W., Bu, S. D., Noh, T. W., Oh, S.-J., Kim, Y.-W., Chung, J.-S., Tanaka, H. and Lee, H. Y., Formation of Co nanoclusters in epitaxial Ti<sub>0.96</sub>Co<sub>0.04</sub>O<sub>2</sub> thin films and their ferromagnetism, *Appl. Phys. Lett.*, 81, 2421-2423, 2002.
- Kim, D., Hong, J., Park, Y. R. and Kim, K. J., The origin of oxygen vacancy induced ferromagnetism in undoped TiO<sub>2</sub>, *J. Phys. Condens. Matter*, 21, 195405, 2009.
- Kim, J.-Y., Park, J.-H., Park, B.-G., Noh, H.-J., Oh, S.-J., Yang, J. S., Kim, D.-H., Bu, S. D., Noh, T.-W. and Lin, H.-J., Ferromagnetism induced by clustered Co in Co-doped anatase TiO<sub>2</sub> thin films, *Phys. Rev. Lett.*, 90, 017401, 2003b.
- Kim, Y. J., Thevuthasan, S., Droubay, T., Lea, A. S., Wang, C. M., Shutthanandan, V., Chambers, S. A., Sears, R. P., Taylor, B. and Sinkovic, B., Growth and properties of molecular beam epitaxially grown ferromagnetic Fe-doped TiO<sub>2</sub> rutile films on TiO<sub>2</sub> (110), *Appl. Phys. Lett.*, 84, 3531-3533, 2004.
- Kittel, C. and McEuen, P., *Introduction to solid state physics*, Wiley New York.
- Klaumünzer, S. and Schumacher, G., Dramatic growth of glassy Pd<sub>80</sub>Si<sub>20</sub> during heavy-ion irradiation, *Phys. Rev. Lett.*, 51, 1987, 1983.

Kübler, J. and Vigren, D. T., Magnetically controlled electron localization in Eu-rich EuO, *Phys. Rev. B*, 11, 4440, 1975.

Kumar, K.-N. P., Keizer, K., Burggraaf, A. J., Okubo, T. and Nagamoto, H., Textural evolution and phase transformation in titania membranes: Part 2.- Supported membranes, *J Mater Chem*, 3, 1151-1159, 1993.

Kumar, Y., Choudhary, R. J., Singh, A. P., Anjum, G. and Kumar, R., Evidence of quantum correction to conductivity in strained epitaxial LaNiO<sub>3</sub> films, *J. Appl. Phys.*, 108, 083706, 2010.

## L

Landmann, M., Rauls, E. and Schmidt, W. G., The electronic structure and optical response of rutile, anatase and brookite TiO<sub>2</sub>, *J. Phys. Condens. Matter*, 24, 195503, 2012.

Lee, H. M. and Kim, C. S., Effects of oxygen vacancies on the ferromagnetism in Fe-doped anatase TiO<sub>2</sub>, *J. Magn. Magn. Mater.*, 310, 2099-2101, 2007.

Lee, H. M., Kim, S. J., Shim, I.-B. and Kim, C. S., Coexistence of ferromagnetic and paramagnetic phases in Ti<sub>0.995</sub><sup>57</sup>Fe<sub>0.005</sub>O<sub>2</sub>, *J. Magn. Magn. Mater.*, 272, E1565-E1566, 2004.

Lee, P. A. and Ramakrishnan, T. V., Disordered electronic systems, *Rev. Mod. Phys.*, 57, 287, 1985.

Li, J.-G., Büchel, R., Isobe, M., Mori, T. and Ishigaki, T., Cobalt-doped TiO<sub>2</sub> nanocrystallites: radio-frequency thermal plasma processing, phase structure, and magnetic properties, *J. Phys. Chem. C*, 113, 8009-8015, 2009.

Li, X. Z. and Li, F. B., Study of Au/Au<sup>3+</sup>-TiO<sub>2</sub> photocatalysts toward visible photooxidation for water and wastewater treatment, *Environ. Sci. Technol.*, 35, 2381-2387, 2001.

Li, X., Quan, X. and Kotal, C., Synthesis and photocatalytic properties of quantum confined titanium dioxide nanoparticle, *Scr. Mater.*, 50, 499-505, 2004.

Li, X., Zheng W., He G., Zhao R. and Liu, D., Morphology control of TiO<sub>2</sub> nanoparticle in microemulsion and its photocatalytic property *ACS Sustainable Chem. Eng.* 2, 288-295, 2014.

Lin, F., Jiang, D., Lin, Y. and Ma, X., Magnetism of Fe-doped TiO<sub>2</sub> milled in different milling atmospheres, *Phys. B Condens. Matter*, 403, 2193- 2196, 2008.

Lin, H.-M., Hsu, T.-Y., Tung, C.-Y. and Hsu, C.-M., Hydrogen sulfide detection by nanocrystal PT doped TiO<sub>2</sub>-based gas sensors, *Nanostructured Mater.*, 6, 1001-1004, 1995.

Linsebigler, A. L., Lu, G. and Yates Jr, J. T., Photocatalysis on TiO<sub>2</sub> surfaces: principles, mechanisms, and selected results, *Chem. Rev.*, 95, 735-758, 1995.

Lisboa-Filho, P. N., Zenatti, A., Casali, G. M., Paskocimas, C. A., Ortiz, W. A., Leite, E. R. and Longo, E., Magnetic behavior at low temperatures of Ti oxide polycrystalline samples, *J. Sol-Gel Sci. Technol.*, 24, 241-245, 2002.

## M

MacKenzie, K.J.D., *Trans. J. Br. Ceram. Soc.* 74, 121, 1975.

Manivannan, A., Glaspell, G. and Seehra, M. S., Controlled transformation of paramagnetism to room-temperature ferromagnetism in cobalt-doped titanium dioxide, *J. Appl. Phys.*, 94, 6994-6996, 2003a.

Manivannan, A., Seehra, M. S., Majumder, S. B. and Katiyar, R. S., Magnetism of Co-doped titania thin films prepared by spray pyrolysis, *Appl. Phys. Lett.*, 83, 111-113, 2003.

Matsumoto, Y., Murakami, M., Shono, T., Hasegawa, T., Fukumura, T., Kawasaki, M., Ahmet, P., Chikyow, T., Koshihara, S. and Koinuma, H., Room-temperature ferromagnetism in transparent transition metal-doped titanium dioxide, *Science*, 291, 854-856, 2001.

McClure, A., Kayani, A., Idzerda, Y. U., Arenholz, E. and Cruz, E., Characteristics of Co<sub>x</sub>Ti<sub>1-x</sub>O<sub>2</sub> thin films deposited by metal organic chemical vapor deposition, *J. Appl. Phys.*, 104, 084911, 2008.

McCusker, L. B., Von Dreele, R. B., Cox, D. E., Louer, D. and Scardi, P., Rietveld refinement guidelines, *J. Appl. Crystallogr.*, 32, 36-50, 1999.

Meftah, A., Brisard, F., Costantini, J. M., Hage-Ali, M., Stoquert, J. P., Studer, F. and Toulemonde, M., Swift heavy ions in magnetic insulators: A damage-cross-section velocity effect, *Phys. Rev. B*, 48, 920, 1993.

Melendres, C. A., Narayanasamy, A., Maroni, V. A. and Siegel, R. W., Raman spectroscopy of nanophase TiO<sub>2</sub>, *J. Mater. Res.*, 4, 1246-1250, 1989.

Melghit, K. and Bouziane, K., Room temperature ferromagnetism of iron-doped rutile TiO<sub>2</sub> nanorods synthesized by a low temperature method, *J. Alloys Compd.*, 453, 102-107, 2008.

- Meng, C.-Y., Chen, J.-L., Lee, S.-C. and Chia, C.-T., Doping effects on the Raman spectra of silicon nanowires, *Phys. Rev. B*, 73, 245309, 2006.
- Meng, H. J., Hou, D. L., Jia, L. Y., Ye, X. J., Zhou, H. J. and Li, X. L., Role of oxygen vacancies on ferromagnetism in Fe-doped TiO<sub>2</sub> thin films, *J. Appl. Phys.*, 102, 073905-073905-6, 2007.
- Meng, X., Wang, D., Liu, J., Lin, B. and Fu, Z., Effects of titania different phases on the microstructure and properties of K<sub>2</sub>Ti<sub>6</sub>O<sub>13</sub> nanowires, *Solid State Commun.*, 137, 146-149, 2006.
- Mi, W. B., Jiang, E. Y. and Bai, H. L., Structure, magnetic and optical properties of polycrystalline Co-doped TiO<sub>2</sub> films, *J. Magn. Magn. Mater.*, 321, 2472-2476, 2009.
- Mohanty, P., Mishra, N. C., Choudhary, R. J., Banerjee, A., Shripathi, T., Lalla, N. P., Annapoorni, S. and Rath, C., Oxygen vacancy induced phase formation and room temperature ferromagnetism in undoped and Co-doped TiO<sub>2</sub> thin films, *J. Phys. Appl. Phys.*, 45, 325301, 2012.
- Mohanty, P., Mishra, N. C., Choudhary, R. J., Banerjee, A., Shripathi, T., Lalla, N. P., Annapoorni, S. and Rath, C., Oxygen vacancy induced phase formation and room temperature ferromagnetism in undoped and Co-doped TiO<sub>2</sub> thin films, *J. Phys. Appl. Phys.*, 45, 325301, 2012.
- Mor, G. K., Carvalho, M. A., Varghese, O. K., Pishko, M. V. and Grimes, C. A., A room-temperature TiO<sub>2</sub>-nanotube hydrogen sensor able to self-clean photoactively from environmental contamination, *J. Mater. Res.*, 19, 628-634, 2004.
- Morterra, C., Cerrato, G., Visca, M. and Lenti, D. M., Surface characterization of some TiO<sub>2</sub> - based pigments. Part 3.-Coating of the pigments, *J Mater Chem*, 2, 341-355, 1992.
- Moulder, J. F., Stickle, W. F., Sobol, P. E. and Bomben, K. D., *Handbook of X-ray photoelectron spectroscopy*, Perkin Elmer Eden Prairie, MN.
- Munekata, H., Ohno, H., Von Molnar, S., Segmüller, A., Chang, L. L. and Esaki, L., Diluted magnetic III-V semiconductors, *Phys. Rev. Lett.*, 63, 1849, 1989.
- Murata, M., Wakino, K. and Ikeda, S., X-ray photoelectron spectroscopic study of perovskite titanates and related compounds: an example of the effect of polarization on chemical shifts, *J. Electron Spectrosc. Relat. Phenom.*, 6, 459-464, 1975.

Muscat, J., Swamy, V. and Harrison, N. M., First-principles calculations of the phase stability of TiO<sub>2</sub>, *Phys. Rev. B*, 65, 224112, 2002.

Mydosh, J. A., *Spin glasses*, Taylor and Francis.

## N

Naeem, M., Hasanain, S. K., Kobayashi, M., Ishida, Y., Fujimori, A., Buzby, S. and Shah, S. I., Effect of reducing atmosphere on the magnetism of Zn<sub>1-x</sub>Co<sub>x</sub>O (0 ≤ x ≤ 0.10) nanoparticles, *Nanotechnology*, 17, 2675, 2006.

Nagaveni, K., Sivalingam, G., Hegde, M. S. and Madras, G., Photocatalytic degradation of organic compounds over combustion-synthesized nano-TiO<sub>2</sub>, *Environ. Sci. Technol.*, 38, 1600-1604, 2004.

Nambu, A., Graciani, J., Rodriguez, J. A., Wu, Q., Fujita, E. and Sanz, J. F., N doping of TiO<sub>2</sub> (110): Photoemission and density-functional studies, *J. Chem. Phys.*, 125, 094706, 2006.

Navarro, A. M. M., Torres, C. E. R., Bilovol, V., Cabrera, A. F., Errico, L. A. and Weissmann, M., Study of the relation between oxygen vacancies and ferromagnetism in Fe-doped TiO<sub>2</sub> nano-powders, *J. Appl. Phys.*, 115, 223908, 2014a.

Nomura, K., Nakanishi, T., Nagasawa, Y., Ohki, Y., Awazu, K., Fujimaki, M., Kobayashi, N., Ishii, S. and Shima, K., Structural change induced in TiO<sub>2</sub> by swift heavy ions and its application to three-dimensional lithography, *Phys. Rev. B*, 68, 064106, 2003.

## O

Ogale, S. B., Choudhary, R. J., Buban, J. P., Lofland, S. E., Shinde, S. R., Kale, S. N., Kulkarni, V. N., Higgins, J., Lanci, C. and Simpson, J. R., High temperature ferromagnetism with a giant magnetic moment in transparent Co-doped SnO<sub>2-δ</sub>, *Phys. Rev. Lett.*, 91, 077205\_1-077205\_4, 2003.

Ogale, S. B., Dilute doping, defects, and ferromagnetism in metal oxide systems, *Adv. Mater.*, 22, 3125-3155, 2010.

Ohno, H., Munekata, H., Penney, T., Von Molnar, S. and Chang, L. L., Magnetotransport properties of p-type (In, Mn) As diluted magnetic III-V semiconductors, *Phys. Rev. Lett.*, 68, 2664, 1992.

Ohno, H., Shen, A., Matsukura, F., Oiwa, A., Endo, A., Katsumoto, S. and Iye, Y., (Ga, Mn) As: A new diluted magnetic semiconductor based on GaAs, *Appl. Phys. Lett.*, 69, 363-365, 1996.

Ohsaka, T., Izumi, F. and Fujiki, Y., Raman spectrum of anatase, TiO<sub>2</sub>, *J. Raman Spectrosc.*, 7, 321-324, 1978.

Ohya, Y., Saiki, H., Tanaka, T. and Takahashi, Y., Microstructure of TiO<sub>2</sub> and ZnO films fabricated by the sol-gel method, *J. Am. Ceram. Soc.*, 79, 825-830, 1996.

Osada, M., Ebina, Y., Fukuda, K., Ono, K., Takada, K., Yamaura, K., Takayama-Muromachi, E. and Sasaki, T., Ferromagnetism in two-dimensional Ti<sub>0.8</sub>Co<sub>0.2</sub>O<sub>2</sub> nanosheets, *Phys. Rev. B*, 73, 153301, 2006.

## P

Park, M. S., Kwon, S. K. and Min, B. I., Electronic structures of doped anatase TiO<sub>2</sub>:Ti<sub>1-x</sub>M<sub>x</sub>O<sub>2</sub> (M= Co, Mn, Fe, Ni), *Phys. Rev. B*, 65, 161201, 2002.

Parras, M., Varela, A., Cortés-Gil, R., Boulahya, K., Hernando, A. and González-Calbet, J. M., Room-Temperature Ferromagnetism in Reduced Rutile TiO<sub>2-δ</sub> Nanoparticles, *J. Phys. Chem. Lett.*, 4, 2171-2176, 2013.

Paulose, M., Shankar, K., Varghese, O. K., Mor, G. K. and Grimes, C. A., Application of highly-ordered TiO<sub>2</sub> nanotube-arrays in heterojunction dye-sensitized solar cells, *J. Phys. Appl. Phys.*, 39, 2498, 2006.

Pena, J., Vallet-Regi, M. and Román, J. S., TiO<sub>2</sub>-polymer composites for biomedical applications, *J. Biomed. Mater. Res.*, 35, 129-134, 1997.

Peng, H., Li, J., Li, S.-S. and Xia, J.-B., Possible origin of ferromagnetism in undoped anatase TiO<sub>2</sub>, *Phys. Rev. B*, 79, 092411, 2009.

Pereira, L. C. J., Nunes, M. R., Monteiro, O. C. and Silvestre, A. J., Magnetic properties of Co-doped TiO<sub>2</sub> anatase nanopowders, *Appl. Phys. Lett.*, 93, 222502-222502-3, 2008.

Petříček, V., Dušek, M. and Palatinus, L., The crystallographic computing system, *Inst. Phys. Acad. Sci. Czech Repub.*, 162, 53, 2006.

Porkodi, K. and Arokiamary, S., Synthesis and spectroscopic characterization of nanostructured anatase titania: a photocatalyst, *Mater. Character.*, 58, 495-503, 2007.

Porto, S. P. S., Fleury, P. A. and Damen, T. C., Raman Spectra of TiO<sub>2</sub>, MgF<sub>2</sub>, ZnF<sub>2</sub>, FeF<sub>2</sub>, and MnF<sub>2</sub>, *Phys. Rev.*, 154, 522, 1967.

Pradhan, A. K., Hunter, D., Dadson, J. B., Williams, T. M., Zhang, K., Lord, K., Lasley, B., Rakhimov, R. R., Zhang, J. and Sellmyer, D. J.,

Ferromagnetism in nanocrystalline epitaxial Co: TiO<sub>2</sub> thin films, *Appl. Phys. Lett.*, 86, 222503-222503-3, 2005.

Pratt Jr, G. W. and Coelho, R., Optical absorption of CoO and MnO above and below the Néel temperature, *Phys. Rev.*, 116, 281, 1959.

## R

Ramaneti, R., Lodder, J. C. and Jansen, R., Anomalous Hall effect in anatase Co:TiO<sub>2</sub> ferromagnetic semiconductor, *Appl. Phys. Lett.*, 91, 012502-012502-3, 2007a.

Ramaneti, R., Lodder, J. C. and Jansen, R., Kondo effect and impurity band conduction in Co:TiO<sub>2</sub> magnetic semiconductor, *Phys. Rev. B*, 76, 195207, 2007b.

Rath, C., Mallick, P., Pandey, D., Sa, D., Banerjee, A. and Mishra, N. C., Anomalous x-ray diffraction peak broadening and lattice strains in Zn<sub>1-x</sub>Co<sub>x</sub>O dilute magnetic semiconductors, *J. Phys. Condens. Matter*, 21, 075801, 2009.

Rath, C., Mohanty, P., Pandey, A. C. and Mishra, N. C., Oxygen vacancy induced structural phase transformation in TiO<sub>2</sub> nanoparticles, *J. Phys. Appl. Phys.*, 42, 205101, 2009.

Rath, H., Dash, P., Som, T., Satyam, P. V., Singh, U. P., Kulriya, P. K., Kanjilal, D., Avasthi, D. K. and Mishra, N. C., Structural evolution of TiO<sub>2</sub> nanocrystalline thin films by thermal annealing and swift heavy ion irradiation, *J. Appl. Phys.*, 105, 074311-074311-5, 2009.

Reddy, K. M. and Punnoose, A., Occurrence and stability of ferromagnetism in chemically synthesized cobalt doped TiO<sub>2</sub>, *J. Mater. Sci. Mater. Electron.*, 18, 1137-1142, 2007.

Reidy, D. J., Holmes, J. D. and Morris, M. A., The critical size mechanism for the anatase to rutile transformation in TiO<sub>2</sub> and doped-TiO<sub>2</sub>, *J. Eur. Ceram. Soc.*, 26, 1527-1534, 2006.

Reyes-Coronado, D., Rodriguez-Gattorno, G., Espinosa-Pesqueira, M. E., Cab, C., De Coss, R. and Oskam, G., Phase-pure TiO<sub>2</sub> nanoparticles: anatase, brookite and rutile, *Nanotechnology*, 19, 145605, 2008.

Rietveld, H., A profile refinement method for nuclear and magnetic structures, *J. Appl. Crystallogr.*, 2, 65-71, 1969.

Roberts, K. G., Varela, M., Rashkeev, S., Pantelides, S. T., Pennycook, S. J. and Krishnan, K. M., Defect-mediated ferromagnetism in insulating Co-doped anatase TiO<sub>2</sub> thin films, *Phys. Rev. B*, 78, 014409, 2008.



Rodriguez-Torres, C. E., Cabrera, A. F., Errico, L. A., Adan, C., Requejo, F. G., Weissmann, M. and Stewart, S. J., Local structure and magnetic behaviour of Fe-doped TiO<sub>2</sub> anatase nanoparticles: experiments and calculations, *J. Phys. Condens. Matter*, 20, 135210, 2008.

Roller, T. and Bolse, W., Oxygen diffusion and oxide phase formation in iron under swift heavy ion irradiation, *Phys. Rev. B*, 75, 054107, 2007.

Rugar, D., Mamin, H. J., Guethner, P., Lambert, S. E., Stern, J. E., McFadyen, I. and Yogi, T., Magnetic force microscopy: General principles and application to longitudinal recording media, *J. Appl. Phys.*, 68, 1169-1183, 1990.

Rumaiz, A. K., Ali, B., Ceylan, A., Boggs, M., Beebe, T. and Ismat Shah, S., Experimental studies on vacancy induced ferromagnetism in undoped TiO<sub>2</sub>, *Solid State Commun.*, 144, 334-338, 2007.

Ruppert, G., Bauer, R. and Heisler, G., UV-O<sub>3</sub>, UV-H<sub>2</sub>O<sub>2</sub>, UV-TiO<sub>2</sub> and the photo-Fenton reaction: comparison of advanced oxidation processes for wastewater treatment, *Chemosphere*, 28, 1447-1454, 1994.

## S

Sanchez, E., Lopez, T., Gomez, R., Morales, A. and Novaro, O., Synthesis and Characterization of Sol-Gel Pt/TiO<sub>2</sub> Catalyst, *J. Solid State Chem.*, 122, 309-314, 1996.

Santara, B., Giri, P. K., Dhara, S., Imakita, K. and Fujii, M., Oxygen vacancy-mediated enhanced ferromagnetism in undoped and Fe-doped TiO<sub>2</sub> nanoribbons, *J. Phys D: Appl. Phys.*, 47, 235304, 2014.

Sanyal, D., Chakrabarti, M., Nath, P., Sarkar, A., Bhowmick, D. and Chakrabarti, A., Room temperature ferromagnetic ordering in 4 MeV Ar<sup>5+</sup> irradiated TiO<sub>2</sub>, *J. Phys. D: Appl. Phys.*, 47, 025001, 2014.

Sanyal, D., Chakrabarti, M., Nath, P., Sarkar, A., Bhowmick, D. and Chakrabarti, A., Room temperature ferromagnetic ordering in 4 MeV Ar<sup>5+</sup> irradiated TiO<sub>2</sub>, *J. Phys. D: Appl. Phys.*, 47, 025001, 2014.

Sharma, S., Chaudhary, S. and Kashyap, S. C., Observation of room temperature ferromagnetism in spray pyrolyzed polycrystalline Ti<sub>1-x</sub>Co<sub>x</sub>O<sub>2</sub> thin films, *J. Phys. D: Appl. Phys.*, 43, 015007, 2010.

Sharma, S., Chaudhary, S., Kashyap, S. C. and Sharma, S. K., Room temperature ferromagnetism in Mn doped TiO<sub>2</sub> thin films: Electronic structure and Raman investigations, *J. Appl. Phys.*, 109, 083905, 2011.

Shim, H.-W., Lee, D. K., Cho, I.-S., Hong, K. S. and Kim, D.-W., Facile hydrothermal synthesis of porous TiO<sub>2</sub> nanowire electrodes with high-rate capability for Li ion batteries, *Nanotechnology*, 21, 255706, 2010.

Shim, I.-B., An, S.-Y., Kim, C. S., Choi, S.-Y. and Park, Y. W., Growth of ferromagnetic semiconducting cobalt-doped anatase titanium thin films, *J. Appl. Phys.*, 91, 7914-7916, 2002.

Shinde, S. R., Ogale, S. B., Das Sarma, S., Simpson, J. R., Drew, H. D., Lofland, S. E., Lanci, C., Buban, J. P., Browning, N. D. and Kulkarni, V. N., Ferromagnetism in laser deposited anatase Ti<sub>1-x</sub>Co<sub>x</sub>O<sub>2-δ</sub> films, *Phys. Rev. B*, 67, 115211\_1-115211\_6, 2003.

Shinde, S. R., Ogale, S. B., Higgins, J. S., Zheng, H., Millis, A. J., Kulkarni, V. N., Ramesh, R., Greene, R. L. and Venkatesan, T., Co-occurrence of superparamagnetism and anomalous Hall effect in highly reduced cobalt-doped rutile TiO<sub>2-δ</sub> films, *Phys. Rev. Lett.*, 92, 166601\_1-166601\_4, 2004.

Shutthanandan, V., Thevuthasan, S., Heald, S. M., Droubay, T., Engelhard, M. H., Kaspar, T. C., McCready, D. E., Saraf, L., Chambers, S. A. and Mun, B. S., Room-temperature ferromagnetism in ion-implanted Co-doped TiO<sub>2</sub> (110) rutile, *Appl. Phys. Lett.*, 84, 4466-4468, 2004.

Singh, V. R., Ishigami, K., Verma, V. K., Shibata, G., Yamazaki, Y., Kataoka, T., Fujimori, A., Chang, F.-H., Huang, D.-J. and Lin, H.-J., Ferromagnetism of cobalt-doped anatase TiO<sub>2</sub> studied by bulk-and surface-sensitive soft x-ray magnetic circular dichroism, *Appl. Phys. Lett.*, 100, 242404, 2012.

Singhal, R. K., Kumar, S., Kumari, P., Xing, Y. T. and Saitovitch, E., Evidence of defect-induced ferromagnetism and its “switch” action in pristine bulk TiO<sub>2</sub>, *Appl. Phys. Lett.*, 98, 092510-092510-3, 2011.

Smith, D. L., *Thin-film deposition: principles and practice*, McGraw-hill New York etc.

Spaldin, N. A., Search for ferromagnetism in transition-metal-doped piezoelectric ZnO, *Phys. Rev. B*, 69, 125201, 2004.

Spurr, R. A. and Myers, H., Quantitative analysis of anatase-rutile mixtures with an X-ray diffractometer, *Anal. Chem.*, 29, 760-762, 1957.

Stampe, P. A., Kennedy, R. J., Xin, Y. and Parker, J. S., Investigation of the cobalt distribution in the room temperature ferromagnet TiO<sub>2</sub>: Co, *J. Appl. Phys.*, 93, 7864–7866, 2003.

Sudakar, C., Kharel, P., Suryanarayanan, R., Thakur, J. S., Naik, V. M., Naik, R. and Lawes, G., Room temperature ferromagnetism in vacuum-annealed TiO<sub>2</sub> thin films, *J. Magn. Magn. Mater.*, 320, L31-L36, 2008.

Sudakar, C., Kharel, P., Suryanarayanan, R., Thakur, J. S., Naik, V. M., Naik, R. and Lawes, G., Room temperature ferromagnetism in vacuum-annealed TiO<sub>2</sub> thin films, *J. Magn. Magn. Mater.*, 320, L31-L36, 2008.

Sundaresan, A. and Rao, C. N. R., Ferromagnetism as a universal feature of inorganic nanoparticles, *Nano Today*, 4, 96-106, 2009.

Sundaresan, A., Bhargavi, R., Rangarajan, N., Siddesh, U. and Rao, C. N. R., Ferromagnetism as a universal feature of nanoparticles of the otherwise nonmagnetic oxides, *Phys. Rev. B Condens. Matter Mater. Phys.*, 74, 161306\_1-161306\_4, 2006.

Suryanarayanan, R., Naik, V. M., Kharel, P., Talagala, P. and Naik, R., Ferromagnetism at 300K in spin-coated films of Co doped anatase and rutile-TiO<sub>2</sub>, *Solid State Commun.*, 133, 439-443, 2005a.

Suryanarayanan, R., Naik, V. M., Kharel, P., Talagala, P. and Naik, R., Room temperature ferromagnetism in spin-coated anatase-and rutile-Ti<sub>0.95</sub>Fe<sub>0.05</sub>O<sub>2</sub> films, *J. Phys. Condens. Matter*, 17, 755, 2005b.

Suzuki, A. and Kotera, Y., The kinetics of the transition of titanium dioxide, *Bull. Chem. Soc. Jpn.*, 35, 1353-1357, 1962.

## T

Takeuchi, M., Yamashita, H., Matsuoka, M., Anpo, M., Hirao, T., Itoh, N. and Iwamoto, N., Photocatalytic decomposition of NO under visible light irradiation on the Cr-ion-implanted TiO<sub>2</sub> thin film photocatalyst, *Catal. Lett.*, 67, 135-137, 2000.

Tang, H., Prasad, K., Sanjines, R., Schmid, P. E. and Levy, F., Electrical and optical properties of TiO<sub>2</sub> anatase thin films, *J. Appl. Phys.*, 75, 2042-2047, 1994.

Thakur, H., Thakur, P., Kumar, R., Brookes, N. B., Sharma, K. K., Singh, A. P., Kumar, Y., Gautam, S. and Chae, K. H., Irradiation induced ferromagnetism at room temperature in TiO<sub>2</sub> thin films: X-ray magnetic circular dichroism characterizations, *Appl. Phys. Lett.*, 98, 192512-192512-3, 2011.

Thakurdesai, M., Kanjilal, D. and Bhattacharyya, V., Substrate dependence in the formation of TiO<sub>2</sub> nanophases by dense electronic excitation, *Semicond. Sci. Technol.*, 24, 085023, 2009.

Thakurdesai, M., Mahadkar, A., Kulriya, P. K., Kanjilal, D. and Bhattacharyya, V., Synthesis of nanodimensional TiO<sub>2</sub> thin films using energetic ion beam, *Nucl. Instrum. Methods Phys. Res. Sect. B Beam Interact. Mater. At.*, 266, 1343-1348, 2008.

Tian, Z. M., Yuan, S. L., Yin, S. Y., Zhang, S. Q., Xie, H. Y., Miao, J. H., Wang, Y. Q., He, J. H. and Li, J. Q., Synthesis and magnetic properties of vanadium doped anatase TiO<sub>2</sub> nanoparticles, *J. Magn. Magn. Mater.*, 320, L5-L9, 2008.

Toulemonde, M., Dufour, C., Meftah, A. and Paumier, E., Transient thermal processes in heavy ion irradiation of crystalline inorganic insulators, *Nucl. Instrum. Methods Phys. Res. Sect. B Beam Interact. Mater. At.*, 166, 903-912, 2000.

## U

Ueda, K., Tabata, H. and Kawai, T., Magnetic and electric properties of transition-metal-doped ZnO films, *Appl. Phys. Lett.*, 79, 988-990, 2001.

## V

Venkatesan, M., Fitzgerald, C. B. and Coey, J. M. D., Thin films: unexpected magnetism in a dielectric oxide, *Nature*, 430, 630-630, 2004.

Vogel, R., Hoyer, P. and Weller, H., Quantum-sized PbS, CdS, Ag<sub>2</sub>S, Sb<sub>2</sub>S<sub>3</sub>, and Bi<sub>2</sub>S<sub>3</sub> particles as sensitizers for various nanoporous wide-bandgap semiconductors, *J. Phys. Chem.*, 98, 3183-3188, 1994.

## W

Waligorski, M. P. R., Hamm, R. N. and Katz, R., The radial distribution of dose around the path of a heavy ion in liquid water, *Int. J. Radiat. Appl. Instrum. Part Nucl. Tracks Radiat. Meas.*, 11, 309-319, 1986.

Wang, C.-C., Wang, K.-W. and Perng, T.-P., Electron field emission from Fe-doped TiO<sub>2</sub> nanotubes, *Appl. Phys. Lett.*, 96, 143102-143102-3, 2010.

Wang, H., Branford, W. R., Cohen, L. F., Skinner, S. J. and Ryan, M. P., Preparation of ferromagnetic cobalt substituted TiO<sub>2</sub> (Anatase) thin films by electrochemical deposition, *Chem. Mater.*, 19, 3084-3086, 2007.

Wang, H., Zong, Z. and Yan, Y., Mechanism of multi-defect induced ferromagnetism in undoped rutile TiO<sub>2</sub>, *J. Appl. Phys.*, 115, 233909, 2014.

Wang, X. H., Li, J.-G., Kamiyama, H., Katada, M., Ohashi, N., Moriyoshi, Y. and Ishigaki, T., Pyrogenic iron (III)-doped TiO<sub>2</sub> nanopowders synthesized in

RF thermal plasma: phase formation, defect structure, band gap, and magnetic properties, *J. Am. Chem. Soc.*, 127, 10982-10990, 2005.

Wang, X. W., Gao, X. P., Li, G. R., Gao, L., Yan, T. Y. and Zhu, H. Y., Ferromagnetism of Co-doped TiO<sub>2</sub> (B) nanotubes, *Appl. Phys. Lett.*, 91, 143102-143102-3, 2007.

Wang, Y. Q., Hu, G. Q., Duan, X. F., Sun, H. L. and Xue, Q. K., Microstructure and formation mechanism of titanium dioxide nanotubes, *Chem. Phys. Lett.*, 365, 427-431, 2002.

Wang, Y. X., Liu, H., Li, Z. Q., Zhang, X. X., Zheng, R. K. and Ringer, S. P., Role of structural defects on ferromagnetism in amorphous Cr-doped TiO<sub>2</sub> films, *Appl. Phys. Lett.*, 89, 042511, 2006.

Wang, Z. G., Dufour, C., Paumier, E. and Toulemonde, M., The Se sensitivity of metals under swift-heavy-ion irradiation: a transient thermal process, *J. Phys. Condens. Matter*, 6, 6733, 1994.

Wang, Z., Tang, J., Chen, Y., Spinu, L., Zhou, W. and Tung, L. D., Room-temperature ferromagnetism in manganese doped reduced rutile titanium dioxide thin films, *J. Appl. Phys.*, 95, 7384-7386, 2004a.

Wang, Z., Tang, J., Zhang, H., Golub, V., Spinu, L. and Tung, L. D., Ferromagnetism in chromium-doped reduced-rutile titanium dioxide thin films, *J. Appl. Phys.*, 95, 7381-7383, 2004b.

Wang, Z., Tang, J., Zhou, W. and Spinu, L., Ferromagnetism and transport properties of Fe-doped reduced-rutile TiO<sub>2-δ</sub> thin films, *J. Appl. Phys.*, 93, 7870-7872, 2003c.

Wang, Z., Wang, W., Tang, J., Spinu, L. and Zhou, W., Extraordinary Hall effect and ferromagnetism in Fe-doped reduced rutile, *Appl. Phys. Lett.*, 83, 518-520, 2003d.

Wei, X., Skomski, R., Balamurugan, B., Sun, Z. G., Ducharme, S. and Sellmyer, D. J., Magnetism of TiO and TiO<sub>2</sub> nanoclusters, *J. Appl. Phys.*, 105, 07C517, 2009.

Williams, D. B. and Carter, C. B., *The Transmission Electron Microscope*, Springer.

Won, D.-J., Wang, C.-H., Jang, H.-K. and Choi, D.-J., Effects of thermally induced anatase-to-rutile phase transition in MOCVD-grown TiO<sub>2</sub> films on structural and optical properties, *Appl. Phys. A*, 73, 595-600, 2001.

**X**

Xiaoyan, P., Dongmei, J., Yan, L. and Xueming, M., Structural characterization and ferromagnetic behavior of Fe-doped TiO<sub>2</sub> powder by high-energy ball milling, *J. Magn. Magn. Mater.*, 305, 388-391, 2006.

Xu, J., Shi, S., Li, L., Zhang, X., Wang, Y., Chen, X., Wang, J., Lv, L., Zhang, F. and Zhong, W., Structural, optical, and ferromagnetic properties of Co-doped TiO<sub>2</sub> films annealed in vacuum, *J. Appl. Phys.*, 107, 053910, 2010.

Xu, L. M., Yu, Y. P., Xing, X. J., Wu, X. Y. and Li, S. W., Enhancement of ferromagnetism upon thermal annealing in plasma assisted MBE grown mixed-phase Mn-doped insulating TiO<sub>2</sub> thin films, *Appl. Phys. A*, 92, 361-365, 2008.

## Y

Yadav, B. C., Pandey, N. K., Srivastava, A. K. and Sharma, P., Optical humidity sensors based on titania films fabricated by sol-gel and thermal evaporation methods, *Meas. Sci. Technol.*, 18, 260, 2007.

Yamada, Y., Ueno, K., Fukumura, T., Yuan, H. T., Shimotani, H., Iwasa, Y., Gu, L., Tsukimoto, S., Ikuhara, Y. and Kawasaki, M., Electrically induced ferromagnetism at room temperature in cobalt-doped titanium dioxide, *Science*, 332, 1065-1067, 2011.

Yamamoto, K., Takahashi, Y., Ohshima, K., Okamura, F. P. and Yukino, K., MEM Analysis of Electron-Density Distributions for Silicon and Diamond using Short-Wavelength X-rays (WK 1), *Acta Crystallogr. A*, 52, 606-613, 1996.

Yamamoto, S., Sumita, T., Miyashita, A. and Naramoto, H., Preparation of epitaxial TiO<sub>2</sub> films by pulsed laser deposition technique, *Thin Solid Films*, 401, 88-93, 2001.

Yamasaki, T., Fukumura, T., Yamada, Y., Nakano, M., Ueno, K., Makino, T. and Kawasaki, M., Co-doped TiO<sub>2</sub> films grown on glass: Room-temperature ferromagnetism accompanied with anomalous Hall effect and magneto-optical effect, *Appl. Phys. Lett.*, 94, 102515-102515-3, 2009.

Yan, W., Sun, Z., Pan, Z., Liu, Q., Yao, T., Wu, Z., Song, C., Zeng, F., Xie, Y. and Hu, T., Oxygen vacancy effect on room-temperature ferromagnetism of rutile Co: TiO<sub>2</sub> thin films, *Appl. Phys. Lett.*, 94, 042508-042508-3, 2009.

Yang, H. G., Sun, C. H., Qiao, S. Z., Zou, J., Liu, G., Smith, S. C., Cheng, H. M. and Lu, G. Q., Anatase TiO<sub>2</sub> single crystals with a large percentage of reactive facets, *Nature*, 453, 638-641, 2008.

Yang, K., Dai, Y., Huang, B. and Feng, Y. P., Density-functional characterization of antiferromagnetism in oxygen-deficient anatase and rutile TiO<sub>2</sub>, *Phys. Rev. B*, 81, 033202, 2010.

Yang, T.-S., Shiu, C.-B. and Wong, M.-S., Structure and hydrophilicity of titanium oxide films prepared by electron beam evaporation, *Surf. Sci.*, 548, 75-82, 2004.

Yee, S. M. M., Crandles, D. A. and Goncharova, L. V., Ferromagnetism on the unpolished surfaces of single crystal metal oxide substrates, *J. Appl. Phys.*, 110, 033906, 2011.

Yoganarasimhan, S. R. and Rao, C. R., Mechanism of crystal structure transformations. Part 3.-factors affecting the anatase-rutile transformation, *Trans Faraday Soc*, 58, 1579-1589, 1962.

Yoon, S. D., Chen, Y., Yang, A., Goodrich, T. L., Zuo, X., Arena, D. A., Ziemer, K., Vittoria, C. and Harris, V. G., Oxygen-defect-induced magnetism to 880 K in semiconducting anatase TiO<sub>2-δ</sub> films, *J. Phys. Condens. Matter*, 18, L355, 2006.

Yoshida, R., Suzuki, Y. and Yoshikawa, S., Syntheses of TiO<sub>2</sub> (B) nanowires and TiO<sub>2</sub> anatase nanowires by hydrothermal and post-heat treatments, *J. Solid State Chem.*, 178, 2179-2185, 2005.

Yu, J. C., Ho, W., Lin, J., Yip, H. and Wong, P. K., Photocatalytic activity, antibacterial effect, and photoinduced hydrophilicity of TiO<sub>2</sub> films coated on a stainless steel substrate, *Environ. Sci. Technol.*, 37, 2296-2301, 2003.

## Z

Zeman, P. and Takabayashi, S., Self-cleaning and antifogging effects of TiO<sub>2</sub> films prepared by radio frequency magnetron sputtering, *J. Vac. Sci. Technol. A*, 20, 388-393, 2002.

Zener, C., Interaction between the d shells in the transition metals, *Phys. Rev.*, 81, 440, 1951a.

Zener, C., Interaction between the d-shells in the transition metals. II. Ferromagnetic compounds of manganese with perovskite structure, *Phys. Rev.*, 82, 403, 1951b.

Zener, C., Interaction between the d-shells in the transition metals. III. Calculation of the Weiss factors in Fe, Co, and Ni, *Phys. Rev.*, 83, 299, 1951c.

Zhang, H. and Banfield, J. F., Phase transformation of nanocrystalline anatase-to-rutile via combined interface and surface nucleation, *J. Mater. Res.*, 15, 437-448, 2000.

Zhang, H. and Banfield, J. F., Understanding polymorphic phase transformation behavior during growth of nanocrystalline aggregates: insights from TiO<sub>2</sub>, *J. Phys. Chem. B*, 104, 3481-3487, 2000.

Zhang, S. X., Kundaliya, D. C., Yu, W., Dhar, S., Young, S. Y., Salamanca-Riba, L. G., Ogale, S. B., Vispute, R. D. and Venkatesan, T., Niobium doped TiO<sub>2</sub>: Intrinsic transparent metallic anatase versus highly resistive rutile phase, *J. Appl. Phys.*, 102, 013701-013701-4, 2007.

Zhang, S. X., Ogale, S. B., Fu, L. F., Dhar, S., Kundaliya, D. C., Ramadan, W., Browning, N. D. and Venkatesan, T., Consequences of niobium doping for the ferromagnetism and microstructure of anatase Co:TiO<sub>2</sub> films, *Appl. Phys. Lett.*, 88, 012513-012513-3, 2006.

Zhang, S., Chen, Q. and Peng, L.-M., Structure and formation of H<sub>2</sub>Ti<sub>3</sub>O<sub>7</sub> nanotubes in an alkali environment, *Phys. Rev. B*, 71, 014104, 2005.

Zhang, S., Ogale, S. B., Yu, W., Gao, X., Liu, T., Ghosh, S., Das, G. P., Wee, A. T., Greene, R. L. and Venkatesan, T., Electronic Manifestation of Cation-Vacancy-Induced Magnetic Moments in a Transparent Oxide Semiconductor: Anatase Nb: TiO<sub>2</sub>, *Adv. Mater.*, 21, 2282-2287, 2009.

Zhang, S., Ogale, S. B., Yu, W., Gao, X., Liu, T., Ghosh, S., Das, G. P., Wee, A. T., Greene, R. L. and Venkatesan, T., Electronic Manifestation of Cation-Vacancy-Induced Magnetic Moments in a Transparent Oxide Semiconductor: Anatase Nb: TiO<sub>2</sub>, *Adv. Mater.*, 21, 2282-2287, 2009.

Zhang, X., Wang, W., Li, L., Cheng, Y., Luo, X. and Liu, H., Effect of oxygen partial pressure on the ferromagnetism of Cr-doped TiO<sub>2</sub> films, *J. Phys. Appl. Phys.*, 41, 015005, 2008.

Zhang, Y. X., Li, G. H., Jin, Y. X., Zhang, Y., Zhang, J. and Zhang, L. D., Hydrothermal synthesis and photoluminescence of TiO<sub>2</sub> nanowires, *Chem. Phys. Lett.*, 365, 300-304, 2002.

Zhao, Y., Li, C., Liu, X., Gu, F., Jiang, H., Shao, W., Zhang, L. and He, Y., Synthesis and optical properties of TiO<sub>2</sub> nanoparticles, *Mater. Lett.*, 61, 79-83, 2007.

Zheng, J., Bao, S., Lv, Y. and Jin, P., Activation and Enhancement of Room-Temperature Ferromagnetism in Cu-Doped Anatase TiO<sub>2</sub> Films by Bound Magnetic Polaron and Oxygen Defects, *ACS Appl. Mater. Interfaces*, 2014.



Zheng, Q., Zhou, B., Bai, J., Li, L., Jin, Z., Zhang, J., Li, J., Liu, Y., Cai, W. and Zhu, X., Self-Organized TiO<sub>2</sub> Nanotube Array Sensor for the Determination of Chemical Oxygen Demand, *Adv. Mater.*, 20, 1044-1049, 2008.

Zhou, S., Čižmár, E., Potzger, K., Krause, M., Talut, G., Helm, M., Fassbender, J., Zvyagin, S. A., Wosnitza, J. and Schmidt, H., Origin of magnetic moments in defective TiO<sub>2</sub> single crystals, *Phys. Rev. B*, 79, 113201, 2009.

Zhu, S., Shi, T., Liu, W., Wei, S., Xie, Y., Fan, C. and Li, Y., Direct determination of local structure around Fe in anatase TiO<sub>2</sub>, *Phys. B Condens. Matter*, 396, 177-180, 2007.

Zhu, S., Wang, L. M., Zu, X. T. and Xiang, X., Optical and magnetic properties of Ni nanoparticles in rutile formed by Ni ion implantation, *Appl. Phys. Lett.*, 88, 043107-043107-3, 2006.

Ziegler, J. F. and Biersack, J. P., SRIM-2008, Stopping Power and Range of Ions in Matter, 2008.

Zou, G., Li, H., Zhang, Y., Xiong, K. and Qian, Y., Solvothermal/hydrothermal route to semiconductor nanowires, *Nanotechnology*, 17, S313, 2006.

Žutić, I., Fabian, J. and Sarma, S. D., Spintronics: Fundamentals and applications, *Rev. Mod. Phys.*, 76, 323, 2004.