

Abramov, V. Abramov, O. Bulgakov, V. Sommer, F., Solidification of aluminium alloys under ultrasonic irradiation using water-cooled resonator, *Materials Letters*, 1998, v. 37, pp 27–34.

Adachi, H. Sasaki, and Harada, Y., Methods and apparatus for shaping semisolid metals, UBE Industries, European Patent, EP 0 745 694 A1, 1996.

Alidokht, S. A., Abdollah-zadeh, A., Soleymani, S., Saeid, T., & Assadi, H., Evaluation of microstructure and wear behavior of friction stir processed cast aluminum alloy, *Materials Characterization*, 2012, v. 63, pp 90-97.

Alipour, M., Aghdam, B. G., Rahnama, H. E., & Emamy, M. Investigation of the effect of Al–5Ti–1B grain refiner on dry sliding wear behavior of an Al–Zn–Mg–Cu alloy formed by strain-induced melt activation process. *Materials & Design*, 2013, v. 46, pp 766-775.

Alshmri, F., Atkinson, H. V., Hainsworth, S. V., Haidon, C., & Lawes, S. D. A. Dry sliding wear of aluminium-high silicon hypereutectic alloys, *Wear*, 2014, v. 313(1-2), pp 106-116.

Anasyida, A. S., Daud, A. R., & Ghazali, M. J. Dry sliding wear behaviour of Al-4Si–4Mg alloys by addition of cerium. *International Journal of Mechanical and Materials Engineering*, 2009, v. 4(2), pp 127-130.

Anasyida, A. S., Daud, A. R., & Ghazali, M. J., Dry sliding wear behaviour of Al–12Si–4Mg alloy with cerium addition, *Materials & Design*, 2010, v. 31(1), pp 365-374.

Apaydin, N., Prabhakar, K. V., & Doherty, R. D., Special grain boundaries in rheocast Al- Mg. *Materials Science and Engineering*, 1980, 46(2), 145-150.

Archard, J. F. & Hirst, W. The wear of metals under unlubricated conditions, *Proc. R. Soc. Lond. A*, 1956, v. 236, pp 397-410.

Archard, J. F., Contact and Rubbing, *Journal of Applied Physics*, 1953, v. 23, p 18.

Atkinson, H.V. Modelling the semisolid processing of metallic alloys, *Progress in materials science*, 2005, v. 50, pp 341-412.

Bai, B. P., & Biswas, S. K., Effect of magnesium addition and heat treatment on mild wear of hypoeutectic aluminium-silicon alloys, *Acta metallurgica et materialia*, 1991, v. 39(5), pp 833-840.

Bai, B. P., Biswas, S. K., & Kumtekar, N. N. Scanning electron microscopy study of worn Al-Si alloy surfaces, *Wear*, 1983, v. 87(3), pp 237-249.

Bala, S. A., & Lund, J. A. Formation and undercooling of droplets in the primary phase of Ag–Ge alloys, *Zeitschrift für Metallkunde*, 1979, v. 70, p 185

- Basak, P. S., Ray, B. C., & Chakrabarty, I., The effect of rotation on the eutectic phase in hypoeutectic Al-Si alloy, *Journal of Materials Science Letters*, 1991, v. 10(6), pp 313-315.
- Bhushan, B. & Gupta, B. K. Handbook of tribology: materials, coatings, and surface treatments, 1991.
- Boostani A.F. and Tahamtan S. Fracture behavior of thixoformed A356 alloy produced by SIMA process *Journal of Alloys and Compounds*, 2009, v. 481(1), pp 220-227.
- Brabazon D, Browne D. J. and Carr A. J. 2002 Mechanical stir casting of aluminium alloys from the mushy state: process, microstructure and mechanical properties *Material Science and Engineering*, 2002, v. 326(2), pp 370–381.
- Cantor, B. & Doherty, R. D. Heterogeneous nucleation in solidifying alloys, *Acta Metallurgica et Materialia*, 1979, v. 27, pp 33-46.
- Caracostas, C. A., Chiou, W. A., Fine, M. E., & Cheng, H. S. Tribological properties of aluminum alloy matrix TiB₂ composite prepared by in situ processing. *Metallurgical and Materials Transactions A*, 1997, v. 28(2), pp 491-502.
- Chalmers, B. Principles of Solidification, Wiley, New York, 1964.
- Chirita, G., Soares, D., & Silva, F. S. Advantages of the centrifugal casting technique for the production of structural components with Al-Si alloys, *Materials & Design*, 2008, v. 29(1), pp 20-27.
- Choi, J. C., & Park, H. J., Microstructural characteristics of aluminum 2024 by cold working in the SIMA process. *Journal of Materials Processing Technology*, 1998, v. 82(1-3), pp 107-116.
- Chu, M.G. Shiohara, Y. & Flemings, M.C. Solidification of highly undercooled Sn-Pb alloy droplets, *Metallurgical and Materials Transactions.*, 1984, v. 15, pp 1303-1310.
- Curle, U. A., Semi-solid near-net shape rheocasting of heat treatable wrought aluminum alloys. *Transactions of nonferrous metals society of china*, 2010, v. 20(9), pp 1719-1724.
- Czerwinski F., The basics of modern semi-solid metal processing, *JOM*, 2006, v. 58(6), pp 17-20.
- Czerwinski, F., & Zielinska-Lipiec, A, The melting behaviour of extruded Mg-8% Al-2% Zn alloy, *Acta materialia*, 2003, 51(11), 3319-3332.
- DasGupta, R. Industrial application-the present status and challenges we face. In Proceedings of the 8th International Conference on Semi-Solid processing of Alloys and Composites, 2004, September.

- De Freitas, E. R., Ferracini Jr, E., & Ferrante, M., Microstructure and rheology of an AA2024 aluminium alloy in the semi-solid state, and mechanical properties of a back-extruded part, *Journal of Materials Processing Technology*, 2004, v. 146(2), pp 241-249.
- Dey, A. K., Poddar, P., Singh, K. K., & Sahoo, K. L., Mechanical and wear properties of rheocast and conventional gravity die cast A356 alloy, *Materials Science and Engineering: A*, 2006, v. 435, pp 521-529.
- Doherty, R. D., Lee, H. I., & Feest, E. A. Microstructure of stir-cast metals. *Materials Science and Engineering*, 1984, v. 65(1), pp 181-189.
- Dwivedi, D. K., Arjun, T. S., Thakur, P., Vaidya, H., & Singh, K., Sliding wear and friction behaviour of Al-18% Si-0.5% Mg alloy, *Journal of materials processing technology*, 2004, v. 152(3), pp 323-328.
- Boyed, L. E. Kirkwood, D. H. & Sellars, C. M. : Proc. 2nd World Basque Cong. on 'New structural materials, Servicio Central de Publicaciones del Gobierno Vasco, 1988, pp. 285-295.
- Elliot, R. *Eutectic Solidification Process*, Butterworth, London, 1983.
- Falak, P., & Niroumand, B. Rheocasting of an Al-Si alloy. *Scripta Materialia*, 2005, v. 53(1), pp 53-57.
- Fan Z., Semisolid metal processing, *International Materials Reviews*, 2002, v. 47(2), pp 49-85.
- Figueroedo, A. D. E. *Science and Technology of Semi-Solid Metal Processing*, NADCA,Wheeling, Ill, USA, 2001
- Flemings M. C., *Metallurgical and Materials Transactions A*, 1991, v. 22, pp 957-981
- Flemings, M. C. *Solidification Processing*, McGraw-Hill, New York, NY, USA, 1974.
- Flemings, M. C. Yurko, J.A. & Martinez, R.A., Solidification process and microstructures, Proceedings of the TMS Annual Meeting, Charlotte, NC, USA, 2004, pp 3-14.
- Flemings, M. C., Behavior of metal alloys in the semisolid state, *Metallurgical transactions A*, 1991, v. 22(5), pp 957-981.
- Flemings, M. C., Riek, R. G., & Young, K. P. Rheocasting, *Materials Science and Engineering*, 1976, 25, 103-117.
- Flemings, M.C. Behavior of metal alloys in the semi-solid state, *Metallurgical transactions A*, 1991, v. 22(5), pp 957-981.
- Gautam, G., & Mohan, A. Wear and friction of AA5052-Al3Zr in situ composites synthesized by direct melt reaction, *Journal of Tribology*, 2016, v. 138(2), pp 021602.

- Gautam, G., Kumar, N., Mohan, A., Gautam, R. K., & Mohan, S., Tribology and surface topography of tri-aluminide reinforced composites, *Tribology International*, 2016, v. 97, pp 49-58.
- Ghomashchi, R. Die filling and solidification of Al-Si alloys in high pressure die casting, *Scandinavian journal of metallurgy*, 1993, v. 22(2), pp 61-67.
- Ghomashchi, R. High pressure die-casting: effect of fluid flow on the microstructure of LM24 die-casting alloy, *Journal of materials processing technology*, 1995, v. 52, pp 193-206.
- Gouthama, G.B. Rudrakshi, S.N. Ojha, Spray forming and wear characteristics of liquid immiscible alloys, *Journal of Materials Processing Technology*, 2007, v. 189, pp 224-230.
- Grimmig, T. Ovcharov, A. Afrath, C. Bunck, M. Buhrig-Polaczek, A. ,Potential of the rheocasting process demonstrated on different aluminum based alloy systems. in Ninth International Conference on Semi-Solid Processing of Alloys and Composites (Busan, Korea, 2006) (published in Solid State Phenomena, 2006, v. 116–117, pp 484–488)
- Guo, H. & Yang, X. Continuous fabrication of sound semi solid slurry for rheoforming, Semi-Solid Processing of Alloys and Composites, Busan, Solid State Phenomena, Korea, 2006, pp. 425–428.
- Guo, H. M., & Yang, X. J. Preparation of semi-solid slurry containing fine and globular particles for wrought aluminum alloy 2024, *Transactions of Nonferrous Metals Society of China*, 2007, v. 17(4), pp 799-804.
- Haga, T., & Kapranos, P. Billetless, Simple thixoforming process, *Journal of Materials Processing Technology*, 2002, 130, 581-586.
- Halvaei, A., & Talebi, A., Effect of process variables on microstructure and segregation in centrifugal casting of C92200 alloy, *Journal of Materials Processing Technology*, 2001, v. 118(1-3), pp 122-126.
- Hasen, M.; Constituion of Binary Alloys, Mc GrawHill Book company, Newyork, 1958, p 85
- Hassas-Irani, S. B., Zarei-Hanzaki, A., Bazaz, B., & Roostaei, A. A., Microstructure evolution and semi-solid deformation behavior of an A356 aluminum alloy processed by strain induced melt activated method, *Materials & Design*, 2013, v. 46, pp 579-587.
- Hellawell, A. “Grain evolution in conventional rheocasting,” in Proceedings of the 4th International Conference on Semi-Solid Processing of Alloys and Composites, article 40, Sheffield, UK, 1996.

- Huang, X., Liu, C., Lv, X., Liu, G., & Li, F., Aluminum alloy pistons reinforced with SiC fabricated by centrifugal casting, *Journal of Materials Processing Technology*, 2011, v. 211(9), pp 1540-1546.
- Ichikawa, K., Ishizuka, S., & Kinoshita, Y. Stirring conditions and grain refinement in Al-Cu alloys by rheocasting. *Transactions of the Japan institute of metals*, 1987, v. 28(2), pp 135-144.
- Jorstad, J. L., SSM processes-an overview. In Proceedings of the 8th International Conference on Semi-Solid Processing of Alloys and Composites, *Limassol*, Cyprus, 2004, pp. 21-23.
- Juneja J L, Studies on Centrifugal Casting of High Speed Steel, Ph. D. Thesis, IIT, Mumbai, 1986.
- Kadhim, M. J., & Dwarakadasa, E. S. Some studies of wear of an Al-22wt.% Si alloy under dry sliding conditions. *Wear*, 1982, v. 82(3), pp 377-380.
- Kattamis, T. Z., & Flemings, M. C., Solidification of highly undercooled castings, *Mod Casting*, 1967, v. 52 (1), p 97-104.
- Kaufmann, H. Wabusseg, H. & Uggowitzer, P. J. Metallurgical and processing aspects of the NRC semi-solid casting technology, *Aluminium-dusseldorf then isernhagen*, 2000, v. 76, pp 70-74.
- Kearney A, Elwin L Rooy, "Alloy systems:Introduction to Aluminium and Aluminium Alloy", in ASM Hand book vol.2, properties and selection: Non- ferrous Alloys and special- purpose materials, *ASM International*, 1990.
- Kearney A., Elwin L Rooy, "Alloy systems:Introduction to Aluminium and Aluminium
- Kenney, M. P. Courtois, R. D. Evans, G. M. Farrior, C. P. Koch, A. A. & Young, K. P. Semisolid metal casting and forging, *ASM International*, Materials Park, Ohio, USA, 9th edition, 1998.
- Kim, W.T. & Cantor, B. Solidification behaviour of Pb droplets embedded in a Cu matrix, *Acta metallurgica et materialia*, 1992, v. 40, pp 3339-3347.
- Kim, W.T. & Zhang, D.L. Nucleation of solidification in liquid droplets, *Metallurgical and Materials Transactions*, 1991, v. 22, pp 2487-2501.
- Kimand, W.T. & Cantor, B. Solidification of tin droplets embedded in an aluminium matrix, *Journal of materials science*, 1991, v. 26, pp 2868-2878.
- Kirkwood, D. H. & Kaprano, P. Semi-solid processing of alloys, *Metals and materials*, 1989, v. 5, pp 16-19.
- Kirkwood, D. H. Sellars, C.M. & Boyed, L. G. E. European patent 0305 375 B1, 1992.

- Kirkwood, D.H. Semisolid metal processing, *Journal of International Materials Reviews*, 1994, v. 39, pp 173-89.
- Kun, L.G. The Application of Electromagnetic Stirring (EMS) in the Continuous Casting of Steel Iron & Steel Society, Warrendale, vol. 3, 1984.
- Lim, S.C. & Ashby, M. F. Overview no. 55 wear-mechanism maps, *Acta metallurgica*, 1987, v. 35, pp 1-24.
- Limodin, N. Salvo, L. Suery, M. & DiMichiel, M. , In situ investigation by X-ray Tomography of the overall and local microstrucutral changes occurring during partial remelting of an Al158 wt Cu alloy, *Acta Materialia* , 2009, v. 57, pp 2300–2310.
- Liu, D. Atkinson, H.V. Kapranos, P. Jirattiticharoean, W. Jones, H., Microstructural evolutionand tensile mechanical properties of thixoformed high performance aluminium alloys. *Material Science and Engineering: A*, 2003, v. 361, pp 213–224.
- Mandal, A., Chakraborty, M., & Murty, B. S. Effect of TiB₂ particles on sliding wear behaviour of Al–4Cu alloy. *Wear*, 2007, v. 262(1-2), pp 160-166.
- Mandal, A., Murty, B. S., & Chakraborty, M. Sliding wear behaviour of T6 treated A356-TiB₂ in-situ composites, *Wear*, 2009, v. 266, pp 865-872
- Mehrabian, R. Die castings of partially solidified alloys. *Transaction American Foundariman Society*, 1972, v. 80, pp 173-182.
- Ming-Xu, X., Hong-Xing, Z., Sen, Y., & Jian-Guo, L., Recrystallization of preformed AZ91D magnesium alloys in the semisolid state, *Materials & design*, 2005, v. 26(4), pp 343-349.
- Mirzadeh, H., & Niroumand, B. Effects of rheocasting parameters on the microstructure of rheo-centrifuged cast Al–7.1 wt% Si alloy. *Journal of Alloys and Compounds*, 2009, v. 474(1-2), 257-263.
- Mohammed, M. N., Omar, M. Z., Salleh, M. S., Alhawari, K. S., & Kapranos, P. Semisolid metal processing techniques for nondendritic feedstock production. *The Scientific World Journal*, v. 2013.
- Mukunda, P. G., Rao, A. S., & Rao, S. S., Influence of rotational speed during centrifugal casting on sliding wear behaviour of the Al-2Si alloy, *Frontiers of Materials Science in China*, 2009, v. 3(3), 339-344.
- Mukunda, P. G., Shailesh, R. A., & Rao, S. S., Influence of rotational speed of centrifugal casting process on appearance, microstructure, and sliding wear behaviour of Al-2Si cast alloy, *Metals and Materials International*, 2010, v. 16(1), pp 137-143.
- Nafisi, S., & Ghomashchi, R, Semi-solid metal processing routes: an overview, *Canadian metallurgical quarterly*, 2005, v. 44(3), pp 289-304.

- Niedermaier, J. Langgartner, G. Hirt I. Niedick, "Horizontal continuous casting of SSM billets," *Semi-Solid Processing of Alloys and Composites*, Golden, 1998, pp. 407–414.
- Niroumand, B., & Xia, K. 3D study of the structure of primary crystals in a rheocast Al–Cu alloy, *Materials Science and Engineering: A*, 2000, v. 283(1-2), pp 70-75.
- Nodooshan, H. J., Liu, W., Wu, G., Bahrami, A., Pech-Canul, M. I., & Emamy, M, Mechanical and tribological characterization of Al-Mg₂Si composites after yttrium addition and heat treatment, *Journal of materials engineering and performance*, 2014, v. 23(4), pp 1146-1156.
- Ogris, E. Development of Al-Si-Mg alloys for semi-solid processing and Silicon Spheroidization Treatment (SST) for Al-Si cast alloys, Doctoral dissertation, Swiss Federal Institute of Technology, 2002.
- Ojha, S. N. Undercooling and metastable phase formation in Al-Ge alloys, *Zeitschrift für Metallkunde*, 1991, v. 82(1), pp 41-47.
- Ojha, S. N., Anantharaman, T. R., & Ramachandrarao, P. Solidification of undercooled cadmium-zinc eutectic melts. *Journal of Materials Science*, 1982, v. 17(9), pp 2644-2648.
- Ojha, S. N., Ramachandrarao, P., & Anantharaman, T. R., Studies in undercooling of hypo-eutectic silver-germanium alloys by the glass slag technique. *Transactions of the Indian Institute of Metals*, 1983, v. 36(1), pp 51.
- Ojha, S.N. and Pandey, O.P. Formation and undercooling of droplets in the primary phase of Ag–Ge alloys, *Journal of materials science*, 1997, v. 32, pp 3283-3291.
- Ojha, S.N. Metastable phase formation during solidification of undercooled melt, *Materials Science and Engineering: A*, 2001, v. 304-306, pp 114-118.
- Omar M. Z., Palmiere E. J., Howe A. A., Atkinson H. V. and Kaprinos P. Thixoforming of a high performance HP9/4/30 steel, *Material Science and Engineering :A* , 2005, v. **395 (1)**, pp 53-61.
- Pandey, O.P. Ojha, S.N. & Anantharaman, T.R. Solidification of undercooled melt of Mg-Cu alloy entrapped in its primary phase, *Journal of Materials Science Letters*, 1992, v. 11, pp 1260-1262
- Pandey, O.P. Lele, S. Ojha, S.N. & Mishra, N.S. Undercooling and solidification of droplets Cu-Ag alloy entrained in the primary phase, *Journal of materials science*, 1995, v. 30, pp 538-543
- Pandey, O.P. Mishra, N.S. Ramachandra, C. Lele, S. & Ojha, S.N. Nonequilibrium solidification of undercooled melt of Ag-Cu alloy entrained in the primary phase, *Metallurgical and Materials Transactions A*, 1994, v. 25, pp 2518-2523.

- Rahimi, B., Khosravi, H., & Haddad-Sabzevar, M., Microstructural characteristics and mechanical properties of Al-2024 alloy processed via a rheocasting route. *International Journal of Minerals, Metallurgy, and Materials*, 2015, v. 22(1), pp 59-67.
- Rajan, T. P. D., & Pai, B. C. Formation of solidification microstructures in centrifugal cast functionally graded aluminium composites, *Transactions of the Indian Institute of Metals*, 2009, v. 62(4-5), pp 383-389.
- Rajan, T. P. D., Jayakumar, E., & Pai, B. C., Developments in solidification processing of functionally graded aluminium alloys and composites by centrifugal casting technique, *Transactions of the Indian Institute of Metals*, 2012, v. 65(6), pp 531-537.
- Rajan, T. P. D., Pillai, R. M., & Pai, B. C., Centrifugal casting of functionally graded aluminium matrix composite components, *International Journal of Cast Metals Research*, 2008, v. 21(1-4), pp 214-218.
- Ramachandrarao, P. Lal, K. Singhdeo, A. & Chattopadhyay, K. Quenching from the mushy state - a new technique for the production of metastable phases, *Materials Science and Engineering*, 1979, v. 41, pp 259.
- Ramachandrarao, P., Ojha, S. N., & Pandey, O. P. On the production of fine droplets entrained in a metal matrix, *Philosophical magazine letters*, 1992, v. 66(1), pp33-38.
- Ray, B. C., Mohanty, U. K., & Verma, B. B., Influence of crucible Roatation Speed on hardness, Cast structure and Impact Properties., *Transactions of Indian Institute of Metals*, V. 59 (1) pp 57-63.
- Reddy, A. S., Bai, B. P., Murthy, K. S. S., & Biswas, S. K., Mechanism of seizure of binary Al-Si alloys dry sliding against steel, *Wear*, 1995, v. 181, pp 658-667.
- Reisi, M., & Niroumand, B. Effects of stirring parameters on rheocast structure of Al-7.1 wt.% Si alloy. *Journal of Alloys and Compounds*, 2009, v. 470(1-2), pp 413-419.
- Rice, C.S. & Mendez, P.F. Slurry based semi-solid diecasting, *Advanced materials and processes*, 2001, v. 159(10), pp 49–53.
- Rishu, A. Kushwaha, H. Dubey, A. Goyal, A., A review of rheocasting technique on Al/Mg alloys. *International Journal of Mechanical And Production Engineering*, 2014, v. 2, p 63.
- Rudrakshi, G. B., & Ojha, S. N. Spray forming and wear characteristics of liquid immiscible alloys. *Journal of Materials Processing Technology*, 2007, v. 189(1-3), pp 224-230.
- Saffari, S. & Akhlaghi, F. New semisolid casting of an Al-25wt% Mg₂Si composite using vibrating cooling slope, *Semi-Solid Processing of Alloys and Composites*, Muscat, Oman, 2015, pp 389–396.

- Sahoo, K. L., Poddar, P., Kumar, R., & Pushp, P. T., Strain induced melt activation—an effective route to produce high performance alloy plates and sheets, *Transactions of the Indian Institute of Metals*, 2009, v. 62(4-5), pp 275-278.
- Sang-Yong, L., Jung-Hwan, L., & Young-Seon, L., Characterization of Al 7075 alloys after cold working and heating in the semi-solid temperature range, *Journal of Materials Processing Technology*, 2001, v. 111(1-3), pp 42-47.
- Satyanarayana, K. G. Ojha, S. N. Naresh Nath Kumar, D. & Sastry, G. V. S. Studies on spray casting of Al-alloys and their composites, *Materials Science and Engineering A*, 2001, v. 304–306, pp. 627–631.
- Shailesh R. A, Mukunda, P.G, Rao, S. S. & Sudhakar, K.G., Inference of optimal speed for sound centrifugal casting of Al-12Si alloys, *JOM*, 2011, v. 63 (5), pp 25-29.
- Southin, R.T. & Chadwick, G.A. Heterogeneous nucleation in solidifying metal, *Acta Metallurgica et Materialia*., 1978, v. 36, pp 223-231.
- Spencer, D. B. Mehrabian, R. & Flemings, M. C. Rheological behavior of Sn-15 pct Pb in the crystallization range, *Metallurgical and Materials Transactions B*, 1972, v. 3, pp 1925-1932.
- Spencer, D. B., Mehrabian, R., & Flemings, M. C. Rheological behavior of Sn-15 pct Pb in the crystallization range, *Metallurgical Transactions*, 1972, v. 3(7), pp 1925-1932.
- Spencer, D.B., PhD thesis, MIT, Cambridge, M.A., 1971.
- Spurr, R. T., Temperatures reached during sliding, *Wear*, 1979, v. 55(2), pp 289-293.
- Srivastava, V. C., Rudrakshi, G. B., Uhlenwinkel, V., & Ojha, S. N. Wear characteristics of spray formed Al-alloys and their composites, *Journal of materials science*, 2009, v. 44(9), p 2288.
- Stokes, J. The theory and application of the HVOF thermal spray process, Dublin City University, Dublin, 2005.
- Suh, N.P. New theories of wear and their implications for tool materials, *Wear*, 1980, v. 62, pp 1-20.
- Uetani, Y. Nagata, R. Takagi, H. Matsuda, K. Ikeno, S., Simple manufacturing method for A7075 aluminum alloy slurry with fine granules and application to rheo-extrusion. in Ninth International Conference on Semi-Solid Processing of Alloys and Composites (Busan, Korea, 2006) (published in Solid State Phenomena, 2006,v. 116–117, pp 746–749
- Van Thuong, N., Zuhailawati, H., Seman, A. A., Huy, T. D., & Dhindaw, B. K. Microstructural evolution and wear characteristics of equal channel angular pressing processed semi-solid-cast hypoeutectic aluminum alloys, *Materials & Design*, 2015, v. 67, pp 448-456.

- Vencl, A., Bobic, I., & Stojanovic, B. Tribological properties of A356 Al-Si alloy composites under dry sliding conditions, *Industrial Lubrication and Tribology*, 2014, 66(1), 66-74.
- Vencl, A., Manić, N., Popovic, V., & Mrdak, M., Possibility of the abrasive wear resistance determination with scratch tester, *Tribology Letters*, 2010, v. 37(3), pp 591-604.
- Verhoeven, J. D., & Gibson, E. D. Interface stability of the melting solid-liquid interface: I. Sn-Sb alloys. *Journal of Crystal Growth*, 1971, v. 11(1), pp 29-38.
- Vogel, A., Doherty, R. D., & Cantor, B. Solidification and casting of metals. *The Metals Society, London*, 1979, v. 518, p 525.
- Walder, S., Ryder, P. L. Nonequilibrium solidification in undercooled melts of the alloy Ag-39.9 at. % Cu, *Journal of Applied Physics*, 1993, v. 73, p 1965-1970.
- Wang, J. G., Lin, H. Q., Li, Y. Q., & Jiang, Q. C. Effect of initial as-cast microstructure on semisolid microstructure of AZ91D alloy during the strain-induced melt activation process, *Journal of Alloys and Compounds*, 2008, v. 457(1-2), pp 251-258.
- Wang, Y., Rainforth, W. M., Jones, H., & Lieblich, M., Dry wear behaviour and its relation to microstructure of novel 6092 aluminium alloy–Ni3Al powder metallurgy composite, *Wear*, 2001, v. 251(1-12), pp 1421-1432.
- Wilson, S., Alpas, A.T. Wear Thermal effects on mild wear transitions in dry sliding of an aluminium alloy, *Wear*, 1999, v. 225, p 440-449
- Xie, Y., Liu, C., Zhai, Y., Wang, K., & Ling, X., Centrifugal casting processes of manufacturing in situ functionally gradient composite materials of Al-19Si-5Mg alloy, *Rare Metals*, 2009, v. 28(4), pp 405-411.
- Young, K. P. Kyonka, C. P. & Courtois, J. A., U.S. Patent No. 4,415,374, 1983.
- Young, K.P. Kyonka, C.P., Courtois, J.A. Fine grained metal composition, US Patent No. 4,415,374, 30th March 1982.
- Yurko, J.A. Martinez, R. A. Flemings, M.C. The Spheroidal Growth Route to Semi-Solid Forming, *Semi-Solid Processing of Alloys and Composites*, Limassol, Cyprus, 2004, 2004, pp 21-23.