

List of Figures

Figure No.	Figure Captions	Page No.
2.1.	Schematic representation of P-gp efflux	13
2.2.	P-gp in different organs of the body	15
2.3.	Berberine species	30
2.4.	Berberine species bark	30
2.5.	Berberine chloride (pure form)	31
4.1.	Schematic diagram of nanoprecipitation method	55
4.2.	a. Stainless steel naplet device b. Naplet disc and c. Uncoated naplet	60
5.1.	Standard curve of Berberine	76
5.2.	HPLC Chromatogram of Berberine	77
5.3.	Solubility studies of BBR in different media	80
5.4.	Solubility studies of BBR in different surfactants in pH 4.5 buffer	81
5.5.a.	Contour plot of EE vs stabilizer concentration (mM) and drug to polymer ratio	87
5.5.b.	Response surface plot of EE vs stabilizer concentration (mM) and drug to polymer ratio	88
5.6.a.	Contour plot of PS vs stabilizer concentration (mM) and drug to polymer ratio	90

5.6.b.	Response surface plot of PS vs stabilizer concentration (mM) and drug to polymer ratio	90
5.7.a.	Contour plot of PDI vs stabilizer concentration (mM) and drug to polymer ratio	91
5.7.b.	Response surface plot of PDI vs stabilizer concentration (mM) and drug to polymer ratio	91
5.8	Particle size distribution of (a) BBR-NP and (b) BBR-SCNP	94
5.9.a.	Zeta potential of BBR-NP	94
5.9. b.	Zeta potential of BBR-SCNP	95
5.10.	(a) uncoated naplet (b) enteric coated naplet	95
5.11.	SEM micrographs of (a) BBR-NP dispersion (b) redispersed nanoparticles from naplet	98
5.12.	TEM images of (a) BBR-NP dispersion (b) redispersed nanoparticles from naplet	99
5.13.	FT – IR spectra of (a) pure BBR (b) physical mixture of BBR and Polymer (c) BBR loaded NP (d) placebo NP prepared in water as a dispersion medium (e) placebo NP prepared in pH phthalate buffer as a dispersion medium	102
5.14.	FT-IR spectra of (a) pure BBR (b) PCL (c) TPGS (d) BBR-SCNP	103
5.15.	DSC thermo grams of (a) Pure BBR (b) PCL (d) BBR-NP	104

5.16.	DSC thermograms of (a) Pure BBR (b) BBR-NP (c) BBR-SCNP	105
5.17.	XRD patterns of (a) BBR (b) PCL (C) BBR-SCNP	106
5.18.	TEM images of (a) BBR-NP (b) BBR-SCNP	107
5.19.	In - vitro release study of pure BBR solution and formulation (F - 6) in PBS medium (pH 7.4)	110
5.20.	In-vitro drug release profile of BBR-NP and BBR-SCNP in PBS medium (pH 7.4)	110
5.21.	In-vitro drug release profile of BBR-NP dispersion and naplet in pH 1.2 (hydrochloric acid buffer) and pH6.8 (phosphate) medium	111
5.22.	Comparative In - vitro release study of nanoformulation (F-6) in PBS medium (pH 7.4) at "0" and "180" days	113
5.23.	TEM images (a) BBR-NP in SBFs (pH 6.8) (b) BBR-NP in plasma (c) BBR-SC NP in SBFs (pH 6.8) (d) BBR-SCNP in plasma	118
5.24.	Standard curve of Berberine in plasma	121
5.25.	Chromatogram of Berberine in plasma	121
5.26.	Results of Plasma concentration - time curves of single dose pharmacokinetic study	123
5.27.	Haemolysis results of BBR-NP, BBR-SCNP and placebos after incubation in blood	126
5.28.	LDH assay results of BBR-NP, BBR-SCNP and placebos after incubation in blood	127
5.29.	Platelet aggregation microscopic images	129

	of drug loaded BBR-NP, BBR-SCNP and placebos NP (45 x)	
5.30.	Platelet count results of BBR-NP, BBR-SCNP and placebos NP after incubation in blood	129
5.31.	Quantification of different Liver enzymes (a) AST (b) ALP (c) ALT	132
5.32.	Quantification of different Kidney enzymes (a) Urea (b) Creatinine	133
5.33.	Microphotograph of intestine of different groups of animals	134
5.34.	Microphotograph of liver of different groups of animals	134
5.35.	Microphotograph of kidney of different groups of animals	135