

Contents

List of Figures	xv
Pre	xix
1 Introduction	1
1.1 Background	1
1.1.1 Linear and Nonlinear Waves	1
1.1.2 Hyperbolic system of PDEs	4
1.1.3 The Riemann Problem	6
1.1.4 Ideal and Non-ideal Gases	10
1.1.5 Dusty Gas	11
1.2 Motivation and Overview	14
1.3 Literature Review	18
1.4 Aims and Thesis Objectives	23
2 On the evolution of finite and small amplitude waves in non-ideal gas with dust particles	25
2.1 Introduction	25
2.2 Governing equations	29
2.3 Progressive waves	30
2.4 Finite amplitude waves	32
2.5 Small amplitude waves	34
2.6 Steepening of shock	35
2.7 Results and Discussion	39
2.8 Conclusion	44
3 Weak discontinuities in one-dimensional compressible non-ideal gas dynamics	45
3.1 Introduction	46
3.2 Characteristic Transformation	51

3.3	Evolution of amplitude of the discontinuity	55
3.4	Behavior of Weak Discontinuities	57
3.5	Results and Discussion	58
3.6	Conclusion	66
4	On the evolution of acceleration discontinuities in van der Waals dusty magnetogasdynamics	69
4.1	Introduction	69
4.2	Basic Equations and its characteristics	73
4.3	Acceleration discontinuities in characteristic plane	76
4.4	Amplitude of the disturbance	78
4.5	Behavior of Acceleration discontinuities	80
4.6	Results and Discussion	86
4.7	Conclusion	88
5	Propagation of shock wave in 2-D planar and axisymmetric non-ideal radiating gas flow under the influence of magnetic field	91
5.1	Introduction	92
5.2	Characteristic formulation	97
5.3	Transport equations for the discontinuities	99
5.4	Behavior of the propagating waves	102
5.5	Results and discussion	110
5.5.1	Analysis of the effects of thermal radiation on the shock formation process.	111
5.5.2	Analysis of an increase in the value of magnetic parameter ε_0	111
5.5.3	Analysis of an increase in the value of non-ideal parameter \bar{b}	112
5.6	Conclusion	112
6	The Riemann Problem for one-dimensional dusty gas dynamics with external forces	115
6.1	Introduction	115
6.2	Elementary waves	121
6.2.1	Continuous solutions	122
6.2.2	Discontinuous solutions	125
6.3	Riemann solutions of the modified homogeneous system (6.6) and (6.7)	128
6.4	Riemann solutions of the system (6.3) and (6.4)	135
6.5	Conclusion	141
7	Summary and Future scope	143
7.1	Summary	143
7.2	Future Scope	146

Bibliography

149

List of Publications (SCI/SCIE)

171

List of Figures

1.1	Structure of the Riemann solution for a system of conservation laws	10
2.1	Variation of α_{11} versus k_p for different values of b with $\gamma = 1.4$ and $\beta = 0.8$	39
2.2	Variation of shock formation distance in (a) cylindrically symmetric flow and (b) spherically symmetric flow for different values of b , respectively.	41
2.3	Effects of mass fraction k_p and the non-ideal parameter b on the shock strength in (a) cylindrically symmetric flow and (b) spherically symmetric flow for $\gamma = 1.4$ and $\beta = 0.8$, respectively.	42
2.4	Variation of $\hat{\rho} = \frac{(\rho_0 + \rho_1)}{\rho_0}$ with the dimensionless variable $\xi = \frac{(r - F_0 t)}{r_0}$ in (a) cylindrically symmetric flow and (b) spherically symmetric flow of non-ideal gas with dust particles, respectively.	43
3.1	Characteristic labeling and coordinate system.	53
3.2	Effect of dust particles on the decay process of expansive weak discontinuities with $\beta = 0.8$, $\gamma = 1.67$ and $\delta = 0.1$ for planar symmetry.	60
3.3	Effect of dust particles on the growth of compressive weak discontinuities with $\beta = 0.8$, $\gamma = 1.67$ and $\delta = -0.1$ for planar symmetry.	60
3.4	Effect of dust particles on the decay of expansive weak discontinuities with $\beta = 0.8$, $\gamma = 1.67$ and $\delta = 0.1$ for cylindrical symmetry ($m = 1$).	61
3.5	Effect of dust particles on the growth of compressive weak discontinuities with $\beta = 0.8$, $\gamma = 1.67$ and $\delta = -0.1$ for cylindrical symmetry ($m = 1$).	61
3.6	Effect of van der Waals parameter b on the decay of expansive weak discontinuities with $\beta = 0.8$, $\gamma = 1.67$, $k_p = 0.03$ and $\delta = 0.1$ for planar symmetry.	63
3.7	Effect of van der Waals parameter b on the growth of compressive weak discontinuities with $\beta = 0.8$, $\gamma = 1.67$, $k_p = 0.03$ and $\delta = -0.1$ for planar symmetry.	64

3.8	Effect of van der Waals parameter b on the decay of expansive weak discontinuities with $\beta = 0.8$, $\gamma = 1.67$, $k_p = 0.03$ and $\delta = 0.1$ for cylindrical symmetry ($m = 1$).	64
3.9	Effect of van der Waals parameter b on the growth of compressive weak discontinuities with $\beta = 0.8$, $\gamma = 1.67$, $k_p = 0.03$ and $\delta = -0.1$ for cylindrical symmetry ($m = 1$).	65
3.10	Effect of dust particles on the expansive weak discontinuities for planar and cylindrical symmetry ($m = 1$) dusty gas flow with $b = 0.4$.	65
3.11	Effect of dust particles on the compressive weak discontinuities for planar and cylindrical symmetry ($m = 1$) dusty gas flow with $b = 0.4$.	66
4.1	Flow patterns of the expansive discontinuities with $\gamma = 1.67$, $b = 0.0$, $\beta = 0.8$ and $\delta = 0.1$ for planar symmetry.	81
4.2	Flow patterns of the compressive discontinuities with $\gamma = 1.67$, $b = 0.0$, $\beta = 0.8$ and $\delta = -0.1$ for planar symmetry.	82
4.3	Flow patterns of the expansive discontinuities with $\gamma = 1.67$, $b = 0.2$, $\beta = 0.8$ and $\delta = 0.1$ for planar symmetry.	82
4.4	Flow patterns of the compressive discontinuities with $\gamma = 1.67$, $b = 0.2$, $\beta = 0.8$ and $\delta = -0.1$ for planar symmetry.	83
4.5	Flow patterns of the expansive discontinuities with $\gamma = 1.67$, $b = 0.0$, $\beta = 0.8$ and $\delta = 0.1$ for cylindrical symmetry ($m = 1$).	83
4.6	Flow patterns of the compressive discontinuities with $\gamma = 1.67$, $b = 0.0$, $\beta = 0.8$ and $\delta = -0.1$ for cylindrical symmetry ($m = 1$).	84
4.7	Flow patterns of the expansive discontinuities with $\gamma = 1.67$, $b = 0.2$, $\beta = 0.8$ and $\delta = 0.1$ for cylindrical symmetry ($m = 1$).	84
4.8	Flow patterns of the compressive discontinuities with $\gamma = 1.67$, $b = 0.2$, $\beta = 0.8$ and $\delta = -0.1$ for cylindrical symmetry ($m = 1$).	85
4.9	Flow patterns of the expansive discontinuities for planar($m = 0$) and cylindrically symmetric ($m = 1$) dusty gas flow with $b = 0.2$.	85
4.10	Flow patterns of the compressive discontinuities for planar($m = 0$) and cylindrically symmetric ($m = 1$) dusty gas flow with $b = 0.2$.	86
5.1	Convergence of the characteristics for supersonic planar and axisymmetric flow.	106
5.2	Effect of thermal radiation on the shock formation distance with $\varepsilon_0 = 1.6$, $b = 0.1$.	107
5.3	Effect of magnetic field on the shock formation distance with $\Phi = 0.8$, $b = 0.1$.	108
5.4	Effect of non-idealness on the shock formation distance with $\Phi = 0.8$, $\varepsilon_0 = 1.6$.	109
6.1	Projections of the elementary wave curves R, S onto the (v, p) phase plane for the model (6.6) and (6.7) with $p > 0$.	128

6.2	Solution structure of system (6.3) and (6.4) for case (a).	136
6.3	Solution structure of system (6.3) and (6.4) for case (b).	137
6.4	Solution structure of system (6.3) and (6.4) for case (c).	138
6.5	Solution structure of system (6.3) and (6.4) for case (d).	139
6.6	Solution structure of system (6.3) and (6.4) for case (e).	140
6.7	Solution structure of system (6.3) and (6.4) for case (f).	141