

Bibliography

- [1] H. Abels and C. Pfeuffer, “Spectral Invariance of Non-Smooth Pseudo-Differential Operators,” *Integr. Equ. Oper. Theory* **86**(2016)41–70.
- [2] C. Baccar, N. Hamadi and H. Herch, “Time-frequency analysis of localization operators associated to the windowed Hankel transform,” *Integral Transforms Spec. Funct.*, (3),**27**(2016)245-258.
- [3] C. Baccar, A. Kabache and F. Meherzi, “ $L^p - L^q$ time-scale localization operator for the continuous Hankel wavelet transform,” *J. Pseudo-Differ. Oper. Appl.*, **11**(2020)1367-1388.
- [4] J. J. Betancor and I. Marrero, “The Hankel convolution and the Zemanian spaces β_μ and β'_μ ,” *Math. Nachr.*, **160**(1993)277-298.
- [5] J. J. Betancor and I. Marrero, “A Hilbert space approach to Hankel transformable distributions,” *Applicable Analysis*, **52**(1994)103-124.
- [6] J.J. Betancor, “A Generalized Hankel Convolution on Zemanian Spaces,” *Internat. J. Math. and Math. Sci.*, **23** (2000), 131-140.
- [7] S. Bochner and K. Chandrasekharan, Fourier transform. Princeton university Press(1949).

- [8] B. L. J. Braaksma and A. Schuitman, “Some classes of Watson transforms and related integral equations for generalized functions,” *SIAM J. Math. Anal.*, (6), **7**(1976)771-798.
- [9] V. Catana, “Products of Two-Wavelet Multipliers and Their Traces,” *Oper. Theory Adv. Appl.*, **205**(2009)195-211.
- [10] E. A. Catchpole, “Spectral theory for a class of pseudo-differential operators” , *Proc. Roy. Soc. Edinburgh Sect. A Math.*, (3), **76**(1977)197-214.
- [11] F. M. Cholewinski, A Hankel convolution complex inversion theory, Amer. Math. Soc. (Memoris **58**) (1965).
- [12] E. Cordero and K. Gröchenig, “Time-frequency analysis of localization operators,” *J. Funct. Anal.*, **205**(2003)107-131.
- [13] E. Cordero, K. Gröchenig, and L. Rodino, “Localization operators and time-frequency analysis,” *Harmonic, Wavelet and p-adic Analysis, World Scientific*, (2007)83-110.
- [14] I. Daubechies, “Time-Frequency localization operators: A geometric phase space approach,” *IEEE Transactions on Information Theory*, (4), **34**(1988)605-612.
- [15] I. Daubechies, *Ten lectures on wavelets*, SIAM 1992.
- [16] Z. Du and M. W. Wong, “Traces of localization operators,” *C.R. Math. Rep. Acad. Soc. Canada* **22**(2000)92-96.
- [17] J. Du and M. W. Wong, “Traces of localization operator,” *C. R. Math. Rep. Acad. Sci. Canada*, (2) **22**(2000)92-96.

- [18] J. Du and M. W. Wong, “Traces of wavelet multipliers,” *C. R. Math. Rep. Acad. Sci. Canada*, (4) **23**(2001)148-152.
- [19] C. Fefferman, “ L^p -bounds for pseudo-differential operators,” *Israel J. Math.*, **14**(1973)413-417.
- [20] H. G. Feichtinger and T. Strohmer, *Gabor analysis and algorithms*, Theory and Applications, Birkhäuser, 1998.
- [21] G. B. Folland, *A course in abstract harmonic analysis*, CRC Press, 1995.
- [22] S. Ghobber, “A variants of the Hankel multiplier,” *Banach J. Math. Anal.*, **12**(2018)144-166.
- [23] S. Ghobber, “ L^p -boundedness and compactness of wavelet multipliers for integral operators,” *Integral Transforms Spec. Funct.*, **30**(2019)856-881.
- [24] R. R. Goldberg, “Watson transforms on groups,” *Annals of Mathematics*, Second Series, (3) **71**(1960)522-528.
- [25] D. T. Haimo, “Integral equations associated with Hankel convolutions,” *Trans. Amer. Math. Soc.* **116**(1965)330-375.
- [26] Z. He and M. W. Wong, “Localization operators associated to square integrable group representations,” *Panamer. Math. J.*, (1) **6**(1996)93-104.
- [27] Z. He and M. W. Wong, “Wavelet multipliers and signals,” *J. Austral. Math. Soc. Ser.*, **40**(1999)437-446.
- [28] I. I. Hirschman, Jr., “Variation diminishing Hankel transforms,” *J. Anal. Math.* **8**(1960)307-336.
- [29] L. Hormander, On the theory of general partial differential operators, *Acta mathematica* 94 (1955), 161-248.

- [30] T. Kato, “Boundedness Of some Pseudo-Differential Operators,” *Osaka J. Math.*, **13**(1976)1-9.
- [31] F. H. Kerr, “A fractional power theory for Hankel transforms in $L^2(\mathbb{R}_+)$,” *J. Math. Anal. Appl.*, **158**(1) (1991), 114-123.
- [32] J.J. Kohn and L. Nirenberg, “An Algebra of Pseudo-Differential Operators,” *Comm. Pure Appl. Math.*, **18**(1965)269-305.
- [33] Nauta Lemke , *On generalizations of Fourier and Laplace transforms*, Biblio-theek Tu Delft (*Ph.D. thesis*), 1971.
- [34] Y. Liu, A. Mohammed, and M. W. Wong, “Wavelet multipliers on $L^p(\mathbb{R}^n)$,” *Proc. Amer. Math. Soc.*, **136**(2008)1009-1018.
- [35] J. Lorinszi and J. Malecki, “Spectral properties of the massless relativistic harmonic oscillator,” *J. Differential Equations*, **253**(2012)2846-2871.
- [36] H. Mejjaoli, “New results for the Hankel two-wavelet multipliers,” *Journal of Taibah University for Science*, (1), **13**(2019)32-40.
- [37] H. Mejjaoli and K. Triméche, “k-Hankel two-wavelet theory and localization operators,” *Integral Transforms Spec. Funct.*, (3), **30**(2020)620-644.
- [38] M. Nagase and T. Umeda, “On the Essential Self.adjointness of Pseudo.differential Operators,” *Proc. Japan Acad.*, **64**(1988)94-97.
- [39] R. S. Pathak and P. K. Pandey, “A Class of Pseudo-Differential Operator Associated With Bessel Operator ,” *J. Math. Anal. Appl.*, **196**(1995)736-747.
- [40] R. S. Pathak and P. K. Pandey, “Sobolev Type Spaces Associated with Bessel Operators,” *J. Math. Anal. Appl.*, **215**(1997)95-111.

- [41] R. S. Pathak and S. K. Upadhyay, "Pseudo-Differential Operators involving Hankel Transform," *J.Math. Anal. and Appl.*, **213** (1997), 133-147.
- [42] R. S. Pathak and P. K. Pandey, "Minimal and Maximal Pseudo-Differential Operators Associated with the Bessel Operator," *Prog. of Maths.*, **34**(2000)133-146.
- [43] R. S. Pathak and S. K. Upadhyay, " L_μ^p -Boundedness of the pseudo-differential operator associated with the Bessel operator," *J. Math. Anal. Appl.*, **257** (2001)141-153
- [44] R. S. Pathak and M. M. Dixit, "Continuous and discrete Bessel wavelet transforms," *J. comput. Appl. Math.*, **160**(2003)241-250.
- [45] R. S. Pathak, "The wavelet transform of distributions," *Tohoku Math. J.*, **56**(2004)411-421.
- [46] R. S. Pathak and S. Tiwari, "Watson convolution operator," *Prog. Maths (BHU)* **40**(1-2)(2006) 57-75.
- [47] R. S. Pathak and S. Tiwari, "Pseudo-differential operators involving Watson transformation," *Appl. Anal.*, (10), **86**(2007)1223-1236.
- [48] R. S. Pathak and P. K. Pandey, "Some properties of the Pseudo-Differential Operator $h_{\mu,a}$," *J. Math. Anal. Appl.*, **334**(2007)922-931.
- [49] R. S. Pathak, The wavelet transform (*Springer Science & Business Media*, 2009).
- [50] R. S. Pathak and S. Tiwari, "Watson convolution on special distributional space," *Applicable Analysis*, (11), **90**(2011)1651-1663.

- [51] R. S. Pathak and S. K. Upadhyay and R. S. Pandey, “The Bessel wavelet convolution product,” *Rend. Sem. Mat. Univ. Politec. Torino.*, (3), **69**(2011)267-279.
- [52] M. A. Pinsky, *Introduction to Fourier Analysis and Wavelets*, American Mathematical Society, 2009.
- [53] S. Pilipovic, B. Prangoski and J. Vindas, “Spectral asymptotic for infinite order pseudo-differential operators,” *Bull. Math. Sci.*, (1), bf8(2018)81-120.
- [54] S. Ponnusami, “Foundations of Functional Analysis,” Alpha Science International Ltd. Pangbourne England, 2002.
- [55] M. Reed and B. Simon, *Methods of modern mathematical physics, I: Functional Analysis, Revised and Enlarged Edition*. Academic press, 1980.
- [56] J. P. V. Rodriguez, “On Some Spectral Properties Of Pseudo-differential operators On T ,” arXiv preprint arXiv:1902.00070v4, (2019), 1-25.
- [57] M. Schechter, “The spectrum of operators on $L^p(E^n)$,” *Ann. Scoula Norm. Sup. Pisa Sri. Fis. Mat.*, **24**(1970)201-207.
- [58] M. Schechter, *Spectra of Partial Differential Operators*, North-Holland, Amsterdam, 1971.
- [59] M. Schechter, “Scattering theory for pseudo-differential operators,” *Quart. J. Math. Oxford Ser.*, **27**(1976)111-121.
- [60] A. Schuitman, *A class of integral transforms and associated function spaces*, Technische Hogeschool Delft, Delft, The Netherlands, 1985.
- [61] M. A. Shubin, *Pseudo-differential Operators and Spectral Theory*, Vol. 200 Springer 1987.

- [62] P. Shukla and S. K. Upadhyay, *Wavelet multiplier associated with the Watson transform*, (Communicated).
- [63] M. Taylor, *Pseudo Differential Operators*, Lecture Notes in Math. No. 416, Springer-Verlag, Berlin, 1974.
- [64] E. C. Titchmarsh, *Introduction to the theory of Fourier integrals*, 2nd edition, Oxford, U.K, Oxford University Press, 1948.
- [65] F. Treves, *Introduction to Pseudo-differential and Fourier Integral Operators*, Vol. 2. Springer Science and Business Media, 1980.
- [66] S. K. Upadhyay, “ L_p^μ -boundedness of localization operators associated to Bessel left regular representation,” *J. Math. Anal. Appl.*, (1), **311**(2005)76-91.
- [67] S. K. Upadhyay and A. Tripathi, “Continuous Watson wavelet transform,” *Integral Transforms Spec. Funct.*, (9), **23**(2012)639-647.
- [68] S. K. Upadhyay, R. Singh and A. Tripathi, “The relation between Bessel wavelet convolution product and Hankel convolution product involving Hankel transform,” *Int. J. Wavelets Multiresolut. Inf. Process.*, **15**(2017)1-14.
- [69] Y. C. D. Verdiere,, “Spectral theory of pseudo-differential operators of degree 0 and application to forced linear waves” hal-01761011v2, 1-26.
- [70] R. A. Weder, “Spectral analysis of pseudo-differential operators,” *J. Funct. Anal.*, **20**(1975)319-337.
- [71] G. Wing, *On the L^p - theory of Hankel transforms*, Pacific J. Math. **1**(2) (1951), 313-319.
- [72] M. W. Wong, “Spectral analysis of strongly Carleman pseudo-differential operators,” *J. Lond. Math. Soc.*, **21**(1980)527-540.

- [73] M. W. Wong, “On some exotic pseudo-differential operators,” *Comm. Partial Differential Equations*, **5**(1980)733-739.
- [74] M. W. Wong, “ L^p -Spectra of Strongly Carleman Pseudo-Differential Operators,” *J. Funct. Anal.*, **44**(1981)163-173.
- [75] M. W. Wong, *An introduction to Pseudo-differential operator*, WorldScientific, Singapore, 1991.
- [76] M. W. Wong, *Wavelet transform and localization operators*, Operator Theory and Advances and Applications, Birkhäuser, 2002.
- [77] M. W. Wong and Z. Zhang, “Traces of two-wavelet multipliers, x Integral Equations Operator Theory,” **42**(2002)498-503.
- [78] M. W. Wong, “ L^p -boundedness of localization operators associated to left regular representations,” *Proc. Amer. Math. Soc.*, **130**(2002)2911-2919.
- [79] M. W. Wong and Z. Zhang, “Traces of localization operators with two admissible wavelet,” *ANZIAM J.*, **45**(2003)17-25.
- [80] M. W. Wong, Wavelet transform and localization operators, Birkhauser, 2002.
MR1918652(2003i:42003).
- [81] S. Zaidman, “Pseudo-differential operators,” *Annali di Matematica pura ed applicata*, Springer, **92**(1972)345-399.
- [82] A. H. Zemanian, “The Hankel Transformation of Certain Distributions of Rapid Growth,” *J. Siam Appl. Math.*, **14**(1966)678-690.
- [83] A. H. Zemanian, *Generalized integral transformations*, Interscience Publishers, New York, 1968.

- [84] A. H. Zemanian, "A distributional Hankel transformation, " *SIAM J. Appl. Math.* **143**(1966)561-576.

1. S. K. Upadhyay, and Pragya Shukla, “ L_μ^p – spectra of pseudo-differential operators associated with the Bessel operator,” *Bulletin des Sciences Mathematiques* **168**, 102960, (2021).
2. H. M. Srivastava, Pragya Shukla and S. K. Upadhyay, “The localization operator and wavelet multipliers involving Watson transform”, *J. Pseudo-Differ. Oper. Appl.*, 13 (2022) 1-21.
3. S. K. Upadhyay and Pragya Shukla, “Watson wavelet transform: Convolution product and two wavelet multipliers,” *Fractals: Complex Geometry, Patterns, and Scaling in Nature and Society*, (14 pages, Accepted).
4. Pragya Shukla and S. K. Upadhyay, “Wavelet multiplier associated with the Watson transform”, *Revista de la Real Academia de Ciencias Exactas, Físicas y Naturales. Serie A. Matemáticas* (23 pages, Accepted).
5. Pragya Shukla, and S. K. Upadhyay, “Hankel wavelet multiplier associated with the unitary representation,” (21 pages, Communicated).